

Appendix A: Test Data

SISO

Duty cycle						
Mode	Frequency (MHz)	On time (ms)	On+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11b	2412	0.690	3.080	22.403	6.497	1.449
802.11g	2412	1.990	2.050	97.073	0.129	0.503
802.11n HT20	2412	5.490	6.810	80.617	0.936	0.182
802.11n HT40	2422	5.490	6.780	80.973	0.917	0.182
802.11n VHT20	2412	5.520	6.780	81.416	0.893	0.181
802.11n VHT40	2422	5.490	6.810	80.617	0.936	0.182
802.11ax HE20	2412	5.520	6.840	80.702	0.931	0.181
802.11ax HE40	2422	5.490	6.810	80.617	0.936	0.182

2.4 GHz Band							
Mode	Channel	Freq. (MHz)	RF power setting in Test SW				Test SW Version
			Ant-0	Ant-1	Ant-2	Ant-3	
802.11b	1	2412	45.00	-	-	-	Tera Term v4.06
802.11b	6	2437	54.00	-	-	-	
802.11b	11	2462	47.00	-	-	-	
802.11b	12	2467	37.00	-	-	-	
802.11b	13	2472	24.00	-	-	-	
802.11g	1	2412	39.00	-	-	-	
802.11g	6	2437	54.00	-	-	-	
802.11g	11	2462	35.00	-	-	-	
802.11g	12	2467	23.00	-	-	-	
802.11g	13	2472	12.00	-	-	-	
802.11n HT20	1	2412	37.00	-	-	-	
802.11n HT20	6	2437	54.00	-	-	-	
802.11n HT20	11	2462	33.00	-	-	-	
802.11n HT20	12	2467	23.00	-	-	-	
802.11n HT20	13	2472	6.00	-	-	-	
802.11n HT40	3	2422	34.00	-	-	-	
802.11n HT40	6	2437	36.00	-	-	-	
802.11n HT40	9	2452	31.00	-	-	-	
802.11n HT40	10	2457	24.00	-	-	-	
802.11n HT40	11	2462	19.00	-	-	-	
802.11n VHT20	1	2412	37.00	-	-	-	
802.11n VHT20	6	2437	50.00	-	-	-	
802.11n VHT20	11	2462	33.00	-	-	-	
802.11n VHT20	12	2467	23.00	-	-	-	
802.11n VHT20	13	2472	6.00	-	-	-	
802.11n VHT40	3	2422	34.00	-	-	-	
802.11n VHT40	6	2437	36.00	-	-	-	
802.11n VHT40	9	2452	31.00	-	-	-	
802.11n VHT40	10	2457	24.00	-	-	-	
802.11n VHT40	11	2462	19.00	-	-	-	
802.11ax HE20	1	2412	38.00	-	-	-	
802.11ax HE20	6	2437	54.00	-	-	-	
802.11ax HE20	11	2462	33.00	-	-	-	
802.11ax HE20	12	2467	26.00	-	-	-	
802.11ax HE20	13	2472	4.00	-	-	-	
802.11ax HE40	3	2422	35.00	-	-	-	
802.11ax HE40	6	2437	34.00	-	-	-	
802.11ax HE40	9	2452	24.00	-	-	-	
802.11ax HE40	10	2457	22.00	-	-	-	
802.11ax HE40	11	2462	18.00	-	-	-	

2.4 GHz Band													
Mode	CH	Freq. (MHz)	Data Rate	Avg Conducted Power (dBm)					Conducted Power Limit (dBm)				
				Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	1	2412	1M	22.98	-	-	-	-	30.00	-	-	-	-
802.11b	6	2437	1M	27.64	-	-	-	-	30.00	-	-	-	-
802.11b	11	2462	1M	23.34	-	-	-	-	30.00	-	-	-	-
802.11b	12	2467	1M	18.52	-	-	-	-	30.00	-	-	-	-
802.11b	13	2472	1M	11.79	-	-	-	-	30.00	-	-	-	-
802.11g	1	2412	6M	18.72	-	-	-	-	30.00	-	-	-	-
802.11g	6	2437	6M	24.84	-	-	-	-	30.00	-	-	-	-
802.11g	11	2462	6M	16.40	-	-	-	-	30.00	-	-	-	-
802.11g	12	2467	6M	10.41	-	-	-	-	30.00	-	-	-	-
802.11g	13	2472	6M	5.56	-	-	-	-	30.00	-	-	-	-
802.11n HT20	1	2412	6.5M	17.46	-	-	-	-	30.00	-	-	-	-
802.11n HT20	6	2437	6.5M	24.65	-	-	-	-	30.00	-	-	-	-
802.11n HT20	11	2462	6.5M	14.80	-	-	-	-	30.00	-	-	-	-
802.11n HT20	12	2467	6.5M	9.93	-	-	-	-	30.00	-	-	-	-
802.11n HT20	13	2472	6.5M	2.43	-	-	-	-	30.00	-	-	-	-
802.11n HT40	3	2422	13.5M	16.55	-	-	-	-	30.00	-	-	-	-
802.11n HT40	6	2437	13.5M	17.33	-	-	-	-	30.00	-	-	-	-
802.11n HT40	9	2452	13.5M	14.44	-	-	-	-	30.00	-	-	-	-
802.11n HT40	10	2457	13.5M	10.81	-	-	-	-	30.00	-	-	-	-
802.11n HT40	11	2462	13.5M	8.23	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	1	2412	MCS0	17.34	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	6	2437	MCS0	23.36	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	11	2462	MCS0	14.63	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	12	2467	MCS0	9.76	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	13	2472	MCS0	2.24	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	3	2422	MCS0	16.51	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	6	2437	MCS0	17.29	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	9	2452	MCS0	14.40	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	10	2457	MCS0	10.72	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	11	2462	MCS0	8.19	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	1	2412	MCS0	18.24	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	6	2437	MCS0	24.91	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	11	2462	MCS0	15.16	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	12	2467	MCS0	11.67	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	13	2472	MCS0	1.66	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	3	2422	MCS0	17.21	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	6	2437	MCS0	16.52	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	9	2452	MCS0	11.03	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	10	2457	MCS0	10.07	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	11	2462	MCS0	7.82	-	-	-	-	30.00	-	-	-	-

6 dB Bandwidth						
Mode	Freq. (MHz)	6 dB Bandwidth (kHz)				6 dB Bandwidth Min.Limit (kHz)
		Ant-0	Ant-1	Ant-2	Ant-3	
802.11b	2412	8090	-	-	-	≥ 500
802.11b	2437	8066	-	-	-	≥ 500
802.11b	2462	8087	-	-	-	≥ 500
802.11b	2467	8093	-	-	-	≥ 500
802.11b	2472	8094	-	-	-	≥ 500
802.11g	2412	16070	-	-	-	≥ 500
802.11g	2437	16040	-	-	-	≥ 500
802.11g	2462	16300	-	-	-	≥ 500
802.11g	2467	16060	-	-	-	≥ 500
802.11g	2472	16060	-	-	-	≥ 500
802.11n HT20	2412	17180	-	-	-	≥ 500
802.11n HT20	2437	17290	-	-	-	≥ 500
802.11n HT20	2462	17050	-	-	-	≥ 500
802.11n HT20	2467	16930	-	-	-	≥ 500
802.11n HT20	2472	17060	-	-	-	≥ 500
802.11n HT40	2422	35520	-	-	-	≥ 500
802.11n HT40	2437	35710	-	-	-	≥ 500
802.11n HT40	2452	35460	-	-	-	≥ 500
802.11n HT40	2457	35450	-	-	-	≥ 500
802.11n HT40	2462	35410	-	-	-	≥ 500
802.11ax HE20	2412	18650	-	-	-	≥ 500
802.11ax HE20	2437	18570	-	-	-	≥ 500
802.11ax HE20	2462	18690	-	-	-	≥ 500
802.11ax HE20	2467	18690	-	-	-	≥ 500
802.11ax HE20	2472	18650	-	-	-	≥ 500
802.11ax HE40	2422	37310	-	-	-	≥ 500
802.11ax HE40	2437	37690	-	-	-	≥ 500
802.11ax HE40	2452	37690	-	-	-	≥ 500
802.11ax HE40	2457	37730	-	-	-	≥ 500
802.11ax HE40	2462	37570	-	-	-	≥ 500

99 % Occupied BW					
Mode	Freq. (MHz)	99 % Occupied BW (MHz)			
		Ant-0	Ant-1	Ant-2	Ant-3
802.11b	2412	13.080	-	-	-
802.11b	2437	13.486	-	-	-
802.11b	2462	13.132	-	-	-
802.11b	2467	13.087	-	-	-
802.11b	2472	13.119	-	-	-
802.11g	2412	16.382	-	-	-
802.11g	2437	16.677	-	-	-
802.11g	2462	16.390	-	-	-
802.11g	2467	16.388	-	-	-
802.11g	2472	16.396	-	-	-
802.11n HT20	2412	17.554	-	-	-
802.11n HT20	2437	17.738	-	-	-
802.11n HT20	2462	17.549	-	-	-
802.11n HT20	2467	17.549	-	-	-
802.11n HT20	2472	17.566	-	-	-
802.11n HT40	2422	36.126	-	-	-
802.11n HT40	2437	36.167	-	-	-
802.11n HT40	2452	36.137	-	-	-
802.11n HT40	2457	36.166	-	-	-
802.11n HT40	2462	36.164	-	-	-
802.11ax HE20	2412	18.873	-	-	-
802.11ax HE20	2437	19.042	-	-	-
802.11ax HE20	2462	18.884	-	-	-
802.11ax HE20	2467	18.889	-	-	-
802.11ax HE20	2472	18.885	-	-	-
802.11ax HE40	2422	37.800	-	-	-
802.11ax HE40	2437	37.841	-	-	-
802.11ax HE40	2452	37.841	-	-	-
802.11ax HE40	2457	37.818	-	-	-
802.11ax HE40	2462	37.869	-	-	-

Maximum Power Spectral Density Measurement											
Mode	Freq. (MHz)	Measurement (dBm/3 kHz)					Max.Limit (dBm/ 3 kHz)				
		Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	2412	0.32	-	-	-	-	8.00	-	-	-	-
802.11b	2437	4.77	-	-	-	-	8.00	-	-	-	-
802.11b	2462	0.48	-	-	-	-	8.00	-	-	-	-
802.11b	2467	-3.97	-	-	-	-	8.00	-	-	-	-
802.11b	2472	-10.67	-	-	-	-	8.00	-	-	-	-
802.11g	2412	-6.45	-	-	-	-	8.00	-	-	-	-
802.11g	2437	-0.32	-	-	-	-	8.00	-	-	-	-
802.11g	2462	-9.71	-	-	-	-	8.00	-	-	-	-
802.11g	2467	-15.04	-	-	-	-	8.00	-	-	-	-
802.11g	2472	-19.37	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2412	-4.47	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2437	2.85	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2462	-8.90	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2467	-13.35	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2472	-20.25	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2422	-10.37	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2437	-9.47	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2452	-12.20	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2457	-16.15	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2462	-18.97	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2412	-6.16	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2437	0.14	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2462	-9.61	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2467	-12.52	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2472	-22.85	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2422	-10.24	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2437	-10.72	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2452	-16.72	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2457	-17.31	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2462	-19.17	-	-	-	-	8.00	-	-	-	-

MIMO

Duty cycle

Mode	Frequency (MHz)	On time (ms)	On+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11n HT20	2412	5.490	6.810	80.617	0.936	0.182
802.11n HT40	2422	5.490	6.780	80.973	0.917	0.182
802.11n VHT20	2412	5.520	6.780	81.416	0.893	0.181
802.11n VHT40	2422	5.490	6.810	80.617	0.936	0.182
802.11ax HE20	2412	5.520	6.840	80.702	0.931	0.181
802.11ax HE40	2422	5.490	6.810	80.617	0.936	0.182

2.4 GHz Band							
Mode	Channel	Freq. (MHz)	RF power setting in Test SW				Test SW Version
			Ant-0	Ant-1	Ant-2	Ant-3	
802.11n HT20	1	2412	34.00	34.00	-	-	Tera Term v4.06
802.11n HT20	6	2437	52.00	52.00	-	-	
802.11n HT20	11	2462	32.00	32.00	-	-	
802.11n HT20	12	2467	24.00	24.00	-	-	
802.11n HT20	13	2472	4.00	4.00	-	-	
802.11n HT40	3	2422	30.00	30.00	-	-	
802.11n HT40	6	2437	34.00	34.00	-	-	
802.11n HT40	9	2452	29.00	29.00	-	-	
802.11n HT40	10	2457	22.00	22.00	-	-	
802.11n HT40	11	2462	12.00	12.00	-	-	
802.11n VHT20	1	2412	34.00	34.00	-	-	
802.11n VHT20	6	2437	41.00	41.00	-	-	
802.11n VHT20	11	2462	32.00	32.00	-	-	
802.11n VHT20	12	2467	24.00	24.00	-	-	
802.11n VHT20	13	2472	4.00	4.00	-	-	
802.11n VHT40	3	2422	30.00	30.00	-	-	
802.11n VHT40	6	2437	34.00	34.00	-	-	
802.11n VHT40	9	2452	29.00	29.00	-	-	
802.11n VHT40	10	2457	22.00	22.00	-	-	
802.11n VHT40	11	2462	12.00	12.00	-	-	
802.11ax HE20	1	2412	36.00	36.00	-	-	
802.11ax HE20	6	2437	54.00	54.00	-	-	
802.11ax HE20	11	2462	32.00	32.00	-	-	
802.11ax HE20	12	2467	24.00	24.00	-	-	
802.11ax HE20	13	2472	2.00	2.00	-	-	
802.11ax HE40	3	2422	29.00	29.00	-	-	
802.11ax HE40	6	2437	32.00	32.00	-	-	
802.11ax HE40	9	2452	22.00	22.00	-	-	
802.11ax HE40	10	2457	20.00	20.00	-	-	
802.11ax HE40	11	2462	13.00	13.00	-	-	

2.4 GHz Band													
Mode	CH	Freq. (MHz)	Data Rate	Avg Conducted Power (dBm)					Conducted Power Limit (dBm)				
				Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11n HT20	1	2412	13M	15.95	15.91	-	-	18.94	30.00	30.00	-	-	30.00
802.11n HT20	6	2437	13M	24.23	23.66	-	-	26.96	30.00	30.00	-	-	30.00
802.11n HT20	11	2462	13M	14.65	14.12	-	-	17.40	30.00	30.00	-	-	30.00
802.11n HT20	12	2467	13M	10.48	10.03	-	-	13.27	30.00	30.00	-	-	30.00
802.11n HT20	13	2472	13M	1.83	1.57	-	-	4.71	30.00	30.00	-	-	30.00
802.11n HT40	3	2422	27M	14.49	14.46	-	-	17.48	30.00	30.00	-	-	30.00
802.11n HT40	6	2437	27M	16.50	16.20	-	-	19.36	30.00	30.00	-	-	30.00
802.11n HT40	9	2452	27M	13.60	13.27	-	-	16.45	30.00	30.00	-	-	30.00
802.11n HT40	10	2457	27M	9.91	9.65	-	-	12.79	30.00	30.00	-	-	30.00
802.11n HT40	11	2462	27M	5.15	4.79	-	-	7.98	30.00	30.00	-	-	30.00
802.11n VHT20	1	2412	MCS0	15.75	15.71	-	-	18.74	30.00	30.00	-	-	30.00
802.11n VHT20	6	2437	MCS0	19.07	19.18	-	-	22.14	30.00	30.00	-	-	30.00
802.11n VHT20	11	2462	MCS0	14.54	13.93	-	-	17.26	30.00	30.00	-	-	30.00
802.11n VHT20	12	2467	MCS0	10.34	9.83	-	-	13.11	30.00	30.00	-	-	30.00
802.11n VHT20	13	2472	MCS0	1.69	1.41	-	-	4.57	30.00	30.00	-	-	30.00
802.11n VHT40	3	2422	MCS0	14.45	14.40	-	-	17.43	30.00	30.00	-	-	30.00
802.11n VHT40	6	2437	MCS0	16.37	16.16	-	-	19.27	30.00	30.00	-	-	30.00
802.11n VHT40	9	2452	MCS0	13.51	13.15	-	-	16.34	30.00	30.00	-	-	30.00
802.11n VHT40	10	2457	MCS0	9.85	9.53	-	-	12.70	30.00	30.00	-	-	30.00
802.11n VHT40	11	2462	MCS0	5.06	4.71	-	-	7.89	30.00	30.00	-	-	30.00
802.11ax HE20	1	2412	MCS0	17.19	17.16	-	-	20.19	30.00	30.00	-	-	30.00
802.11ax HE20	6	2437	MCS0	24.85	25.30	-	-	28.09	30.00	30.00	-	-	30.00
802.11ax HE20	11	2462	MCS0	14.92	14.41	-	-	17.68	30.00	30.00	-	-	30.00
802.11ax HE20	12	2467	MCS0	10.78	10.31	-	-	13.56	30.00	30.00	-	-	30.00
802.11ax HE20	13	2472	MCS0	1.22	0.92	-	-	4.08	30.00	30.00	-	-	30.00
802.11ax HE40	3	2422	MCS0	14.15	14.10	-	-	17.13	30.00	30.00	-	-	30.00
802.11ax HE40	6	2437	MCS0	15.75	15.30	-	-	18.54	30.00	30.00	-	-	30.00
802.11ax HE40	9	2452	MCS0	9.83	9.55	-	-	12.70	30.00	30.00	-	-	30.00
802.11ax HE40	10	2457	MCS0	8.71	8.50	-	-	11.61	30.00	30.00	-	-	30.00
802.11ax HE40	11	2462	MCS0	5.85	5.65	-	-	8.76	30.00	30.00	-	-	30.00

6 dB Bandwidth						
Mode	Freq. (MHz)	6 dB Bandwidth (kHz)				6 dB Bandwidth Min.Limit (kHz)
		Ant-0	Ant-1	Ant-2	Ant-3	
802.11n HT20	2412	17540	17550	-	-	≥ 500
802.11n HT20	2437	17190	17540	-	-	≥ 500
802.11n HT20	2462	17060	17580	-	-	≥ 500
802.11n HT20	2467	17300	17580	-	-	≥ 500
802.11n HT20	2472	17280	17550	-	-	≥ 500
802.11n HT40	2422	35510	35800	-	-	≥ 500
802.11n HT40	2437	35540	35450	-	-	≥ 500
802.11n HT40	2452	35490	35810	-	-	≥ 500
802.11n HT40	2457	35580	35440	-	-	≥ 500
802.11n HT40	2462	35710	35390	-	-	≥ 500
802.11ax HE20	2412	18730	18660	-	-	≥ 500
802.11ax HE20	2437	18690	18200	-	-	≥ 500
802.11ax HE20	2462	18680	18390	-	-	≥ 500
802.11ax HE20	2467	18680	18110	-	-	≥ 500
802.11ax HE20	2472	18520	18680	-	-	≥ 500
802.11ax HE40	2422	36950	36380	-	-	≥ 500
802.11ax HE40	2437	37630	36660	-	-	≥ 500
802.11ax HE40	2452	37660	37500	-	-	≥ 500
802.11ax HE40	2457	37880	36790	-	-	≥ 500
802.11ax HE40	2462	37410	36860	-	-	≥ 500

99 % Occupied BW					
Mode	Freq. (MHz)	99 % Occupied BW (MHz)			
		Ant-0	Ant-1	Ant-2	Ant-3
802.11n HT20	2412	17.536	17.541	-	-
802.11n HT20	2437	17.631	17.616	-	-
802.11n HT20	2462	17.547	17.539	-	-
802.11n HT20	2467	17.555	17.543	-	-
802.11n HT20	2472	17.584	17.569	-	-
802.11n HT40	2422	36.095	36.011	-	-
802.11n HT40	2437	36.103	36.023	-	-
802.11n HT40	2452	36.140	36.045	-	-
802.11n HT40	2457	36.153	36.013	-	-
802.11n HT40	2462	36.173	36.087	-	-
802.11ax HE20	2412	18.891	18.908	-	-
802.11ax HE20	2437	19.065	19.129	-	-
802.11ax HE20	2462	18.893	18.919	-	-
802.11ax HE20	2467	18.890	18.905	-	-
802.11ax HE20	2472	18.925	18.926	-	-
802.11ax HE40	2422	37.760	37.755	-	-
802.11ax HE40	2437	37.779	37.788	-	-
802.11ax HE40	2452	37.856	37.784	-	-
802.11ax HE40	2457	37.816	37.777	-	-
802.11ax HE40	2462	37.794	37.825	-	-

Maximum Power Spectral Density Measurement											
Mode	Freq. (MHz)	Measurement (dBm/3 kHz)					Max.Limit (dBm/ 3 kHz)				
		Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11n HT20	2412	-6.73	-6.06	-	-	-3.37	8.00	8.00	-	-	5.99
802.11n HT20	2437	0.00	2.24	-	-	4.27	8.00	8.00	-	-	5.99
802.11n HT20	2462	-9.57	-6.89	-	-	-5.02	8.00	8.00	-	-	5.99
802.11n HT20	2467	-12.46	-12.44	-	-	-9.44	8.00	8.00	-	-	5.99
802.11n HT20	2472	-22.18	-20.41	-	-	-18.20	8.00	8.00	-	-	5.99
802.11n HT40	2422	-11.77	-11.47	-	-	-8.61	8.00	8.00	-	-	5.99
802.11n HT40	2437	-9.30	-9.36	-	-	-6.32	8.00	8.00	-	-	5.99
802.11n HT40	2452	-12.62	-13.13	-	-	-9.86	8.00	8.00	-	-	5.99
802.11n HT40	2457	-15.31	-15.84	-	-	-12.56	8.00	8.00	-	-	5.99
802.11n HT40	2462	-20.88	-21.45	-	-	-18.15	8.00	8.00	-	-	5.99
802.11ax HE20	2412	-7.49	-8.14	-	-	-4.79	8.00	8.00	-	-	5.99
802.11ax HE20	2437	0.52	0.33	-	-	3.44	8.00	8.00	-	-	5.99
802.11ax HE20	2462	-10.02	-10.21	-	-	-7.10	8.00	8.00	-	-	5.99
802.11ax HE20	2467	-13.32	-14.27	-	-	-10.76	8.00	8.00	-	-	5.99
802.11ax HE20	2472	-22.95	-23.46	-	-	-20.19	8.00	8.00	-	-	5.99
802.11ax HE40	2422	-13.43	-12.87	-	-	-10.13	8.00	8.00	-	-	5.99
802.11ax HE40	2437	-11.92	-11.50	-	-	-8.69	8.00	8.00	-	-	5.99
802.11ax HE40	2452	-17.85	-16.97	-	-	-14.38	8.00	8.00	-	-	5.99
802.11ax HE40	2457	-18.50	-18.14	-	-	-15.31	8.00	8.00	-	-	5.99
802.11ax HE40	2462	-21.50	-21.23	-	-	-18.35	8.00	8.00	-	-	5.99