


In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-40 [52-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-40 [106-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-40 [106-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-40 [242-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-40 [242-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-40 [484-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-40 [484-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-80 [OFDM]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 29, 2024
23 deg. C / 49 % RH
Makoto Hosaka
Tx 11ax-80 [OFDM]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [26-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [26-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [52-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [52-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [106-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [106-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode


Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [242-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [242-tone RU]



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.8 Shielded Room
May 31, 2024
24 deg. C / 52 % RH
Takayuki Kobayashi
Tx 11ax-80 [484-tone RU]

