







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Test Result

Mode:	1M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.94	44.15	-19.79	74.00	29.85	Horizontal	PASS
2	2330.02	65.37	45.61	-19.76	74.00	28.39	Horizontal	PASS
3	2354.12	67.78	48.28	-19.50	74.00	25.72	Horizontal	PASS
4	2372.14	64.88	46.35	-18.53	74.00	27.65	Horizontal	PASS
5	2386.39	66.28	48.51	-17.77	74.00	25.49	Horizontal	PASS
6	2390.00	64.07	46.50	-17.57	74.00	27.50	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.67	43.88	-19.79	74.00	30.12	Vertical	PASS
2	2329.69	65.00	45.24	-19.76	74.00	28.76	Vertical	PASS
3	2344.51	64.84	45.11	-19.73	74.00	28.89	Vertical	PASS
4	2354.76	67.42	47.96	-19.46	74.00	26.04	Vertical	PASS
5	2380.79	66.53	48.46	-18.07	74.00	25.54	Vertical	PASS
6	2390.00	65.11	47.54	-17.57	74.00	26.46	Vertical	PASS

Mode:	1M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	69.33	51.31	-18.02	74.00	22.69	Vertical	PASS
2	2484.02	66.99	48.83	-18.16	74.00	25.17	Vertical	PASS
3	2486.81	65.76	47.15	-18.61	74.00	26.85	Vertical	PASS
4	2491.94	65.82	46.87	-18.95	74.00	27.13	Vertical	PASS
5	2495.31	65.87	46.95	-18.92	74.00	27.05	Vertical	PASS
6	2500.00	63.94	45.09	-18.85	74.00	28.91	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	68.94	50.92	-18.02	74.00	23.08	Horizontal	PASS
2	2486.73	66.40	47.80	-18.60	74.00	26.20	Horizontal	PASS
3	2492.78	65.64	46.70	-18.94	74.00	27.30	Horizontal	PASS
4	2494.17	65.66	46.73	-18.93	74.00	27.27	Horizontal	PASS
5	2500.00	64.08	45.23	-18.85	74.00	28.77	Horizontal	PASS

Mode:	2M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.35	43.56	-19.79	74.00	30.44	Horizontal	PASS
2	2330.34	64.59	44.83	-19.76	74.00	29.17	Horizontal	PASS
3	2339.95	64.58	44.84	-19.74	74.00	29.16	Horizontal	PASS
4	2354.52	67.44	47.96	-19.48	74.00	26.04	Horizontal	PASS
5	2380.87	67.54	49.48	-18.06	74.00	24.52	Horizontal	PASS
6	2390.00	64.97	47.40	-17.57	74.00	26.60	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.57	43.78	-19.79	74.00	30.22	Vertical	PASS
2	2331.78	65.61	45.86	-19.75	74.00	28.14	Vertical	PASS
3	2339.62	64.60	44.86	-19.74	74.00	29.14	Vertical	PASS
4	2353.72	68.13	48.61	-19.52	74.00	25.39	Vertical	PASS
5	2378.46	68.01	49.82	-18.19	74.00	24.18	Vertical	PASS
6	2390.00	65.84	48.27	-17.57	74.00	25.73	Vertical	PASS

Mode:	2M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	69.03	51.01	-18.02	74.00	22.99	Horizontal	PASS
2	2486.81	65.94	47.33	-18.61	74.00	26.67	Horizontal	PASS
3	2488.23	65.72	46.95	-18.77	74.00	27.05	Horizontal	PASS
4	2494.48	66.25	47.32	-18.93	74.00	26.68	Horizontal	PASS
5	2498.51	66.64	47.77	-18.87	74.00	26.23	Horizontal	PASS
6	2500.00	64.14	45.29	-18.85	74.00	28.71	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	67.96	49.94	-18.02	74.00	24.06	Vertical	PASS
2	2488.25	66.15	47.37	-18.78	74.00	26.63	Vertical	PASS
3	2491.04	65.69	46.73	-18.96	74.00	27.27	Vertical	PASS
4	2492.24	66.30	47.35	-18.95	74.00	26.65	Vertical	PASS
5	2496.20	66.14	47.24	-18.90	74.00	26.76	Vertical	PASS
6	2500.00	63.98	45.13	-18.85	74.00	28.87	Vertical	PASS

Mode:	3M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.72	43.93	-19.79	74.00	30.07	Vertical	PASS
2	2333.46	65.04	45.29	-19.75	74.00	28.71	Vertical	PASS
3	2354.76	65.77	46.31	-19.46	74.00	27.69	Vertical	PASS
4	2367.25	64.59	45.80	-18.79	74.00	28.20	Vertical	PASS
5	2377.82	66.40	48.17	-18.23	74.00	25.83	Vertical	PASS
6	2390.00	64.24	46.67	-17.57	74.00	27.33	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.01	43.22	-19.79	74.00	30.78	Horizontal	PASS
2	2326.57	65.13	45.37	-19.76	74.00	28.63	Horizontal	PASS
3	2338.34	64.67	44.93	-19.74	74.00	29.07	Horizontal	PASS
4	2353.56	66.43	46.90	-19.53	74.00	27.10	Horizontal	PASS
5	2378.22	67.28	49.07	-18.21	74.00	24.93	Horizontal	PASS
6	2390.00	63.80	46.23	-17.57	74.00	27.77	Horizontal	PASS

Mode:	3M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	68.71	50.69	-18.02	74.00	23.31	Horizontal	PASS
2	2487.21	65.75	47.09	-18.66	74.00	26.91	Horizontal	PASS
3	2488.99	65.88	47.02	-18.86	74.00	26.98	Horizontal	PASS
4	2492.77	66.75	47.80	-18.95	74.00	26.20	Horizontal	PASS
5	2496.13	66.16	47.25	-18.91	74.00	26.75	Horizontal	PASS
6	2500.00	64.86	46.01	-18.85	74.00	27.99	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	65.85	47.83	-18.02	74.00	26.17	Vertical	PASS
2	2485.21	65.43	47.00	-18.43	74.00	27.00	Vertical	PASS
3	2489.02	66.11	47.25	-18.86	74.00	26.75	Vertical	PASS
4	2493.53	65.62	46.68	-18.94	74.00	27.32	Vertical	PASS
5	2495.69	65.97	47.06	-18.91	74.00	26.94	Vertical	PASS
6	2500.00	63.17	44.32	-18.85	74.00	29.68	Vertical	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dB μ V/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Appendix K: Radiated emissions for transmitter


The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

Above 1GHz, The emission level with margin less than 20db is recorded.


According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

The worst case data was recorded



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	49.4194	11.87	-15.49	40.00	28.13	150	80	Horizontal
2	74.6647	8.21	-19.33	40.00	31.79	150	100	Horizontal
3	125.155	12.37	-18.04	43.50	31.13	150	280	Horizontal
4	308.668	12.64	-15.48	46.00	33.36	150	260	Horizontal
5	536.846	18.69	-10.69	46.00	27.31	150	250	Horizontal
6	826.196	26.33	-6.26	46.00	19.67	150	10	Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	62.0420	18.64	-16.65	40.00	21.36	150	20	Vertical
2	107.677	26.74	-19.59	43.50	16.76	150	300	Vertical
3	189.239	30.12	-18.10	43.50	13.38	150	100	Vertical
4	297.017	29.00	-15.72	46.00	17.00	150	100	Vertical
5	445.575	23.65	-12.60	46.00	22.35	150	60	Vertical
6	874.744	24.84	-5.88	46.00	21.16	150	320	Vertical

Mode:	1M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1670.3352	64.62	-23.34	41.28	74.00	32.72	Horizontal	PASS
2	3720.1200	60.99	-18.66	42.33	74.00	31.67	Horizontal	PASS
3	4804.0000	57.27	-16.46	40.81	74.00	33.19	Horizontal	PASS
4	7206.0000	58.82	-12.75	46.07	74.00	27.93	Horizontal	PASS
5	9608.6014	64.04	-9.84	54.20	74.00	19.80	Horizontal	PASS
6	12789.1315	58.01	-4.54	53.47	74.00	20.53	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1670.3352	-24.79	-23.34	35.64	54.00	18.36	Horizontal	PASS
2	3720.1200	-24.79	-18.66	33.57	54.00	20.43	Horizontal	PASS
3	4804.0000	-24.79	-16.46	35.26	54.00	18.74	Horizontal	PASS
4	7206.0000	-24.79	-12.75	41.63	54.00	12.37	Horizontal	PASS
5	9608.6014	-24.79	-9.84	46.47	54.00	7.53	Horizontal	PASS
6	12789.1315	-24.79	-4.54	44.49	54.00	9.51	Horizontal	PASS

Mode:	1M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1253.1266	64.08	-25.54	38.54	74.00	35.46	Vertical	PASS
2	1982.4912	63.81	-20.65	43.16	74.00	30.84	Vertical	PASS
3	4804.0000	57.59	-16.46	41.13	74.00	32.87	Vertical	PASS
4	7206.0000	56.81	-12.75	44.06	74.00	29.94	Vertical	PASS
5	9601.1002	61.36	-9.85	51.51	74.00	22.49	Vertical	PASS
6	13134.1890	57.81	-3.99	53.82	74.00	20.18	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1253.1266	-24.79	-25.54	33.41	54.00	20.59	Vertical	PASS
2	1982.4912	-24.79	-20.65	37.86	54.00	16.14	Vertical	PASS
3	4804.0000	-24.79	-16.46	34.07	54.00	19.93	Vertical	PASS
4	7206.0000	-24.79	-12.75	41.05	54.00	12.95	Vertical	PASS
5	9601.1002	-24.79	-9.85	41.88	54.00	12.12	Vertical	PASS
6	13134.1890	-24.79	-3.99	44.61	54.00	9.39	Vertical	PASS

Mode:	1M-2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1126.0630	64.12	-25.95	38.17	74.00	35.83	Horizontal	PASS
2	1853.4267	64.69	-21.63	43.06	74.00	30.94	Horizontal	PASS
3	3982.6638	60.5	-17.62	42.88	74.00	31.12	Horizontal	PASS
4	4882.0000	57	-16.32	40.68	74.00	33.32	Horizontal	PASS
5	7323.0000	62.74	-12.87	49.87	74.00	24.13	Horizontal	PASS
6	9763.3639	70.21	-9.38	60.83	74.00	13.17	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1126.0630	-24.79	-25.95	33.73	54.00	20.27	Horizontal	PASS
2	1853.4267	-24.79	-21.63	38.52	54.00	15.48	Horizontal	PASS
3	3982.6638	-24.79	-17.62	34.62	54.00	19.38	Horizontal	PASS
4	4882.0000	-24.79	-16.32	35.20	54.00	18.80	Horizontal	PASS
5	7323.0000	-24.79	-12.87	39.57	54.00	14.43	Horizontal	PASS
6	9763.3639	-24.79	-9.38	51.91	54.00	2.09	Horizontal	PASS

Mode:	1M-2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1219.1096	63.54	-25.66	37.88	74.00	36.12	Vertical	PASS
2	1936.4682	63.12	-21.03	42.09	74.00	31.91	Vertical	PASS
3	3780.1300	60.96	-18.34	42.62	74.00	31.38	Vertical	PASS
4	4882.0000	59.65	-16.32	43.33	74.00	30.67	Vertical	PASS
5	7323.0000	62.35	-12.87	49.48	74.00	24.52	Vertical	PASS
6	9763.6273	66.05	-9.38	56.67	74.00	17.33	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1219.1096	-24.79	-25.66	33.62	54.00	20.38	Vertical	PASS
2	1936.4682	-24.79	-21.03	38.28	54.00	15.72	Vertical	PASS
3	3780.1300	-24.79	-18.34	34.58	54.00	19.42	Vertical	PASS
4	4882.0000	-24.79	-16.32	35.70	54.00	18.30	Vertical	PASS
5	7323.0000	-24.79	-12.87	39.10	54.00	14.90	Vertical	PASS
6	9763.6273	-24.79	-9.38	47.58	54.00	6.42	Vertical	PASS

Mode:	1M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1227.1136	63.74	-25.63	38.11	74.00	35.89	Horizontal	PASS
2	2024.5123	64.1	-20.42	43.68	74.00	30.32	Horizontal	PASS
3	4072.6788	60.95	-17.62	43.33	74.00	30.67	Horizontal	PASS
4	4960.0000	60.78	-16.34	44.44	74.00	29.56	Horizontal	PASS
5	7440.0000	60.95	-12.72	48.23	74.00	25.77	Horizontal	PASS
6	9920.7170	67.46	-8.98	58.48	74.00	15.52	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1227.1136	-24.79	-25.63	34.34	54.00	19.66	Horizontal	PASS
2	2024.5123	-24.79	-20.42	38.12	54.00	15.88	Horizontal	PASS
3	4072.6788	-24.79	-17.62	33.67	54.00	20.33	Horizontal	PASS
4	4960.0000	-24.79	-16.34	35.82	54.00	18.18	Horizontal	PASS
5	7440.0000	-24.79	-12.72	40.52	54.00	13.48	Horizontal	PASS
6	9920.7170	-24.79	-8.98	48.67	54.00	5.33	Horizontal	PASS

Mode:	1M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1387.1936	63.69	-25.11	38.58	74.00	35.42	Vertical	PASS
2	1821.4107	62.31	-21.98	40.33	74.00	33.67	Vertical	PASS
3	3807.6346	60.08	-18.15	41.93	74.00	32.07	Vertical	PASS
4	4960.0000	60.71	-16.34	44.37	74.00	29.63	Vertical	PASS
5	7440.0000	58.81	-12.72	46.09	74.00	27.91	Vertical	PASS
6	9921.1535	60.59	-8.97	51.62	74.00	22.38	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1387.1936	-24.79	-25.11	34.57	54.00	19.43	Vertical	PASS
2	1821.4107	-24.79	-21.98	36.75	54.00	17.25	Vertical	PASS
3	3807.6346	-24.79	-18.15	33.29	54.00	20.71	Vertical	PASS
4	4960.0000	-24.79	-16.34	36.75	54.00	17.25	Vertical	PASS
5	7440.0000	-24.79	-12.72	40.44	54.00	13.56	Vertical	PASS
6	9921.1535	-24.79	-8.97	44.67	54.00	9.33	Vertical	PASS

Mode:	2M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1328.1641	65.11	-25.21	39.90	74.00	34.10	Vertical	PASS
2	1967.4837	63.73	-20.78	42.95	74.00	31.05	Vertical	PASS
3	3800.1334	60.3	-18.13	42.17	74.00	31.83	Vertical	PASS
4	4804.0000	57.57	-16.46	41.11	74.00	32.89	Vertical	PASS
5	7206.0000	57.6	-12.75	44.85	74.00	29.15	Vertical	PASS
6	9608.6014	61.26	-9.84	51.42	74.00	22.58	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1328.1641	-24.79	-25.21	34.79	54.00	19.21	Vertical	PASS
2	1967.4837	-24.79	-20.78	37.33	54.00	16.67	Vertical	PASS
3	3800.1334	-24.79	-18.13	33.05	54.00	20.95	Vertical	PASS
4	4804.0000	-24.79	-16.46	34.53	54.00	19.47	Vertical	PASS
5	7206.0000	-24.79	-12.75	40.41	54.00	13.59	Vertical	PASS
6	9608.6014	-24.79	-9.84	39.97	54.00	14.03	Vertical	PASS

Mode:	2M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1235.1176	63.35	-25.60	37.75	74.00	36.25	Horizontal	PASS
2	1924.4622	63.02	-21.12	41.90	74.00	32.10	Horizontal	PASS
3	3927.6546	60.38	-17.86	42.52	74.00	31.48	Horizontal	PASS
4	4804.0000	57.09	-16.46	40.63	74.00	33.37	Horizontal	PASS
5	7206.0000	58.58	-12.75	45.83	74.00	28.17	Horizontal	PASS
6	9608.6014	65.88	-9.84	56.04	74.00	17.96	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1235.1176	-24.79	-25.60	33.96	54.00	20.04	Horizontal	PASS
2	1924.4622	-24.79	-21.12	36.70	54.00	17.30	Horizontal	PASS
3	3927.6546	-24.79	-17.86	34.46	54.00	19.54	Horizontal	PASS
4	4804.0000	-24.79	-16.46	33.79	54.00	20.21	Horizontal	PASS
5	7206.0000	-24.79	-12.75	41.91	54.00	12.09	Horizontal	PASS
6	9608.6014	-24.79	-9.84	45.52	54.00	8.48	Horizontal	PASS

Mode:	2M-2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1217.1086	62.87	-25.67	37.20	74.00	36.80	Horizontal	PASS
2	1912.4562	63.17	-21.20	41.97	74.00	32.03	Horizontal	PASS
3	4012.6688	61.61	-17.58	44.03	74.00	29.97	Horizontal	PASS
4	4882.0000	57.54	-16.32	41.22	74.00	32.78	Horizontal	PASS
5	7323.0000	62.15	-12.87	49.28	74.00	24.72	Horizontal	PASS
6	9763.5590	70.03	-9.38	60.65	74.00	13.35	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1217.1086	-24.79	-25.67	33.90	54.00	20.10	Horizontal	PASS
2	1912.4562	-24.79	-21.20	36.86	54.00	17.14	Horizontal	PASS
3	4012.6688	-24.79	-17.58	34.70	54.00	19.30	Horizontal	PASS
4	4882.0000	-24.79	-16.32	33.98	54.00	20.02	Horizontal	PASS
5	7323.0000	-24.79	-12.87	39.30	54.00	14.70	Horizontal	PASS
6	9763.5590	-24.79	-9.38	53.73	54.00	0.27	Horizontal	PASS

Mode:	2M-2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1328.1641	64.87	-25.21	39.66	74.00	34.34	Vertical	PASS
2	2006.5033	63.09	-20.47	42.62	74.00	31.38	Vertical	PASS
3	4290.2150	60.46	-17.18	43.28	74.00	30.72	Vertical	PASS
4	4882.0000	59.15	-16.32	42.83	74.00	31.17	Vertical	PASS
5	7323.0000	62.97	-12.87	50.10	74.00	23.90	Vertical	PASS
6	9763.6273	61.14	-9.38	51.76	74.00	22.24	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1328.1641	-24.79	-25.21	34.76	54.00	19.24	Vertical	PASS
2	2006.5033	-24.79	-20.47	38.18	54.00	15.82	Vertical	PASS
3	4290.2150	-24.79	-17.18	33.97	54.00	20.03	Vertical	PASS
4	4882.0000	-24.79	-16.32	35.29	54.00	18.71	Vertical	PASS
5	7323.0000	-24.79	-12.87	38.10	54.00	15.90	Vertical	PASS
6	9763.6273	-24.79	-9.38	45.28	54.00	8.72	Vertical	PASS

Mode:	2M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1327.1636	64.81	-25.22	39.59	74.00	34.41	Vertical	PASS
2	1997.4987	63.67	-20.51	43.16	74.00	30.84	Vertical	PASS
3	4010.1684	60.45	-17.57	42.88	74.00	31.12	Vertical	PASS
4	4960.0000	60.85	-16.34	44.51	74.00	29.49	Vertical	PASS
5	7440.0000	59.2	-12.72	46.48	74.00	27.52	Vertical	PASS
6	9921.1535	60.71	-8.97	51.74	74.00	22.26	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1327.1636	-24.79	-25.22	34.11	54.00	19.89	Vertical	PASS
2	1997.4987	-24.79	-20.51	38.48	54.00	15.52	Vertical	PASS
3	4010.1684	-24.79	-17.57	34.42	54.00	19.58	Vertical	PASS
4	4960.0000	-24.79	-16.34	37.82	54.00	16.18	Vertical	PASS
5	7440.0000	-24.79	-12.72	38.80	54.00	15.20	Vertical	PASS
6	9921.1535	-24.79	-8.97	44.22	54.00	9.78	Vertical	PASS

Mode:	2M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1391.1956	63.58	-25.12	38.46	74.00	35.54	Horizontal	PASS
2	1985.4927	62.9	-20.62	42.28	74.00	31.72	Horizontal	PASS
3	4367.7280	60.06	-16.82	43.24	74.00	30.76	Horizontal	PASS
4	4960.0000	59.56	-16.34	43.22	74.00	30.78	Horizontal	PASS
5	7440.0000	60.14	-12.72	47.42	74.00	26.58	Horizontal	PASS
6	9918.6531	66.03	-8.98	57.05	74.00	16.95	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1391.1956	-24.79	-25.12	33.55	54.00	20.45	Horizontal	PASS
2	1985.4927	-24.79	-20.62	38.56	54.00	15.44	Horizontal	PASS
3	4367.7280	-24.79	-16.82	33.57	54.00	20.43	Horizontal	PASS
4	4960.0000	-24.79	-16.34	36.26	54.00	17.74	Horizontal	PASS
5	7440.0000	-24.79	-12.72	39.21	54.00	14.79	Horizontal	PASS
6	9918.6531	-24.79	-8.98	40.31	54.00	13.69	Horizontal	PASS

Mode:	3M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1309.1546	62.92	-25.34	37.58	74.00	36.42	Horizontal	PASS
2	1989.4947	63.51	-20.58	42.93	74.00	31.07	Horizontal	PASS
3	4804.0000	57.32	-16.46	40.86	74.00	33.14	Horizontal	PASS
4	7206.0000	58.21	-12.75	45.46	74.00	28.54	Horizontal	PASS
5	9608.6014	67.02	-9.84	57.18	74.00	16.82	Horizontal	PASS
6	13031.6719	57.78	-4.12	53.66	74.00	20.34	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1309.1546	-24.79	-25.34	32.38	54.00	21.62	Horizontal	PASS
2	1989.4947	-24.79	-20.58	37.37	54.00	16.63	Horizontal	PASS
3	4804.0000	-24.79	-16.46	34.24	54.00	19.76	Horizontal	PASS
4	7206.0000	-24.79	-12.75	40.56	54.00	13.44	Horizontal	PASS
5	9608.6014	-24.79	-9.84	44.62	54.00	9.38	Horizontal	PASS
6	13031.6719	-24.79	-4.12	42.63	54.00	11.37	Horizontal	PASS

Mode:	3M-2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1329.1646	63.65	-25.21	38.44	74.00	35.56	Vertical	PASS
2	2087.5438	62.79	-20.32	42.47	74.00	31.53	Vertical	PASS
3	4804.0000	56.93	-16.46	40.47	74.00	33.53	Vertical	PASS
4	7206.0000	56.44	-12.75	43.69	74.00	30.31	Vertical	PASS
5	9608.6014	59.62	-9.84	49.78	74.00	24.22	Vertical	PASS
6	12071.5119	58.06	-5.17	52.89	74.00	21.11	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1329.1646	-24.79	-25.21	35.53	54.00	18.47	Vertical	PASS
2	2087.5438	-24.79	-20.32	37.69	54.00	16.31	Vertical	PASS
3	4804.0000	-24.79	-16.46	33.85	54.00	20.15	Vertical	PASS
4	7206.0000	-24.79	-12.75	38.38	54.00	15.62	Vertical	PASS
5	9608.6014	-24.79	-9.84	41.18	54.00	12.82	Vertical	PASS
6	12071.5119	-24.79	-5.17	42.79	54.00	11.21	Vertical	PASS

Mode:	3M-2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1262.1311	64.72	-25.51	39.21	74.00	34.79	Horizontal	PASS
2	1897.4487	63.73	-21.31	42.42	74.00	31.58	Horizontal	PASS
3	4167.6946	60.49	-17.09	43.40	74.00	30.60	Horizontal	PASS
4	4882.0000	58.59	-16.32	42.27	74.00	31.73	Horizontal	PASS
5	7323.0000	64.48	-12.87	51.61	74.00	22.39	Horizontal	PASS
6	9763.8327	71.82	-9.38	62.44	74.00	11.56	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1262.1311	-24.79	-25.51	33.05	54.00	20.95	Horizontal	PASS
2	1897.4487	-24.79	-21.31	38.32	54.00	15.68	Horizontal	PASS
3	4167.6946	-24.79	-17.09	35.22	54.00	18.78	Horizontal	PASS
4	4882.0000	-24.79	-16.32	34.95	54.00	19.05	Horizontal	PASS
5	7323.0000	-24.79	-12.87	40.57	54.00	13.43	Horizontal	PASS
6	9763.8327	-24.79	-9.38	51.04	54.00	2.96	Horizontal	PASS

Mode:	3M-2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1333.1666	64.3	-25.18	39.12	74.00	34.88	Vertical	PASS
2	2034.5173	63.56	-20.39	43.17	74.00	30.83	Vertical	PASS
3	3937.6563	60.53	-17.84	42.69	74.00	31.31	Vertical	PASS
4	4882.0000	58.62	-16.32	42.30	74.00	31.70	Vertical	PASS
5	7323.0000	61.93	-12.87	49.06	74.00	24.94	Vertical	PASS
6	9763.6273	64.13	-9.38	54.75	74.00	19.25	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1333.1666	-24.79	-25.18	33.60	54.00	20.40	Vertical	PASS
2	2034.5173	-24.79	-20.39	38.33	54.00	15.67	Vertical	PASS
3	3937.6563	-24.79	-17.84	34.43	54.00	19.57	Vertical	PASS
4	4882.0000	-24.79	-16.32	35.92	54.00	18.08	Vertical	PASS
5	7323.0000	-24.79	-12.87	39.33	54.00	14.67	Vertical	PASS
6	9763.6273	-24.79	-9.38	50.05	54.00	3.95	Vertical	PASS

Mode:	3M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1331.1656	64.7	-25.19	39.51	74.00	34.49	Vertical	PASS
2	2084.5423	63.41	-20.32	43.09	74.00	30.91	Vertical	PASS
3	4960.0000	60.62	-16.34	44.28	74.00	29.72	Vertical	PASS
4	7440.0000	62.55	-12.72	49.83	74.00	24.17	Vertical	PASS
5	9918.6531	61.52	-8.98	52.54	74.00	21.46	Vertical	PASS
6	14814.4691	56.59	-1.24	55.35	74.00	18.65	Vertical	PASS


AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1331.1656	-24.79	-25.19	34.58	54.00	19.42	Vertical	PASS
2	2084.5423	-24.79	-20.32	38.05	54.00	15.95	Vertical	PASS
3	4960.0000	-24.79	-16.34	36.80	54.00	17.20	Vertical	PASS
4	7440.0000	-24.79	-12.72	39.53	54.00	14.47	Vertical	PASS
5	9918.6531	-24.79	-8.98	39.61	54.00	14.39	Vertical	PASS
6	14814.4691	-24.79	-1.24	46.85	54.00	7.15	Vertical	PASS

Mode:	3M-2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1370.1851	64.19	-25.09	39.10	74.00	34.90	Horizontal	PASS
2	3795.1325	60.74	-18.18	42.56	74.00	31.44	Horizontal	PASS
3	4960.0000	59.08	-16.34	42.74	74.00	31.26	Horizontal	PASS
4	7440.0000	60.63	-12.72	47.91	74.00	26.09	Horizontal	PASS
5	9918.6531	66.12	-8.98	57.14	74.00	16.86	Horizontal	PASS
6	15859.6433	58.32	-0.98	57.34	74.00	16.66	Horizontal	PASS


AV Final Data List								
NO.	Freq. [MHz]	DCCF [dB]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	1370.1851	-24.79	-25.09	33.30	54.00	20.70	Horizontal	PASS
2	3795.1325	-24.79	-18.18	34.21	54.00	19.79	Horizontal	PASS
3	4960.0000	-24.79	-16.34	35.86	54.00	18.14	Horizontal	PASS
4	7440.0000	-24.79	-12.72	39.23	54.00	14.77	Horizontal	PASS
5	9918.6531	-24.79	-8.98	42.63	54.00	11.37	Horizontal	PASS
6	15859.6433	-24.79	-0.98	46.20	54.00	7.80	Horizontal	PASS

Appendix L: Conducted emission AC power port



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1529	10.24	54.98	65.84	10.86	36.65	55.84	19.19	N	PASS
2	0.3633	10.24	35.81	58.65	22.84	22.58	48.65	26.07	N	PASS
3	0.4915	10.27	35.32	56.14	20.82	21.96	46.14	24.18	N	PASS
4	1.3010	10.28	29.28	56.00	26.72	20.90	46.00	25.10	N	PASS
5	3.2776	10.32	28.50	56.00	27.50	18.16	46.00	27.84	N	PASS
6	14.8915	10.62	40.17	60.00	19.83	32.64	50.00	17.36	N	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1529	10.25	53.02	65.84	12.82	35.58	55.84	20.26	L	PASS
2	0.2790	10.25	35.87	60.85	24.98	22.57	50.85	28.28	L	PASS
3	0.4645	10.26	35.63	56.61	20.98	28.20	46.61	18.41	L	PASS
4	0.9191	10.29	27.47	56.00	28.53	18.59	46.00	27.41	L	PASS
5	3.2354	10.37	28.66	56.00	27.34	18.93	46.00	27.07	L	PASS
6	14.4967	10.65	37.77	60.00	22.23	29.25	50.00	20.75	L	PASS