

| BV Power Table For U-NII-3 |         |             |       |                               |                             |            |               |         |               |
|----------------------------|---------|-------------|-------|-------------------------------|-----------------------------|------------|---------------|---------|---------------|
| Test Mode                  | TX Mod. | Freq. (MHz) | Ant.  | Maximum Conducted Power (dBm) | Conducted Power Limit (dBm) | EIRP (dBm) | IC EIRP Limit | Verdict | Power Setting |
| 11A                        | CDD     | 5745        | Ant6  | 11.10                         | ≤30.00                      | 12.87      | ≤36.00        | Pass    | 12            |
|                            |         |             | Ant8  | 12.88                         | ≤30.00                      | 14.65      | ≤36.00        | Pass    | 12            |
|                            |         |             | Total | 15.07                         | ≤30.00                      | 16.84      | ≤36.00        | Pass    | 12            |
|                            |         | 5785        | Ant6  | 11.33                         | ≤30.00                      | 13.10      | ≤36.00        | Pass    | 11.5          |
|                            |         |             | Ant8  | 12.61                         | ≤30.00                      | 14.38      | ≤36.00        | Pass    | 11.5          |
|                            |         |             | Total | 15.01                         | ≤30.00                      | 16.78      | ≤36.00        | Pass    | 11.5          |
|                            |         | 5825        | Ant6  | 11.64                         | ≤30.00                      | 13.41      | ≤36.00        | Pass    | 11.5          |
|                            |         |             | Ant8  | 13.05                         | ≤30.00                      | 14.82      | ≤36.00        | Pass    | 11.5          |
|                            |         |             | Total | 15.39                         | ≤30.00                      | 17.16      | ≤36.00        | Pass    | 11.5          |
| 11N20                      | MIMO    | 5745        | Ant6  | 13.46                         | ≤30.00                      | 15.23      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Ant8  | 14.40                         | ≤30.00                      | 16.17      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Total | 16.97                         | ≤30.00                      | 18.74      | ≤36.00        | Pass    | 14.5          |
|                            |         | 5785        | Ant6  | 13.62                         | ≤30.00                      | 15.39      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Ant8  | 14.72                         | ≤30.00                      | 16.49      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Total | 17.22                         | ≤30.00                      | 18.99      | ≤36.00        | Pass    | 14.5          |
|                            |         | 5825        | Ant6  | 13.96                         | ≤30.00                      | 15.73      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Ant8  | 14.70                         | ≤30.00                      | 16.47      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Total | 17.36                         | ≤30.00                      | 19.13      | ≤36.00        | Pass    | 14.5          |
| 11N40                      | MIMO    | 5755        | Ant6  | 11.38                         | ≤30.00                      | 13.15      | ≤36.00        | Pass    | 11.5          |
|                            |         |             | Ant8  | 12.55                         | ≤30.00                      | 14.32      | ≤36.00        | Pass    | 11.5          |
|                            |         |             | Total | 15.01                         | ≤30.00                      | 16.78      | ≤36.00        | Pass    | 11.5          |
|                            |         | 5795        | Ant6  | 11.22                         | ≤30.00                      | 12.99      | ≤36.00        | Pass    | 11            |
|                            |         |             | Ant8  | 12.40                         | ≤30.00                      | 14.17      | ≤36.00        | Pass    | 11            |
|                            |         |             | Total | 14.86                         | ≤30.00                      | 16.63      | ≤36.00        | Pass    | 11            |
| 11AC20                     | MIMO    | 5745        | Ant6  | 13.48                         | ≤30.00                      | 15.25      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Ant8  | 14.51                         | ≤30.00                      | 16.28      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Total | 17.04                         | ≤30.00                      | 18.81      | ≤36.00        | Pass    | 14.5          |
|                            |         | 5785        | Ant6  | 13.62                         | ≤30.00                      | 15.39      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Ant8  | 14.81                         | ≤30.00                      | 16.58      | ≤36.00        | Pass    | 14.5          |
|                            |         |             | Total | 17.27                         | ≤30.00                      | 19.04      | ≤36.00        | Pass    | 14.5          |
|                            |         | 5825        | Ant6  | 13.38                         | ≤30.00                      | 15.15      | ≤36.00        | Pass    | 14            |
|                            |         |             | Ant8  | 14.82                         | ≤30.00                      | 16.59      | ≤36.00        | Pass    | 14            |
|                            |         |             | Total | 17.17                         | ≤30.00                      | 18.94      | ≤36.00        | Pass    | 14            |



**BUREAU  
VERITAS**

**Reference No.: W7L-231218W001RF03**

|        |      |      |       |       |        |       |        |      |      |
|--------|------|------|-------|-------|--------|-------|--------|------|------|
| 11AC40 | MIMO | 5755 | Ant6  | 11.45 | ≤30.00 | 13.22 | ≤36.00 | Pass | 11.5 |
|        |      |      | Ant8  | 12.62 | ≤30.00 | 14.39 | ≤36.00 | Pass | 11.5 |
|        |      |      | Total | 15.08 | ≤30.00 | 16.85 | ≤36.00 | Pass | 11.5 |
|        |      | 5795 | Ant6  | 11.24 | ≤30.00 | 13.01 | ≤36.00 | Pass | 11   |
|        |      |      | Ant8  | 12.44 | ≤30.00 | 14.21 | ≤36.00 | Pass | 11   |
|        |      |      | Total | 14.89 | ≤30.00 | 16.66 | ≤36.00 | Pass | 11   |
| 11AC80 | MIMO | 5775 | Ant6  | 9.55  | ≤30.00 | 11.32 | ≤36.00 | Pass | 9    |
|        |      |      | Ant8  | 10.57 | ≤30.00 | 12.34 | ≤36.00 | Pass | 9    |
|        |      |      | Total | 13.11 | ≤30.00 | 14.88 | ≤36.00 | Pass | 9    |
| 11AX20 | MIMO | 5745 | Ant6  | 13.62 | ≤30.00 | 15.39 | ≤36.00 | Pass | 14.5 |
|        |      |      | Ant8  | 14.54 | ≤30.00 | 16.31 | ≤36.00 | Pass | 14.5 |
|        |      |      | Total | 17.11 | ≤30.00 | 18.88 | ≤36.00 | Pass | 14.5 |
|        |      | 5785 | Ant6  | 13.80 | ≤30.00 | 15.57 | ≤36.00 | Pass | 14.5 |
|        |      |      | Ant8  | 14.73 | ≤30.00 | 16.50 | ≤36.00 | Pass | 14.5 |
|        |      |      | Total | 17.30 | ≤30.00 | 19.07 | ≤36.00 | Pass | 14.5 |
|        |      | 5825 | Ant6  | 13.62 | ≤30.00 | 15.39 | ≤36.00 | Pass | 14   |
|        |      |      | Ant8  | 14.83 | ≤30.00 | 16.60 | ≤36.00 | Pass | 14   |
|        |      |      | Total | 17.28 | ≤30.00 | 19.05 | ≤36.00 | Pass | 14   |
| 11AX40 | MIMO | 5755 | Ant6  | 13.83 | ≤30.00 | 15.60 | ≤36.00 | Pass | 14.5 |
|        |      |      | Ant8  | 14.58 | ≤30.00 | 16.35 | ≤36.00 | Pass | 14.5 |
|        |      |      | Total | 17.23 | ≤30.00 | 19.00 | ≤36.00 | Pass | 14.5 |
|        |      | 5795 | Ant6  | 13.62 | ≤30.00 | 15.39 | ≤36.00 | Pass | 14   |
|        |      |      | Ant8  | 14.50 | ≤30.00 | 16.27 | ≤36.00 | Pass | 14   |
|        |      |      | Total | 17.09 | ≤30.00 | 18.86 | ≤36.00 | Pass | 14   |
| 11AX80 | MIMO | 5775 | Ant6  | 9.51  | ≤30.00 | 11.28 | ≤36.00 | Pass | 9    |
|        |      |      | Ant8  | 10.48 | ≤30.00 | 12.25 | ≤36.00 | Pass | 9    |
|        |      |      | Total | 13.03 | ≤30.00 | 14.80 | ≤36.00 | Pass | 9    |

Note: The Maximum Conducted Power with duty cycle factor.

## MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

| TestMode      | Antenna | Freq(MHz) | Result [dBm/MHz] | Limit [dBm/MHz] | EIRP [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|---------------|---------|-----------|------------------|-----------------|----------------|-----------------|---------|
| 11A-CDD       | Ant6    | 5180      | 4.25             | ≤11.00          | 1.29           | ≤10.00          | PASS    |
|               | Ant8    | 5180      | 3.82             | ≤11.00          | 5.85           | ≤10.00          | PASS    |
|               | total   | 5180      | 7.05             | ≤11.00          | 9.95           | ≤10.00          | PASS    |
|               | Ant6    | 5200      | 4.15             | ≤11.00          | 1.19           | ≤10.00          | PASS    |
|               | Ant8    | 5200      | 3.71             | ≤11.00          | 5.74           | ≤10.00          | PASS    |
|               | total   | 5200      | 6.95             | ≤11.00          | 9.85           | ≤10.00          | PASS    |
|               | Ant6    | 5240      | 4.16             | ≤11.00          | 1.20           | ≤10.00          | PASS    |
|               | Ant8    | 5240      | 3.94             | ≤11.00          | 5.97           | ≤10.00          | PASS    |
|               | total   | 5240      | 7.06             | ≤11.00          | <b>9.96</b>    | ≤10.00          | PASS    |
|               | Ant6    | 5260      | 4.35             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant8    | 5260      | 3.95             | ≤11.00          | ---            | ---             | PASS    |
|               | total   | 5260      | 7.16             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant6    | 5300      | 4.74             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant8    | 5300      | 4.57             | ≤11.00          | ---            | ---             | PASS    |
|               | total   | 5300      | 7.67             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant6    | 5320      | 4.23             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant8    | 5320      | 4.16             | ≤11.00          | ---            | ---             | PASS    |
|               | total   | 5320      | 7.21             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant6    | 5500      | 3.05             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant8    | 5500      | 3.83             | ≤11.00          | ---            | ---             | PASS    |
|               | total   | 5500      | 6.47             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant6    | 5580      | 3.05             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant8    | 5580      | 4.41             | ≤11.00          | ---            | ---             | PASS    |
|               | total   | 5580      | 6.79             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant6    | 5700      | 2.31             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant8    | 5700      | 3.88             | ≤11.00          | ---            | ---             | PASS    |
|               | total   | 5700      | 6.18             | ≤11.00          | ---            | ---             | PASS    |
|               | Ant6    | 5745      | -0.16            | ≤30.00          | ---            | ---             | PASS    |
|               | Ant8    | 5745      | 2.19             | ≤30.00          | ---            | ---             | PASS    |
|               | total   | 5745      | 4.18             | ≤30.00          | ---            | ---             | PASS    |
|               | Ant6    | 5785      | -0.99            | ≤30.00          | ---            | ---             | PASS    |
|               | Ant8    | 5785      | 2.31             | ≤30.00          | ---            | ---             | PASS    |
|               | total   | 5785      | 3.98             | ≤30.00          | ---            | ---             | PASS    |
|               | Ant6    | 5825      | 0.39             | ≤30.00          | ---            | ---             | PASS    |
|               | Ant8    | 5825      | 2.31             | ≤30.00          | ---            | ---             | PASS    |
|               | total   | 5825      | 4.47             | ≤30.00          | ---            | ---             | PASS    |
| 11N20MIM<br>O | Ant6    | 5180      | 5.70             | ≤11.00          | 2.74           | ≤10.00          | PASS    |
|               | Ant8    | 5180      | -4.51            | ≤11.00          | -2.48          | ≤10.00          | PASS    |
|               | total   | 5180      | 6.10             | ≤11.00          | 3.88           | ≤10.00          | PASS    |
|               | Ant6    | 5200      | -4.82            | ≤11.00          | -7.78          | ≤10.00          | PASS    |
|               | Ant8    | 5200      | -4.50            | ≤11.00          | -2.47          | ≤10.00          | PASS    |
|               | total   | 5200      | -1.65            | ≤11.00          | -1.35          | ≤10.00          | PASS    |
|               | Ant6    | 5240      | -4.45            | ≤11.00          | -7.41          | ≤10.00          | PASS    |
|               | Ant8    | 5240      | -4.22            | ≤11.00          | -2.19          | ≤10.00          | PASS    |

|               |       |      |        |        |        |        |      |
|---------------|-------|------|--------|--------|--------|--------|------|
|               | total | 5240 | -1.32  | ≤11.00 | -1.05  | ≤10.00 | PASS |
|               | Ant6  | 5260 | -4.66  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5260 | -4.75  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5260 | -1.69  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5300 | -4.52  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5300 | -4.55  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5300 | -1.52  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5320 | -4.66  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5320 | -4.83  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5320 | -1.73  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5500 | -6.82  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5500 | -3.99  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5500 | -2.17  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5580 | -6.23  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5580 | -3.70  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5580 | -1.77  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5700 | -7.09  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5700 | -4.83  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5700 | -2.80  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5745 | -9.17  | ≤30.00 | ---    | ---    | PASS |
|               | Ant8  | 5745 | -7.48  | ≤30.00 | ---    | ---    | PASS |
|               | total | 5745 | -5.23  | ≤30.00 | ---    | ---    | PASS |
|               | Ant6  | 5785 | -8.99  | ≤30.00 | ---    | ---    | PASS |
|               | Ant8  | 5785 | -7.05  | ≤30.00 | ---    | ---    | PASS |
|               | total | 5785 | -4.90  | ≤30.00 | ---    | ---    | PASS |
|               | Ant6  | 5825 | -8.14  | ≤30.00 | ---    | ---    | PASS |
|               | Ant8  | 5825 | -6.49  | ≤30.00 | ---    | ---    | PASS |
|               | total | 5825 | -4.23  | ≤30.00 | ---    | ---    | PASS |
| 11N40MIM<br>O | Ant6  | 5190 | -9.71  | ≤11.00 | -12.67 | ≤10.00 | PASS |
|               | Ant8  | 5190 | -10.15 | ≤11.00 | -8.12  | ≤10.00 | PASS |
|               | total | 5190 | -6.91  | ≤11.00 | -6.81  | ≤10.00 | PASS |
|               | Ant6  | 5230 | -9.58  | ≤11.00 | -12.54 | ≤10.00 | PASS |
|               | Ant8  | 5230 | -9.71  | ≤11.00 | -7.68  | ≤10.00 | PASS |
|               | total | 5230 | -6.63  | ≤11.00 | -6.45  | ≤10.00 | PASS |
|               | Ant6  | 5270 | -9.27  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5270 | -9.87  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5270 | -6.55  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5310 | -9.41  | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5310 | -9.63  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5310 | -6.51  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5510 | -10.18 | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5510 | -8.86  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5510 | -6.46  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5550 | -10.51 | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5550 | -9.23  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5550 | -6.81  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5670 | -10.57 | ≤11.00 | ---    | ---    | PASS |
|               | Ant8  | 5670 | -9.46  | ≤11.00 | ---    | ---    | PASS |
|               | total | 5670 | -6.97  | ≤11.00 | ---    | ---    | PASS |
|               | Ant6  | 5755 | -13.51 | ≤30.00 | ---    | ---    | PASS |
|               | Ant8  | 5755 | -12.11 | ≤30.00 | ---    | ---    | PASS |
|               | total | 5755 | -9.74  | ≤30.00 | ---    | ---    | PASS |



**BUREAU  
VERITAS**

Reference No.: W7L-231218W001RF03

|                 |       |                  |        |        |        |        |      |
|-----------------|-------|------------------|--------|--------|--------|--------|------|
|                 | Ant6  | 5795             | -13.63 | ≤30.00 | ---    | ---    | PASS |
|                 | Ant8  | 5795             | -12.29 | ≤30.00 | ---    | ---    | PASS |
|                 | total | 5795             | -9.90  | ≤30.00 | ---    | ---    | PASS |
| 11AC80MI<br>MO  | Ant6  | 5210             | -14.35 | ≤11.00 | -17.31 | ≤10.00 | PASS |
|                 | Ant8  | 5210             | -14.71 | ≤11.00 | -12.68 | ≤10.00 | PASS |
|                 | total | 5210             | -11.52 | ≤11.00 | -11.39 | ≤10.00 | PASS |
|                 | Ant6  | 5290             | -2.85  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5290             | -3.56  | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5290             | -0.18  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5530             | -4.49  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5530             | -3.61  | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5530             | -1.02  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5610             | -3.85  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5610             | -3.60  | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5610             | -0.71  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5775             | -6.83  | ≤30.00 | ---    | ---    | PASS |
|                 | Ant8  | 5775             | -6.08  | ≤30.00 | ---    | ---    | PASS |
|                 | total | 5775             | -3.43  | ≤30.00 | ---    | ---    | PASS |
| 11AC160MI<br>MO | Ant6  | 5250_UNII-<br>1  | -8.14  | ≤11.00 | -11.10 | ≤10.00 | PASS |
|                 | Ant8  | 5250_UNII-<br>1  | -8.41  | ≤11.00 | -6.38  | ≤10.00 | PASS |
|                 | total | 5250_UNII-<br>1  | -5.26  | ≤11.00 | -5.12  | ≤10.00 | PASS |
|                 | Ant6  | 5250_UNII-<br>2A | -7.87  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5250_UNII-<br>2A | -8.86  | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5250_UNII-<br>2A | -5.33  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5570             | -8.46  | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5570             | -7.85  | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5570             | -5.13  | ≤11.00 | ---    | ---    | PASS |
| 11AX20MIM<br>O  | Ant6  | 5180             | 3.84   | ≤11.00 | 0.88   | ≤10.00 | PASS |
|                 | Ant8  | 5180             | 3.93   | ≤11.00 | 5.96   | ≤10.00 | PASS |
|                 | total | 5180             | 6.90   | ≤11.00 | 7.13   | ≤10.00 | PASS |
|                 | Ant6  | 5200             | 3.69   | ≤11.00 | 0.73   | ≤10.00 | PASS |
|                 | Ant8  | 5200             | 3.63   | ≤11.00 | 5.66   | ≤10.00 | PASS |
|                 | total | 5200             | 6.67   | ≤11.00 | 6.87   | ≤10.00 | PASS |
|                 | Ant6  | 5240             | 4.10   | ≤11.00 | 1.14   | ≤10.00 | PASS |
|                 | Ant8  | 5240             | 4.04   | ≤11.00 | 6.07   | ≤10.00 | PASS |
|                 | total | 5240             | 7.08   | ≤11.00 | 7.28   | ≤10.00 | PASS |
|                 | Ant6  | 5260             | 5.95   | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5260             | 5.77   | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5260             | 8.87   | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5300             | 6.08   | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5300             | 5.93   | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5300             | 9.02   | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5320             | 5.90   | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5320             | 5.96   | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5320             | 8.94   | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5500             | 3.66   | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5500             | 6.55   | ≤11.00 | ---    | ---    | PASS |



**BUREAU  
VERITAS**

Reference No.: W7L-231218W001RF03

|                |       |      |       |        |       |        |      |
|----------------|-------|------|-------|--------|-------|--------|------|
|                | total | 5500 | 8.35  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5580 | 4.59  | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5580 | 6.55  | ≤11.00 | ---   | ---    | PASS |
|                | total | 5580 | 8.69  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5700 | 4.17  | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5700 | 5.63  | ≤11.00 | ---   | ---    | PASS |
|                | total | 5700 | 7.97  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5745 | 1.77  | ≤30.00 | ---   | ---    | PASS |
|                | Ant8  | 5745 | 3.32  | ≤30.00 | ---   | ---    | PASS |
|                | total | 5745 | 5.62  | ≤30.00 | ---   | ---    | PASS |
|                | Ant6  | 5785 | 1.97  | ≤30.00 | ---   | ---    | PASS |
|                | Ant8  | 5785 | 3.24  | ≤30.00 | ---   | ---    | PASS |
|                | total | 5785 | 5.66  | ≤30.00 | ---   | ---    | PASS |
|                | Ant6  | 5825 | 1.93  | ≤30.00 | ---   | ---    | PASS |
|                | Ant8  | 5825 | 3.62  | ≤30.00 | ---   | ---    | PASS |
| 11AX40MIM<br>O | total | 5825 | 5.87  | ≤30.00 | ---   | ---    | PASS |
|                | Ant6  | 5190 | 2.87  | ≤11.00 | -0.09 | ≤10.00 | PASS |
|                | Ant8  | 5190 | 2.39  | ≤11.00 | 4.42  | ≤10.00 | PASS |
|                | total | 5190 | 5.65  | ≤11.00 | 5.74  | ≤10.00 | PASS |
|                | Ant6  | 5230 | 3.09  | ≤11.00 | 0.13  | ≤10.00 | PASS |
|                | Ant8  | 5230 | 2.29  | ≤11.00 | 4.32  | ≤10.00 | PASS |
|                | total | 5230 | 5.72  | ≤11.00 | 5.72  | ≤10.00 | PASS |
|                | Ant6  | 5270 | 3.03  | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5270 | 2.17  | ≤11.00 | ---   | ---    | PASS |
|                | total | 5270 | 5.63  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5310 | 3.18  | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5310 | 2.49  | ≤11.00 | ---   | ---    | PASS |
|                | total | 5310 | 5.86  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5510 | 2.06  | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5510 | 3.51  | ≤11.00 | ---   | ---    | PASS |
|                | total | 5510 | 5.86  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5550 | 2.38  | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5550 | 4.26  | ≤11.00 | ---   | ---    | PASS |
|                | total | 5550 | 6.43  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5670 | 2.18  | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5670 | 3.03  | ≤11.00 | ---   | ---    | PASS |
|                | total | 5670 | 5.64  | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5755 | -0.94 | ≤30.00 | ---   | ---    | PASS |
|                | Ant8  | 5755 | 0.01  | ≤30.00 | ---   | ---    | PASS |
|                | total | 5755 | 2.57  | ≤30.00 | ---   | ---    | PASS |
|                | Ant6  | 5795 | 0.10  | ≤30.00 | ---   | ---    | PASS |
|                | Ant8  | 5795 | 0.81  | ≤30.00 | ---   | ---    | PASS |
|                | total | 5795 | 3.48  | ≤30.00 | ---   | ---    | PASS |
| 11AX80MIM<br>O | Ant6  | 5210 | -3.79 | ≤11.00 | -6.75 | ≤10.00 | PASS |
|                | Ant8  | 5210 | -3.91 | ≤11.00 | -1.88 | ≤10.00 | PASS |
|                | total | 5210 | -0.84 | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5290 | -3.17 | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5290 | -3.26 | ≤11.00 | ---   | ---    | PASS |
|                | total | 5290 | -0.20 | ≤11.00 | ---   | ---    | PASS |
|                | Ant6  | 5530 | -4.39 | ≤11.00 | ---   | ---    | PASS |
|                | Ant8  | 5530 | -3.79 | ≤11.00 | ---   | ---    | PASS |
|                | total | 5530 | -1.07 | ≤11.00 | ---   | ---    | PASS |




**BUREAU  
VERITAS**

**Reference No.: W7L-231218W001RF03**

|                 |       |                  |       |        |        |        |      |
|-----------------|-------|------------------|-------|--------|--------|--------|------|
|                 | Ant6  | 5610             | -4.07 | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5610             | -3.41 | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5610             | -0.72 | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5775             | -7.26 | ≤30.00 | ---    | ---    | PASS |
|                 | Ant8  | 5775             | -5.93 | ≤30.00 | ---    | ---    | PASS |
|                 | total | 5775             | -3.53 | ≤30.00 | ---    | ---    | PASS |
| 11AX160MI<br>MO | Ant6  | 5250_UNII-<br>1  | -7.96 | ≤11.00 | -10.92 | ≤10.00 | PASS |
|                 | Ant8  | 5250_UNII-<br>1  | -8.41 | ≤11.00 | -6.38  | ≤10.00 | PASS |
|                 | total | 5250_UNII-<br>1  | -5.17 | ≤11.00 | -5.07  | ≤10.00 | PASS |
|                 | Ant6  | 5250_UNII-<br>2A | -7.39 | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5250_UNII-<br>2A | -8.86 | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5250_UNII-<br>2A | -5.05 | ≤11.00 | ---    | ---    | PASS |
|                 | Ant6  | 5570             | -7.92 | ≤11.00 | ---    | ---    | PASS |
|                 | Ant8  | 5570             | -7.85 | ≤11.00 | ---    | ---    | PASS |
|                 | total | 5570             | -4.87 | ≤11.00 | ---    | ---    | PASS |

Note : 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

## TEST GRAPHS









11A-CDD Ant8 5240



11A-CDD Ant6 5260














Reference No.: W7L-231218W001RF03



11A-CDD Ant8 5700



11A-CDD Ant6 5745







11A-CDD Ant8 5785



11A-CDD Ant6 5825





BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11N20MIMO Ant8 5180



11N20MIMO Ant6 5200







11N20MIMO Ant8 5200



11N20MIMO Ant6 5240









BUREAU  
VERITAS


Reference No.: W7L-231218W001RF03




11N20MIMO Ant8 5300



11N20MIMO Ant6 5320






11N20MIMO Ant8 5500



11N20MIMO Ant6 5580









BUREAU  
VERITAS


Reference No.: W7L-231218W001RF03




11N20MIMO Ant8 5700




11N20MIMO Ant6 5745





Reference No.: W7L-231218W001RF03







BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11N40MIMO Ant8 5190



11N40MIMO Ant6 5230






11N40MIMO Ant8 5230




11N40MIMO Ant6 5270



Reference No.: W7L-231218W001RF03





Reference No.: W7L-231218W001RF03



11N40MIMO Ant8 5510



11N40MIMO Ant6 5550





11N40MIMO Ant8 5550



11N40MIMO Ant6 5670



Reference No.: W7L-231218W001RF03



11N40MIMO Ant8 5670




11N40MIMO Ant6 5755

Reference No.: W7L-231218W001RF03



Reference No.: W7L-231218W001RF03



Reference No.: W7L-231218W001RF03



11AC80MIMO\_Ant8\_5210



11AC80MIMO\_Ant6\_5290



Reference No.: W7L-231218W001RF03





Reference No.: W7L-231218W001RF03

