


Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5260\_26Tone\_RU0



11AX20MIMO\_Ant8\_5260\_52Tone\_RU37

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5260\_106Tone\_RU53



11AX20MIMO\_Ant6\_5300\_26Tone\_RU4

Reference No.: W7L-231218W001RF03



11AX20MIMO Ant6 5300 52Tone RU38



11AX20MIMO Ant6 5300 106Tone RU53



BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03




11AX20MIMO\_Ant8\_5300\_26Tone\_RU4



11AX20MIMO\_Ant8\_5300\_52Tone\_RU38

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5300\_106Tone\_RU53



11AX20MIMO\_Ant6\_5320\_26Tone\_RU8



Reference No.: W7L-231218W001RF03



11AX20MIMO Ant6 5320 52Tone RU40



11AX20MIMO Ant6 5320 106Tone RU54




BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5320\_26Tone\_RU8




11AX20MIMO\_Ant8\_5320\_52Tone\_RU40

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5320\_106Tone\_RU54



11AX20MIMO\_Ant6\_5500\_26Tone\_RU0




BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO Ant6 5500 52Tone RU37



11AX20MIMO Ant6 5500 106Tone RU53



BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5500\_26Tone\_RU0



11AX20MIMO\_Ant8\_5500\_52Tone\_RU37




BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03




11AX20MIMO\_Ant8\_5500\_106Tone\_RU53



11AX20MIMO\_Ant6\_5580\_26Tone\_RU4

Reference No.: W7L-231218W001RF03




11AX20MIMO Ant6 5580 52Tone RU38



11AX20MIMO Ant6 5580 106Tone RU53

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5580\_26Tone\_RU4




11AX20MIMO\_Ant8\_5580\_52Tone\_RU38

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5580\_106Tone\_RU53



11AX20MIMO\_Ant6\_5700\_26Tone\_RU8




BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO Ant6 5700 52Tone RU40



11AX20MIMO Ant6 5700 106Tone RU54



BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5700\_26Tone\_RU8




11AX20MIMO\_Ant8\_5700\_52Tone\_RU40

Reference No.: W7L-231218W001RF03




11AX20MIMO\_Ant8\_5700\_106Tone\_RU54



11AX20MIMO\_Ant6\_5745\_26Tone\_RU0



Reference No.: W7L-231218W001RF03



11AX20MIMO Ant6 5745 52Tone RU37




11AX20MIMO Ant6 5745 106Tone RU53

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5745\_26Tone\_RU0



11AX20MIMO\_Ant8\_5745\_52Tone\_RU37

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5745\_106Tone\_RU53



11AX20MIMO\_Ant6\_5785\_26Tone\_RU4

Reference No.: W7L-231218W001RF03



11AX20MIMO Ant6 5785 52Tone RU38



11AX20MIMO Ant6 5785 106Tone RU53

Reference No.: W7L-231218W001RF03




11AX20MIMO\_Ant8\_5785\_26Tone\_RU4




11AX20MIMO\_Ant8\_5785\_52Tone\_RU38

Reference No.: W7L-231218W001RF03




11AX20MIMO\_Ant8\_5785\_106Tone\_RU53



11AX20MIMO\_Ant6\_5825\_26Tone\_RU8

Reference No.: W7L-231218W001RF03



11AX20MIMO Ant6 5825 52Tone RU40



11AX20MIMO Ant6 5825 106Tone RU54




BUREAU  
VERITAS

Reference No.: W7L-231218W001RF03



11AX20MIMO\_Ant8\_5825\_26Tone\_RU8



11AX20MIMO\_Ant8\_5825\_52Tone\_RU40



11AX20MIMO Ant8 5825 106Tone RU54



## MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

| BV Power Table For U-NII-1 |         |            |             |       |                               |                                 |                                |            |               |         |               |
|----------------------------|---------|------------|-------------|-------|-------------------------------|---------------------------------|--------------------------------|------------|---------------|---------|---------------|
| Test Mode                  | TX Mod. | RU Config. | Freq. (MHz) | Ant.  | Maximum Conducted Power (dBm) | FCC Conducted Power Limit (dBm) | IC Conducted Power Limit (dBm) | EIRP (dBm) | IC EIRP Limit | Verdict | Power Setting |
| 11AX20                     | MIMO    | 26/0       | 5180        | Ant6  | 5.64                          | ≤24.00                          | ----                           | 7.67       | ≤23.00        | Pass    | 5             |
|                            |         |            |             | Ant8  | 5.72                          | ≤24.00                          | ----                           | 7.75       | ≤23.00        | Pass    | 5             |
|                            |         |            |             | Total | 8.69                          | ≤24.00                          | ----                           | 10.72      | ≤23.00        | Pass    | 5             |
|                            |         | 26/4       | 5200        | Ant6  | 6.81                          | ≤24.00                          | ----                           | 8.84       | ≤23.00        | Pass    | 6.5           |
|                            |         |            |             | Ant8  | 6.74                          | ≤24.00                          | ----                           | 8.77       | ≤23.00        | Pass    | 6.5           |
|                            |         |            |             | Total | 9.79                          | ≤24.00                          | ----                           | 11.82      | ≤23.00        | Pass    | 6.5           |
|                            |         | 26/8       | 5240        | Ant6  | 5.38                          | ≤24.00                          | ----                           | 7.41       | ≤23.00        | Pass    | 5             |
|                            |         |            |             | Ant8  | 5.21                          | ≤24.00                          | ----                           | 7.24       | ≤23.00        | Pass    | 5             |
|                            |         |            |             | Total | 8.31                          | ≤24.00                          | ----                           | 10.34      | ≤23.00        | Pass    | 5             |
|                            | MIMO    | 52/37      | 5180        | Ant6  | 8.12                          | ≤24.00                          | ----                           | 10.15      | ≤23.00        | Pass    | 7.5           |
|                            |         |            |             | Ant8  | 7.79                          | ≤24.00                          | ----                           | 9.82       | ≤23.00        | Pass    | 7.5           |
|                            |         |            |             | Total | 10.97                         | ≤24.00                          | ----                           | 13.00      | ≤23.00        | Pass    | 7.5           |
|                            |         | 52/38      | 5200        | Ant6  | 7.96                          | ≤24.00                          | ----                           | 9.99       | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Ant8  | 7.72                          | ≤24.00                          | ----                           | 9.75       | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Total | 10.85                         | ≤24.00                          | ----                           | 12.88      | ≤23.00        | Pass    | 8             |
|                            |         | 52/40      | 5240        | Ant6  | 8.10                          | ≤24.00                          | ----                           | 10.13      | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Ant8  | 7.75                          | ≤24.00                          | ----                           | 9.78       | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Total | 10.94                         | ≤24.00                          | ----                           | 12.97      | ≤23.00        | Pass    | 8             |
|                            | MIMO    | 106/53     | 5180        | Ant6  | 8.32                          | ≤24.00                          | ----                           | 10.35      | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Ant8  | 7.96                          | ≤24.00                          | ----                           | 9.99       | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Total | 11.15                         | ≤24.00                          | ----                           | 13.18      | ≤23.00        | Pass    | 8             |
|                            |         | 106/53     | 5200        | Ant6  | 8.45                          | ≤24.00                          | ----                           | 10.48      | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Ant8  | 7.83                          | ≤24.00                          | ----                           | 9.86       | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Total | 11.16                         | ≤24.00                          | ----                           | 13.19      | ≤23.00        | Pass    | 8             |
|                            |         | 106/54     | 5240        | Ant6  | 8.54                          | ≤24.00                          | ----                           | 10.57      | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Ant8  | 7.90                          | ≤24.00                          | ----                           | 9.93       | ≤23.00        | Pass    | 8             |
|                            |         |            |             | Total | 11.24                         | ≤24.00                          | ----                           | 13.27      | ≤23.00        | Pass    | 8             |
|                            | MIMO    | FULL       | 5180        | Ant6  | 13.05                         | ≤24.00                          | ----                           | 15.08      | ≤23.00        | Pass    | 13            |
|                            |         |            |             | Ant8  | 13.08                         | ≤24.00                          | ----                           | 15.11      | ≤23.00        | Pass    | 13            |
|                            |         |            |             | Total | 16.08                         | ≤24.00                          | ----                           | 18.11      | ≤23.00        | Pass    | 13            |
|                            |         | FULL       | 5200        | Ant6  | 13.11                         | ≤24.00                          | ----                           | 15.14      | ≤23.00        | Pass    | 13            |

|         |      |      |      |       |       |        |      |       |        |      |     |
|---------|------|------|------|-------|-------|--------|------|-------|--------|------|-----|
|         |      | FULL | 5240 | Ant8  | 12.97 | ≤24.00 | ---- | 15.00 | ≤23.00 | Pass | 13  |
|         |      |      |      | Total | 16.05 | ≤24.00 | ---- | 18.08 | ≤23.00 | Pass | 13  |
|         |      |      |      | Ant6  | 13.01 | ≤24.00 | ---- | 15.04 | ≤23.00 | Pass | 13  |
|         |      |      |      | Ant8  | 12.68 | ≤24.00 | ---- | 14.71 | ≤23.00 | Pass | 13  |
|         |      |      |      | Total | 15.86 | ≤24.00 | ---- | 17.89 | ≤23.00 | Pass | 13  |
|         |      |      |      |       |       |        |      |       |        |      |     |
| 11AX40  | MIMO | FULL | 5190 | Ant6  | 11.87 | ≤24.00 | ---- | 13.90 | ≤23.00 | Pass | 12  |
|         |      |      |      | Ant8  | 11.65 | ≤24.00 | ---- | 13.68 | ≤23.00 | Pass | 12  |
|         |      |      |      | Total | 14.77 | ≤24.00 | ---- | 16.80 | ≤23.00 | Pass | 12  |
|         |      | FULL | 5230 | Ant6  | 14.01 | ≤24.00 | ---- | 16.04 | ≤23.00 | Pass | 14  |
|         |      |      |      | Ant8  | 13.80 | ≤24.00 | ---- | 15.83 | ≤23.00 | Pass | 14  |
|         |      |      |      | Total | 16.92 | ≤24.00 | ---- | 18.95 | ≤23.00 | Pass | 14  |
| 11AX80  | MIMO | FULL | 5210 | Ant6  | 10.11 | ≤24.00 | ---- | 12.14 | ≤23.00 | Pass | 9.5 |
|         |      |      |      | Ant8  | 9.60  | ≤24.00 | ---- | 11.63 | ≤23.00 | Pass | 9.5 |
|         |      |      |      | Total | 12.87 | ≤24.00 | ---- | 14.90 | ≤23.00 | Pass | 9.5 |
| 11AX160 | MIMO | FULL | 5250 | Ant6  | 8.33  | ≤24.00 | ---- | 10.36 | ≤23.00 | Pass | 8   |
|         |      |      |      | Ant8  | 7.61  | ≤24.00 | ---- | 9.64  | ≤23.00 | Pass | 8   |
|         |      |      |      | Total | 11.00 | ≤24.00 | ---- | 13.03 | ≤23.00 | Pass | 8   |

Note: The Maximum Conducted Power with duty cycle factor.

| BV Power Table For U-NII-2A |         |            |             |       |                               |                                 |                                |            |                |               |         |               |
|-----------------------------|---------|------------|-------------|-------|-------------------------------|---------------------------------|--------------------------------|------------|----------------|---------------|---------|---------------|
| Test Mode                   | TX Mod. | RU Config. | Freq. (MHz) | Ant.  | Maximum Conducted Power (dBm) | FCC Conducted Power Limit (dBm) | IC Conducted Power Limit (dBm) | EIRP (dBm) | FCC EIRP Limit | IC EIRP Limit | Verdict | Power Setting |
| 11AX20                      | MIMO    | 26/0       | 5260        | Ant6  | 8.30                          | ≤24.00                          | ≤23.72                         | 9.91       | ≤29.72         | ≤23.01        | Pass    | 7.5           |
|                             |         |            |             | Ant8  | 7.96                          | ≤24.00                          | ≤23.72                         | 9.57       | ≤29.72         | ≤23.01        | Pass    | 7.5           |
|                             |         |            |             | Total | 11.14                         | ≤24.00                          | ≤23.72                         | 12.75      | ≤29.72         | ≤23.01        | Pass    | 7.5           |
|                             |         | 26/4       | 5300        | Ant6  | 8.11                          | ≤24.00                          | ≤23.32                         | 9.72       | ≤29.32         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Ant8  | 8.08                          | ≤24.00                          | ≤23.32                         | 9.69       | ≤29.32         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Total | 11.11                         | ≤24.00                          | ≤23.32                         | 12.72      | ≤29.32         | ≤23.01        | Pass    | 8             |
|                             |         | 26/8       | 5320        | Ant6  | 7.93                          | ≤24.00                          | ≤23.73                         | 9.54       | ≤29.73         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Ant8  | 8.15                          | ≤24.00                          | ≤23.73                         | 9.76       | ≤29.73         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Total | 11.05                         | ≤24.00                          | ≤23.73                         | 12.66      | ≤29.73         | ≤23.01        | Pass    | 8             |
|                             | MIMO    | 52/37      | 5260        | Ant6  | 8.70                          | ≤24.00                          | ≤23.69                         | 10.31      | ≤29.69         | ≤23.01        | Pass    | 7.5           |
|                             |         |            |             | Ant8  | 8.14                          | ≤24.00                          | ≤23.69                         | 9.75       | ≤29.69         | ≤23.01        | Pass    | 7.5           |
|                             |         |            |             | Total | 11.44                         | ≤24.00                          | ≤23.69                         | 13.05      | ≤29.69         | ≤23.01        | Pass    | 7.5           |
|                             |         | 52/38      | 5300        | Ant6  | 7.85                          | ≤24.00                          | ≤23.33                         | 9.46       | ≤29.33         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Ant4  | 16.67                         | ≤24.00                          | ≤23.33                         | 18.28      | ≤29.33         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Total | 10.92                         | ≤24.00                          | ≤23.33                         | 12.53      | ≤29.33         | ≤23.01        | Pass    | 8             |
|                             |         | 52/40      | 5320        | Ant6  | 7.96                          | ≤24.00                          | ≤23.65                         | 9.57       | ≤29.65         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Ant8  | 7.80                          | ≤24.00                          | ≤23.65                         | 9.41       | ≤29.65         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Total | 10.89                         | ≤24.00                          | ≤23.65                         | 12.50      | ≤29.65         | ≤23.01        | Pass    | 8             |
|                             | MIMO    | 106/53     | 5260        | Ant6  | 8.41                          | ≤24.00                          | ≤23.61                         | 10.02      | ≤29.61         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Ant8  | 7.82                          | ≤24.00                          | ≤23.61                         | 9.43       | ≤29.61         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Total | 11.14                         | ≤24.00                          | ≤23.61                         | 12.75      | ≤29.61         | ≤23.01        | Pass    | 8             |
|                             |         | 106/53     | 5300        | Ant6  | 8.45                          | ≤24.00                          | ≤23.62                         | 10.06      | ≤29.66         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Ant8  | 7.98                          | ≤24.00                          | ≤23.62                         | 9.59       | ≤29.66         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Total | 11.23                         | ≤24.00                          | ≤23.62                         | 12.84      | ≤29.66         | ≤23.01        | Pass    | 8             |
|                             |         | 106/54     | 5320        | Ant6  | 8.50                          | ≤24.00                          | ≤23.64                         | 10.11      | ≤29.64         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Ant8  | 8.16                          | ≤24.00                          | ≤23.64                         | 9.77       | ≤29.64         | ≤23.01        | Pass    | 8             |
|                             |         |            |             | Total | 11.34                         | ≤24.00                          | ≤23.64                         | 12.95      | ≤29.64         | ≤23.01        | Pass    | 8             |
|                             | MIMO    | FULL       | 5260        | Ant6  | 14.25                         | ≤24.00                          | ≤23.77                         | 15.86      | ≤29.77         | ≤23.01        | Pass    | 14.5          |
|                             |         |            |             | Ant8  | 13.89                         | ≤24.00                          | ≤23.77                         | 15.50      | ≤29.77         | ≤23.01        | Pass    | 14.5          |
|                             |         |            |             | Total | 17.08                         | ≤24.00                          | ≤23.77                         | 18.69      | ≤29.77         | ≤23.01        | Pass    | 14.5          |
|                             |         | FULL       | 5300        | Ant6  | 14.05                         | ≤24.00                          | ≤23.76                         | 15.66      | ≤29.76         | ≤23.01        | Pass    | 14.5          |
|                             |         |            |             | Ant8  | 13.88                         | ≤24.00                          | ≤23.76                         | 15.49      | ≤29.76         | ≤23.01        | Pass    | 14.5          |
|                             |         |            |             | Total | 16.98                         | ≤24.00                          | ≤23.76                         | 18.59      | ≤29.76         | ≤23.01        | Pass    | 14.5          |
|                             |         | FULL       | 5320        | Ant6  | 14.35                         | ≤24.00                          | ≤23.77                         | 15.96      | ≤29.77         | ≤23.01        | Pass    | 14.5          |
|                             |         |            |             | Ant8  | 13.91                         | ≤24.00                          | ≤23.77                         | 15.52      | ≤29.77         | ≤23.01        | Pass    | 14.5          |
|                             |         |            |             | Total | 17.15                         | ≤24.00                          | ≤23.77                         | 18.76      | ≤29.77         | ≤23.01        | Pass    | 14.5          |
| 11AX40                      | MIMO    | FULL       | 5270        | Ant6  | 13.78                         | ≤24.00                          | ≤24.00                         | 15.39      | ≤30.00         | ≤23.01        | Pass    | 14            |
|                             |         |            |             | Ant8  | 13.41                         | ≤24.00                          | ≤24.00                         | 15.02      | ≤30.00         | ≤23.01        | Pass    | 14            |
|                             |         |            |             | Total | 16.61                         | ≤24.00                          | ≤24.00                         | 18.22      | ≤30.00         | ≤23.01        | Pass    | 14            |
|                             |         | FULL       | 5310        | Ant6  | 12.87                         | ≤24.00                          | ≤24.00                         | 14.48      | ≤30.00         | ≤23.01        | Pass    | 12.5          |



Reference No.: W7L-231218W001RF03

|        |      |      |      |       |       |        |        |       |        |        |      |      |
|--------|------|------|------|-------|-------|--------|--------|-------|--------|--------|------|------|
|        |      |      |      | Ant8  | 12.95 | ≤24.00 | ≤24.00 | 14.56 | ≤30.00 | ≤23.01 | Pass | 12.5 |
|        |      |      |      | Total | 15.92 | ≤24.00 | ≤24.00 | 17.53 | ≤30.00 | ≤23.01 | Pass | 12.5 |
| 11AX80 | MIMO | FULL | 5290 | Ant6  | 10.08 | ≤24.00 | ≤24.00 | 11.69 | ≤30.00 | ≤23.01 | Pass | 9.5  |
|        |      |      |      | Ant8  | 9.61  | ≤24.00 | ≤24.00 | 11.22 | ≤30.00 | ≤23.01 | Pass | 9.5  |
|        |      |      |      | Total | 12.86 | ≤24.00 | ≤24.00 | 14.47 | ≤30.00 | ≤23.01 | Pass | 9.5  |

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-2C

| Test Mode | TX Mod. | RU Config. | Freq. (MHz) | Ant.  | Maximum Conducted Power (dBm) | FCC Conducted Power Limit (dBm) | IC Conducted Power Limit (dBm) | EIRP (dBm) | FCC EIRP Limit | IC EIRP Limit | Verdict | Power Setting |
|-----------|---------|------------|-------------|-------|-------------------------------|---------------------------------|--------------------------------|------------|----------------|---------------|---------|---------------|
| 11AX20    | MIMO    | 26/0       | 5500        | Ant6  | 7.45                          | ≤24.00                          | ≤23.69                         | 10.19      | ≤30.00         | ≤29.69        | Pass    | 7.5           |
|           |         |            |             | Ant8  | 8.27                          | ≤24.00                          | ≤23.69                         | 11.01      | ≤30.00         | ≤29.69        | Pass    | 7.5           |
|           |         |            |             | Total | 10.89                         | ≤24.00                          | ≤23.69                         | 13.63      | ≤30.00         | ≤29.69        | Pass    | 7.5           |
|           |         | 26/4       | 5580        | Ant6  | 7.20                          | ≤24.00                          | ≤23.31                         | 9.94       | ≤30.00         | ≤29.31        | Pass    | 8             |
|           |         |            |             | Ant8  | 8.51                          | ≤24.00                          | ≤23.31                         | 11.25      | ≤30.00         | ≤29.31        | Pass    | 8             |
|           |         |            |             | Total | 10.91                         | ≤24.00                          | ≤23.31                         | 13.65      | ≤30.00         | ≤29.31        | Pass    | 8             |
|           |         | 26/8       | 5700        | Ant6  | 6.53                          | ≤24.00                          | ≤23.72                         | 9.27       | ≤30.00         | ≤29.72        | Pass    | 8             |
|           |         |            |             | Ant8  | 8.55                          | ≤24.00                          | ≤23.72                         | 13.05      | ≤30.00         | ≤29.72        | Pass    | 8             |
|           |         |            |             | Total | 10.67                         | ≤24.00                          | ≤23.72                         | 15.67      | ≤30.00         | ≤29.72        | Pass    | 8             |
|           |         | 26/8       | 5720        | Ant6  | 6.87                          | ≤24.00                          | ≤23.72                         | 11.37      | ≤30.00         | ≤29.72        | Pass    | 8             |
|           |         |            |             | Ant8  | 8.61                          | ≤24.00                          | ≤23.72                         | 13.11      | ≤30.00         | ≤29.72        | Pass    | 8             |
|           |         |            |             | Total | 10.84                         | ≤24.00                          | ≤23.72                         | 15.34      | ≤30.00         | ≤29.72        | Pass    | 8             |
|           | MIMO    | 52/37      | 5500        | Ant6  | 8.21                          | ≤24.00                          | ≤23.68                         | 10.95      | ≤30.00         | ≤29.71        | Pass    | 7.5           |
|           |         |            |             | Ant8  | 8.49                          | ≤24.00                          | ≤23.68                         | 11.23      | ≤30.00         | ≤29.71        | Pass    | 7.5           |
|           |         |            |             | Total | 11.36                         | ≤24.00                          | ≤23.68                         | 14.10      | ≤30.00         | ≤29.71        | Pass    | 7.5           |
|           |         | 52/38      | 5580        | Ant6  | 7.75                          | ≤24.00                          | ≤23.34                         | 10.49      | ≤30.00         | ≤29.34        | Pass    | 8             |
|           |         |            |             | Ant8  | 7.70                          | ≤24.00                          | ≤23.34                         | 10.44      | ≤30.00         | ≤29.34        | Pass    | 8             |
|           |         |            |             | Total | 10.74                         | ≤24.00                          | ≤23.34                         | 13.48      | ≤30.00         | ≤29.34        | Pass    | 8             |
|           |         | 52/40      | 5700        | Ant6  | 7.97                          | ≤24.00                          | ≤23.65                         | 10.71      | ≤30.00         | ≤29.70        | Pass    | 8.5           |
|           |         |            |             | Ant8  | 8.05                          | ≤24.00                          | ≤23.65                         | 10.79      | ≤30.00         | ≤29.70        | Pass    | 8.5           |
|           |         |            |             | Total | 11.02                         | ≤24.00                          | ≤23.65                         | 13.76      | ≤30.00         | ≤29.70        | Pass    | 8.5           |
|           |         | 52/40      | 5720        | Ant6  | 7.99                          | ≤24.00                          | ≤23.65                         | 10.73      | ≤30.00         | ≤29.70        | Pass    | 8.5           |
|           |         |            |             | Ant8  | 7.61                          | ≤24.00                          | ≤23.65                         | 10.35      | ≤30.00         | ≤29.70        | Pass    | 8.5           |
|           |         |            |             | Total | 10.81                         | ≤24.00                          | ≤23.65                         | 13.55      | ≤30.00         | ≤29.70        | Pass    | 8.5           |
|           | MIMO    | 106/53     | 5500        | Ant6  | 8.45                          | ≤24.00                          | ≤23.65                         | 11.19      | ≤30.00         | ≤29.75        | Pass    | 8             |
|           |         |            |             | Ant8  | 7.98                          | ≤24.00                          | ≤23.65                         | 10.72      | ≤30.00         | ≤29.75        | Pass    | 8             |
|           |         |            |             | Total | 11.23                         | ≤24.00                          | ≤23.65                         | 13.97      | ≤30.00         | ≤29.75        | Pass    | 8             |
|           |         | 106/53     | 5580        | Ant6  | 8.28                          | ≤24.00                          | ≤23.60                         | 11.02      | ≤30.00         | ≤29.34        | Pass    | 8             |



Reference No.: W7L-231218W001RF03

|  |       |        |      |       |        |        |        |        |        |        |        |      |      |
|--|-------|--------|------|-------|--------|--------|--------|--------|--------|--------|--------|------|------|
|  |       |        |      | Ant8  | 8.35   | ≤24.00 | ≤23.60 | 11.09  | ≤30.00 | ≤29.34 | Pass   | 8    |      |
|  |       |        |      | Total | 11.33  | ≤24.00 | ≤23.60 | 14.07  | ≤30.00 | ≤29.34 | Pass   | 8    |      |
|  |       | 106/54 | 5700 | Ant6  | 7.60   | ≤24.00 | ≤23.65 | 10.34  | ≤30.00 | ≤29.89 | Pass   | 8    |      |
|  |       |        |      | Ant8  | 8.05   | ≤24.00 | ≤23.65 | 10.79  | ≤30.00 | ≤29.89 | Pass   | 8    |      |
|  |       |        |      | Total | 10.84  | ≤24.00 | ≤23.65 | 13.58  | ≤30.00 | ≤29.89 | Pass   | 8    |      |
|  |       | 106/54 | 5720 | Ant6  | 7.67   | ≤24.00 | ≤23.65 | 10.41  | ≤30.00 | ≤29.89 | Pass   | 8    |      |
|  |       |        |      | Ant8  | 7.94   | ≤24.00 | ≤23.65 | 10.68  | ≤30.00 | ≤29.89 | Pass   | 8    |      |
|  |       |        |      | Total | 10.82  | ≤24.00 | ≤23.65 | 13.56  | ≤30.00 | ≤29.89 | Pass   | 8    |      |
|  |       | MIMO   | FULL | 5500  | Ant6   | 13.01  | ≤24.00 | ≤23.74 | 15.75  | ≤30.00 | ≤29.74 | Pass | 14.5 |
|  |       |        |      |       | Ant8   | 14.58  | ≤24.00 | ≤23.74 | 17.32  | ≤30.00 | ≤29.74 | Pass | 14.5 |
|  | Total |        |      |       | 16.88  | ≤24.00 | ≤23.74 | 19.62  | ≤30.00 | ≤29.74 | Pass   | 14.5 |      |
|  | FULL  |        | 5580 | Ant6  | 13.05  | ≤24.00 | ≤23.75 | 15.79  | ≤30.00 | ≤29.75 | Pass   | 14.5 |      |
|  |       |        |      | Ant8  | 14.35  | ≤24.00 | ≤23.75 | 17.09  | ≤30.00 | ≤29.75 | Pass   | 14.5 |      |
|  |       |        |      | Total | 16.76  | ≤24.00 | ≤23.75 | 19.50  | ≤30.00 | ≤29.75 | Pass   | 14.5 |      |
|  | FULL  |        | 5700 | Ant6  | 12.71  | ≤24.00 | ≤23.75 | 15.45  | ≤30.00 | ≤29.75 | Pass   | 13.5 |      |
|  |       |        |      | Ant8  | 13.95  | ≤24.00 | ≤23.75 | 16.69  | ≤30.00 | ≤29.75 | Pass   | 13.5 |      |
|  |       |        |      | Total | 16.38  | ≤24.00 | ≤23.75 | 19.12  | ≤30.00 | ≤29.75 | Pass   | 13.5 |      |
|  | FULL  |        | 5720 | Ant6  | 13.66  | ≤24.00 | ≤23.75 | 16.40  | ≤30.00 | ≤29.75 | Pass   | 14.5 |      |
|  |       | Ant8   |      | 14.47 | ≤24.00 | ≤23.75 | 17.21  | ≤30.00 | ≤29.75 | Pass   | 14.5   |      |      |
|  |       | Total  |      | 17.09 | ≤24.00 | ≤23.75 | 19.83  | ≤30.00 | ≤29.75 | Pass   | 14.5   |      |      |

|        |      |      |      |       |       |        |        |       |        |        |      |    |
|--------|------|------|------|-------|-------|--------|--------|-------|--------|--------|------|----|
| 11AX40 | MIMO | FULL | 5510 | Ant6  | 12.86 | ≤24.00 | ≤24.00 | 15.60 | ≤30.00 | ≤30.00 | Pass | 13 |
|        |      |      |      | Ant8  | 14.09 | ≤24.00 | ≤24.00 | 16.83 | ≤30.00 | ≤30.00 | Pass | 13 |
|        |      |      |      | Total | 16.53 | ≤24.00 | ≤24.00 | 19.27 | ≤30.00 | ≤30.00 | Pass | 13 |
|        |      | FULL | 5550 | Ant6  | 13.35 | ≤24.00 | ≤24.00 | 16.09 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      |      |      | Ant8  | 14.88 | ≤24.00 | ≤24.00 | 17.62 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      |      |      | Total | 17.19 | ≤24.00 | ≤24.00 | 19.93 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      | FULL | 5670 | Ant6  | 13.54 | ≤24.00 | ≤24.00 | 16.28 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      |      |      | Ant8  | 14.33 | ≤24.00 | ≤24.00 | 17.07 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      |      |      | Total | 16.96 | ≤24.00 | ≤24.00 | 19.70 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      | FULL | 5710 | Ant6  | 13.25 | ≤24.00 | ≤24.00 | 15.99 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      |      |      | Ant8  | 14.78 | ≤24.00 | ≤24.00 | 17.52 | ≤30.00 | ≤30.00 | Pass | 14 |
|        |      |      |      | Total | 17.09 | ≤24.00 | ≤24.00 | 19.83 | ≤30.00 | ≤30.00 | Pass | 14 |

|        |      |      |      |       |       |        |        |       |        |        |      |   |
|--------|------|------|------|-------|-------|--------|--------|-------|--------|--------|------|---|
| 11AX80 | MIMO | FULL | 5530 | Ant6  | 9.47  | ≤24.00 | ≤24.00 | 12.21 | ≤30.00 | ≤30.00 | Pass | 9 |
|        |      |      |      | Ant8  | 10.02 | ≤24.00 | ≤24.00 | 12.76 | ≤30.00 | ≤30.00 | Pass | 9 |
|        |      |      |      | Total | 12.76 | ≤24.00 | ≤24.00 | 15.50 | ≤30.00 | ≤30.00 | Pass | 9 |
|        |      | FULL | 5690 | Ant6  | 9.64  | ≤24.00 | ≤24.00 | 12.38 | ≤30.00 | ≤30.00 | Pass | 9 |
|        |      |      |      | Ant8  | 10.35 | ≤24.00 | ≤24.00 | 13.09 | ≤30.00 | ≤30.00 | Pass | 9 |
|        |      |      |      | Total | 13.02 | ≤24.00 | ≤24.00 | 15.76 | ≤30.00 | ≤30.00 | Pass | 9 |

|         |      |      |      |       |       |        |        |       |        |        |      |     |
|---------|------|------|------|-------|-------|--------|--------|-------|--------|--------|------|-----|
| 11AX160 | MIMO | FULL | 5570 | Ant6  | 7.78  | ≤24.00 | ≤24.00 | 10.52 | ≤30.00 | ≤30.00 | Pass | 7.5 |
|         |      |      |      | Ant8  | 8.16  | ≤24.00 | ≤24.00 | 10.90 | ≤30.00 | ≤30.00 | Pass | 7.5 |
|         |      |      |      | Total | 10.98 | ≤24.00 | ≤24.00 | 13.72 | ≤30.00 | ≤30.00 | Pass | 7.5 |

Note: The Maximum Conducted Power with duty cycle factor.

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,  
Zhaoshang Street, Nanshan District Shenzhen,  
Guangdong, People's Republic of China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)

| BV Power Table For U-NII-3 |         |            |             |       |                               |                             |            |               |         |               |
|----------------------------|---------|------------|-------------|-------|-------------------------------|-----------------------------|------------|---------------|---------|---------------|
| Test Mode                  | TX Mod. | RU Config. | Freq. (MHz) | Ant.  | Maximum Conducted Power (dBm) | Conducted Power Limit (dBm) | EIRP (dBm) | IC EIRP Limit | Verdict | Power Setting |
| 11AX20                     | MIMO    | 26/0       | 5745        | Ant6  | 7.71                          | ≤30.00                      | 9.48       | ≤36.00        | Pass    | 7.5           |
|                            |         |            |             | Ant8  | 8.85                          | ≤30.00                      | 10.62      | ≤36.00        | Pass    | 7.5           |
|                            |         |            |             | Total | 11.33                         | ≤30.00                      | 13.10      | ≤36.00        | Pass    | 7.5           |
|                            |         | 26/4       | 5785        | Ant6  | 6.68                          | ≤30.00                      | 8.45       | ≤36.00        | Pass    | 7.5           |
|                            |         |            |             | Ant8  | 9.14                          | ≤30.00                      | 10.91      | ≤36.00        | Pass    | 7.5           |
|                            |         |            |             | Total | 11.09                         | ≤30.00                      | 12.86      | ≤36.00        | Pass    | 7.5           |
|                            |         | 26/8       | 5825        | Ant6  | 6.14                          | ≤30.00                      | 7.91       | ≤36.00        | Pass    | 7             |
|                            |         |            |             | Ant8  | 9.23                          | ≤30.00                      | 11.00      | ≤36.00        | Pass    | 7             |
|                            |         |            |             | Total | 10.96                         | ≤30.00                      | 12.73      | ≤36.00        | Pass    | 7             |
|                            | MIMO    | 52/37      | 5745        | Ant6  | 7.87                          | ≤30.00                      | 9.64       | ≤36.00        | Pass    | 7.5           |
|                            |         |            |             | Ant8  | 8.21                          | ≤30.00                      | 9.98       | ≤36.00        | Pass    | 7.5           |
|                            |         |            |             | Total | 11.05                         | ≤30.00                      | 12.82      | ≤36.00        | Pass    | 7.5           |
|                            |         | 52/38      | 5785        | Ant6  | 7.70                          | ≤30.00                      | 9.47       | ≤36.00        | Pass    | 8             |
|                            |         |            |             | Ant4  | 0.00                          | ≤30.00                      | 1.77       | ≤36.00        | Pass    | 8             |
|                            |         |            |             | Total | 10.95                         | ≤30.00                      | 12.72      | ≤36.00        | Pass    | 8             |
|                            |         | 52/40      | 5825        | Ant6  | 7.22                          | ≤30.00                      | 8.99       | ≤36.00        | Pass    | 7             |
|                            |         |            |             | Ant8  | 8.92                          | ≤30.00                      | 10.69      | ≤36.00        | Pass    | 7             |
|                            |         |            |             | Total | 11.16                         | ≤30.00                      | 12.93      | ≤36.00        | Pass    | 7             |
|                            | MIMO    | 106/53     | 5745        | Ant6  | 7.85                          | ≤30.00                      | 9.62       | ≤36.00        | Pass    | 8             |
|                            |         |            |             | Ant8  | 8.01                          | ≤30.00                      | 9.78       | ≤36.00        | Pass    | 8             |
|                            |         |            |             | Total | 10.94                         | ≤30.00                      | 12.71      | ≤36.00        | Pass    | 8             |
|                            |         | 106/53     | 5785        | Ant6  | 8.16                          | ≤30.00                      | 9.93       | ≤36.00        | Pass    | 8             |
|                            |         |            |             | Ant8  | 8.45                          | ≤30.00                      | 10.22      | ≤36.00        | Pass    | 8             |
|                            |         |            |             | Total | 11.32                         | ≤30.00                      | 13.09      | ≤36.00        | Pass    | 8             |
|                            |         | 106/54     | 5825        | Ant6  | 7.77                          | ≤30.00                      | 9.54       | ≤36.00        | Pass    | 7             |
|                            |         |            |             | Ant8  | 8.76                          | ≤30.00                      | 10.53      | ≤36.00        | Pass    | 7             |
|                            |         |            |             | Total | 11.30                         | ≤30.00                      | 13.07      | ≤36.00        | Pass    | 7             |
|                            | MIMO    | FULL       | 5745        | Ant6  | 13.55                         | ≤30.00                      | 15.32      | ≤36.00        | Pass    | 14.5          |
|                            |         |            |             | Ant8  | 14.48                         | ≤30.00                      | 16.25      | ≤36.00        | Pass    | 14.5          |
|                            |         |            |             | Total | 17.05                         | ≤30.00                      | 18.82      | ≤36.00        | Pass    | 14.5          |
|                            |         | FULL       | 5785        | Ant6  | 13.70                         | ≤30.00                      | 15.47      | ≤36.00        | Pass    | 14.5          |
|                            |         |            |             | Ant8  | 14.65                         | ≤30.00                      | 16.42      | ≤36.00        | Pass    | 14.5          |
|                            |         |            |             | Total | 17.21                         | ≤30.00                      | 18.98      | ≤36.00        | Pass    | 14.5          |
|                            | FULL    | 5825       |             | Ant6  | 13.52                         | ≤30.00                      | 15.29      | ≤36.00        | Pass    | 14            |



**BUREAU  
VERITAS**

**Reference No.: W7L-231218W001RF03**

|        |      |      |      |       |       |        |       |        |      |      |
|--------|------|------|------|-------|-------|--------|-------|--------|------|------|
|        |      |      |      | Ant8  | 14.77 | ≤30.00 | 16.54 | ≤36.00 | Pass | 14   |
|        |      |      |      | Total | 17.20 | ≤30.00 | 18.97 | ≤36.00 | Pass | 14   |
| 11AX40 | MIMO | FULL | 5755 | Ant6  | 13.77 | ≤30.00 | 15.54 | ≤36.00 | Pass | 14.5 |
|        |      |      |      | Ant8  | 14.39 | ≤30.00 | 16.16 | ≤36.00 | Pass | 14.5 |
|        |      |      |      | Total | 17.10 | ≤30.00 | 18.87 | ≤36.00 | Pass | 14.5 |
|        |      | FULL | 5795 | Ant6  | 13.56 | ≤30.00 | 15.33 | ≤36.00 | Pass | 14   |
|        |      |      |      | Ant8  | 14.37 | ≤30.00 | 16.14 | ≤36.00 | Pass | 14   |
|        |      |      |      | Total | 16.99 | ≤30.00 | 18.76 | ≤36.00 | Pass | 14   |
| 11AX80 | MIMO | FULL | 5775 | Ant6  | 9.43  | ≤30.00 | 11.20 | ≤36.00 | Pass | 9    |
|        |      |      |      | Ant8  | 10.38 | ≤30.00 | 12.15 | ≤36.00 | Pass | 9    |
|        |      |      |      | Total | 12.94 | ≤30.00 | 14.71 | ≤36.00 | Pass | 9    |

Note: The Maximum Conducted Power with duty cycle factor.

## MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

| Test Mode  | Antenna | Frequency [MHz] | Ru Size | Ru Index | Result [dBm/MHz] | Limit [dBm/MHz] | EIRP [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|------------|---------|-----------------|---------|----------|------------------|-----------------|----------------|-----------------|---------|
| 11AX20MIMO | Ant6    | 5180            | 26Tone  | RU0      | 4.02             | ≤11.00          | 1.06           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU37     | 3.80             | ≤11.00          | 0.84           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU53     | 1.35             | ≤11.00          | -1.61          | ≤10.00          | PASS    |
|            | Ant8    | 5180            | 26Tone  | RU0      | 3.86             | ≤11.00          | 5.89           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU37     | 3.68             | ≤11.00          | 5.71           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU53     | 1.17             | ≤11.00          | 3.20           | ≤10.00          | PASS    |
|            | total   | 5180            | 26Tone  | RU0      | 6.95             | ≤11.00          | 9.85           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU37     | 6.75             | ≤11.00          | 9.65           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU53     | 4.27             | ≤11.00          | 7.17           | ≤10.00          | PASS    |
|            | Ant6    | 5200            | 26Tone  | RU4      | 4.01             | ≤11.00          | 1.05           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU38     | 3.67             | ≤11.00          | 0.71           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU53     | 1.33             | ≤11.00          | -1.63          | ≤10.00          | PASS    |
|            | Ant8    | 5200            | 26Tone  | RU4      | 4.01             | ≤11.00          | 6.04           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU38     | 3.73             | ≤11.00          | 5.76           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU53     | 0.76             | ≤11.00          | 2.79           | ≤10.00          | PASS    |
|            | total   | 5200            | 26Tone  | RU4      | 7.02             | ≤11.00          | <b>9.92</b>    | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU38     | 6.71             | ≤11.00          | 9.61           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU53     | 4.06             | ≤11.00          | 6.96           | ≤10.00          | PASS    |
|            | Ant6    | 5240            | 26Tone  | RU8      | 3.83             | ≤11.00          | 0.87           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU40     | 3.95             | ≤11.00          | 0.99           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU54     | 1.78             | ≤11.00          | -1.18          | ≤10.00          | PASS    |
|            | Ant8    | 5240            | 26Tone  | RU8      | 3.84             | ≤11.00          | 5.87           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU40     | 3.99             | ≤11.00          | 6.02           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU54     | 1.05             | ≤11.00          | 3.08           | ≤10.00          | PASS    |
|            | total   | 5240            | 26Tone  | RU8      | 6.85             | ≤11.00          | 9.75           | ≤10.00          | PASS    |
|            |         |                 | 52Tone  | RU40     | 6.98             | ≤11.00          | 9.88           | ≤10.00          | PASS    |
|            |         |                 | 106Tone | RU54     | 4.44             | ≤11.00          | 7.34           | ≤10.00          | PASS    |
|            | Ant6    | 5260            | 26Tone  | RU0      | 7.31             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 52Tone  | RU37     | 4.26             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 106Tone | RU53     | 1.81             | ≤11.00          | ---            | ---             | PASS    |
|            | Ant8    | 5260            | 26Tone  | RU0      | 6.99             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 52Tone  | RU37     | 4.14             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 106Tone | RU53     | 1.46             | ≤11.00          | ---            | ---             | PASS    |
|            | total   | 5260            | 26Tone  | RU0      | 10.16            | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 52Tone  | RU37     | 7.21             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 106Tone | RU53     | 4.65             | ≤11.00          | ---            | ---             | PASS    |
|            | Ant6    | 5300            | 26Tone  | RU4      | 5.71             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 52Tone  | RU38     | 3.96             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 106Tone | RU53     | 1.87             | ≤11.00          | ---            | ---             | PASS    |
|            | Ant8    | 5300            | 26Tone  | RU4      | 5.99             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 52Tone  | RU38     | 4.24             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 106Tone | RU53     | 1.31             | ≤11.00          | ---            | ---             | PASS    |
|            | total   | 5300            | 26Tone  | RU4      | 8.86             | ≤11.00          | ---            | ---             | PASS    |
|            |         |                 | 52Tone  | RU38     | 7.11             | ≤11.00          | ---            | ---             | PASS    |



Reference No.: W7L-231218W001RF03

|  |       |      |         |      |       |        |     |     |      |
|--|-------|------|---------|------|-------|--------|-----|-----|------|
|  | Ant6  | 5320 | 106Tone | RU53 | 4.61  | ≤11.00 | --- | --- | PASS |
|  |       |      | 26Tone  | RU8  | 1.88  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 3.76  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | 1.79  | ≤11.00 | --- | --- | PASS |
|  | Ant8  | 5320 | 26Tone  | RU8  | 1.48  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 4.07  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | 1.52  | ≤11.00 | --- | --- | PASS |
|  | total | 5320 | 26Tone  | RU8  | 4.69  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 6.93  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | 4.67  | ≤11.00 | --- | --- | PASS |
|  | Ant6  | 5500 | 26Tone  | RU0  | 5.52  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU37 | 5.59  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 1.26  | ≤11.00 | --- | --- | PASS |
|  | Ant8  | 5500 | 26Tone  | RU0  | 7.25  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU37 | 7.67  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 1.90  | ≤11.00 | --- | --- | PASS |
|  | total | 5500 | 26Tone  | RU0  | 9.48  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU37 | 9.76  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 4.60  | ≤11.00 | --- | --- | PASS |
|  | Ant6  | 5580 | 26Tone  | RU4  | 4.83  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU38 | 4.43  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 1.74  | ≤11.00 | --- | --- | PASS |
|  | Ant8  | 5580 | 26Tone  | RU4  | 7.11  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU38 | 4.38  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 2.34  | ≤11.00 | --- | --- | PASS |
|  | total | 5580 | 26Tone  | RU4  | 9.13  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU38 | 7.42  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 5.06  | ≤11.00 | --- | --- | PASS |
|  | Ant6  | 5700 | 26Tone  | RU8  | 5.08  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 3.66  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | 0.67  | ≤11.00 | --- | --- | PASS |
|  | Ant8  | 5700 | 26Tone  | RU8  | 7.68  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 4.92  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | 1.66  | ≤11.00 | --- | --- | PASS |
|  | total | 5700 | 26Tone  | RU8  | 9.58  | ≤11.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 7.35  | ≤11.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | 4.20  | ≤11.00 | --- | --- | PASS |
|  | Ant6  | 5745 | 26Tone  | RU0  | 3.22  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU37 | 0.93  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | -1.89 | ≤30.00 | --- | --- | PASS |
|  | Ant8  | 5745 | 26Tone  | RU0  | 5.03  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU37 | 2.23  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | -0.70 | ≤30.00 | --- | --- | PASS |
|  | total | 5745 | 26Tone  | RU0  | 7.23  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU37 | 4.64  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 1.76  | ≤30.00 | --- | --- | PASS |
|  | Ant6  | 5785 | 26Tone  | RU4  | 2.07  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU38 | 1.13  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | -0.91 | ≤30.00 | --- | --- | PASS |
|  | Ant8  | 5785 | 26Tone  | RU4  | 5.05  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU38 | 2.24  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | -0.29 | ≤30.00 | --- | --- | PASS |




**BUREAU  
VERITAS**


**Reference No.: W7L-231218W001RF03**


|  |       |      |         |      |       |        |     |     |      |
|--|-------|------|---------|------|-------|--------|-----|-----|------|
|  | total | 5785 | 26Tone  | RU4  | 6.82  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU38 | 4.73  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU53 | 2.42  | ≤30.00 | --- | --- | PASS |
|  | Ant6  | 5825 | 26Tone  | RU8  | 2.23  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | -0.34 | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | -2.64 | ≤30.00 | --- | --- | PASS |
|  | Ant8  | 5825 | 26Tone  | RU8  | 5.38  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 2.14  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | -1.08 | ≤30.00 | --- | --- | PASS |
|  | total | 5825 | 26Tone  | RU8  | 7.09  | ≤30.00 | --- | --- | PASS |
|  |       |      | 52Tone  | RU40 | 4.08  | ≤30.00 | --- | --- | PASS |
|  |       |      | 106Tone | RU54 | 1.22  | ≤30.00 | --- | --- | PASS |

Note : 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

## TEST GRAPHS







11AX20MIMO Ant8\_5180\_106Tone\_RU53



11AX20MIMO Ant6\_5200\_26Tone\_RU4

