

Modular Approval Request FCC (KDB 996369 D01 & Part 15.212)


FCC ID: VTV-TM007MINI

Items to be covered by Single modular transmitters.	Answer from applicant
1. The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly.	Yes, the modular has own shielding cover.
2. The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal.	The modular transmitter have buffered modulation/data inputs.
3. The module must contain power supply regulation on the module.	The modular transmitter have its own power supply regulation.
4. The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per §§ 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b).	The modular transmitter complies with the antenna requirements of Section 15.203 and 15.204(c). The antenna either be permanently attached.
5. The module must demonstrate compliance in a stand-alone configuration.	The module can be configured independently and meets the requirements.
6. The module must be labeled with its permanently affixed FCC ID label, or use an electronic display (see KDB Publication 784748)	The FCC ID on the product: VTV-TM007MINI
7. The module must comply with all specific rules applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee.	YES, please refer to the user manual.
8. The module must comply with RF exposure requirements.	YES, RF exposure statement is attached in the user manual.

Note: A limited modular approval (LMA) may be granted for *single* or *split* modular transmitters that comply partially with the requirements above.

Name and surname of applicant (or authorized representative): Roger Wu

Date: 09 May 2025

Signature: 

2025/5/9