



BLUETOOTH HANDSFREE KITS BAC-500

USER GUIDE

Technical Specifications:

Dimension & Weight:	130*45*45mm; about 60g
Version & Profiles:	<i>Bluetooth V2.1</i> ; Handsfree, Headset
BT Frequency Range:	2.402~2.480GHz
Cordless Distance:	Class II, 0~15m
Standby Time:	200 hours
Talking time:	8 hours
Charger:	Rotatable Cigarette Charger
Rated Input:	DC12-24V,
Rated Output:	DC 5V, 300MA
Working Current:	2.5MA
Battery:	Rechargeable Lithium Polymer Ion
Audio Input:	♂ 2.5mm jack for Audio Input
Working Temperature:	-15~50°C

[Detailed Operating Guide]

1. Power On and Off

When BAC-500 is under OFF mode, press multifunction key on the headset and hold for 5 seconds. The blue LED starts to flash for three times. The device can automatically connect to the last used mobile phone after powering on.

When BAC-500 is under STANDBY mode, press multifunction key and hold for 5 seconds. The red indicator flashes for 4 times indicating the device is off.

2. Pairing and Connecting

Under power off state, press the multifunction key and hold for 5 seconds, until the red and blue indicator flashes alternately, indicating the device is ready for paring.

- 1) Activate two *Bluetooth* mobile phones and search *Bluetooth* devices. The devices in range will be found after searching completed;
- 2) Select "BAC-500" on one of the mobile phones, and enter "0000" for pairing. The blue led flashes when connected successfully;
- 3) Press the multifunction once, the red and blue indicator will flash alternately, indicating it's ready for pairing again;
- 4) Activate the other mobile phone and follow the same step to pair it with the device. The blue indicator is on when connected. (As for some brands, it may need to effect the bluetooth connection with the device again on the first mobile, as it could be off after the second one has been connected.)
- 5) Now the device has been paired with two mobile phones successfully. The blue indicator flashes every 5 seconds. Now you can enjoy wireless communication.

Note: The bluetooth connection of one of the mobiles will be disconnected during the other one is having a call, and will be automatically connected when the call ended.

3. Incoming Call

Under STANDBY mode, a ring from your car speaker indicating the coming call.

4. Answering/Ending A Call

Press multifunction key once to accept or answer the call via your mobile phone in the normal way.

Short press multifunction key to end your call, or end the call via your mobile phone in the normal way.

5. Rejecting A Call

When you hear the ringing tone, press multifunction key and hold for 2 seconds or quickly press multifunction key twice until you hear a short beep.

6. Voice Dialing

If your mobile phone is voice dialing enabled, under STANDBY mode, press multifunction key once, say the voice tag.

Note: Please make sure to record voice tag into the mobile phone before using this function. Functionality varies depending on the mobile phone models. Please refer to your mobile phone user guide for additional information.

7. Last Number Redialing

Under STANDBY mode, press multifunction key and hold for 2 seconds till you hear a beep, then release for last number redialing.

Note: Make sure your mobile phone is redialing function enabled.

8. Call Inter Transferring

During the conversation, press multifunction key and hold for 2 seconds to transfer the call from BAC-500 to your mobile phone.

9. Mode selecting and mute

Shift from call, music, radio, or mute mode by simply press the Frequency Setting Key and hold for about 5 seconds.

10. Volume Adjusting

Pressing volume up button "+" or volume down button "-" to adjust the volume of the headset.

Adjusting the car speaker for different volume.

11. Charging

While the BAC-500 is under STANDBY mode or TALKING status, the Red LED on the headset flashes every 3 seconds, indicating that Low power and the battery need to be re-charged.

Charging it with the provided travel charger or cigarette chager.

Important:

1. Prior to using the BAC-500 for the first time, please fully charge it until the red LED is off, to make sure the device will be best performance.
2. Place your mobile phone and BAC-500 within 1 meter for paring.
3. Ensure your mobile phone and BAC-500 within 10 meters as *Bluetooth* ranging distance, otherwise the connection will be lost and need to be re-connected.
4. If the paring cannot be completed in 5 minutes after the pairing mode is activated, the BAC-500 will not be OFF. Pls check your mobile phone Bluetooth status, and repeat the steps under "pairing" within an effective distance.
5. Do not expose the BAC-500 to liquid, moisture, or humidity; Do not use abrasive cleaning solvents to clean it; As it's not waterproof, place it in high temperature may result in an explosion. Store it in a dry and normal temperature place always.
6. Check local laws regarding use of a mobile phone and handsfree while driving. If you use the BAC-500 while driving, ensure your attention and focus remains

on you responsibility of driving safety.

7. FCC Statement This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
8. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: The Red LED is on during charging and off until the charging completed. The charging time is about 3 hours, depending on the battery status.