


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5550MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4318G	60.67	74.00	-13.33	54.56	3	Horizontal	116	1.55	-	34.43	6.65	34.97
PK	5.47G	62.23	68.20	-5.97	56.04	3	Horizontal	116	1.55	-	34.47	6.71	34.99
AV	5.4576G	48.26	54.00	-5.74	42.09	3	Horizontal	116	1.55	-	34.46	6.69	34.98
PK	5.5686G	121.61	Inf	-Inf	115.31	3	Horizontal	116	1.55	-	34.43	6.86	34.99
AV	5.568G	110.86	Inf	-Inf	104.56	3	Horizontal	116	1.55	-	34.43	6.86	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5550MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.0797G	54.95	74.00	-19.05	41.41	3	Vertical	61	1.57	-	38.56	9.58	34.60	
AV	11.1015G	41.91	54.00	-12.09	28.37	3	Vertical	61	1.57	-	38.57	9.58	34.61	
PK	16.6468G	59.59	68.20	-8.61	44.42	3	Vertical	163	2.54	-	39.05	10.96	34.84	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5550MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0863G	55.48	74.00	-18.52	41.95	3	Horizontal	61	1.28	-	38.56	9.58	34.61
AV	11.1001G	41.93	54.00	-12.07	28.39	3	Horizontal	61	1.28	-	38.57	9.58	34.61
PK	16.6556G	61.93	68.20	-6.27	46.72	3	Horizontal	219	1.53	-	39.07	10.97	34.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5670MHz_TX




EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.668G	119.07	Inf	-Inf	112.83	3	Vertical	200	1.40	-	34.33	6.87	34.96
AV	5.6672G	105.60	Inf	-Inf	99.36	3	Vertical	200	1.40	-	34.33	6.87	34.96
PK	5.7256G	67.93	68.20	-0.27	61.73	3	Vertical	200	1.40	-	34.30	6.84	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5670MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.668G	118.47	Inf	-Inf	112.23	3	Horizontal	169	2.71	-	34.33	6.87	34.96
AV	5.664G	105.36	Inf	-Inf	99.12	3	Horizontal	169	2.71	-	34.33	6.87	34.96
PK	5.7292G	67.06	68.20	-1.14	60.86	3	Horizontal	169	2.71	-	34.30	6.84	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5670MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3556G	54.55	74.00	-19.45	40.80	3	Vertical	248	1.78	-	38.75	9.65	34.65	
AV	11.3648G	41.65	54.00	-12.35	27.90	3	Vertical	248	1.78	-	38.76	9.65	34.66	
PK	17.0316G	61.61	68.20	-6.59	44.79	3	Vertical	21	1.62	-	40.06	11.35	34.59	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5670MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3645G	54.94	74.00	-19.06	41.19	3	Horizontal	306	1.99	-	38.76	9.65	34.66
AV	11.3626G	42.02	54.00	-11.98	28.28	3	Horizontal	306	1.99	-	38.75	9.65	34.66
PK	17.0008G	61.17	68.20	-7.03	44.54	3	Horizontal	279	1.66	-	39.90	11.32	34.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4388G	57.02	74.00	-16.98	52.23	3	Vertical	0	1.96	-	33.62	4.74	33.57
PK	5.4688G	56.29	68.20	-11.91	51.39	3	Vertical	0	1.96	-	33.71	4.77	33.58
AV	5.4568G	45.22	54.00	-8.78	40.37	3	Vertical	0	1.96	-	33.67	4.76	33.58
PK	5.71G	119.83	Inf	-Inf	114.39	3	Vertical	0	1.96	-	34.12	4.95	33.63
AV	5.7076G	107.92	Inf	-Inf	102.48	3	Vertical	0	1.96	-	34.12	4.95	33.63
PK	5.866G	59.04	68.20	-9.16	53.08	3	Vertical	0	1.96	-	34.70	4.93	33.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	57.68	74.00	-16.32	52.85	3	Horizontal	4	1.77	-	33.66	4.75	33.58
AV	5.416G	45.99	54.00	-8.01	41.29	3	Horizontal	4	1.77	-	33.55	4.72	33.57
PK	5.46G	56.97	68.20	-11.23	52.11	3	Horizontal	4	1.77	-	33.68	4.76	33.58
PK	5.7148G	119.60	Inf	-Inf	114.16	3	Horizontal	4	1.77	-	34.13	4.94	33.63
AV	5.7172G	107.63	Inf	-Inf	102.20	3	Horizontal	4	1.77	-	34.13	4.94	33.64
PK	5.9248G	59.91	68.20	-8.29	53.64	3	Horizontal	4	1.77	-	35.00	4.96	33.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42G	56.65	74.00	-17.35	44.94	3	Vertical	109	1.43	-	39.19	7.24	34.72
AV	11.42002G	40.56	54.00	-13.44	28.85	3	Vertical	109	1.43	-	39.19	7.24	34.72
PK	17.142G	63.10	68.20	-5.10	47.83	3	Vertical	260	1.66	-	40.93	9.86	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43504G	54.85	74.00	-19.15	43.16	3	Horizontal	41	3.00	-	39.18	7.24	34.73
AV	11.40512G	42.70	54.00	-11.30	30.97	3	Horizontal	41	3.00	-	39.20	7.24	34.71
PK	17.13976G	67.95	68.20	-0.25	52.68	3	Horizontal	222	1.53	-	40.93	9.86	35.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5290MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	59.11	74.00	-14.89	53.24	3	Vertical	198	1.80	-	34.04	6.60	34.77
AV	5.147G	47.17	54.00	-6.83	41.29	3	Vertical	198	1.80	-	34.05	6.60	34.77
PK	5.284G	108.01	Inf	-Inf	101.95	3	Vertical	198	1.80	-	34.27	6.66	34.87
AV	5.293G	95.84	Inf	-Inf	89.78	3	Vertical	198	1.80	-	34.29	6.65	34.88
PK	5.354G	72.26	74.00	-1.74	66.21	3	Vertical	198	1.80	-	34.35	6.62	34.92
AV	5.368G	53.81	54.00	-0.19	47.75	3	Vertical	198	1.80	-	34.37	6.62	34.93
PK	5.492G	59.32	68.20	-8.88	53.09	3	Vertical	198	1.80	-	34.49	6.75	35.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5290MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	59.28	74.00	-14.72	53.46	3	Horizontal	176	2.31	-	34.02	6.56	34.76
AV	5.144G	46.88	54.00	-7.12	41.01	3	Horizontal	176	2.31	-	34.04	6.60	34.77
PK	5.292G	111.30	Inf	-Inf	105.24	3	Horizontal	176	2.31	-	34.28	6.65	34.87
AV	5.28G	98.77	Inf	-Inf	92.72	3	Horizontal	176	2.31	-	34.26	6.66	34.87
PK	5.354G	62.02	74.00	-11.98	55.97	3	Horizontal	176	2.31	-	34.35	6.62	34.92
AV	5.354G	49.00	54.00	-5.00	42.95	3	Horizontal	176	2.31	-	34.35	6.62	34.92
PK	5.501G	59.59	68.20	-8.61	53.34	3	Horizontal	176	2.31	-	34.50	6.76	35.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5290MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8662G	57.84	74.00	-16.16	44.77	3	Vertical	187	1.80	-	37.90	10.32	35.15
AV	15.8314G	44.38	54.00	-9.62	31.17	3	Vertical	187	1.80	-	38.01	10.32	35.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5290MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.873G	58.00	74.00	-16.00	44.96	3	Horizontal	178	1.80	-	37.88	10.32	35.16
AV	15.8334G	44.34	54.00	-9.66	31.14	3	Horizontal	178	1.80	-	38.00	10.32	35.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5530MHz_TX




EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	66.62	74.00	-7.38	60.45	3	Vertical	191	1.79	-	34.46	6.69	34.98
AV	5.458G	50.54	54.00	-3.46	44.37	3	Vertical	191	1.79	-	34.46	6.69	34.98
PK	5.469G	68.10	68.20	-0.10	61.91	3	Vertical	191	1.79	-	34.47	6.71	34.99
PK	5.539G	111.55	Inf	-Inf	105.28	3	Vertical	191	1.79	-	34.46	6.81	35.00
AV	5.544G	98.70	Inf	-Inf	92.42	3	Vertical	191	1.79	-	34.46	6.82	35.00
PK	5.768G	59.98	68.20	-8.22	53.80	3	Vertical	191	1.79	-	34.30	6.82	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5530MHz_TX




EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.59	74.00	-10.41	57.42	3	Horizontal	128	1.76	-	34.46	6.69	34.98
AV	5.442G	48.26	54.00	-5.74	42.13	3	Horizontal	128	1.76	-	34.44	6.67	34.98
PK	5.47G	65.01	68.20	-3.19	58.82	3	Horizontal	128	1.76	-	34.47	6.71	34.99
PK	5.52G	112.07	Inf	-Inf	105.80	3	Horizontal	128	1.76	-	34.48	6.79	35.00
AV	5.519G	100.19	Inf	-Inf	93.92	3	Horizontal	128	1.76	-	34.48	6.79	35.00
PK	5.746G	59.06	68.20	-9.14	52.87	3	Horizontal	128	1.76	-	34.30	6.83	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5530MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0198G	55.41	74.00	-18.59	41.93	3	Vertical	34	1.34	-	38.51	9.56	34.59
AV	11.11G	41.88	54.00	-12.12	28.32	3	Vertical	34	1.34	-	38.58	9.59	34.61

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5530MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0314G	54.98	74.00	-19.02	41.49	3	Horizontal	141	2.52	-	38.52	9.57	34.60
AV	11.06G	42.10	54.00	-11.90	28.59	3	Horizontal	141	2.52	-	38.54	9.57	34.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5610MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	57.46	68.20	-10.74	53.07	3	Vertical	232	1.73	-	33.29	4.67	33.57
PK	5.4588G	62.35	74.00	-11.65	57.49	3	Vertical	232	1.73	-	33.68	4.76	33.58
AV	5.4588G	49.44	54.00	-4.56	44.58	3	Vertical	232	1.73	-	33.68	4.76	33.58
PK	5.4684G	62.80	68.20	-5.40	57.90	3	Vertical	232	1.73	-	33.71	4.77	33.58
PK	5.6172G	115.05	Inf	-Inf	109.65	3	Vertical	232	1.73	-	34.02	4.99	33.61
AV	5.6256G	103.34	Inf	-Inf	97.94	3	Vertical	232	1.73	-	34.03	4.99	33.62
PK	5.7276G	67.86	68.20	-0.34	62.40	3	Vertical	232	1.73	-	34.16	4.94	33.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5610MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	58.04	68.20	-10.16	53.71	3	Horizontal	175	1.80	-	33.24	4.66	33.57
PK	5.4372G	64.50	74.00	-9.50	59.72	3	Horizontal	175	1.80	-	33.61	4.74	33.57
PK	5.466G	64.53	68.20	-3.67	59.64	3	Horizontal	175	1.80	-	33.70	4.77	33.58
AV	5.4588G	49.26	54.00	-4.74	44.40	3	Horizontal	175	1.80	-	33.68	4.76	33.58
PK	5.5992G	118.59	Inf	-Inf	113.20	3	Horizontal	175	1.80	-	34.00	5.00	33.61
AV	5.598G	107.47	Inf	-Inf	102.08	3	Horizontal	175	1.80	-	34.00	5.00	33.61
PK	5.7252G	64.51	68.20	-3.69	59.06	3	Horizontal	175	1.80	-	34.15	4.94	33.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5610MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22015G	53.74	74.00	-20.26	41.80	3	Vertical	57	1.46	-	39.29	7.22	34.57
AV	11.21986G	40.48	54.00	-13.52	28.54	3	Vertical	57	1.46	-	39.29	7.22	34.57
PK	16.8244G	59.79	68.20	-8.41	45.17	3	Vertical	259	2.89	-	40.41	9.76	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5610MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21797G	53.83	74.00	-20.17	41.89	3	Horizontal	89	2.20	-	39.29	7.22	34.57
AV	11.21912G	40.35	54.00	-13.65	28.41	3	Horizontal	89	2.20	-	39.29	7.22	34.57
PK	16.83848G	62.32	68.20	-5.88	47.66	3	Horizontal	225	2.15	-	40.44	9.77	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	61.16	74.00	-12.84	56.34	3	Vertical	0	1.92	-	33.64	4.75	33.57
PK	5.4656G	61.07	68.20	-7.13	56.18	3	Vertical	0	1.92	-	33.70	4.77	33.58
AV	5.4584G	48.48	54.00	-5.52	43.62	3	Vertical	0	1.92	-	33.68	4.76	33.58
PK	5.6936G	115.88	Inf	-Inf	110.47	3	Vertical	0	1.92	-	34.09	4.95	33.63
AV	5.6792G	104.37	Inf	-Inf	98.96	3	Vertical	0	1.92	-	34.08	4.96	33.63
PK	5.852G	67.90	68.20	-0.30	62.03	3	Vertical	0	1.92	-	34.61	4.93	33.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	59.37	74.00	-14.63	54.55	3	Horizontal	7	1.45	-	33.64	4.75	33.57
PK	5.462G	59.80	68.20	-8.40	54.93	3	Horizontal	7	1.45	-	33.69	4.76	33.58
AV	5.4584G	47.28	54.00	-6.72	42.42	3	Horizontal	7	1.45	-	33.68	4.76	33.58
PK	5.6756G	117.31	Inf	-Inf	111.90	3	Horizontal	7	1.45	-	34.08	4.96	33.63
AV	5.6696G	105.01	Inf	-Inf	99.59	3	Horizontal	7	1.45	-	34.07	4.97	33.62
PK	5.85G	65.44	68.20	-2.76	59.58	3	Horizontal	7	1.45	-	34.60	4.93	33.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37986G	53.76	74.00	-20.24	42.00	3	Vertical	299	1.54	-	39.21	7.24	34.69
AV	11.38002G	39.80	54.00	-14.20	28.04	3	Vertical	299	1.54	-	39.21	7.24	34.69
PK	17.0746G	60.54	68.20	-7.66	45.37	3	Vertical	257	1.80	-	40.87	9.83	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.376G	54.69	74.00	-19.31	42.93	3	Horizontal	42	2.02	-	39.21	7.24	34.69
AV	11.37758G	40.98	54.00	-13.02	29.22	3	Horizontal	42	2.02	-	39.21	7.24	34.69
PK	17.02008G	63.40	68.20	-4.80	48.32	3	Horizontal	222	1.37	-	40.82	9.81	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1028G	63.59	74.00	-10.41	59.46	3	Vertical	298	1.60	-	33.00	4.69	33.56
AV	5.1252G	51.42	54.00	-2.58	47.28	3	Vertical	298	1.60	-	33.03	4.67	33.56
PK	5.2404G	106.17	Inf	-Inf	101.97	3	Vertical	298	1.60	-	33.14	4.62	33.56
AV	5.2372G	94.13	Inf	-Inf	89.93	3	Vertical	298	1.60	-	33.14	4.62	33.56
PK	5.378G	67.41	74.00	-6.59	62.86	3	Vertical	298	1.60	-	33.43	4.69	33.57
PK	5.6404G	57.44	68.20	-10.76	52.04	3	Vertical	298	1.60	-	34.04	4.98	33.62
AV	5.3668G	53.93	54.00	-0.07	49.42	3	Vertical	298	1.60	-	33.40	4.68	33.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	61.20	74.00	-12.80	57.07	3	Horizontal	179	2.99	-	33.02	4.67	33.56
AV	5.1236G	49.29	54.00	-4.71	45.16	3	Horizontal	179	2.99	-	33.02	4.67	33.56
PK	5.2548G	108.25	Inf	-Inf	104.04	3	Horizontal	179	2.99	-	33.15	4.63	33.57
AV	5.314G	96.62	Inf	-Inf	92.29	3	Horizontal	179	2.99	-	33.24	4.66	33.57
PK	5.3764G	62.29	74.00	-11.71	57.74	3	Horizontal	179	2.99	-	33.43	4.69	33.57
AV	5.3652G	49.25	54.00	-4.75	44.74	3	Horizontal	179	2.99	-	33.40	4.68	33.57
PK	5.5044G	58.01	68.20	-10.19	52.97	3	Horizontal	179	2.99	-	33.81	4.81	33.58

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75044G	56.33	74.00	-17.67	43.54	3	Vertical	9	2.08	-	38.87	9.40	35.48
AV	15.75211G	43.80	54.00	-10.20	31.01	3	Vertical	9	2.08	-	38.87	9.40	35.48

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75208G	57.31	74.00	-16.69	44.52	3	Horizontal	102	2.29	-	38.87	9.40	35.48
AV	15.75126G	43.30	54.00	-10.70	30.51	3	Horizontal	102	2.29	-	38.87	9.40	35.48

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5570MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	57.71	68.20	-10.49	53.34	3	Vertical	317	2.37	-	33.28	4.66	33.57
PK	5.45G	68.21	74.00	-5.79	63.39	3	Vertical	317	2.37	-	33.65	4.75	33.58
AV	5.4276G	50.45	54.00	-3.55	45.71	3	Vertical	317	2.37	-	33.58	4.73	33.57
PK	5.4692G	63.47	68.20	-4.73	58.57	3	Vertical	317	2.37	-	33.71	4.77	33.58
PK	5.5748G	110.35	Inf	-Inf	105.05	3	Vertical	317	2.37	-	33.95	4.95	33.60
AV	5.5732G	97.45	Inf	-Inf	92.15	3	Vertical	317	2.37	-	33.95	4.95	33.60
PK	5.7348G	64.83	68.20	-3.37	59.37	3	Vertical	317	2.37	-	34.17	4.93	33.64

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5570MHz_TX



EUT Y_4TX
04-F-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	58.40	68.20	-9.80	53.99	3	Horizontal	359	1.72	-	33.31	4.67	33.57
PK	5.4516G	69.67	74.00	-4.33	64.85	3	Horizontal	359	1.72	-	33.65	4.75	33.58
AV	5.4468G	49.98	54.00	-4.02	45.16	3	Horizontal	359	1.72	-	33.64	4.75	33.57
PK	5.4676G	67.84	68.20	-0.36	62.95	3	Horizontal	359	1.72	-	33.70	4.77	33.58
PK	5.5636G	111.68	Inf	-Inf	106.42	3	Horizontal	359	1.72	-	33.93	4.93	33.60
AV	5.5604G	98.62	Inf	-Inf	93.38	3	Horizontal	359	1.72	-	33.92	4.92	33.60
PK	5.7732G	65.14	68.20	-3.06	59.63	3	Horizontal	359	1.72	-	34.25	4.91	33.65

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5570MHz_TX




EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14161G	53.95	74.00	-20.05	41.92	3	Vertical	7	1.59	-	39.33	7.21	34.51
AV	11.1412G	40.51	54.00	-13.49	28.48	3	Vertical	7	1.59	-	39.33	7.21	34.51

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

25/12/2019

5570MHz_TX



EUT Y_4TX
04-F-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14198G	54.57	74.00	-19.43	42.55	3	Horizontal	134	2.82	-	39.33	7.21	34.52
AV	11.13998G	40.77	54.00	-13.23	28.74	3	Horizontal	134	2.82	-	39.33	7.21	34.51