802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom



EUT X_4TX
Setting 86
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.97726G	55.21	74.00	-18.79	42.20	3	Vertical	23	1.14	-	38.97	8.98	34.94
AV	11.96424G	42.90	54.00	-11.10	29.86	3	Vertical	23	1.14	-	39.01	8.97	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom



EUT X_4TX
Setting 86
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.96586G	55.41	74.00	-18.59	42.37	3	Horizontal	259	1.80	-	39.00	8.98	34.94
AV	11.9703G	43.12	54.00	-10.88	30.09	3	Horizontal	259	1.80	-	38.99	8.98	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom



EUT X_4TX
Setting 86
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.94246G	62.01	74.00	-11.99	45.00	3	Vertical	94	2.37	-	42.04	9.78	34.81
AV	17.94144G	49.81	54.00	-4.19	32.80	3	Vertical	94	2.37	-	42.04	9.78	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom



EUT X_4TX
Setting 86
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.95008G	61.49	74.00	-12.51	44.47	3	Horizontal	42	1.62	-	42.05	9.78	34.81
AV	17.94468G	49.68	54.00	-4.32	32.67	3	Horizontal	42	1.62	-	42.04	9.78	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9242G	71.74	88.20	-16.46	64.68	3	Vertical	33	2.92	-	35.05	5.36	33.35
RMS	5.925G	61.37	68.20	-6.83	54.31	3	Vertical	33	2.92	-	35.05	5.36	33.35
PK	6.127G	111.92	Inf	-Inf	104.23	3	Vertical	33	2.92	-	35.45	5.53	33.29
RMS	6.127G	100.95	Inf	-Inf	93.26	3	Vertical	33	2.92	-	35.45	5.53	33.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.917G	75.84	88.20	-12.36	68.83	3	Horizontal	284	1.62	-	35.00	5.36	33.35
RMS	5.9218G	64.94	68.20	-3.26	57.90	3	Horizontal	284	1.62	-	35.03	5.36	33.35
PK	6.1126G	116.55	Inf	-Inf	108.87	3	Horizontal	284	1.62	-	35.47	5.51	33.30
RMS	6.1426G	105.13	Inf	-Inf	97.46	3	Horizontal	284	1.62	-	35.41	5.54	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.27824G	57.84	74.00	-16.16	45.05	3	Vertical	247	1.43	-	38.72	8.94	34.87
AV	12.28802G	45.28	54.00	-8.72	32.49	3	Vertical	247	1.43	-	38.71	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.29168G	55.23	74.00	-18.77	42.44	3	Horizontal	98	1.03	-	38.71	8.94	34.86
AV	12.28496G	41.22	54.00	-12.78	28.42	3	Horizontal	98	1.03	-	38.72	8.94	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.43574G	44.57	83.54	-38.97	42.11	1	Vertical	75	1.53	-	37.72	14.87	50.13
AV	18.43468G	32.47	63.54	-31.07	30.01	1	Vertical	75	1.53	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.43488G	44.83	83.54	-38.71	42.37	1	Horizontal	177	1.51	-	37.72	14.87	50.13
AV	18.43446G	32.90	63.54	-30.64	30.44	1	Horizontal	177	1.51	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.8906G	59.61	88.20	-28.59	52.72	3	Vertical	96	2.49	-	34.88	5.35	33.34
RMS	5.9194G	48.14	68.20	-20.06	41.11	3	Vertical	96	2.49	-	35.02	5.36	33.35
PK	6.3946G	111.22	Inf	-Inf	102.94	3	Vertical	96	2.49	-	35.69	5.70	33.11
RMS	6.3802G	99.75	Inf	-Inf	91.52	3	Vertical	96	2.49	-	35.66	5.69	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9194G	59.83	88.20	-28.37	52.80	3	Horizontal	107	1.00	-	35.02	5.36	33.35
RMS	5.9242G	49.46	68.20	-18.74	42.40	3	Horizontal	107	1.00	-	35.05	5.36	33.35
PK	6.361G	119.02	Inf	-Inf	110.85	3	Horizontal	107	1.00	-	35.62	5.68	33.13
RMS	6.3562G	108.23	Inf	-Inf	100.08	3	Horizontal	107	1.00	-	35.61	5.68	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.77884G	54.90	88.20	-33.30	41.42	3	Vertical	156	1.33	-	39.38	8.84	34.74
RMS	12.77644G	42.90	68.20	-25.30	29.42	3	Vertical	156	1.33	-	39.38	8.84	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.77092G	54.05	88.20	-34.15	40.58	3	Horizontal	64	2.16	-	39.37	8.85	34.75
RMS	12.76308G	42.23	68.20	-25.97	28.77	3	Horizontal	64	2.16	-	39.36	8.85	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.1577G	44.66	83.54	-38.88	41.32	1	Vertical	44	1.50	-	37.81	15.16	49.63
AV	19.15524G	32.54	63.54	-31.00	29.20	1	Vertical	44	1.50	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15776G	45.20	83.54	-38.34	41.86	1	Horizontal	86	1.57	-	37.81	15.16	49.63
AV	19.1549G	32.69	63.54	-30.85	29.35	1	Horizontal	86	1.57	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9164G	58.99	88.20	-29.21	51.98	3	Vertical	96	2.48	-	35.00	5.36	33.35
RMS	5.9216G	48.08	68.20	-20.12	41.04	3	Vertical	96	2.48	-	35.03	5.36	33.35
PK	6.4598G	110.59	Inf	-Inf	102.32	3	Vertical	96	2.48	-	35.64	5.70	33.07
RMS	6.4598G	99.24	Inf	-Inf	90.97	3	Vertical	96	2.48	-	35.64	5.70	33.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.8774G	58.97	88.20	-29.23	52.11	3	Horizontal	14	2.19	-	34.85	5.34	33.33
RMS	5.9242G	48.48	68.20	-19.72	41.42	3	Horizontal	14	2.19	-	35.05	5.36	33.35
PK	6.4546G	118.60	Inf	-Inf	110.35	3	Horizontal	14	2.19	-	35.62	5.70	33.07
RMS	6.4338G	106.86	Inf	-Inf	98.62	3	Horizontal	14	2.19	-	35.63	5.70	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.9272G	54.92	88.20	-33.28	41.27	3	Vertical	280	2.03	-	39.55	8.81	34.71
RMS	12.92312G	43.21	68.20	-24.99	29.56	3	Vertical	280	2.03	-	39.55	8.82	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.93664G	54.37	88.20	-33.83	40.70	3	Horizontal	294	1.78	-	39.57	8.81	34.71
RMS	12.93132G	42.59	68.20	-25.61	28.93	3	Horizontal	294	1.78	-	39.56	8.81	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39984G	45.80	83.54	-37.74	42.40	1	Vertical	271	1.55	-	37.82	15.26	49.68
AV	19.39768G	32.99	63.54	-30.55	29.59	1	Vertical	271	1.55	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39532G	45.57	83.54	-37.97	42.17	1	Horizontal	38	1.58	-	37.82	15.26	49.68
AV	19.39832G	33.11	63.54	-30.43	29.71	1	Horizontal	38	1.58	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.8534G	58.59	88.20	-29.61	51.77	3	Vertical	186	1.71	-	34.81	5.33	33.32
RMS	5.9234G	48.07	68.20	-20.13	41.02	3	Vertical	186	1.71	-	35.04	5.36	33.35
PK	6.5394G	108.41	Inf	-Inf	99.81	3	Vertical	186	1.71	-	35.96	5.70	33.06
RMS	6.5338G	97.58	Inf	-Inf	89.00	3	Vertical	186	1.71	-	35.94	5.70	33.06
PK	7.1442G	62.60	88.20	-25.60	53.04	3	Vertical	186	1.71	-	37.05	5.97	33.46
RMS	7.1974G	51.37	68.20	-16.83	41.61	3	Vertical	186	1.71	-	37.29	6.00	33.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.8618G	59.11	88.20	-29.09	52.28	3	Horizontal	16	1.88	-	34.82	5.33	33.32
RMS	5.9234G	48.24	68.20	-19.96	41.19	3	Horizontal	16	1.88	-	35.04	5.36	33.35
PK	6.5282G	118.52	Inf	-Inf	109.96	3	Horizontal	16	1.88	-	35.91	5.70	33.05
RMS	6.5282G	107.59	Inf	-Inf	99.03	3	Horizontal	16	1.88	-	35.91	5.70	33.05
PK	7.1834G	61.77	88.20	-26.43	52.06	3	Horizontal	16	1.88	-	37.23	5.99	33.51
RMS	7.1358G	51.47	68.20	-16.73	41.96	3	Horizontal	16	1.88	-	36.99	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.08332G	56.49	88.20	-31.71	42.71	3	Vertical	283	1.67	-	39.70	8.78	34.70
RMS	13.09588G	44.72	68.20	-23.48	30.94	3	Vertical	283	1.67	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.0912G	55.02	88.20	-33.18	41.24	3	Horizontal	103	1.67	-	39.70	8.78	34.70
RMS	13.08572G	43.33	68.20	-24.87	29.55	3	Horizontal	103	1.67	-	39.70	8.78	34.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.63962G	45.16	83.54	-38.38	41.66	1	Vertical	321	1.52	-	37.84	15.36	49.70
AV	19.63002G	32.36	63.54	-31.18	28.86	1	Vertical	321	1.52	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.63648G	45.40	83.54	-38.14	41.90	1	Horizontal	124	1.56	-	37.85	15.35	49.70
AV	19.6301G	32.63	63.54	-30.91	29.13	1	Horizontal	124	1.56	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.6154G	109.79	Inf	-Inf	101.06	3	Vertical	189	1.71	-	36.13	5.70	33.10
RMS	6.6298G	98.98	Inf	-Inf	90.22	3	Vertical	189	1.71	-	36.16	5.70	33.10
PK	7.165G	62.14	88.20	-26.06	52.49	3	Vertical	189	1.71	-	37.16	5.98	33.49
RMS	7.2202G	51.42	68.20	-16.78	41.62	3	Vertical	189	1.71	-	37.34	6.01	33.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.6178G	119.51	Inf	-Inf	110.77	3	Horizontal	96	1.00	-	36.14	5.70	33.10
RMS	6.613G	108.46	Inf	-Inf	99.73	3	Horizontal	96	1.00	-	36.13	5.70	33.10
PK	7.1866G	61.81	88.20	-26.39	52.08	3	Horizontal	96	1.00	-	37.25	5.99	33.51
RMS	7.2034G	51.60	68.20	-16.60	41.82	3	Horizontal	96	1.00	-	37.31	6.00	33.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.24788G	56.88	88.20	-31.32	42.89	3	Vertical	215	1.29	-	39.95	8.75	34.71
RMS	13.24964G	44.70	68.20	-23.50	30.71	3	Vertical	215	1.29	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.24984G	54.74	88.20	-33.46	40.75	3	Horizontal	358	1.23	-	39.95	8.75	34.71
RMS	13.24572G	43.36	68.20	-24.84	29.37	3	Horizontal	358	1.23	-	39.95	8.75	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87442G	45.77	83.54	-37.77	42.42	1	Vertical	156	1.51	-	37.60	15.45	49.70
AV	19.87022G	32.86	63.54	-30.68	29.50	1	Vertical	156	1.51	-	37.61	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87248G	45.43	83.54	-38.11	42.08	1	Horizontal	146	1.58	-	37.60	15.45	49.70
AV	19.87608G	32.84	63.54	-30.70	29.49	1	Horizontal	146	1.58	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.695G	111.26	Inf	-Inf	102.50	3	Vertical	95	2.79	-	36.20	5.70	33.14
RMS	6.695G	100.29	Inf	-Inf	91.53	3	Vertical	95	2.79	-	36.20	5.70	33.14
PK	7.159G	63.12	88.20	-25.08	53.48	3	Vertical	95	2.79	-	37.14	5.98	33.48
RMS	7.143G	51.40	68.20	-16.80	41.85	3	Vertical	95	2.79	-	37.04	5.97	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.699G	120.24	Inf	-Inf	111.48	3	Horizontal	334	1.03	-	36.20	5.70	33.14
RMS	6.719G	107.03	Inf	-Inf	98.20	3	Horizontal	334	1.03	-	36.28	5.70	33.15
PK	7.163G	62.62	88.20	-25.58	52.98	3	Horizontal	334	1.03	-	37.15	5.98	33.49
RMS	7.195G	51.70	68.20	-16.50	41.94	3	Horizontal	334	1.03	-	37.28	6.00	33.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.40612G	57.65	88.20	-30.55	43.45	3	Vertical	359	2.28	-	40.20	8.72	34.72
RMS	13.40976G	44.93	68.20	-23.27	30.73	3	Vertical	359	2.28	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.41608G	55.08	88.20	-33.12	40.88	3	Horizontal	226	2.92	-	40.20	8.72	34.72
RMS	13.4056G	42.92	68.20	-25.28	28.72	3	Horizontal	226	2.92	-	40.20	8.72	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11954G	44.15	83.54	-39.39	40.85	1	Vertical	319	1.50	-	37.50	15.55	49.75
AV	20.11012G	31.65	63.54	-31.89	28.35	1	Vertical	319	1.50	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.114G	44.76	83.54	-38.78	41.47	1	Horizontal	288	1.55	-	37.49	15.55	49.75
AV	20.11902G	31.94	63.54	-31.60	28.64	1	Horizontal	288	1.55	-	37.50	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.7866G	112.65	Inf	-Inf	103.80	3	Vertical	97	2.12	-	36.33	5.70	33.18
RMS	6.7978G	100.69	Inf	-Inf	91.88	3	Vertical	97	2.12	-	36.30	5.70	33.19
PK	7.1594G	62.41	88.20	-25.79	52.77	3	Vertical	97	2.12	-	37.14	5.98	33.48
RMS	7.1466G	51.45	68.20	-16.75	41.88	3	Vertical	97	2.12	-	37.07	5.97	33.47

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.7642G	119.21	Inf	-Inf	110.31	3	Horizontal	335	1.00	-	36.37	5.70	33.17
RMS	6.7738G	107.80	Inf	-Inf	98.93	3	Horizontal	335	1.00	-	36.35	5.70	33.18
PK	7.161G	62.70	88.20	-25.50	53.06	3	Horizontal	335	1.00	-	37.14	5.98	33.48
RMS	7.1306G	51.84	68.20	-16.36	42.38	3	Horizontal	335	1.00	-	36.94	5.97	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.57056G	56.31	88.20	-31.89	42.17	3	Vertical	360	2.38	-	40.20	8.69	34.75
RMS	13.56816G	44.70	68.20	-23.50	30.56	3	Vertical	360	2.38	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.57032G	54.27	88.20	-33.93	40.13	3	Horizontal	225	1.22	-	40.20	8.69	34.75
RMS	13.57036G	42.02	68.20	-26.18	27.88	3	Horizontal	225	1.22	-	40.20	8.69	34.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35618G	45.34	83.54	-38.20	41.88	1	Vertical	215	1.53	-	37.64	15.66	49.84
AV	20.35892G	32.94	63.54	-30.60	29.48	1	Vertical	215	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35598G	45.64	83.54	-37.90	42.18	1	Horizontal	61	1.54	-	37.64	15.66	49.84
AV	20.35G	33.04	63.54	-30.50	29.58	1	Horizontal	61	1.54	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8806G	111.43	Inf	-Inf	102.40	3	Vertical	100	1.84	-	36.48	5.78	33.23
RMS	6.8602G	100.63	Inf	-Inf	91.53	3	Vertical	100	1.84	-	36.56	5.76	33.22
PK	7.1254G	64.04	88.20	-24.16	54.62	3	Vertical	100	1.84	-	36.90	5.96	33.44
RMS	7.1254G	52.32	68.20	-15.88	42.90	3	Vertical	100	1.84	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8578G	120.44	Inf	-Inf	111.33	3	Horizontal	25	2.30	-	36.57	5.76	33.22
RMS	6.853G	108.95	Inf	-Inf	99.83	3	Horizontal	25	2.30	-	36.59	5.75	33.22
PK	7.1278G	67.20	88.20	-21.00	57.76	3	Horizontal	25	2.30	-	36.92	5.96	33.44
RMS	7.1278G	55.27	68.20	-12.93	45.83	3	Horizontal	25	2.30	-	36.92	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.72104G	58.31	88.20	-29.89	44.04	3	Vertical	309	2.76	-	40.42	8.66	34.81
RMS	13.73744G	46.23	68.20	-21.97	31.96	3	Vertical	309	2.76	-	40.44	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.73088G	54.77	88.20	-33.43	40.51	3	Horizontal	215	1.49	-	40.43	8.65	34.82
RMS	13.72964G	43.51	68.20	-24.69	29.25	3	Horizontal	215	1.49	-	40.43	8.65	34.82

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.59716G	45.15	83.54	-38.39	41.42	1	Vertical	240	1.57	-	37.82	15.77	49.86
AV	20.59576G	32.75	63.54	-30.79	29.03	1	Vertical	240	1.57	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.59974G	45.32	83.54	-38.22	41.59	1	Horizontal	0	1.56	-	37.82	15.77	49.86
AV	20.5956G	32.47	63.54	-31.07	28.75	1	Horizontal	0	1.56	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9342G	110.02	Inf	-Inf	100.78	3	Vertical	103	1.68	-	36.67	5.83	33.26
RMS	6.9402G	98.80	Inf	-Inf	89.50	3	Vertical	103	1.68	-	36.72	5.84	33.26
PK	7.1262G	65.39	88.20	-22.81	55.96	3	Vertical	103	1.68	-	36.91	5.96	33.44
RMS	7.125G	54.33	68.20	-13.87	44.91	3	Vertical	103	1.68	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9078G	120.11	Inf	-Inf	111.08	3	Horizontal	298	2.33	-	36.46	5.81	33.24
RMS	6.9174G	108.83	Inf	-Inf	99.72	3	Horizontal	298	2.33	-	36.54	5.82	33.25
PK	7.1274G	71.18	88.20	-17.02	61.74	3	Horizontal	298	2.33	-	36.92	5.96	33.44
RMS	7.1274G	60.37	68.20	-7.83	50.93	3	Horizontal	298	2.33	-	36.92	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.88468G	57.98	88.20	-30.22	43.66	3	Vertical	216	1.64	-	40.58	8.62	34.88
RMS	13.89856G	46.00	68.20	-22.20	31.67	3	Vertical	216	1.64	-	40.60	8.62	34.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.88468G	54.59	88.20	-33.61	40.27	3	Horizontal	332	2.83	-	40.58	8.62	34.88
RMS	13.891G	41.95	68.20	-26.25	27.62	3	Horizontal	332	2.83	-	40.59	8.62	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83518G	45.12	83.54	-38.42	41.15	1	Vertical	229	1.58	-	37.86	15.88	49.77
AV	20.83G	32.96	63.54	-30.58	28.99	1	Vertical	229	1.58	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83274G	45.47	83.54	-38.07	41.50	1	Horizontal	42	1.55	-	37.87	15.87	49.77
AV	20.8313G	32.96	63.54	-30.58	28.99	1	Horizontal	42	1.55	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom



EUT X_4TX
Setting 88
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	7.0354G	108.75	Inf	-Inf	99.42	3	Vertical	108	1.77	-	36.74	5.92	33.33
RMS	7.0402G	98.73	Inf	-Inf	89.39	3	Vertical	108	1.77	-	36.76	5.92	33.34
PK	7.1258G	74.73	88.20	-13.47	65.30	3	Vertical	108	1.77	-	36.91	5.96	33.44
RMS	7.125G	62.22	68.20	-5.98	52.80	3	Vertical	108	1.77	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom



EUT X_4TX
Setting 88
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	7.0194G	117.06	Inf	-Inf	107.78	3	Horizontal	107	1.13	-	36.68	5.91	33.31
RMS	7.0346G	106.62	Inf	-Inf	97.29	3	Horizontal	107	1.13	-	36.74	5.92	33.33
PK	7.125G	82.21	88.20	-5.99	72.79	3	Horizontal	107	1.13	-	36.90	5.96	33.44
RMS	7.125G	68.06	68.20	-0.14	58.64	3	Horizontal	107	1.13	-	36.90	5.96	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom



EUT X_4TX
Setting 88
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.05012G	55.65	88.20	-32.55	41.06	3	Vertical	285	1.51	-	40.90	8.61	34.92
RMS	14.04712G	47.32	68.20	-20.88	32.73	3	Vertical	285	1.51	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom



EUT X_4TX
Setting 88
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.04976G	53.29	88.20	-34.91	38.70	3	Horizontal	256	2.58	-	40.90	8.61	34.92
RMS	14.04896G	45.90	68.20	-22.30	31.31	3	Horizontal	256	2.58	-	40.90	8.61	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom



EUT X_4TX
Setting 88
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.0778G	45.07	83.54	-38.47	41.16	1	Vertical	144	1.52	-	37.60	15.99	49.68
AV	21.07G	32.39	63.54	-31.15	28.50	1	Vertical	144	1.52	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom



EUT X_4TX
Setting 88
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07862G	44.15	83.54	-39.39	40.24	1	Horizontal	220	1.57	-	37.60	15.99	49.68
AV	21.07008G	32.24	63.54	-31.30	28.35	1	Horizontal	220	1.57	-	37.60	15.98	49.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT X_4TX
Setting 78
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.918G	78.42	88.20	-9.78	71.40	3	Vertical	34	2.86	-	35.01	5.36	33.35
RMS	5.921G	63.27	68.20	-4.93	56.23	3	Vertical	34	2.86	-	35.03	5.36	33.35
PK	6.042G	104.59	Inf	-Inf	97.10	3	Vertical	34	2.86	-	35.40	5.44	33.35
RMS	6.057G	94.88	Inf	-Inf	87.35	3	Vertical	34	2.86	-	35.41	5.46	33.34

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT X_4TX
Setting 78
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.92G	82.90	88.20	-5.30	75.87	3	Horizontal	283	1.76	-	35.02	5.36	33.35
RMS	5.922G	67.49	68.20	-0.71	60.45	3	Horizontal	283	1.76	-	35.03	5.36	33.35
PK	6.027G	109.98	Inf	-Inf	102.51	3	Horizontal	283	1.76	-	35.40	5.43	33.36
RMS	6.042G	100.11	Inf	-Inf	92.62	3	Horizontal	283	1.76	-	35.40	5.44	33.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT X_4TX
Setting 78
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.05448G	55.67	74.00	-18.33	42.71	3	Vertical	93	2.63	-	38.90	8.99	34.93
AV	12.05788G	44.58	54.00	-9.42	31.62	3	Vertical	93	2.63	-	38.90	8.99	34.93

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT X_4TX
Setting 78
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.05848G	57.78	74.00	-16.22	44.82	3	Horizontal	91	1.88	-	38.90	8.99	34.93
AV	12.05932G	46.57	54.00	-7.43	33.61	3	Horizontal	91	1.88	-	38.90	8.99	34.93

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT X_4TX
Setting 78
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07702G	44.87	83.54	-38.67	42.77	1	Vertical	211	1.53	-	37.64	14.73	50.27
AV	18.07058G	33.89	63.54	-29.65	31.79	1	Vertical	211	1.53	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT X_4TX
Setting 78
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07402G	44.51	83.54	-39.03	42.41	1	Horizontal	191	1.55	-	37.64	14.73	50.27
AV	18.07058G	33.95	63.54	-29.59	31.85	1	Horizontal	191	1.55	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom



EUT X_4TX
Setting 104
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9194G	70.47	88.20	-17.73	63.44	3	Vertical	245	2.91	-	35.02	5.36	33.35
RMS	5.921G	59.76	68.20	-8.44	52.72	3	Vertical	245	2.91	-	35.03	5.36	33.35
PK	6.169G	110.46	Inf	-Inf	102.65	3	Vertical	245	2.91	-	35.51	5.57	33.27
RMS	6.1642G	99.54	Inf	-Inf	91.76	3	Vertical	245	2.91	-	35.49	5.56	33.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom



EUT X_4TX
Setting 104
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9242G	79.11	88.20	-9.09	72.05	3	Horizontal	0	1.43	-	35.05	5.36	33.35
RMS	5.921G	67.53	68.20	-0.67	60.49	3	Horizontal	0	1.43	-	35.03	5.36	33.35
PK	6.1562G	115.10	Inf	-Inf	107.37	3	Horizontal	0	1.43	-	35.44	5.56	33.27
RMS	6.1258G	104.15	Inf	-Inf	96.46	3	Horizontal	0	1.43	-	35.45	5.53	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom



EUT X_4TX
Setting 104
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.36152G	57.45	74.00	-16.55	44.48	3	Vertical	255	1.78	-	38.88	8.93	34.84
AV	12.36824G	45.72	54.00	-8.28	32.73	3	Vertical	255	1.78	-	38.90	8.93	34.84

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom



EUT X_4TX
Setting 104
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.374G	53.60	74.00	-20.40	40.59	3	Horizontal	266	1.91	-	38.92	8.93	34.84
AV	12.37852G	43.35	54.00	-10.65	30.33	3	Horizontal	266	1.91	-	38.94	8.92	34.84

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom



EUT X_4TX
Setting 104
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.55776G	43.98	83.54	-39.56	41.32	1	Vertical	122	1.53	-	37.78	14.92	50.04
AV	18.55002G	33.46	63.54	-30.08	30.81	1	Vertical	122	1.53	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom



EUT X_4TX
Setting 104
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.5573G	44.69	83.54	-38.85	42.03	1	Horizontal	27	1.50	-	37.78	14.92	50.04
AV	18.55998G	33.44	63.54	-30.10	30.78	1	Horizontal	27	1.50	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.923G	63.95	88.20	-24.25	56.90	3	Vertical	83	2.53	-	35.04	5.36	33.35
RMS	5.923G	52.20	68.20	-16.00	45.15	3	Vertical	83	2.53	-	35.04	5.36	33.35
PK	6.335G	107.78	Inf	-Inf	99.66	3	Vertical	83	2.53	-	35.60	5.67	33.15
RMS	6.325G	96.02	Inf	-Inf	87.92	3	Vertical	83	2.53	-	35.60	5.66	33.16

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.923G	73.04	88.20	-15.16	65.99	3	Horizontal	108	1.03	-	35.04	5.36	33.35
RMS	5.923G	61.77	68.20	-6.43	54.72	3	Horizontal	108	1.03	-	35.04	5.36	33.35
PK	6.321G	116.08	Inf	-Inf	107.98	3	Horizontal	108	1.03	-	35.60	5.66	33.16
RMS	6.371G	104.52	Inf	-Inf	96.32	3	Horizontal	108	1.03	-	35.64	5.69	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.68368G	56.31	74.00	-17.69	42.98	3	Vertical	48	2.41	-	39.23	8.86	34.76
AV	12.69584G	44.96	54.00	-9.04	31.58	3	Vertical	48	2.41	-	39.28	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.68796G	52.61	74.00	-21.39	39.26	3	Horizontal	104	1.98	-	39.25	8.86	34.76
AV	12.68904G	42.33	54.00	-11.67	28.97	3	Horizontal	104	1.98	-	39.26	8.86	34.76

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.0314G	45.82	83.54	-37.72	42.36	1	Vertical	249	1.52	-	37.96	15.11	49.61
AV	19.03608G	34.85	63.54	-28.69	31.39	1	Vertical	249	1.52	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03808G	45.27	83.54	-38.27	41.81	1	Horizontal	235	1.57	-	37.95	15.12	49.61
AV	19.0301G	34.76	63.54	-28.78	31.30	1	Horizontal	235	1.57	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.819G	60.36	88.20	-27.84	53.75	3	Vertical	95	2.45	-	34.61	5.31	33.31
RMS	5.917G	48.61	68.20	-19.59	41.60	3	Vertical	95	2.45	-	35.00	5.36	33.35
PK	6.4854G	107.96	Inf	-Inf	99.57	3	Vertical	95	2.45	-	35.74	5.70	33.05
RMS	6.4798G	96.18	Inf	-Inf	87.81	3	Vertical	95	2.45	-	35.72	5.70	33.05
PK	7.1826G	61.26	88.20	-26.94	51.55	3	Vertical	95	2.45	-	37.23	5.99	33.51
RMS	7.1966G	51.65	68.20	-16.55	41.89	3	Vertical	95	2.45	-	37.29	6.00	33.53

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9226G	60.67	88.20	-27.53	53.62	3	Horizontal	65	2.00	-	35.04	5.36	33.35
RMS	5.9226G	49.76	68.20	-18.44	42.71	3	Horizontal	65	2.00	-	35.04	5.36	33.35
PK	6.4854G	115.74	Inf	-Inf	107.35	3	Horizontal	65	2.00	-	35.74	5.70	33.05
RMS	6.477G	103.32	Inf	-Inf	94.97	3	Horizontal	65	2.00	-	35.71	5.70	33.06
PK	7.1574G	62.19	88.20	-26.01	52.56	3	Horizontal	65	2.00	-	37.13	5.98	33.48
RMS	7.1266G	51.97	68.20	-16.23	42.54	3	Horizontal	65	2.00	-	36.91	5.96	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.00744G	56.60	88.20	-31.60	42.80	3	Vertical	359	1.30	-	39.70	8.80	34.70
RMS	13.01132G	46.01	68.20	-22.19	32.21	3	Vertical	359	1.30	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.01456G	53.32	88.20	-34.88	39.52	3	Horizontal	345	2.54	-	39.70	8.80	34.70
RMS	13.00708G	42.29	68.20	-25.91	28.49	3	Horizontal	345	2.54	-	39.70	8.80	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.51442G	44.84	83.54	-38.70	41.34	1	Vertical	228	1.51	-	37.89	15.31	49.70
AV	19.5181G	33.88	63.54	-29.66	30.38	1	Vertical	228	1.51	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5197G	44.61	83.54	-38.93	41.11	1	Horizontal	1	1.52	-	37.89	15.31	49.70
AV	19.51008G	33.77	63.54	-29.77	30.27	1	Horizontal	1	1.52	-	37.90	15.30	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.6386G	107.93	Inf	-Inf	99.16	3	Vertical	330	2.34	-	36.18	5.70	33.11
RMS	6.698G	96.77	Inf	-Inf	88.01	3	Vertical	330	2.34	-	36.20	5.70	33.14
PK	7.1336G	63.18	88.20	-25.02	53.69	3	Vertical	330	2.34	-	36.97	5.97	33.45
RMS	7.1336G	52.68	68.20	-15.52	43.19	3	Vertical	330	2.34	-	36.97	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.588G	115.41	Inf	-Inf	106.71	3	Horizontal	29	2.48	-	36.08	5.70	33.08
RMS	6.643G	104.30	Inf	-Inf	95.52	3	Horizontal	29	2.48	-	36.19	5.70	33.11
PK	7.1424G	65.84	88.20	-22.36	56.29	3	Horizontal	29	2.48	-	37.04	5.97	33.46
RMS	7.127G	55.65	68.20	-12.55	46.21	3	Horizontal	29	2.48	-	36.92	5.96	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.32736G	56.30	74.00	-17.70	42.23	3	Vertical	35	2.76	-	40.05	8.73	34.71
AV	13.33956G	44.05	54.00	-9.95	29.95	3	Vertical	35	2.76	-	40.08	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.33596G	51.80	74.00	-22.20	37.71	3	Horizontal	202	2.55	-	40.07	8.73	34.71
AV	13.33504G	41.50	54.00	-12.50	27.41	3	Horizontal	202	2.55	-	40.07	8.73	34.71

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99432G	44.41	83.54	-39.13	41.20	1	Vertical	187	1.51	-	37.41	15.50	49.70
AV	19.9901G	33.64	63.54	-29.90	30.42	1	Vertical	187	1.51	-	37.42	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99464G	44.24	83.54	-39.30	41.03	1	Horizontal	112	1.54	-	37.41	15.50	49.70
AV	19.99002G	33.83	63.54	-29.71	30.61	1	Horizontal	112	1.54	-	37.42	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8026G	108.46	Inf	-Inf	99.63	3	Vertical	108	1.98	-	36.32	5.70	33.19
RMS	6.8426G	97.37	Inf	-Inf	88.28	3	Vertical	108	1.98	-	36.56	5.74	33.21
PK	7.1418G	69.83	88.20	-18.37	60.29	3	Vertical	108	1.98	-	37.03	5.97	33.46
RMS	7.1258G	58.04	68.20	-10.16	48.61	3	Vertical	108	1.98	-	36.91	5.96	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8474G	116.38	Inf	-Inf	107.26	3	Horizontal	15	1.80	-	36.58	5.75	33.21
RMS	6.8026G	105.18	Inf	-Inf	96.35	3	Horizontal	15	1.80	-	36.32	5.70	33.19
PK	7.1274G	76.61	88.20	-11.59	67.17	3	Horizontal	15	1.80	-	36.92	5.96	33.44
RMS	7.137G	66.11	68.20	-2.09	56.59	3	Horizontal	15	1.80	-	37.00	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.64784G	54.37	88.20	-33.83	40.18	3	Vertical	22	2.31	-	40.30	8.67	34.78
RMS	13.6574G	42.04	68.20	-26.16	27.85	3	Vertical	22	2.31	-	40.31	8.67	34.79

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.65996G	53.08	88.20	-35.12	38.88	3	Horizontal	203	1.10	-	40.32	8.67	34.79
RMS	13.64536G	42.60	68.20	-25.60	28.42	3	Horizontal	203	1.10	-	40.29	8.67	34.78

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.4737G	45.56	83.54	-37.98	42.05	1	Vertical	306	1.53	-	37.69	15.71	49.89
AV	20.47606G	34.63	63.54	-28.91	31.12	1	Vertical	306	1.53	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_4TX
Setting 108
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.47778G	45.81	83.54	-37.73	42.29	1	Horizontal	324	1.55	-	37.69	15.72	49.89
AV	20.47806G	34.34	63.54	-29.20	30.82	1	Horizontal	324	1.55	-	37.69	15.72	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 79
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.962G	103.07	Inf	-Inf	93.73	3	Vertical	94	2.07	-	36.75	5.86	33.27
RMS	6.962G	92.76	Inf	-Inf	83.42	3	Vertical	94	2.07	-	36.75	5.86	33.27
PK	7.144G	75.13	88.20	-13.07	65.57	3	Vertical	94	2.07	-	37.05	5.97	33.46
RMS	7.136G	58.43	68.20	-9.77	48.92	3	Vertical	94	2.07	-	36.99	5.97	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 79
04-D-C-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.962G	113.26	Inf	-Inf	103.92	3	Horizontal	296	2.29	-	36.75	5.86	33.27
RMS	6.962G	102.22	Inf	-Inf	92.88	3	Horizontal	296	2.29	-	36.75	5.86	33.27
PK	7.14G	84.02	88.20	-4.18	74.49	3	Horizontal	296	2.29	-	37.02	5.97	33.46
RMS	7.128G	67.97	68.20	-0.23	58.53	3	Horizontal	296	2.29	-	36.92	5.96	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 79
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.96036G	58.53	88.20	-29.67	44.05	3	Vertical	109	1.06	-	40.78	8.61	34.91
RMS	13.97828G	48.07	68.20	-20.13	33.56	3	Vertical	109	1.06	-	40.83	8.60	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 79
04-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.97964G	59.23	88.20	-28.97	44.71	3	Horizontal	244	2.37	-	40.84	8.60	34.92
RMS	13.96924G	49.06	68.20	-19.14	34.56	3	Horizontal	244	2.37	-	40.81	8.61	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 79
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95214G	45.40	83.54	-38.14	41.51	1	Vertical	164	1.52	-	37.68	15.93	49.72
AV	20.95036G	34.46	63.54	-29.08	30.57	1	Vertical	164	1.52	-	37.68	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 79
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95184G	45.33	83.54	-38.21	41.44	1	Horizontal	45	1.58	-	37.68	15.93	49.72
AV	20.95668G	34.32	63.54	-29.22	30.44	1	Horizontal	45	1.58	-	37.67	15.93	49.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

5955MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9566G	-9.72	5.9707G	-39.58	-32.04	-7.54	1
5.96009G	-9.38	5.97G	-38.34	-30.35	-7.99	2
5.9593G	-9.94	5.9691G	-38.73	-31.01	-7.72	3
5.9575G	-8.41	5.9691G	-37.33	-29.19	-8.14	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6175MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1738G	-9.24	6.1893G	-38.90	-29.26	-9.64	1
6.1712G	-9.09	6.1597G	-39.26	-30.02	-9.24	2
6.1775G	-9.73	6.1625G	-38.14	-29.87	-8.27	3
6.1763G	-8.55	6.1594G	-38.81	-30.44	-8.37	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6415MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4112G	-9.48	6.4G	-38.69	-30.33	-8.36	1
6.4175G	-9.50	6.4007G	-38.82	-30.18	-8.64	2
6.42G	-9.47	6.4005G	-39.19	-29.98	-9.21	3
6.40881G	-8.75	6.401G	-37.65	-29.30	-8.35	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6435MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4374G	-9.81	6.4188G	-40.61	-32.08	-8.53	1
6.4362G	-9.89	6.4218G	-38.31	-30.09	-8.22	2
6.4337G	-9.52	6.4199G	-39.23	-30.86	-8.37	3
6.43G	-9.65	6.4215G	-38.18	-29.85	-8.33	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6475MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4737G	-9.91	6.46G	-39.52	-31.05	-8.47	1
6.4738G	-10.32	6.4606G	-39.62	-32.01	-7.61	2
6.4713G	-10.00	6.4602G	-39.28	-32.09	-7.19	3
6.4763G	-9.62	6.4897G	-38.73	-30.23	-8.50	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6515MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5137G	-9.80	6.5298G	-39.28	-30.89	-8.39	1
6.5137G	-9.71	6.5284G	-38.49	-29.83	-8.66	2
6.5138G	-9.88	6.5007G	-39.38	-30.86	-8.52	3
6.5138G	-9.16	6.5012G	-38.15	-29.24	-8.91	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6535MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5325G	-9.99	6.5496G	-39.59	-30.39	-9.20	1
6.5337G	-10.03	6.5186G	-40.77	-30.60	-10.17	2
6.5311G	-10.01	6.5201G	-39.48	-31.71	-7.77	3
6.5314G	-9.85	6.5204G	-38.93	-29.96	-8.97	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6695MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6961G	-10.13	6.6806G	-39.28	-30.54	-8.74	1
6.6975G	-10.20	6.6805G	-39.48	-30.89	-8.59	2
6.6963G	-10.20	6.6802G	-39.96	-30.29	-9.67	3
6.6913G	-9.52	6.6815G	-38.44	-30.06	-8.38	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6855MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8538G	-9.91	6.8703G	-39.20	-30.10	-9.10	1
6.8563G	-9.74	6.8721G	-40.80	-33.05	-7.75	2
6.8544G	-10.14	6.8402G	-39.65	-30.23	-9.42	3
6.8513G	-10.56	6.8402G	-39.82	-30.83	-8.99	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8775G	-10.06	6.8595G	-40.07	-31.10	-8.97	1
6.8712G	-10.40	6.86G	-39.85	-32.03	-7.82	2
6.87G	-10.30	6.86G	-39.70	-31.85	-7.85	3
6.88G	-10.60	6.8922G	-41.42	-33.76	-7.66	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6895MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8924G	-10.20	6.8776G	-41.32	-32.40	-8.92	1
6.8912G	-10.36	6.8803G	-39.58	-31.50	-8.08	2
6.8988G	-10.06	6.8799G	-39.74	-32.34	-7.40	3
6.8988G	-10.47	6.9107G	-40.66	-31.65	-9.01	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

6995MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9965G	-10.61	6.979G	-40.68	-32.78	-7.90	1
6.9938G	-10.77	6.9802G	-39.93	-31.24	-8.69	2
6.9937G	-10.54	6.9808G	-39.42	-31.67	-7.75	3
6.9925G	-10.81	6.9786G	-41.45	-32.64	-8.81	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

7095MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0937G	-10.19	7.0801G	-39.43	-30.56	-8.87	1
7.09G	-10.78	7.08G	-40.16	-32.12	-8.04	2
7.0913G	-10.61	7.0797G	-40.30	-30.70	-9.60	3
7.09G	-10.76	7.0792G	-40.22	-32.39	-7.83	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX MASK

7115MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1187G	-13.51	7.132G	-44.70	-35.81	-8.89	1
7.1175G	-13.49	7.1299G	-43.12	-35.71	-7.41	2
7.1113G	-13.29	7.0993G	-43.89	-35.71	-8.18	3
7.1111G	-13.90	7.0998G	-43.40	-35.25	-8.15	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

5965MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9692G	-8.23	5.9948G	-37.14	-29.74	-7.40	1
5.97139G	-6.21	5.9962G	-36.41	-29.55	-6.86	2
5.97379G	-6.86	5.9942G	-36.00	-29.32	-6.68	3
5.97019G	-6.21	5.9936G	-34.98	-28.12	-6.86	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6165MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17G	-7.62	6.1336G	-38.94	-31.10	-7.84	1
6.1626G	-6.58	6.1338G	-38.33	-30.19	-8.14	2
6.1602G	-7.08	6.1932G	-37.40	-29.64	-7.76	3
6.16G	-6.05	6.139G	-35.88	-27.36	-8.52	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6405MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4014G	-7.48	6.3714G	-39.33	-31.99	-7.34	1
6.4002G	-7.06	6.3738G	-38.14	-30.42	-7.72	2
6.4G	-7.21	6.3712G	-39.09	-31.76	-7.33	3
6.39741G	-6.26	6.3834G	-33.08	-26.29	-6.79	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6445MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45119G	-7.55	6.414G	-38.76	-30.49	-8.27	1
6.4404G	-6.96	6.4154G	-37.40	-30.13	-7.27	2
6.44G	-7.29	6.4114G	-39.41	-32.10	-7.31	3
6.4412G	-7.22	6.4114G	-38.64	-31.18	-7.46	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6485MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47861G	-7.88	6.4538G	-38.88	-31.51	-7.37	1
6.489G	-7.13	6.5136G	-37.15	-29.71	-7.44	2
6.49119G	-7.52	6.5142G	-37.70	-30.10	-7.60	3
6.4888G	-6.54	6.5136G	-36.60	-28.26	-8.34	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5286G	-7.77	6.4912G	-40.21	-32.40	-7.81	1
6.5288G	-7.26	6.491G	-39.40	-31.83	-7.57	2
6.52G	-7.26	6.4972G	-37.18	-29.77	-7.41	3
6.5212G	-6.88	6.4938G	-37.81	-30.29	-7.52	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6565MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5688G	-7.71	6.5336G	-39.19	-31.31	-7.88	1
6.57099G	-7.33	6.536G	-37.26	-29.74	-7.52	2
6.57379G	-7.36	6.5312G	-39.26	-32.02	-7.24	3
6.57099G	-7.42	6.531G	-38.95	-31.67	-7.28	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6685MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67861G	-7.96	6.6516G	-39.99	-32.10	-7.89	1
6.6814G	-7.78	6.651G	-39.80	-32.12	-7.68	2
6.6886G	-7.91	6.6538G	-38.79	-31.47	-7.32	3
6.68G	-6.97	6.6564G	-37.20	-29.67	-7.53	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6845MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83741G	-8.47	6.8762G	-38.63	-31.41	-7.22	1
6.84G	-7.95	6.8138G	-38.48	-31.56	-6.92	2
6.84G	-8.15	6.8168G	-37.87	-30.52	-7.35	3
6.83221G	-8.20	6.8112G	-39.37	-31.74	-7.63	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8814G	-7.73	6.8538G	-38.82	-30.73	-8.09	1
6.89139G	-7.41	6.8538G	-38.39	-30.34	-8.05	2
6.89G	-7.68	6.8512G	-39.58	-31.80	-7.78	3
6.89G	-7.43	6.9208G	-39.86	-32.95	-6.91	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

6925MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.929G	-7.38	6.9536G	-36.72	-29.45	-7.27	1
6.9206G	-6.88	6.9542G	-36.63	-29.58	-7.05	2
6.929G	-6.76	6.9556G	-37.02	-30.01	-7.01	3
6.9276G	-6.62	6.9548G	-37.08	-29.67	-7.41	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

7005MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99741G	-8.58	6.9736G	-38.72	-31.24	-7.48	1
6.99881G	-8.09	6.968G	-40.93	-34.01	-6.92	2
6.99861G	-8.20	6.9676G	-41.01	-33.73	-7.28	3
6.99981G	-8.22	6.9682G	-40.52	-33.95	-6.57	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX MASK

7085MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07761G	-8.89	7.0526G	-38.80	-32.25	-6.55	1
7.0812G	-8.68	7.0546G	-37.78	-30.95	-6.83	2
7.07901G	-8.77	7.059G	-36.10	-28.98	-7.12	3
7.08G	-8.49	7.0538G	-37.91	-31.48	-6.43	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

5985MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99739G	-4.31	6.0362G	-32.68	-25.65	-7.03	1
5.99619G	-3.59	6.0362G	-32.26	-24.60	-7.66	2
5.97421G	-4.42	6.0342G	-33.06	-24.55	-8.51	3
6.00018G	-3.33	6.0282G	-29.97	-23.33	-6.64	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6145MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13221G	-4.89	6.089G	-35.04	-27.16	-7.88	1
6.13261G	-4.45	6.1026G	-31.31	-24.45	-6.86	2
6.15779G	-4.92	6.1018G	-32.27	-24.94	-7.33	3
6.15859G	-3.79	6.1874G	-31.33	-23.83	-7.50	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6385MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37381G	-4.40	6.3422G	-31.80	-24.42	-7.38	1
6.37501G	-4.05	6.3422G	-30.92	-24.06	-6.86	2
6.37341G	-4.55	6.329G	-34.70	-27.01	-7.69	3
6.37421G	-3.69	6.3418G	-31.36	-23.73	-7.63	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6465MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45421G	-3.91	6.4218G	-31.42	-23.98	-7.44	1
6.45101G	-3.65	6.421G	-31.07	-23.79	-7.28	2
6.44982G	-3.99	6.4222G	-31.04	-24.01	-7.03	3
6.47779G	-3.45	6.407G	-33.64	-26.49	-7.15	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53381G	-4.34	6.5018G	-32.32	-24.36	-7.96	1
6.53421G	-3.99	6.5014G	-31.67	-24.07	-7.60	2
6.53381G	-4.21	6.501G	-32.12	-24.33	-7.79	3
6.53021G	-3.96	6.5018G	-31.12	-23.96	-7.16	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6625MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61341G	-5.38	6.5818G	-33.01	-25.43	-7.58	1
6.61221G	-4.67	6.5666G	-35.29	-27.38	-7.91	2
6.61621G	-4.73	6.5814G	-32.83	-24.76	-8.07	3
6.61261G	-4.51	6.5814G	-32.45	-24.53	-7.92	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6705MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-5.43	6.6486G	-35.46	-27.76	-7.70	1
6.71619G	-4.98	6.6474G	-34.89	-27.60	-7.29	2
6.71659G	-5.06	6.6614G	-32.88	-25.17	-7.71	3
6.69261G	-4.50	6.6474G	-35.02	-27.27	-7.75	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6785MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77301G	-5.41	6.7422G	-32.29	-25.47	-6.82	1
6.77221G	-5.24	6.741G	-32.35	-25.28	-7.07	2
6.77421G	-5.41	6.7418G	-32.60	-25.51	-7.09	3
6.79739G	-5.00	6.7426G	-32.11	-25.00	-7.11	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87699G	-4.69	6.8214G	-32.69	-24.84	-7.85	1
6.85261G	-4.41	6.807G	-34.51	-27.01	-7.50	2
6.85181G	-4.68	6.8214G	-31.86	-24.70	-7.16	3
6.82744G	-4.84	6.807G	-34.51	-26.79	-7.72	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

6945MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95699G	-4.21	6.8702G	-38.12	-30.27	-7.85	1
6.93381G	-3.49	6.871G	-37.21	-29.48	-7.73	2
6.93061G	-3.94	6.887G	-34.17	-25.63	-8.54	3
6.93261G	-3.98	6.9874G	-30.90	-24.00	-6.90	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX MASK

7025MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99423G	-5.00	6.9606G	-35.81	-29.03	-6.78	1
7.01341G	-4.55	6.9666G	-34.67	-27.08	-7.59	2
7.01341G	-4.69	6.9686G	-34.36	-27.37	-6.99	3
7.01261G	-5.22	6.9674G	-34.73	-27.84	-6.89	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX MASK

6025MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00182G	-1.32	6.2746G	-50.30	-41.32	-8.98	1
6.05057G	-0.47	6.2714G	-49.81	-40.34	-9.47	2
6.05297G	-1.17	6.2714G	-50.19	-41.09	-9.10	3
5.99623G	-0.48	6.2754G	-47.47	-40.48	-6.99	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX MASK

6185MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21297G	-1.73	5.9354G	-50.42	-41.73	-8.69	1
6.16022G	-1.11	5.9354G	-50.45	-41.11	-9.34	2
6.15943G	-1.40	5.9378G	-50.49	-41.38	-9.11	3
6.15943G	-0.69	5.9338G	-49.38	-40.69	-8.69	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX MASK

6345MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31863G	-1.31	6.0946G	-49.00	-41.31	-7.69	1
6.32262G	-0.40	6.0954G	-47.76	-40.40	-7.36	2
6.32022G	-0.75	6.0026G	-48.56	-40.75	-7.81	3
6.31863G	-0.23	6.0226G	-47.94	-40.23	-7.71	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48182G	-2.03	6.2282G	-49.87	-42.03	-7.84	1
6.52978G	-1.57	6.2514G	-49.45	-41.57	-7.88	2
6.53057G	-1.85	6.2506G	-49.87	-41.85	-8.02	3
6.48262G	-1.20	6.2498G	-49.31	-41.20	-8.11	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX MASK

6665MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64182G	-1.93	6.305G	-49.72	-41.93	-7.79	1
6.63943G	-1.39	6.409G	-49.33	-41.39	-7.94	2
6.63943G	-1.82	6.341G	-49.72	-41.82	-7.90	3
6.63943G	-1.14	6.393G	-49.31	-41.14	-8.17	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79703G	-2.53	6.5594G	-50.55	-42.53	-8.02	1
6.80102G	-2.03	6.513G	-50.21	-42.03	-8.18	2
6.80022G	-2.34	6.5002G	-50.28	-42.34	-7.94	3
6.80022G	-1.66	6.4978G	-50.04	-41.66	-8.38	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX MASK

6985MHz_TnomVnom



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96182G	-1.87	6.7386G	-49.23	-41.79	-7.44	1
7.01137G	-1.64	6.7354G	-48.79	-41.64	-7.15	2
6.95943G	-1.59	6.7218G	-48.91	-41.59	-7.32	3
6.95943G	-1.52	6.6994G	-48.79	-41.52	-7.27	4

Contention Based protocol 802.11ax HEW20											
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**AWGN Threshold Level (dBm)**	**EUT Status**	**Number of Detected (out of 10 times)**	**Detection Ratio (%)**	**Limit (%)**	**Test Result**
5	**53**	**20**	**6215**	Center	6215	-70	Stop Transmission	10	100	90	**PASS**
						-71	Stop & with Beacon	-			
						-75	Start Transmission	-			
6	**101**	**20**	**6455**	Center	6455	-68	Stop Transmission	10	100	90	**PASS**
						-69	Stop & with Beacon	-			
						-75	Start Transmission	-			
7	**149**	**20**	**6695**	Center	6695	-66	Stop Transmission	9	90	90	**PASS**
						-67	Stop & with Beacon	-			
						-74	Start Transmission	-			
8	**213**	**20**	**7075**	Center	7015	-64	Stop Transmission	10	100	90	**PASS**
						-65	Stop & with Beacon	-			
						-68	Start Transmission	-			

Note :
1. EUT antenna gain = UNII 5=2.67 / UNII 6=1.23 / UNII 7=1.71 / UNII 8=2.34 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**AWGN Threshold Level (dBm)**	**EUT Status**	**Number of Detected (out of 10 times)**	**Detection Ratio (%)**	**Limit (%)**	**Test Result**
5	**47**	**160**	**6185**	Low edge	6110	-70.00	Stop Transmission	9	90	90	**PASS**
						-71.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
				Center	6185	-68.00	Stop Transmission	10	100	90	**PASS**
						-69.00	Stop & with Beacon	-			
						-74.00	Start Transmission	-			
				High edge	6260	-70.00	Stop Transmission	9	90	90	**PASS**
						-71.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
6	**111**	**160**	**6505**	Low edge	6430	-69.00	Stop Transmission	9	90	90	**PASS**
						-70.00	Stop & with Beacon	-			
						-73.00	Start Transmission	-			
				Center	6505	-68.00	Stop Transmission	9	90	90	**PASS**
						-69.00	Stop & with Beacon	-			
						-76.00	Start Transmission	-			
				High edge	6580	-69.00	Stop Transmission	9	90	90	**PASS**
						-70.00	Stop & with Beacon	-			
						-73.00	Start Transmission	-			
7	**143**	**160**	**6665**	Low edge	6590	-69.00	Stop Transmission	9	90	90	**PASS**
						-70.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
				Center	6665	-68.00	Stop Transmission	9	90	90	**PASS**
						-69.00	Stop & with Beacon	-			
						-74.00	Start Transmission	-			
				High edge	6740	-64.00	Stop Transmission	9	90	90	**PASS**
						-65.00	Stop & with Beacon	-			
						-72.00	Start Transmission	-			
8	**207**	**160**	**6985**	Low edge	6910	-62.00	Stop Transmission	9	90	90	**PASS**
						-63.00	Stop & with Beacon	-			
						-68.00	Start Transmission	---			
				Center	6985	-62.00	Stop Transmission	9	90	90	**PASS**
						-63.00	Stop & with Beacon	-			
						-69.00	Start Transmission	-			
				High edge	7060	-62.00	Stop Transmission	9	90	90	**PASS**
						-63.00	Stop & with Beacon	-			
						-66.00	Start Transmission	-			

Note :

1. EUT antenna gain = UNII 5=2.67 / UNII 6=1.23 / UNII 7=1.71 / UNII 8=2.34 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot
Bandwidth: 20MHz
Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz



Date: 18.MAR.2022 10:45:11

Frequency (MHz): 7015 MHz



Date: 18.MAR.2022 10:45:36

Bandwidth: 160MHz

Frequency (MHz): 6110 MHz



Date: 18.MAR.2022 10:46:24

Frequency (MHz): 6185 MHz



Date: 18.MAR.2022 10:47:05

Frequency (MHz): 6260 MHz



Date: 18.MAR.2022 10:46:46

Frequency (MHz): 6430 MHz



Date: 18.MAR.2022 12:33:21

Frequency (MHz): 6505 MHz



Frequency (MHz): 6580 MHz



Frequency (MHz): 6590 MHz



Date: 18.MAR.2022 11:00:21

Frequency (MHz): 6665 MHz



Date: 18.MAR.2022 11:00:39

Frequency (MHz): 6740 MHz



Date: 18.MAR.2022 11:01:05

Frequency (MHz): 6910 MHz



Date: 18.MAR.2022 11:02:37

Frequency (MHz): 6985 MHz



Date: 18.MAR.2022 11:02:51

Frequency (MHz): 7060 MHz



Date: 18.MAR.2022 11:03:05

Contention-Based Protocol Plot
Bandwidth: 20MHz
Test CH 53 ; Incumbent signal 6215 MHz



Note : M1 : Inject AWGN signal
Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal

Bandwidth: 160MHz
Test CH 47 ; Incumbent signal 6110 MHz

Note : M1 : Inject AWGN signal
Test CH 47 ; Incumbent signal 6185 MHz

Note : M1 : Inject AWGN signal

Test CH 47 ; Incumbent signal 6260 MHz



Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6430 MHz



Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6505 MHz



Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6580 MHz



Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6590 MHz



Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6665 MHz



Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6740 MHz



Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 6910 MHz



Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 6985 MHz



Date: 18.MAR.2022 10:16:10

Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Date: 18.MAR.2022 09:31:47

Note : M1 : Inject AWGN signal

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.175G	6.17504434G	7.1804	5.925-6.425GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.165G	6.16501749G	2.8365	5.925-6.425GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.145G	6.14501063G	1.73	5.925-6.425GHz	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.185G	6.18500659G	1.0656	5.925-6.425GHz	1	0 min
6.425-6.525GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.475G	6.47503559G	5.4959	6.425-6.525GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.445G	6.44501351G	2.0967	6.425-6.525GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.465G	6.46501016G	1.5722	6.425-6.525GHz	1	0 min
6.525-6.875GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.695G	6.69503151G	4.7071	6.525-6.875GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.685G	6.6850138G	2.0646	6.525-6.875GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.705G	6.70500992G	1.4793	6.525-6.875GHz	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.665G	6.66500356G	0.5341	6.525-6.875GHz	1	10 min
6.875-7.125GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.995G	6.99502626G	3.7543	6.875-7.125GHz	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	7.005G	7.00501389G	1.9827	6.875-7.125GHz	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.945G	6.94500665G	0.9581	6.875-7.125GHz	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.985G	6.9850028G	0.4001	6.875-7.125GHz	1	0 min

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6175MHz	Pass	6.175G	6.17504434G	7.1804	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504418G	7.1538	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504402G	7.1289	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504386G	7.1025	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504371G	7.0787	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.1750435G	7.0444	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504334G	7.0178	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.1750432G	6.9963	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504303G	6.9676	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504282G	6.9343	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504266G	6.909	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.1750425G	6.8832	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.1750423G	6.8497	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504214G	6.8246	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504199G	6.7998	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504179G	6.7683	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504157G	6.7318	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504139G	6.703	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504121G	6.6743	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504104G	6.6463	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504085G	6.6154	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17504062G	6.5778	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17504046G	6.5517	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17504031G	6.5283	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17504012G	6.4978	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503996G	6.4709	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503974G	6.4355	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503957G	6.4083	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503941G	6.3814	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503924G	6.3543	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503908G	6.3286	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.1750389G	6.2996	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503873G	6.2717	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.1750386G	6.2512	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503845G	6.2264	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503829G	6.2003	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503809G	6.1689	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503794G	6.144	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503777G	6.1164	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503763G	6.0934	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503751G	6.0737	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503732G	6.0429	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.1750372G	6.0243	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503704G	5.9985	5.925-6.425GHz	1	10 min
6175MHz	Pass	6.175G	6.17503685G	5.9681	5.925-6.425GHz	1	0 min
6175MHz	Pass	6.175G	6.17503675G	5.9521	5.925-6.425GHz	1	2 min
6175MHz	Pass	6.175G	6.17503666G	5.937	5.925-6.425GHz	1	5 min
6175MHz	Pass	6.175G	6.17503649G	5.9095	5.925-6.425GHz	1	10 min
6475MHz	Pass	6.475G	6.47503559G	5.4959	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503536G	5.4602	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503518G	5.4331	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503503G	5.4097	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503484G	5.3813	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503468G	5.3555	6.425-6.525GHz	1	2 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6475MHz	Pass	6.475G	6.4750345G	5.3274	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503433G	5.3016	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503429G	5.2956	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503411G	5.2686	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503393G	5.2408	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503383G	5.2239	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503369G	5.2028	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503355G	5.1807	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503344G	5.1649	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503334G	5.1495	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503319G	5.1256	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503308G	5.1089	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503292G	5.084	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.4750328G	5.0658	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503269G	5.048	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503254G	5.0255	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503241G	5.0049	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.4750323G	4.9884	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503217G	4.968	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503205G	4.95	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503195G	4.9337	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503184G	4.9168	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503173G	4.9007	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503156G	4.8743	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503142G	4.8525	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503132G	4.8377	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503125G	4.8258	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503118G	4.8156	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503112G	4.8065	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503093G	4.7775	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503083G	4.762	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503078G	4.7529	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503065G	4.7333	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47503047G	4.7058	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47503034G	4.6862	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47503022G	4.6678	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47503008G	4.6451	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47502995G	4.6252	6.425-6.525GHz	1	10 min
6475MHz	Pass	6.475G	6.47502986G	4.612	6.425-6.525GHz	1	0 min
6475MHz	Pass	6.475G	6.47502969G	4.5856	6.425-6.525GHz	1	2 min
6475MHz	Pass	6.475G	6.47502957G	4.566	6.425-6.525GHz	1	5 min
6475MHz	Pass	6.475G	6.47502944G	4.5461	6.425-6.525GHz	1	10 min
6695MHz	Pass	6.695G	6.69503151G	4.7071	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69503128G	4.672	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69503099G	4.6291	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69503077G	4.5961	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69503055G	4.563	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69503031G	4.5274	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69503007G	4.4913	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502986G	4.4605	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502971G	4.4378	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502953G	4.4108	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502936G	4.3846	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502919G	4.3598	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502904G	4.3379	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502888G	4.3134	6.525-6.875GHz	1	2 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6695MHz	Pass	6.695G	6.69502868G	4.2833	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502853G	4.2612	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502837G	4.2381	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502825G	4.2191	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502814G	4.2027	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502799G	4.18	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502787G	4.1621	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502774G	4.1429	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502763G	4.1274	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.6950276G	4.1226	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.6950275G	4.1068	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502743G	4.0965	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502731G	4.0789	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502716G	4.0565	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502703G	4.0367	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.6950269G	4.0172	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502687G	4.0128	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502672G	3.991	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.6950266G	3.9728	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502651G	3.9595	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502643G	3.9476	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502631G	3.9295	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502617G	3.9089	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502605G	3.8905	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502595G	3.8756	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502583G	3.8577	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.69502572G	3.8423	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502562G	3.8264	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502552G	3.8111	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502541G	3.7951	6.525-6.875GHz	1	10 min
6695MHz	Pass	6.695G	6.6950253G	3.7794	6.525-6.875GHz	1	0 min
6695MHz	Pass	6.695G	6.69502517G	3.7598	6.525-6.875GHz	1	2 min
6695MHz	Pass	6.695G	6.69502506G	3.7432	6.525-6.875GHz	1	5 min
6695MHz	Pass	6.695G	6.69502495G	3.7267	6.525-6.875GHz	1	10 min
6995MHz	Pass	6.995G	6.99502626G	3.7543	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502604G	3.7224	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502591G	3.7041	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502579G	3.6869	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.9950256G	3.66	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502545G	3.6389	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502533G	3.6217	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.9950252G	3.6021	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502502G	3.5766	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502492G	3.5623	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502474G	3.5362	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.9950246G	3.5169	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.9950245G	3.5018	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502435G	3.4811	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502425G	3.4662	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502413G	3.4489	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502402G	3.4345	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502393G	3.4206	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502391G	3.4179	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502373G	3.3923	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502361G	3.375	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.9950235G	3.3598	6.875-7.125GHz	1	2 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6995MHz	Pass	6.995G	6.99502339G	3.3444	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502331G	3.3318	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502343G	3.3492	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502336G	3.3397	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502327G	3.3269	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502317G	3.3125	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502308G	3.2999	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502293G	3.2782	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502284G	3.2655	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502275G	3.2522	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502267G	3.2402	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.9950227G	3.2445	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.9950226G	3.2315	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502249G	3.2156	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502239G	3.2004	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502229G	3.1864	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502218G	3.1701	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502209G	3.158	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.995022G	3.1448	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502189G	3.1294	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502182G	3.1189	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.99502172G	3.1056	6.875-7.125GHz	1	10 min
6995MHz	Pass	6.995G	6.99502162G	3.0914	6.875-7.125GHz	1	0 min
6995MHz	Pass	6.995G	6.99502153G	3.0785	6.875-7.125GHz	1	2 min
6995MHz	Pass	6.995G	6.99502146G	3.068	6.875-7.125GHz	1	5 min
6995MHz	Pass	6.995G	6.9950214G	3.0588	6.875-7.125GHz	1	10 min
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6165MHz	Pass	6.165G	6.16501749G	2.8365	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501749G	2.8363	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501739G	2.8203	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501738G	2.8183	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.1650173G	2.8067	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501727G	2.8005	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501724G	2.7968	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501715G	2.7812	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501725G	2.7981	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501722G	2.7937	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501712G	2.7775	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501714G	2.7807	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501703G	2.7617	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501701G	2.7598	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501697G	2.7525	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.1650169G	2.7413	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501682G	2.7283	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501674G	2.7152	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.1650167G	2.7087	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501668G	2.7061	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.1650166G	2.692	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501653G	2.6813	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501647G	2.671	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501641G	2.661	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501643G	2.6644	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501636G	2.6529	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501626G	2.637	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501626G	2.6375	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501623G	2.6328	5.925-6.425GHz	1	0 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6165MHz	Pass	6.165G	6.16501613G	2.6161	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501618G	2.6242	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501604G	2.601	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501592G	2.5822	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501585G	2.5711	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501577G	2.5586	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501571G	2.5476	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501566G	2.5397	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501559G	2.5291	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501554G	2.5212	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501548G	2.5101	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501541G	2.5002	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501539G	2.4967	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501537G	2.4931	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501536G	2.4908	5.925-6.425GHz	1	10 min
6165MHz	Pass	6.165G	6.16501534G	2.4874	5.925-6.425GHz	1	0 min
6165MHz	Pass	6.165G	6.16501526G	2.4751	5.925-6.425GHz	1	2 min
6165MHz	Pass	6.165G	6.16501519G	2.4642	5.925-6.425GHz	1	5 min
6165MHz	Pass	6.165G	6.16501518G	2.4623	5.925-6.425GHz	1	10 min
6445MHz	Pass	6.445G	6.44501351G	2.0967	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501329G	2.0627	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501321G	2.0498	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501313G	2.0365	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501298G	2.0141	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.4450129G	2.0017	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501276G	1.9797	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501268G	1.9671	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501254G	1.9449	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501255G	1.9468	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501252G	1.9418	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.4450124G	1.9243	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501227G	1.9036	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.4450122G	1.8922	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501217G	1.8889	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501214G	1.8843	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501227G	1.9043	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501211G	1.8793	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501208G	1.8743	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501199G	1.86	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501201G	1.863	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501198G	1.8582	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501187G	1.8411	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501199G	1.86	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501193G	1.8514	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501187G	1.8424	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501182G	1.8335	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501174G	1.8216	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.4450117G	1.8157	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501169G	1.813	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501167G	1.8112	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501166G	1.8085	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501162G	1.8031	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501158G	1.7967	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501159G	1.7978	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501155G	1.7913	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501153G	1.789	6.425-6.525GHz	1	0 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6445MHz	Pass	6.445G	6.4450115G	1.7846	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.4450115G	1.7842	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501148G	1.7812	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501143G	1.7736	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501145G	1.7772	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501149G	1.7826	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.44501142G	1.7716	6.425-6.525GHz	1	10 min
6445MHz	Pass	6.445G	6.44501137G	1.7643	6.425-6.525GHz	1	0 min
6445MHz	Pass	6.445G	6.44501134G	1.7601	6.425-6.525GHz	1	2 min
6445MHz	Pass	6.445G	6.44501132G	1.7567	6.425-6.525GHz	1	5 min
6445MHz	Pass	6.445G	6.4450113G	1.7539	6.425-6.525GHz	1	10 min
6685MHz	Pass	6.685G	6.6850138G	2.0646	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501369G	2.0473	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.6850136G	2.0349	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501348G	2.0169	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501339G	2.003	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501327G	1.9847	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501318G	1.9714	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501309G	1.9577	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501302G	1.9473	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501292G	1.9322	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501279G	1.9138	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850127G	1.9004	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501261G	1.886	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501254G	1.8752	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501246G	1.864	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501239G	1.8527	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501232G	1.8432	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501229G	1.8381	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501223G	1.8287	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501222G	1.8277	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501229G	1.8381	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501215G	1.8181	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501211G	1.8114	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501204G	1.8009	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501198G	1.7919	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501189G	1.7783	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501182G	1.7687	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850118G	1.7656	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501174G	1.756	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501167G	1.7458	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501163G	1.74	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501159G	1.733	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501152G	1.7239	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501147G	1.7158	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501143G	1.7098	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850114G	1.705	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501134G	1.6962	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501129G	1.6883	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501124G	1.6811	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.6850112G	1.6754	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501117G	1.6712	6.525-6.875GHz	1	0 min
6685MHz	Pass	6.685G	6.68501114G	1.667	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501112G	1.663	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501107G	1.6555	6.525-6.875GHz	1	10 min
6685MHz	Pass	6.685G	6.68501105G	1.6536	6.525-6.875GHz	1	0 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6685MHz	Pass	6.685G	6.685011G	1.6453	6.525-6.875GHz	1	2 min
6685MHz	Pass	6.685G	6.68501101G	1.647	6.525-6.875GHz	1	5 min
6685MHz	Pass	6.685G	6.68501093G	1.6344	6.525-6.875GHz	1	10 min
7005MHz	Pass	7.005G	7.00501389G	1.9827	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501353G	1.9309	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501319G	1.8824	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501299G	1.854	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501274G	1.8188	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501269G	1.8116	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501252G	1.7873	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501248G	1.7816	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.0050126G	1.7989	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501238G	1.7673	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501218G	1.7386	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501204G	1.7182	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501189G	1.6974	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501185G	1.6915	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501169G	1.6691	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501162G	1.6582	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501153G	1.646	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501145G	1.6344	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.0050114G	1.6274	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501136G	1.6214	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501137G	1.6224	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501138G	1.6241	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501128G	1.6108	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501119G	1.5967	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501111G	1.5863	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501109G	1.5826	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501097G	1.5666	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501092G	1.5585	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501085G	1.5482	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501076G	1.5362	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501083G	1.5456	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501072G	1.5306	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501072G	1.5298	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501075G	1.5339	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501069G	1.5265	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501062G	1.5155	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501055G	1.5061	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501055G	1.5058	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501042G	1.4869	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501032G	1.4734	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.00501032G	1.4732	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00501033G	1.4752	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00501017G	1.4511	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00501011G	1.4433	6.875-7.125GHz	1	10 min
7005MHz	Pass	7.005G	7.0050101G	1.4414	6.875-7.125GHz	1	0 min
7005MHz	Pass	7.005G	7.00500999G	1.4264	6.875-7.125GHz	1	2 min
7005MHz	Pass	7.005G	7.00500993G	1.4178	6.875-7.125GHz	1	5 min
7005MHz	Pass	7.005G	7.00500986G	1.4074	6.875-7.125GHz	1	10 min
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6145MHz	Pass	6.145G	6.14501063G	1.73	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14501047G	1.7035	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14501031G	1.6773	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14501018G	1.6565	5.925-6.425GHz	1	10 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6145MHz	Pass	6.145G	6.14501006G	1.6369	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500985G	1.6036	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.1450098G	1.5941	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500973G	1.5826	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500957G	1.5566	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500959G	1.5605	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500948G	1.5427	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500947G	1.5408	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500939G	1.5277	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.1450093G	1.5133	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500925G	1.5051	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500915G	1.4882	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500913G	1.4849	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500909G	1.4797	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500913G	1.4849	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500906G	1.474	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500901G	1.4661	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.145009G	1.4638	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500903G	1.4697	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500898G	1.4605	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.1450089G	1.4485	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500882G	1.4353	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500888G	1.4449	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500875G	1.4241	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.1450087G	1.4151	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500869G	1.4138	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500864G	1.4057	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500859G	1.3977	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500854G	1.3899	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.1450086G	1.3992	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500859G	1.3984	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500859G	1.3979	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500866G	1.4085	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500869G	1.4145	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500853G	1.388	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500861G	1.4015	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500847G	1.3785	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.14500841G	1.3686	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500839G	1.3648	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.14500837G	1.3622	5.925-6.425GHz	1	10 min
6145MHz	Pass	6.145G	6.14500834G	1.3574	5.925-6.425GHz	1	0 min
6145MHz	Pass	6.145G	6.1450083G	1.3512	5.925-6.425GHz	1	2 min
6145MHz	Pass	6.145G	6.14500828G	1.3466	5.925-6.425GHz	1	5 min
6145MHz	Pass	6.145G	6.1450083G	1.3499	5.925-6.425GHz	1	10 min
6465MHz	Pass	6.465G	6.46501016G	1.5722	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46501002G	1.5503	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500987G	1.527	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500972G	1.5036	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500963G	1.4894	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.4650095G	1.469	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500938G	1.4506	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500931G	1.4405	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500921G	1.4246	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500914G	1.4141	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500912G	1.4104	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500904G	1.3978	6.425-6.525GHz	1	10 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6465MHz	Pass	6.465G	6.46500895G	1.3844	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500889G	1.3743	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500883G	1.3655	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500876G	1.3544	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500873G	1.3496	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500865G	1.3384	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.4650086G	1.3298	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500855G	1.3224	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500852G	1.3174	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500846G	1.3086	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.4650084G	1.2991	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500833G	1.2886	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500826G	1.2781	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.4650082G	1.269	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500821G	1.2699	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.4650082G	1.269	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500815G	1.2609	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500811G	1.2544	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500806G	1.2472	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500805G	1.2449	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500803G	1.2413	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500805G	1.245	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500801G	1.2391	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500796G	1.2305	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500792G	1.2244	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500792G	1.2254	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500796G	1.2308	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500788G	1.2183	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500787G	1.2167	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500788G	1.2189	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.46500781G	1.2079	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500779G	1.2045	6.425-6.525GHz	1	10 min
6465MHz	Pass	6.465G	6.46500776G	1.2008	6.425-6.525GHz	1	0 min
6465MHz	Pass	6.465G	6.46500777G	1.2017	6.425-6.525GHz	1	2 min
6465MHz	Pass	6.465G	6.4650077G	1.1915	6.425-6.525GHz	1	5 min
6465MHz	Pass	6.465G	6.46500768G	1.1872	6.425-6.525GHz	1	10 min
6705MHz	Pass	6.705G	6.70500992G	1.4793	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500975G	1.4544	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500964G	1.4373	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500946G	1.4115	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500939G	1.4001	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500929G	1.3851	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500914G	1.3632	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500909G	1.3553	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500904G	1.3488	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500902G	1.3447	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500892G	1.3304	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500887G	1.3226	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500884G	1.319	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500873G	1.3026	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500862G	1.2859	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500857G	1.2774	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500851G	1.2694	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500846G	1.2619	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500844G	1.2592	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500836G	1.2465	6.525-6.875GHz	1	10 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6705MHz	Pass	6.705G	6.70500834G	1.2434	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500831G	1.2395	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500825G	1.2297	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500817G	1.2183	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.7050081G	1.2087	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500805G	1.2003	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500801G	1.1946	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500795G	1.1854	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500792G	1.1811	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500788G	1.1757	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500785G	1.1703	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500785G	1.17	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500781G	1.1652	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500775G	1.1553	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500775G	1.1554	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500772G	1.1518	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500778G	1.1597	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500776G	1.1576	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.7050077G	1.1477	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500766G	1.1426	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500767G	1.1433	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500771G	1.1502	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.7050077G	1.1479	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500771G	1.1502	6.525-6.875GHz	1	10 min
6705MHz	Pass	6.705G	6.70500774G	1.1547	6.525-6.875GHz	1	0 min
6705MHz	Pass	6.705G	6.70500771G	1.1497	6.525-6.875GHz	1	2 min
6705MHz	Pass	6.705G	6.70500754G	1.1247	6.525-6.875GHz	1	5 min
6705MHz	Pass	6.705G	6.70500764G	1.1391	6.525-6.875GHz	1	10 min
6945MHz	Pass	6.945G	6.94500652G	0.9389	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500652G	0.9389	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500653G	0.94	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500656G	0.944	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500655G	0.9436	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500658G	0.9467	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500661G	0.951	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500665G	0.9578	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500665G	0.9581	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500662G	0.9538	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500662G	0.9526	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500658G	0.9473	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500657G	0.9456	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500656G	0.9447	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500656G	0.9446	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500654G	0.9411	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500651G	0.9378	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500649G	0.9351	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500649G	0.9338	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500649G	0.9343	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500647G	0.9312	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500646G	0.9299	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500644G	0.9266	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500641G	0.923	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500639G	0.9202	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500637G	0.9168	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500634G	0.9133	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500632G	0.9106	6.875-7.125GHz	1	10 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6945MHz	Pass	6.945G	6.9450063G	0.9068	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500627G	0.9031	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500624G	0.8978	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500621G	0.8946	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500618G	0.8903	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500617G	0.8887	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500616G	0.8871	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500614G	0.8844	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500613G	0.8832	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500614G	0.8839	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500611G	0.8796	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500608G	0.8759	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500606G	0.8723	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500603G	0.8685	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500601G	0.8652	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500598G	0.8615	6.875-7.125GHz	1	10 min
6945MHz	Pass	6.945G	6.94500595G	0.8564	6.875-7.125GHz	1	0 min
6945MHz	Pass	6.945G	6.94500593G	0.8531	6.875-7.125GHz	1	2 min
6945MHz	Pass	6.945G	6.94500591G	0.8505	6.875-7.125GHz	1	5 min
6945MHz	Pass	6.945G	6.94500589G	0.8474	6.875-7.125GHz	1	10 min
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6185MHz	Pass	6.185G	6.18500659G	1.0656	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500653G	1.055	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500646G	1.0451	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500637G	1.0291	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.1850063G	1.0192	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.1850063G	1.0179	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500625G	1.0108	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500625G	1.0108	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500623G	1.0079	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500635G	1.0262	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500619G	1.0011	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500618G	0.9995	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500612G	0.9897	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500609G	0.984	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.185006G	0.9698	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500597G	0.9659	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500592G	0.9567	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500591G	0.9555	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.1850059G	0.9539	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500586G	0.9479	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500587G	0.9492	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500581G	0.9399	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.1850058G	0.9384	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500576G	0.9311	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.1850057G	0.9221	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500567G	0.9172	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500572G	0.9242	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500566G	0.9151	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500561G	0.907	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500559G	0.9038	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.1850056G	0.9057	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500561G	0.9074	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500556G	0.8985	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500553G	0.8947	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500551G	0.8902	5.925-6.425GHz	1	5 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6185MHz	Pass	6.185G	6.18500551G	0.8907	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500549G	0.8878	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500555G	0.8967	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500564G	0.9112	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500558G	0.9014	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.18500556G	0.8991	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.1850056G	0.9057	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500561G	0.9075	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500563G	0.9104	5.925-6.425GHz	1	10 min
6185MHz	Pass	6.185G	6.1850056G	0.9053	5.925-6.425GHz	1	0 min
6185MHz	Pass	6.185G	6.18500564G	0.9114	5.925-6.425GHz	1	2 min
6185MHz	Pass	6.185G	6.18500558G	0.9014	5.925-6.425GHz	1	5 min
6185MHz	Pass	6.185G	6.18500552G	0.8925	5.925-6.425GHz	1	10 min
6665MHz	Pass	6.665G	6.66500261G	0.3913	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500262G	0.3928	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500259G	0.3887	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500271G	0.4068	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500271G	0.4059	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500269G	0.4036	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500272G	0.408	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500272G	0.4084	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500273G	0.4092	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500279G	0.4191	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500278G	0.4168	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500283G	0.4245	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500287G	0.4311	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.6650029G	0.4354	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.6650029G	0.4351	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500289G	0.433	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500288G	0.432	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500304G	0.4555	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500307G	0.4603	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500296G	0.4435	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500297G	0.4458	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.665003G	0.4506	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500304G	0.4563	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500304G	0.4554	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500313G	0.469	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500306G	0.4594	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500309G	0.463	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.6650031G	0.4644	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500304G	0.4558	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500318G	0.4773	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500317G	0.475	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500325G	0.4882	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500315G	0.4729	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500327G	0.4903	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500324G	0.4854	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500322G	0.4824	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500333G	0.4998	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500328G	0.4926	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500326G	0.4897	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500336G	0.5047	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500349G	0.523	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500343G	0.5149	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500338G	0.5073	6.525-6.875GHz	1	5 min

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit	Port	Remark
6665MHz	Pass	6.665G	6.66500339G	0.5079	6.525-6.875GHz	1	10 min
6665MHz	Pass	6.665G	6.66500341G	0.5109	6.525-6.875GHz	1	0 min
6665MHz	Pass	6.665G	6.66500346G	0.5187	6.525-6.875GHz	1	2 min
6665MHz	Pass	6.665G	6.66500351G	0.5262	6.525-6.875GHz	1	5 min
6665MHz	Pass	6.665G	6.66500356G	0.5341	6.525-6.875GHz	1	10 min
6985MHz	Pass	6.985G	6.9850028G	0.4001	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500276G	0.3947	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500271G	0.3874	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500272G	0.3895	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500271G	0.3878	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500268G	0.3831	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500265G	0.38	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500263G	0.377	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500259G	0.3711	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500258G	0.3689	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500257G	0.3676	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500256G	0.3659	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500257G	0.3681	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500255G	0.3656	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500266G	0.3808	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.9850026G	0.3717	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500258G	0.3698	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500257G	0.3685	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500252G	0.3603	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.9850025G	0.3578	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500247G	0.3533	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500247G	0.3535	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500249G	0.356	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500253G	0.3623	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500256G	0.3659	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500251G	0.3588	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500254G	0.3629	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500248G	0.3548	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500248G	0.3552	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500247G	0.3532	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500252G	0.3601	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500245G	0.3502	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500241G	0.3449	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500242G	0.3463	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500237G	0.3397	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500236G	0.3374	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500242G	0.3469	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500244G	0.3493	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500237G	0.3397	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500246G	0.3526	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500241G	0.3445	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500244G	0.3486	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500242G	0.3457	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500241G	0.3443	6.875-7.125GHz	1	10 min
6985MHz	Pass	6.985G	6.98500251G	0.3596	6.875-7.125GHz	1	0 min
6985MHz	Pass	6.985G	6.98500252G	0.3609	6.875-7.125GHz	1	2 min
6985MHz	Pass	6.985G	6.98500255G	0.3646	6.875-7.125GHz	1	5 min
6985MHz	Pass	6.985G	6.98500249G	0.3563	6.875-7.125GHz	1	10 min