



Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.46	0.16	4.62	30.00	Complies
157	5785	2.54	0.16	2.70	30.00	Complies
165	5825	2.84	0.16	3.00	30.00	Complies



Date: 10.JUN.2021 14:50:55




Date: 10.JUN.2021 14:51:52




Date: 10.JUN.2021 14:52:50

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.35	0.09	4.44	30.00	Complies
157	5785	2.44	0.09	2.53	30.00	Complies
165	5825	2.60	0.09	2.69	30.00	Complies



Date: 10.JUN.2021 16:16:04




Date: 10.JUN.2021 16:16:59




Date: 10.JUN.2021 16:18:05

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.36	1.36	-1.00	30.00	Complies
159	5795	-1.26	1.36	0.10	30.00	Complies




Date: 10_JUN_2021 16:33:29



Date: 10_JUN_2021 16:34:38

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.73	0.42	-7.31	30.00	Complies



Date: 10_JUN_2021 16:43:27

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5180.0000
120	5179.9972
102	5179.9972
Maximum Deviation (MHz)	0.0028
Maximum Deviation (ppm)	0.5405

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9980
5	5179.9984
15	5179.9960
25	5179.9964
35	5179.9960
45	5179.9960
55	5179.9964
65	5179.9960
70	5179.9964
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7722

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9952
120	5259.9956
102	5259.9964
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.9125

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9940
5	5259.9948
15	5259.9948
25	5259.9948
35	5259.9964
45	5259.9956
55	5259.9956
65	5259.9940
70	5259.9948
Maximum Deviation (MHz)	0.0060
Maximum Deviation (ppm)	1.1407

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5500.0036
120	5500.0028
102	5500.0020
Maximum Deviation (MHz)	0.0036
Maximum Deviation (ppm)	0.6545

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5500.0016
5	5500.0016
15	5500.0016
25	5500.0016
35	5500.0012
45	5500.0012
55	5500.0012
65	5500.0012
70	5500.0014
Maximum Deviation (MHz)	0.0016
Maximum Deviation (ppm)	0.2909

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5745.0008
120	5745.0012
102	5745.0020
Maximum Deviation (MHz)	0.0020
Maximum Deviation (ppm)	0.3481

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0016
5	5745.0024
15	5745.0024
25	5745.0020
35	5745.0020
45	5745.0024
55	5745.0024
65	5745.0020
70	5745.0016
Maximum Deviation (MHz)	0.0024
Maximum Deviation (ppm)	0.4178

End of Test Report