Test Mode	UNII-3_TX N (HT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	500	Complies
157	5785	17.65	500	Complies
165	5825	17.65	500	Complies

CH149



Date: 8.OCT.2019 10:59:08

CH157



Date: 8.OCT.2019 11:00:33

CH165



Date: 8.OCT.2019 11:01:27

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	18.10	Complies
157	5785	18.00	Complies
165	5825	18.10	Complies

CH149



Date: 19.SEP.2019 19:20:53

CH157



Date: 19.SEP.2019 19:21:23

CH165



Date: 19.SEP.2019 19:21:52

Test Mode	UNII-3_TX N (HT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	500	Complies
159	5795	36.10	500	Complies

CH151



Date: 8.OCT.2019 11:14:49

CH159



Date: 8.OCT.2019 11:16:04

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	37.20	Complies
159	5795	37.00	Complies

CH151



Date: 19.SEP.2019 19:37:49

CH159



Date: 19.SEP.2019 19:38:22

Test Mode	UNII-1_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.10	18.00
40	5200	20.95	18.00
48	5240	20.79	18.00

CH36



Date: 8.OCT.2019 11:21:13

CH40



Date: 8.OCT.2019 11:22:32

CH48



Date: 8.OCT.2019 11:23:24

Test Mode	UNII-1_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.30	36.80
46	5230	41.70	37.00

CH38



Date: 8.OCT.2019 11:34:11

CH46



Date: 8.OCT.2019 11:35:06

Test Mode	UNII-1_TX AC (VHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	83.40	76.00

CH42



Date: 8.OCT.2019 12:10:38

Test Mode	UNII-2A_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.00	18.10
60	5300	21.00	18.10
64	5320	21.15	18.10

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	41.79	37.00
62	5310	41.30	37.00

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	83.20	76.00

CH58



Date: 8.OCT.2019 12:11:36

Test Mode	UNII-2C_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.05	18.00
116	5580	20.85	18.10
140	5700	20.75	18.10

CH100



Date: 8.OCT.2019 11:27:48

CH116



Date: 8.OCT.2019 11:28:48

CH140



Date: 8.OCT.2019 11:30:02

Test Mode	UNII-2C_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.70	37.00
110	5550	41.70	36.80
134	5670	41.59	37.00

CH102



Date: 8.OCT.2019 11:38:52

CH110



Date: 8.OCT.2019 11:39:55

CH134



Date: 8.OCT.2019 11:41:33

Test Mode	UNII-2C_TX AC (VHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	83.00	76.00
122	5610	83.00	76.00

CH106



Date: 8.OCT.2019 12:12:39

CH122



Date: 8.OCT.2019 12:16:20

Test Mode	UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	500	Complies
157	5785	17.65	500	Complies
165	5825	17.65	500	Complies

CH149



Date: 8.OCT.2019 11:31:05

CH157



Date: 8.OCT.2019 11:32:09

CH165



Date: 8.OCT.2019 11:33:05

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	18.10	Complies
157	5785	18.10	Complies
165	5825	18.10	Complies

CH149



Date: 19.SEP.2019 19:29:26

CH157



Date: 19.SEP.2019 19:29:59

CH165



Date: 19.SEP.2019 19:30:28

Test Mode	UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	500	Complies
159	5795	36.50	500	Complies

CH151



Date: 8.OCT.2019 11:42:35

CH159



Date: 8.OCT.2019 11:43:35

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	37.00	Complies
159	5795	37.20	Complies

CH151



Date: 19.SEP.2019 19:46:19

CH159



Date: 19.SEP.2019 19:47:01

Test Mode	UNII-3_TX AC (VHT80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.20	500	Complies

CH155



Date: 8.OCT.2019 12:17:18

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
155	5775	76.00	Complies

CH155



Date: 19.SEP.2019 19:54:32

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.89	0.58	14.47	24.00	0.25	Complies
40	5200	13.84	0.58	14.42	24.00	0.25	Complies
48	5240	13.78	0.58	14.36	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.68	0.58	14.26	24.00	0.25	Complies
60	5300	13.79	0.58	14.37	24.00	0.25	Complies
64	5320	13.69	0.58	14.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.87	0.58	14.45	24.00	0.25	Complies
116	5580	13.76	0.58	14.34	24.00	0.25	Complies
140	5700	13.48	0.58	14.06	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.56	0.58	14.14	30.00	1.00	Complies
157	5785	13.64	0.58	14.22	30.00	1.00	Complies
165	5825	13.78	0.58	14.36	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.64	0.59	14.23	24.00	0.25	Complies
40	5200	13.66	0.59	14.25	24.00	0.25	Complies
48	5240	13.34	0.59	13.93	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.42	0.59	14.01	24.00	0.25	Complies
40	5200	13.39	0.59	13.98	24.00	0.25	Complies
48	5240	13.26	0.59	13.85	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.14	24.00	0.25	Complies
40	5200	17.13	24.00	0.25	Complies
48	5240	16.91	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.28	1.14	14.42	24.00	0.25	Complies
46	5230	13.58	1.14	14.72	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.17	1.14	14.31	24.00	0.25	Complies
46	5230	13.47	1.14	14.61	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.38	24.00	0.25	Complies
46	5230	17.68	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.36	0.59	13.95	24.00	0.25	Complies
60	5300	13.37	0.59	13.96	24.00	0.25	Complies
64	5320	13.39	0.59	13.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.95	0.59	14.54	24.00	0.25	Complies
60	5300	13.41	0.59	14.00	24.00	0.25	Complies
64	5320	13.48	0.59	14.07	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.27	24.00	0.25	Complies
60	5300	16.99	24.00	0.25	Complies
64	5320	17.04	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.94	1.14	15.08	24.00	0.25	Complies
62	5310	13.41	1.14	14.55	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.27	1.14	14.41	24.00	0.25	Complies
62	5310	12.84	1.14	13.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.77	24.00	0.25	Complies
62	5310	17.29	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.24	0.59	13.83	24.00	0.25	Complies
116	5580	13.91	0.59	14.50	24.00	0.25	Complies
140	5700	13.79	0.59	14.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.89	0.59	14.48	24.00	0.25	Complies
116	5580	13.72	0.59	14.31	24.00	0.25	Complies
140	5700	13.22	0.59	13.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.18	24.00	0.25	Complies
116	5580	17.42	24.00	0.25	Complies
140	5700	17.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.34	1.14	14.48	24.00	0.25	Complies
110	5550	13.56	1.14	14.70	24.00	0.25	Complies
134	5670	13.81	1.14	14.95	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.68	1.14	14.82	24.00	0.25	Complies
110	5550	13.76	1.14	14.90	24.00	0.25	Complies
134	5670	13.21	1.14	14.35	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.67	24.00	0.25	Complies
110	5550	17.82	24.00	0.25	Complies
134	5670	17.68	24.00	0.25	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.88	0.59	14.47	30.00	1.00	Complies
157	5785	13.97	0.59	14.56	30.00	1.00	Complies
165	5825	13.47	0.59	14.06	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.34	0.59	13.93	30.00	1.00	Complies
157	5785	13.37	0.59	13.96	30.00	1.00	Complies
165	5825	13.62	0.59	14.21	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.22	30.00	1.00	Complies
157	5785	17.29	30.00	1.00	Complies
165	5825	17.15	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.55	1.14	14.69	30.00	1.00	Complies
159	5795	13.62	1.14	14.76	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.11	1.14	14.25	30.00	1.00	Complies
159	5795	13.27	1.14	14.41	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.49	30.00	1.00	Complies
159	5795	17.60	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.65	0.13	13.78	24.00	0.25	Complies
40	5200	13.63	0.13	13.76	24.00	0.25	Complies
48	5240	13.61	0.13	13.74	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.32	0.13	13.45	24.00	0.25	Complies
40	5200	13.25	0.13	13.38	24.00	0.25	Complies
48	5240	13.19	0.13	13.32	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.63	24.00	0.25	Complies
40	5200	16.58	24.00	0.25	Complies
48	5240	16.54	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.65	0.25	13.90	24.00	0.25	Complies
46	5230	13.64	0.25	13.89	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.43	0.25	13.68	24.00	0.25	Complies
46	5230	13.41	0.25	13.66	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.80	24.00	0.25	Complies
46	5230	16.79	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.56	0.25	12.81	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.14	0.25	12.39	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.62	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.37	0.13	13.50	24.00	0.25	Complies
60	5300	13.49	0.13	13.62	24.00	0.25	Complies
64	5320	13.56	0.13	13.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.72	0.13	13.85	24.00	0.25	Complies
60	5300	13.96	0.13	14.09	24.00	0.25	Complies
64	5320	13.97	0.13	14.10	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.69	24.00	0.25	Complies
60	5300	16.87	24.00	0.25	Complies
64	5320	16.91	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.65	0.25	13.90	24.00	0.25	Complies
62	5310	13.66	0.25	13.91	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.38	0.25	13.63	24.00	0.25	Complies
62	5310	13.47	0.25	13.72	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.78	24.00	0.25	Complies
62	5310	16.83	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.55	0.25	12.80	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.41	0.25	12.66	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.74	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.84	0.13	13.97	24.00	0.25	Complies
116	5580	13.65	0.13	13.78	24.00	0.25	Complies
140	5700	13.34	0.13	13.47	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.56	0.13	13.69	24.00	0.25	Complies
116	5580	13.32	0.13	13.45	24.00	0.25	Complies
140	5700	13.39	0.13	13.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.84	24.00	0.25	Complies
116	5580	16.63	24.00	0.25	Complies
140	5700	16.50	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.67	0.25	13.92	24.00	0.25	Complies
110	5550	13.66	0.25	13.91	24.00	0.25	Complies
134	5670	13.68	0.25	13.93	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.43	0.25	13.68	24.00	0.25	Complies
110	5550	13.49	0.25	13.74	24.00	0.25	Complies
134	5670	13.37	0.25	13.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.81	24.00	0.25	Complies
110	5550	16.84	24.00	0.25	Complies
134	5670	16.79	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.63	0.25	12.88	24.00	0.25	Complies
122	5610	12.55	0.25	12.80	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.58	0.25	12.83	24.00	0.25	Complies
122	5610	12.51	0.25	12.76	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.87	24.00	0.25	Complies
122	5610	15.79	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.41	0.13	13.54	30.00	1.00	Complies
157	5785	13.49	0.13	13.62	30.00	1.00	Complies
165	5825	13.68	0.13	13.81	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.98	0.13	14.11	30.00	1.00	Complies
157	5785	13.31	0.13	13.44	30.00	1.00	Complies
165	5825	13.33	0.13	13.46	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.84	30.00	1.00	Complies
157	5785	16.54	30.00	1.00	Complies
165	5825	16.65	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.64	0.25	13.89	30.00	1.00	Complies
159	5795	13.84	0.25	14.09	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.27	0.25	13.52	30.00	1.00	Complies
159	5795	13.42	0.25	13.67	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.72	30.00	1.00	Complies
159	5795	16.90	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.59	0.25	12.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.44	0.25	12.69	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.78	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.51	0.58	2.09	11.00	Complies
40	5200	1.38	0.58	1.96	11.00	Complies
48	5240	0.96	0.58	1.54	11.00	Complies

CH36



CH40



CH48



Test Mode	UNII-2A_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.23	0.58	2.81	11.00	Complies
60	5300	2.00	0.58	2.58	11.00	Complies
64	5320	1.73	0.58	2.31	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2C_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.41	0.58	-0.83	11.00	Complies
116	5580	-1.20	0.58	-0.62	11.00	Complies
140	5700	1.69	0.58	2.27	11.00	Complies

CH100



Date: 18.SEP.2019 21:50:51

CH116



Date: 18.SEP.2019 21:51:55

CH140



Date: 18.SEP.2019 21:53:33

Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.27	0.58	-0.69	30.00	Complies
157	5785	-1.05	0.58	-0.47	30.00	Complies
165	5825	-0.65	0.58	-0.07	30.00	Complies

CH149



Date: 18.SEP.2019 21:54:35

CH157



Date: 18.SEP.2019 21:55:43

CH165



Date: 18.SEP.2019 21:56:51

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.58	0.59	3.17	11.00	Complies
40	5200	1.38	0.59	1.97	11.00	Complies
48	5240	0.98	0.59	1.57	11.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.95	0.59	4.54	11.00	Complies
40	5200	4.27	0.59	4.86	11.00	Complies
48	5240	3.93	0.59	4.52	11.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.92	11.00	Complies
40	5200	6.67	11.00	Complies
48	5240	6.31	11.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.89	1.14	-0.75	11.00	Complies
46	5230	-1.86	1.14	-0.72	11.00	Complies

CH38



Date: 8.OCT.2019 11:04:21

CH46



Date: 8.OCT.2019 11:05:42

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.87	1.14	2.01	11.00	Complies
46	5230	1.61	1.14	2.75	11.00	Complies

CH38



Date: 8.OCT.2019 11:51:26

CH46



Date: 8.OCT.2019 11:51:49

Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.86	11.00	Complies
46	5230	4.37	11.00	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.30	0.59	1.89	11.00	Complies
60	5300	-0.46	0.59	0.13	11.00	Complies
64	5320	-0.61	0.59	-0.02	11.00	Complies

CH52



Date: 8.OCT.2019 10:51:27

CH60



Date: 8.OCT.2019 10:53:21

CH64



Date: 8.OCT.2019 10:54:09

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.37	0.59	4.96	11.00	Complies
60	5300	4.27	0.59	4.86	11.00	Complies
64	5320	4.19	0.59	4.78	11.00	Complies

CH52



Date: 8.OCT.2019 11:48:41

CH60



Date: 8.OCT.2019 11:48:58

CH64



Date: 8.OCT.2019 11:49:11

Test Mode	UNII-2A_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.71	11.00	Complies
60	5300	6.12	11.00	Complies
64	5320	6.03	11.00	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.80	1.14	-0.66	11.00	Complies
62	5310	-4.71	1.14	-3.57	11.00	Complies

CH54



Date: 8.OCT.2019 11:07:07

CH62



Date: 8.OCT.2019 11:08:35

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.01	1.14	3.15	11.00	Complies
62	5310	0.53	1.14	1.67	11.00	Complies

CH54



Date: 8.OCT.2019 11:52:11

CH62



Date: 8.OCT.2019 11:52:31

Test Mode	UNII-2A_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.66	11.00	Complies
62	5310	2.81	11.00	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.69	0.59	-0.10	11.00	Complies
116	5580	-0.68	0.59	-0.09	11.00	Complies
140	5700	-2.68	0.59	-2.09	11.00	Complies

CH100



Date: 8.OCT.2019 10:54:55

CH116



Date: 8.OCT.2019 10:56:20

CH140



Date: 8.OCT.2019 10:57:13

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.18	0.59	4.77	11.00	Complies
116	5580	3.90	0.59	4.49	11.00	Complies
140	5700	4.08	0.59	4.67	11.00	Complies

CH100



Date: 8.OCT.2019 11:49:26

CH116



Date: 8.OCT.2019 11:49:46

CH140



Date: 8.OCT.2019 11:50:03

Test Mode	UNII-2C_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.00	11.00	Complies
116	5580	5.79	11.00	Complies
140	5700	5.51	11.00	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.45	1.14	-2.31	11.00	Complies
110	5550	-3.29	1.14	-2.15	11.00	Complies
134	5670	-4.42	1.14	-3.28	11.00	Complies

CH102



Date: 8.OCT.2019 11:10:11

CH110



Date: 8.OCT.2019 11:11:16

CH134



Date: 8.OCT.2019 11:12:21

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.51	1.14	2.65	11.00	Complies
110	5550	1.59	1.14	2.73	11.00	Complies
134	5670	1.69	1.14	2.83	11.00	Complies

CH102



Date: 8.OCT.2019 11:52:52

CH110



Date: 8.OCT.2019 11:53:10

CH134



Date: 8.OCT.2019 11:53:25

Test Mode	UNII-2C_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.86	11.00	Complies
110	5550	3.96	11.00	Complies
134	5670	3.79	11.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.46	0.59	-4.87	30.00	Complies
157	5785	-5.22	0.59	-4.63	30.00	Complies
165	5825	-4.95	0.59	-4.36	30.00	Complies

CH149



Date: 8.OCT.2019 10:58:43

CH157



Date: 8.OCT.2019 11:00:06

CH165



Date: 8.OCT.2019 11:00:59

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.78	0.59	1.37	30.00	Complies
157	5785	0.53	0.59	1.12	30.00	Complies
165	5825	0.43	0.59	1.02	30.00	Complies

CH149



Date: 8.OCT.2019 11:50:15

CH157



Date: 8.OCT.2019 11:50:33

CH165



Date: 8.OCT.2019 11:50:46

Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.30	30.00	Complies
157	5785	2.15	30.00	Complies
165	5825	2.13	30.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.03	1.14	-6.89	30.00	Complies
159	5795	-7.46	1.14	-6.32	30.00	Complies

CH151



Date: 8.OCT.2019 11:14:15

CH159



Date: 8.OCT.2019 11:15:22

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.19	1.14	-1.05	30.00	Complies
159	5795	-2.06	1.14	-0.92	30.00	Complies

CH151



Date: 8.OCT.2019 11:53:41

CH159



Date: 8.OCT.2019 11:54:00

Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.04	30.00	Complies
159	5795	0.18	30.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.55	0.13	1.68	11.00	Complies
40	5200	1.41	0.13	1.54	11.00	Complies
48	5240	1.72	0.13	1.85	11.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.83	0.13	3.96	11.00	Complies
40	5200	4.03	0.13	4.16	11.00	Complies
48	5240	3.86	0.13	3.99	11.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.98	11.00	Complies
40	5200	6.05	11.00	Complies
48	5240	6.06	11.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.24	0.25	-0.99	11.00	Complies
46	5230	-1.69	0.25	-1.44	11.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.07	0.25	1.32	11.00	Complies
46	5230	0.94	0.25	1.19	11.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.33	11.00	Complies
46	5230	3.08	11.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.93	0.25	-5.68	11.00	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.95	0.25	-2.70	11.00	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.93	11.00	Complies