



**BarMate Limited**

BarMate Ltd.  
Northway House  
1379 High Road  
London N20 9LP  
020 8445 1355

31<sup>st</sup> January 2008

MET Laboratories, Inc.  
914 West Patapsco Avenue  
Baltimore, MD 21230

RE: CONFIDENTIALITY REQUEST FOR:  
Grantee Code Registration Number: **GC457775**  
FCC ID: **VZS-BARMATE**  
EUT NAMES/MODELS: **BarMate System: Gateway**  
**BarMate System: Service Area Manager**  
**BarMate System: Service Request Device**

To Whom It May Concern:

This letter serves as an official request for confidentiality under sections 0.457 and 0.459 of CFR 47. We have requested that all documentation submitted with this application be permanently withheld from public review. This includes but is not limited to:

- Circuit schematics
- Parts lists
- Block Diagrams

The specified documents are part of BarMate Limited proprietary information and intellectual property. Likewise, the specifics of tests undertaken and their results give substantial clues as to the internal workings of the BarMate product. As such, this information should not be made available to potential competitors.

Please contact me if there is any information you may need.

Sincerely,

A handwritten signature in black ink, appearing to read "P.T. Tyler".

Phil Tyler  
Chief Operating Officer  
BarMate Ltd