

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.600	42.99	-17.27	74.0	-31.01	Peak	221.00	300	Horizontal	Pass
1**	1441.600	32.24	-17.27	54.0	-21.76	AV	221.00	300	Horizontal	Pass
2	4318.250	47.03	-4.58	74.0	-26.97	Peak	270.00	200	Horizontal	Pass
2**	4318.250	37.79	-4.58	54.0	-16.21	AV	270.00	200	Horizontal	Pass
3	5239.000	110.46	-3.22	--	--	Peak	262.00	100	Horizontal	N/A
3**	5239.000	103.02	-3.22	--	--	AV	262.00	100	Horizontal	N/A
4	7516.500	52.29	0.93	74.0	-21.71	Peak	139.00	400	Horizontal	Pass
4**	7516.500	43.41	0.93	54.0	-10.59	AV	139.00	400	Horizontal	Pass
5	12452.650	48.54	-2.17	74.0	-25.46	Peak	248.00	200	Horizontal	Pass
5**	12452.650	39.42	-2.17	54.0	-14.58	AV	248.00	200	Horizontal	Pass
6	16172.738	51.08	-0.45	74.0	-22.92	Peak	278.00	100	Horizontal	Pass
6**	16172.738	41.52	-0.45	54.0	-12.48	AV	278.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	42.85	-17.29	74.0	-31.15	Peak	240.00	100	Vertical	Pass
1**	1440.500	33.25	-17.29	54.0	-20.75	AV	240.00	100	Vertical	Pass
2	4184.000	47.18	-4.88	74.0	-26.82	Peak	209.00	300	Vertical	Pass
2**	4184.000	37.82	-4.88	54.0	-16.18	AV	209.00	300	Vertical	Pass
3	5241.250	106.95	-3.36	--	--	Peak	44.00	150	Vertical	N/A
3**	5241.250	99.28	-3.36	--	--	AV	44.00	150	Vertical	N/A
4	7712.500	52.08	1.22	74.0	-21.92	Peak	348.00	100	Vertical	Pass
4**	7712.500	42.42	1.22	54.0	-11.58	AV	348.00	100	Vertical	Pass
5	11798.338	48.43	-3.55	74.0	-25.57	Peak	0.00	150	Vertical	Pass
5**	11798.338	38.91	-3.55	54.0	-15.09	AV	0.00	150	Vertical	Pass
6	16198.988	51.42	-0.44	74.0	-22.58	Peak	76.00	200	Vertical	Pass
6**	16198.988	42.12	-0.44	54.0	-11.88	AV	76.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	43.00	-17.40	74.0	-31.00	Peak	224.00	100	Horizontal	Pass
1**	1437.800	29.91	-17.40	54.0	-24.09	AV	224.00	100	Horizontal	Pass
2	4301.500	47.18	-4.50	74.0	-26.82	Peak	217.00	400	Horizontal	Pass
2**	4301.500	37.71	-4.50	54.0	-16.29	AV	217.00	400	Horizontal	Pass
3	5186.500	109.47	-2.41	--	--	Peak	261.00	200	Horizontal	N/A
3**	5186.500	101.96	-2.41	--	--	AV	261.00	200	Horizontal	N/A
4	7511.250	52.52	0.50	74.0	-21.48	Peak	173.00	400	Horizontal	Pass
4**	7511.250	42.73	0.50	54.0	-11.27	AV	173.00	400	Horizontal	Pass
5	11183.450	48.53	-4.17	74.0	-25.47	Peak	284.00	200	Horizontal	Pass
5**	11183.450	38.20	-4.17	54.0	-15.80	AV	284.00	200	Horizontal	Pass
6	16045.950	51.31	-0.10	74.0	-22.69	Peak	75.00	400	Horizontal	Pass
6**	16045.950	41.95	-0.10	54.0	-12.05	AV	75.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	43.47	-17.30	74.0	-30.53	Peak	229.00	200	Vertical	Pass
1**	1440.400	32.69	-17.30	54.0	-21.31	AV	229.00	200	Vertical	Pass
2	4386.500	47.35	-4.04	74.0	-26.65	Peak	209.00	300	Vertical	Pass
2**	4386.500	37.60	-4.04	54.0	-16.40	AV	209.00	300	Vertical	Pass
3	5186.750	103.73	-2.43	--	--	Peak	339.00	100	Vertical	N/A
3**	5186.750	95.99	-2.43	--	--	AV	339.00	100	Vertical	N/A
4	7502.250	51.78	-0.46	74.0	-22.22	Peak	360.00	400	Vertical	Pass
4**	7502.250	42.23	-0.46	54.0	-11.77	AV	360.00	400	Vertical	Pass
5	12666.401	49.36	-2.31	74.0	-24.64	Peak	261.00	150	Vertical	Pass
5**	12666.401	39.86	-2.31	54.0	-14.14	AV	261.00	150	Vertical	Pass
6	16044.112	50.92	-0.11	74.0	-23.08	Peak	360.00	400	Vertical	Pass
6**	16044.112	41.22	-0.11	54.0	-12.78	AV	360.00	400	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	42.63	-17.33	74.0	-31.37	Peak	231.00	200	Horizontal	Pass
1**	1439.800	32.45	-17.33	54.0	-21.55	AV	231.00	200	Horizontal	Pass
2	4296.750	46.62	-4.43	74.0	-27.38	Peak	68.00	200	Horizontal	Pass
2**	4296.750	37.39	-4.43	54.0	-16.61	AV	68.00	200	Horizontal	Pass
3	5183.750	108.46	-2.18	--	--	Peak	268.00	150	Horizontal	N/A
3**	5183.750	101.56	-2.18	--	--	AV	268.00	150	Horizontal	N/A
4	7570.500	52.27	-0.22	74.0	-21.73	Peak	139.00	100	Horizontal	Pass
4**	7570.500	43.07	-0.22	54.0	-10.93	AV	139.00	100	Horizontal	Pass
5	12291.863	48.83	-2.51	74.0	-25.17	Peak	200.00	150	Horizontal	Pass
5**	12291.863	39.40	-2.51	54.0	-14.60	AV	200.00	150	Horizontal	Pass
6	15832.013	50.38	-0.75	74.0	-23.62	Peak	1.00	300	Horizontal	Pass
6**	15832.013	40.74	-0.75	54.0	-13.26	AV	1.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	42.61	-17.32	74.0	-31.39	Peak	238.00	400	Vertical	Pass
1**	1439.900	32.97	-17.32	54.0	-21.03	AV	238.00	400	Vertical	Pass
2	4161.250	46.58	-6.08	74.0	-27.42	Peak	26.00	100	Vertical	Pass
2**	4161.250	36.94	-6.08	54.0	-17.06	AV	26.00	100	Vertical	Pass
3	5185.250	103.85	-2.35	--	--	Peak	44.00	150	Vertical	N/A
3**	5185.250	96.23	-2.35	--	--	AV	44.00	150	Vertical	N/A
4	7456.000	52.52	1.15	74.0	-21.48	Peak	26.00	100	Vertical	Pass
4**	7456.000	43.27	1.15	54.0	-10.73	AV	26.00	100	Vertical	Pass
5	12673.050	49.21	-2.32	74.0	-24.79	Peak	297.00	100	Vertical	Pass
5**	12673.050	38.96	-2.32	54.0	-15.04	AV	297.00	100	Vertical	Pass
6	16157.250	50.73	-0.46	74.0	-23.27	Peak	205.00	100	Vertical	Pass
6**	16157.250	43.39	-0.46	54.0	-10.61	AV	205.00	100	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	38.91	-17.40	74.0	-35.09	Peak	218.00	400	Horizontal	Pass
1**	1438.000	28.63	-17.40	54.0	-25.37	AV	218.00	400	Horizontal	Pass
2	4310.250	47.26	-4.30	74.0	-26.74	Peak	242.00	300	Horizontal	Pass
2**	4310.250	37.01	-4.30	54.0	-16.99	AV	242.00	300	Horizontal	Pass
3	5221.250	105.20	-3.37	--	--	Peak	259.00	100	Horizontal	N/A
3**	5221.250	97.47	-3.37	--	--	AV	259.00	100	Horizontal	N/A
4	7518.000	52.02	0.90	74.0	-21.98	Peak	27.00	200	Horizontal	Pass
4**	7518.000	43.09	0.90	54.0	-10.91	AV	27.00	200	Horizontal	Pass
5	12439.588	48.61	-2.31	74.0	-25.39	Peak	92.00	100	Horizontal	Pass
5**	12439.588	39.48	-2.31	54.0	-14.52	AV	92.00	100	Horizontal	Pass
6	16189.013	51.74	-0.44	74.0	-22.26	Peak	329.00	400	Horizontal	Pass
6**	16189.013	41.08	-0.44	54.0	-12.92	AV	329.00	400	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	43.05	-17.30	74.0	-30.95	Peak	239.00	100	Vertical	Pass
1**	1440.300	32.70	-17.30	54.0	-21.30	AV	239.00	100	Vertical	Pass
2	4399.750	47.23	-4.54	74.0	-26.77	Peak	0.00	400	Vertical	Pass
2**	4399.750	36.94	-4.54	54.0	-17.06	AV	0.00	400	Vertical	Pass
3	5228.250	101.69	-3.63	--	--	Peak	42.00	150	Vertical	N/A
3**	5228.250	94.18	-3.63	--	--	AV	42.00	150	Vertical	N/A
4	7466.000	52.67	0.83	74.0	-21.33	Peak	173.00	200	Vertical	Pass
4**	7466.000	42.97	0.83	54.0	-11.03	AV	173.00	200	Vertical	Pass
5	11788.125	49.02	-3.64	74.0	-24.98	Peak	333.00	200	Vertical	Pass
5**	11788.125	38.92	-3.64	54.0	-15.08	AV	333.00	200	Vertical	Pass
6	16184.549	51.32	-0.45	74.0	-22.68	Peak	44.00	200	Vertical	Pass
6**	16184.549	42.67	-0.45	54.0	-11.33	AV	44.00	200	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.900	39.95	-17.39	74.0	-34.05	Peak	355.00	300	Horizontal	Pass
1**	1604.900	31.99	-17.39	54.0	-22.01	AV	355.00	300	Horizontal	Pass
2	4315.250	46.40	-4.52	74.0	-27.60	Peak	360.00	400	Horizontal	Pass
2**	4315.250	37.91	-4.52	54.0	-16.09	AV	360.00	400	Horizontal	Pass
3	5173.500	111.31	-2.68	--	--	Peak	268.00	200	Horizontal	N/A
3**	5173.500	104.63	-2.68	--	--	AV	268.00	200	Horizontal	N/A
4	7714.500	51.63	0.99	74.0	-22.37	Peak	137.00	400	Horizontal	Pass
4**	7714.500	42.89	0.99	54.0	-11.11	AV	137.00	400	Horizontal	Pass
5	12276.425	48.72	-2.66	74.0	-25.28	Peak	201.00	200	Horizontal	Pass
5**	12276.425	40.40	-2.66	54.0	-13.60	AV	201.00	200	Horizontal	Pass
6	16027.575	51.04	-0.12	74.0	-22.96	Peak	160.00	200	Horizontal	Pass
6**	16027.575	41.41	-0.12	54.0	-12.59	AV	160.00	200	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.300	41.94	-17.58	74.0	-32.06	Peak	152.00	400	Vertical	Pass
1**	1593.300	35.29	-17.58	54.0	-18.71	AV	152.00	400	Vertical	Pass
2	4182.000	46.87	-5.02	74.0	-27.13	Peak	251.00	200	Vertical	Pass
2**	4182.000	36.83	-5.02	54.0	-17.17	AV	251.00	200	Vertical	Pass
3	5181.750	108.00	-2.14	--	--	Peak	191.00	150	Vertical	N/A
3**	5181.750	99.23	-2.14	--	--	AV	191.00	150	Vertical	N/A
4	7471.250	52.25	0.77	74.0	-21.75	Peak	149.00	100	Vertical	Pass
4**	7471.250	42.92	0.77	54.0	-11.08	AV	149.00	100	Vertical	Pass
5	12450.037	48.26	-2.15	74.0	-25.74	Peak	130.00	100	Vertical	Pass
5**	12450.037	40.53	-2.15	54.0	-13.47	AV	130.00	100	Vertical	Pass
6	16157.513	51.08	-0.46	74.0	-22.92	Peak	197.00	300	Vertical	Pass
6**	16157.513	41.69	-0.46	54.0	-12.31	AV	197.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.200	42.83	-17.28	74.0	-31.17	Peak	227.00	100	Horizontal	Pass
1**	1441.200	30.84	-17.28	54.0	-23.16	AV	227.00	100	Horizontal	Pass
2	4315.250	46.90	-4.52	74.0	-27.10	Peak	208.00	200	Horizontal	Pass
2**	4315.250	37.21	-4.52	54.0	-16.79	AV	208.00	200	Horizontal	Pass
3	5211.750	110.92	-3.44	--	--	Peak	268.00	150	Horizontal	N/A
3**	5211.750	104.58	-3.44	--	--	AV	268.00	150	Horizontal	N/A
4	7582.000	52.45	-0.23	74.0	-21.55	Peak	276.00	300	Horizontal	Pass
4**	7582.000	42.66	-0.23	54.0	-11.34	AV	276.00	300	Horizontal	Pass
5	12669.963	48.46	-2.31	74.0	-25.54	Peak	0.00	100	Horizontal	Pass
5**	12669.963	39.32	-2.31	54.0	-14.68	AV	0.00	100	Horizontal	Pass
6	16182.187	51.85	-0.45	74.0	-22.15	Peak	215.00	200	Horizontal	Pass
6**	16182.187	41.07	-0.45	54.0	-12.93	AV	215.00	200	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.500	41.88	-17.67	74.0	-32.12	Peak	138.00	300	Vertical	Pass
1**	1534.500	35.29	-17.67	54.0	-18.71	AV	138.00	300	Vertical	Pass
2	4341.500	47.47	-4.74	74.0	-26.53	Peak	112.00	300	Vertical	Pass
2**	4341.500	36.53	-4.74	54.0	-17.47	AV	112.00	300	Vertical	Pass
3	5227.750	108.17	-3.63	--	--	Peak	181.00	100	Vertical	N/A
3**	5227.750	100.66	-3.63	--	--	AV	181.00	100	Vertical	N/A
4	7697.250	51.88	1.80	74.0	-22.12	Peak	357.00	200	Vertical	Pass
4**	7697.250	42.46	1.80	54.0	-11.54	AV	357.00	200	Vertical	Pass
5	12646.213	49.30	-2.32	74.0	-24.70	Peak	236.00	150	Vertical	Pass
5**	12646.213	39.63	-2.32	54.0	-14.37	AV	236.00	150	Vertical	Pass
6	16033.613	50.59	-0.12	74.0	-23.41	Peak	65.00	400	Vertical	Pass
6**	16033.613	41.10	-0.12	54.0	-12.90	AV	65.00	400	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	41.69	-17.30	74.0	-32.31	Peak	223.00	200	Horizontal	Pass
1**	1440.400	31.39	-17.30	54.0	-22.61	AV	223.00	200	Horizontal	Pass
2	4375.500	46.67	-4.11	74.0	-27.33	Peak	57.00	400	Horizontal	Pass
2**	4375.500	37.61	-4.11	54.0	-16.39	AV	57.00	400	Horizontal	Pass
3	5231.750	111.07	-3.37	--	--	Peak	276.00	150	Horizontal	N/A
3**	5231.750	104.23	-3.37	--	--	AV	276.00	150	Horizontal	N/A
4	7449.250	51.94	0.57	74.0	-22.06	Peak	13.00	100	Horizontal	Pass
4**	7449.250	43.16	0.57	54.0	-10.84	AV	13.00	100	Horizontal	Pass
5	12686.349	48.77	-2.33	74.0	-25.23	Peak	311.00	200	Horizontal	Pass
5**	12686.349	39.66	-2.33	54.0	-14.34	AV	311.00	200	Horizontal	Pass
6	16191.375	52.00	-0.44	74.0	-22.00	Peak	26.00	100	Horizontal	Pass
6**	16191.375	41.93	-0.44	54.0	-12.07	AV	26.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.900	42.27	-17.39	74.0	-31.73	Peak	144.00	200	Vertical	Pass
1**	1604.900	34.96	-17.39	54.0	-19.04	AV	144.00	200	Vertical	Pass
2	4259.250	46.86	-4.52	74.0	-27.14	Peak	42.00	300	Vertical	Pass
2**	4259.250	38.51	-4.52	54.0	-15.49	AV	42.00	300	Vertical	Pass
3	5243.000	109.96	-3.58	--	--	Peak	42.00	100	Vertical	N/A
3**	5243.000	101.47	-3.58	--	--	AV	42.00	100	Vertical	N/A
4	7458.000	52.17	1.14	74.0	-21.83	Peak	102.00	100	Vertical	Pass
4**	7458.000	42.81	1.14	54.0	-11.19	AV	102.00	100	Vertical	Pass
5	12426.762	49.18	-2.51	74.0	-24.82	Peak	214.00	100	Vertical	Pass
5**	12426.762	39.84	-2.51	54.0	-14.16	AV	214.00	100	Vertical	Pass
6	16007.888	50.52	-0.14	74.0	-23.48	Peak	255.00	400	Vertical	Pass
6**	16007.888	39.88	-0.14	54.0	-14.12	AV	255.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.100	39.12	-17.41	74.0	-34.88	Peak	229.00	100	Horizontal	Pass
1**	1436.100	27.64	-17.41	54.0	-26.36	AV	229.00	100	Horizontal	Pass
2	4360.000	46.41	-4.27	74.0	-27.59	Peak	356.00	200	Horizontal	Pass
2**	4360.000	38.72	-4.27	54.0	-15.28	AV	356.00	200	Horizontal	Pass
3	5207.000	110.68	-3.36	--	--	Peak	261.00	100	Horizontal	N/A
3**	5207.000	102.43	-3.36	--	--	AV	261.00	100	Horizontal	N/A
4	7517.000	52.01	0.92	74.0	-21.99	Peak	199.00	300	Horizontal	Pass
4**	7517.000	43.16	0.92	54.0	-10.84	AV	199.00	300	Horizontal	Pass
5	12438.400	48.32	-2.33	74.0	-25.68	Peak	273.00	150	Horizontal	Pass
5**	12438.400	39.05	-2.33	54.0	-14.95	AV	273.00	150	Horizontal	Pass
6	15561.113	50.41	-0.68	74.0	-23.59	Peak	360.00	300	Horizontal	Pass
6**	15561.113	40.22	-0.68	54.0	-13.78	AV	360.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.100	42.39	-17.39	74.0	-31.61	Peak	155.00	400	Vertical	Pass
1**	1605.100	35.75	-17.39	54.0	-18.25	AV	155.00	400	Vertical	Pass
2	4254.500	46.84	-4.84	74.0	-27.16	Peak	51.00	200	Vertical	Pass
2**	4254.500	37.69	-4.84	54.0	-16.31	AV	51.00	200	Vertical	Pass
3	5193.000	107.81	-2.86	--	--	Peak	34.00	200	Vertical	N/A
3**	5193.000	98.11	-2.86	--	--	AV	34.00	200	Vertical	N/A
4	7522.250	51.82	0.92	74.0	-22.18	Peak	268.00	400	Vertical	Pass
4**	7522.250	43.54	0.92	54.0	-10.46	AV	268.00	400	Vertical	Pass
5	12532.924	48.78	-2.25	74.0	-25.22	Peak	309.00	200	Vertical	Pass
5**	12532.924	39.84	-2.25	54.0	-14.16	AV	309.00	200	Vertical	Pass
6	16185.338	50.74	-0.45	74.0	-23.26	Peak	254.00	400	Vertical	Pass
6**	16185.338	41.47	-0.45	54.0	-12.53	AV	254.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	42.28	-17.32	74.0	-31.72	Peak	236.00	200	Horizontal	Pass
1**	1439.900	31.08	-17.32	54.0	-22.92	AV	236.00	200	Horizontal	Pass
2	4247.000	46.73	-5.17	74.0	-27.27	Peak	18.00	100	Horizontal	Pass
2**	4247.000	37.65	-5.17	54.0	-16.35	AV	18.00	100	Horizontal	Pass
3	5216.500	109.71	-3.45	--	--	Peak	271.00	150	Horizontal	N/A
3**	5216.500	103.35	-3.45	--	--	AV	271.00	150	Horizontal	N/A
4	7450.750	52.05	0.74	74.0	-21.95	Peak	0.00	100	Horizontal	Pass
4**	7450.750	43.71	0.74	54.0	-10.29	AV	0.00	100	Horizontal	Pass
5	12316.088	48.22	-2.56	74.0	-25.78	Peak	56.00	150	Horizontal	Pass
5**	12316.088	39.15	-2.56	54.0	-14.85	AV	56.00	150	Horizontal	Pass
6	16071.412	50.90	-0.48	74.0	-23.10	Peak	26.00	300	Horizontal	Pass
6**	16071.412	40.50	-0.48	54.0	-13.50	AV	26.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.300	42.30	-17.40	74.0	-31.70	Peak	151.00	400	Vertical	Pass
1**	1605.300	35.73	-17.40	54.0	-18.27	AV	151.00	400	Vertical	Pass
2	4315.000	46.81	-4.49	74.0	-27.19	Peak	278.00	100	Vertical	Pass
2**	4315.000	38.67	-4.49	54.0	-15.33	AV	278.00	100	Vertical	Pass
3	5227.750	108.25	-3.63	--	--	Peak	42.00	150	Vertical	N/A
3**	5227.750	98.53	-3.63	--	--	AV	42.00	150	Vertical	N/A
4	7454.250	51.51	1.15	74.0	-22.49	Peak	0.00	400	Vertical	Pass
4**	7454.250	43.83	1.15	54.0	-10.17	AV	0.00	400	Vertical	Pass
5	12434.125	49.37	-2.39	74.0	-24.63	Peak	8.00	200	Vertical	Pass
5**	12434.125	39.26	-2.39	54.0	-14.74	AV	8.00	200	Vertical	Pass
6	16185.862	51.03	-0.45	74.0	-22.97	Peak	2.00	300	Vertical	Pass
6**	16185.862	42.05	-0.45	54.0	-11.95	AV	2.00	300	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	42.29	-17.31	74.0	-31.71	Peak	236.00	200	Horizontal	Pass
1**	1440.200	32.27	-17.31	54.0	-21.73	AV	236.00	200	Horizontal	Pass
2	4365.750	47.48	-4.16	74.0	-26.52	Peak	147.00	100	Horizontal	Pass
2**	4365.750	38.32	-4.16	54.0	-15.68	AV	147.00	100	Horizontal	Pass
3	5184.000	109.86	-2.21	--	--	Peak	261.00	100	Horizontal	N/A
3**	5184.000	100.06	-2.21	--	--	AV	261.00	100	Horizontal	N/A
4	7464.000	51.78	0.94	74.0	-22.22	Peak	147.00	100	Horizontal	Pass
4**	7464.000	43.25	0.94	54.0	-10.75	AV	147.00	100	Horizontal	Pass
5	12449.563	49.55	-2.16	74.0	-24.45	Peak	225.00	150	Horizontal	Pass
5**	12449.563	39.32	-2.16	54.0	-14.68	AV	225.00	150	Horizontal	Pass
6	16160.925	50.62	-0.46	74.0	-23.38	Peak	254.00	400	Horizontal	Pass
6**	16160.925	42.19	-0.46	54.0	-11.81	AV	254.00	400	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.300	41.96	-17.40	74.0	-32.04	Peak	167.00	200	Vertical	Pass
1**	1605.300	34.99	-17.40	54.0	-19.01	AV	167.00	200	Vertical	Pass
2	4305.750	46.92	-4.19	74.0	-27.08	Peak	17.00	200	Vertical	Pass
2**	4305.750	38.39	-4.19	54.0	-15.61	AV	17.00	200	Vertical	Pass
3	5225.250	104.46	-3.62	--	--	Peak	95.00	150	Vertical	N/A
3**	5225.250	96.00	-3.62	--	--	AV	95.00	150	Vertical	N/A
4	7461.250	51.62	1.13	74.0	-22.38	Peak	295.00	400	Vertical	Pass
4**	7461.250	42.83	1.13	54.0	-11.17	AV	295.00	400	Vertical	Pass
5	12362.401	48.51	-2.85	74.0	-25.49	Peak	187.00	200	Vertical	Pass
5**	12362.401	39.02	-2.85	54.0	-14.98	AV	187.00	200	Vertical	Pass
6	15719.400	50.15	-0.30	74.0	-23.85	Peak	155.00	200	Vertical	Pass
6**	15719.400	40.63	-0.30	54.0	-13.37	AV	155.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.800	39.60	-17.52	74.0	-34.40	Peak	0.00	100	Horizontal	Pass
1**	1573.800	30.99	-17.52	54.0	-23.01	AV	0.00	100	Horizontal	Pass
2	4259.500	47.31	-4.51	74.0	-26.69	Peak	200.00	100	Horizontal	Pass
2**	4259.500	39.14	-4.51	54.0	-14.86	AV	200.00	100	Horizontal	Pass
3	5742.000	106.19	-3.10	--	--	Peak	78.00	150	Horizontal	N/A
3**	5742.000	97.65	-3.10	--	--	AV	78.00	150	Horizontal	N/A
4	7514.500	52.85	0.79	74.0	-21.15	Peak	183.00	300	Horizontal	Pass
4**	7514.500	43.31	0.79	54.0	-10.69	AV	183.00	300	Horizontal	Pass
5	12624.838	49.11	-2.46	74.0	-24.89	Peak	57.00	100	Horizontal	Pass
5**	12624.838	39.86	-2.46	54.0	-14.14	AV	57.00	100	Horizontal	Pass
6	15792.638	51.53	-0.75	74.0	-22.47	Peak	188.00	300	Horizontal	Pass
6**	15792.638	41.53	-0.75	54.0	-12.47	AV	188.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.300	41.99	-17.94	74.0	-32.01	Peak	179.00	150	Vertical	Pass
1**	1554.300	34.52	-17.94	54.0	-19.48	AV	179.00	150	Vertical	Pass
2	4351.500	48.45	-4.53	74.0	-25.55	Peak	68.00	300	Vertical	Pass
2**	4351.500	37.76	-4.53	54.0	-16.24	AV	68.00	300	Vertical	Pass
3	5749.250	104.65	-2.91	--	--	Peak	347.00	150	Vertical	N/A
3**	5749.250	97.49	-2.91	--	--	AV	347.00	150	Vertical	N/A
4	7703.250	52.24	1.94	74.0	-21.76	Peak	163.00	200	Vertical	Pass
4**	7703.250	43.73	1.94	54.0	-10.27	AV	163.00	200	Vertical	Pass
5	12034.888	48.98	-3.41	74.0	-25.02	Peak	116.00	100	Vertical	Pass
5**	12034.888	39.07	-3.41	54.0	-14.93	AV	116.00	100	Vertical	Pass
6	16037.550	51.20	-0.11	74.0	-22.80	Peak	175.00	100	Vertical	Pass
6**	16037.550	42.23	-0.11	54.0	-11.77	AV	175.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.600	42.93	-17.27	74.0	-31.07	Peak	267.00	300	Horizontal	Pass
1**	1441.600	31.38	-17.27	54.0	-22.62	AV	267.00	300	Horizontal	Pass
2	4312.750	47.62	-4.31	74.0	-26.38	Peak	9.00	300	Horizontal	Pass
2**	4312.750	38.88	-4.31	54.0	-15.12	AV	9.00	300	Horizontal	Pass
3	5781.750	107.79	-3.10	--	--	Peak	80.00	200	Horizontal	N/A
3**	5781.750	100.94	-3.10	--	--	AV	80.00	200	Horizontal	N/A
4	7507.750	53.22	0.31	74.0	-20.78	Peak	150.00	200	Horizontal	Pass
4**	7507.750	43.80	0.31	54.0	-10.20	AV	150.00	200	Horizontal	Pass
5	11525.925	48.40	-4.34	74.0	-25.60	Peak	360.00	150	Horizontal	Pass
5**	11525.925	38.51	-4.34	54.0	-15.49	AV	360.00	150	Horizontal	Pass
6	16014.451	50.99	-0.14	74.0	-23.01	Peak	61.00	150	Horizontal	Pass
6**	16014.451	41.75	-0.14	54.0	-12.25	AV	61.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.300	42.08	-17.94	74.0	-31.92	Peak	170.00	400	Vertical	Pass
1**	1554.300	34.65	-17.94	54.0	-19.35	AV	170.00	400	Vertical	Pass
2	4253.500	47.11	-4.94	74.0	-26.89	Peak	0.00	400	Vertical	Pass
2**	4253.500	37.67	-4.94	54.0	-16.33	AV	0.00	400	Vertical	Pass
3	5787.750	106.03	-3.18	--	--	Peak	17.00	100	Vertical	N/A
3**	5787.750	98.46	-3.18	--	--	AV	17.00	100	Vertical	N/A
4	7515.750	52.45	0.90	74.0	-21.55	Peak	360.00	100	Vertical	Pass
4**	7515.750	43.05	0.90	54.0	-10.95	AV	360.00	100	Vertical	Pass
5	11877.188	48.69	-3.28	74.0	-25.31	Peak	249.00	150	Vertical	Pass
5**	11877.188	38.74	-3.28	54.0	-15.26	AV	249.00	150	Vertical	Pass
6	15947.250	51.49	-0.28	74.0	-22.51	Peak	53.00	150	Vertical	Pass
6**	15947.250	41.87	-0.28	54.0	-12.13	AV	53.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	42.22	-17.30	74.0	-31.78	Peak	326.00	100	Horizontal	Pass
1**	1440.300	31.81	-17.30	54.0	-22.19	AV	326.00	100	Horizontal	Pass
2	4261.250	48.16	-4.48	74.0	-25.84	Peak	207.00	300	Horizontal	Pass
2**	4261.250	38.57	-4.48	54.0	-15.43	AV	207.00	300	Horizontal	Pass
3	5826.250	108.48	-2.97	--	--	Peak	285.00	200	Horizontal	N/A
3**	5826.250	100.03	-2.97	--	--	AV	285.00	200	Horizontal	N/A
4	7512.000	52.72	0.49	74.0	-21.28	Peak	224.00	400	Horizontal	Pass
4**	7512.000	43.24	0.49	54.0	-10.76	AV	224.00	400	Horizontal	Pass
5	12301.838	48.61	-2.45	74.0	-25.39	Peak	189.00	150	Horizontal	Pass
5**	12301.838	39.09	-2.45	54.0	-14.91	AV	189.00	150	Horizontal	Pass
6	16028.363	51.68	-0.12	74.0	-22.32	Peak	92.00	100	Horizontal	Pass
6**	16028.363	41.65	-0.12	54.0	-12.35	AV	92.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.200	41.58	-17.94	74.0	-32.42	Peak	179.00	300	Vertical	Pass
1**	1554.200	34.34	-17.94	54.0	-19.66	AV	179.00	300	Vertical	Pass
2	4297.750	47.55	-4.57	74.0	-26.45	Peak	295.00	100	Vertical	Pass
2**	4297.750	37.74	-4.57	54.0	-16.26	AV	295.00	100	Vertical	Pass
3	5822.750	105.59	-3.10	--	--	Peak	20.00	100	Vertical	N/A
3**	5822.750	98.24	-3.10	--	--	AV	20.00	100	Vertical	N/A
4	7472.750	52.58	0.69	74.0	-21.42	Peak	39.00	200	Vertical	Pass
4**	7472.750	44.52	0.69	54.0	-9.48	AV	39.00	200	Vertical	Pass
5	11180.838	49.31	-4.19	74.0	-24.69	Peak	58.00	200	Vertical	Pass
5**	11180.838	39.03	-4.19	54.0	-14.97	AV	58.00	200	Vertical	Pass
6	15462.150	51.27	-0.31	74.0	-22.73	Peak	63.00	150	Vertical	Pass
6**	15462.150	40.83	-0.31	54.0	-13.17	AV	63.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.400	42.47	-17.35	74.0	-31.53	Peak	257.00	100	Horizontal	Pass
1**	1439.400	31.14	-17.35	54.0	-22.86	AV	257.00	100	Horizontal	Pass
2	4251.500	47.31	-5.05	74.0	-26.69	Peak	266.00	200	Horizontal	Pass
2**	4251.500	37.82	-5.05	54.0	-16.18	AV	266.00	200	Horizontal	Pass
3	5771.750	104.02	-2.42	--	--	Peak	285.00	100	Horizontal	N/A
3**	5771.750	98.38	-2.42	--	--	AV	285.00	100	Horizontal	N/A
4	7510.500	52.36	0.53	74.0	-21.64	Peak	75.00	400	Horizontal	Pass
4**	7510.500	43.13	0.53	54.0	-10.87	AV	75.00	400	Horizontal	Pass
5	12449.800	49.36	-2.16	74.0	-24.64	Peak	168.00	150	Horizontal	Pass
5**	12449.800	40.85	-2.16	54.0	-13.15	AV	168.00	150	Horizontal	Pass
6	16070.100	51.46	-0.45	74.0	-22.54	Peak	224.00	400	Horizontal	Pass
6**	16070.100	41.68	-0.45	54.0	-12.32	AV	224.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.500	40.37	-17.39	74.0	-33.63	Peak	360.00	100	Vertical	Pass
1**	1501.500	31.80	-17.39	54.0	-22.20	AV	360.00	100	Vertical	Pass
2	4348.500	47.52	-4.71	74.0	-26.48	Peak	51.00	100	Vertical	Pass
2**	4348.500	37.15	-4.71	54.0	-16.85	AV	51.00	100	Vertical	Pass
3	5769.250	103.21	-2.21	--	--	Peak	348.00	100	Vertical	N/A
3**	5769.250	96.45	-2.21	--	--	AV	348.00	100	Vertical	N/A
4	7509.000	52.66	0.47	74.0	-21.34	Peak	331.00	100	Vertical	Pass
4**	7509.000	43.16	0.47	54.0	-10.84	AV	331.00	100	Vertical	Pass
5	12442.912	48.94	-2.26	74.0	-25.06	Peak	7.00	150	Vertical	Pass
5**	12442.912	39.60	-2.26	54.0	-14.40	AV	7.00	150	Vertical	Pass
6	16038.338	51.53	-0.11	74.0	-22.47	Peak	216.00	150	Vertical	Pass
6**	16038.338	41.67	-0.11	54.0	-12.33	AV	216.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.300	42.34	-17.36	74.0	-31.66	Peak	316.00	200	Horizontal	Pass
1**	1439.300	31.16	-17.36	54.0	-22.84	AV	316.00	200	Horizontal	Pass
2	4365.250	47.45	-4.18	74.0	-26.55	Peak	331.00	100	Horizontal	Pass
2**	4365.250	37.86	-4.18	54.0	-16.14	AV	331.00	100	Horizontal	Pass
3	5799.500	106.68	-3.40	--	--	Peak	75.00	200	Horizontal	N/A
3**	5799.500	98.42	-3.40	--	--	AV	75.00	200	Horizontal	N/A
4	7473.500	52.48	0.63	74.0	-21.52	Peak	31.00	400	Horizontal	Pass
4**	7473.500	43.94	0.63	54.0	-10.06	AV	31.00	400	Horizontal	Pass
5	11797.625	49.28	-3.56	74.0	-24.72	Peak	285.00	100	Horizontal	Pass
5**	11797.625	39.61	-3.56	54.0	-14.39	AV	285.00	100	Horizontal	Pass
6	16016.812	51.99	-0.13	74.0	-22.01	Peak	175.00	400	Horizontal	Pass
6**	16016.812	40.76	-0.13	54.0	-13.24	AV	175.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.000	42.25	-17.93	74.0	-31.75	Peak	179.00	300	Vertical	Pass
1**	1554.000	34.02	-17.93	54.0	-19.98	AV	179.00	300	Vertical	Pass
2	4326.750	47.51	-4.98	74.0	-26.49	Peak	268.00	300	Vertical	Pass
2**	4326.750	37.82	-4.98	54.0	-16.18	AV	268.00	300	Vertical	Pass
3	5791.750	103.88	-3.30	--	--	Peak	348.00	200	Vertical	N/A
3**	5791.750	96.32	-3.30	--	--	AV	348.00	200	Vertical	N/A
4	7441.250	52.17	0.38	74.0	-21.83	Peak	117.00	200	Vertical	Pass
4**	7441.250	42.43	0.38	54.0	-11.57	AV	117.00	200	Vertical	Pass
5	12667.350	49.16	-2.31	74.0	-24.84	Peak	155.00	200	Vertical	Pass
5**	12667.350	39.92	-2.31	54.0	-14.08	AV	155.00	200	Vertical	Pass
6	15480.526	50.57	-0.57	74.0	-23.43	Peak	73.00	150	Vertical	Pass
6**	15480.526	41.41	-0.57	54.0	-12.59	AV	73.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.400	42.30	-17.27	74.0	-31.70	Peak	316.00	300	Horizontal	Pass
1**	1441.400	31.49	-17.27	54.0	-22.51	AV	316.00	300	Horizontal	Pass
2	4175.500	47.15	-5.44	74.0	-26.85	Peak	0.00	200	Horizontal	Pass
2**	4175.500	37.52	-5.44	54.0	-16.48	AV	0.00	200	Horizontal	Pass
3	5748.000	105.98	-3.05	--	--	Peak	303.00	200	Horizontal	N/A
3**	5748.000	98.87	-3.05	--	--	AV	303.00	200	Horizontal	N/A
4	7457.250	52.52	1.14	74.0	-21.48	Peak	243.00	400	Horizontal	Pass
4**	7457.250	43.62	1.14	54.0	-10.38	AV	243.00	400	Horizontal	Pass
5	11931.338	48.43	-3.53	74.0	-25.57	Peak	360.00	150	Horizontal	Pass
5**	11931.338	38.04	-3.53	54.0	-15.96	AV	360.00	150	Horizontal	Pass
6	15849.075	50.69	-0.76	74.0	-23.31	Peak	265.00	150	Horizontal	Pass
6**	15849.075	41.33	-0.76	54.0	-12.67	AV	265.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.000	41.78	-17.35	74.0	-32.22	Peak	0.00	300	Vertical	Pass
1**	1501.000	33.70	-17.35	54.0	-20.30	AV	0.00	300	Vertical	Pass
2	4250.250	47.46	-5.01	74.0	-26.54	Peak	355.00	200	Vertical	Pass
2**	4250.250	38.01	-5.01	54.0	-15.99	AV	355.00	200	Vertical	Pass
3	5752.000	105.63	-2.72	--	--	Peak	346.00	200	Vertical	N/A
3**	5752.000	98.54	-2.72	--	--	AV	346.00	200	Vertical	N/A
4	7451.250	52.57	0.80	74.0	-21.43	Peak	56.00	100	Vertical	Pass
4**	7451.250	43.80	0.80	54.0	-10.20	AV	56.00	100	Vertical	Pass
5	12464.525	48.74	-2.24	74.0	-25.26	Peak	338.00	150	Vertical	Pass
5**	12464.525	38.91	-2.24	54.0	-15.09	AV	338.00	150	Vertical	Pass
6	16027.312	51.10	-0.12	74.0	-22.90	Peak	76.00	400	Vertical	Pass
6**	16027.312	42.02	-0.12	54.0	-11.98	AV	76.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.500	42.84	-17.40	74.0	-31.16	Peak	312.00	200	Horizontal	Pass
1**	1438.500	30.53	-17.40	54.0	-23.47	AV	312.00	200	Horizontal	Pass
2	4317.000	47.76	-4.60	74.0	-26.24	Peak	277.00	300	Horizontal	Pass
2**	4317.000	38.29	-4.60	54.0	-15.71	AV	277.00	300	Horizontal	Pass
3	5786.500	107.88	-3.10	--	--	Peak	285.00	100	Horizontal	N/A
3**	5786.500	101.13	-3.10	--	--	AV	285.00	100	Horizontal	N/A
4	7387.250	52.22	-0.76	74.0	-21.78	Peak	360.00	100	Horizontal	Pass
4**	7387.250	43.44	-0.76	54.0	-10.56	AV	360.00	100	Horizontal	Pass
5	12326.537	49.03	-2.64	74.0	-24.97	Peak	43.00	100	Horizontal	Pass
5**	12326.537	38.15	-2.64	54.0	-15.85	AV	43.00	100	Horizontal	Pass
6	15694.463	50.81	-0.06	74.0	-23.19	Peak	116.00	150	Horizontal	Pass
6**	15694.463	41.16	-0.06	54.0	-12.84	AV	116.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.400	41.98	-17.27	74.0	-32.02	Peak	341.00	100	Vertical	Pass
1**	1441.400	33.49	-17.27	54.0	-20.51	AV	341.00	100	Vertical	Pass
2	4247.500	46.74	-5.25	74.0	-27.26	Peak	54.00	150	Vertical	Pass
2**	4247.500	37.68	-5.25	54.0	-16.32	AV	54.00	150	Vertical	Pass
3	5778.250	105.88	-2.67	--	--	Peak	0.00	150	Vertical	N/A
3**	5778.250	99.06	-2.67	--	--	AV	0.00	150	Vertical	N/A
4	7455.750	52.72	1.15	74.0	-21.28	Peak	356.00	300	Vertical	Pass
4**	7455.750	43.77	1.15	54.0	-10.23	AV	356.00	300	Vertical	Pass
5	11569.863	48.90	-4.28	74.0	-25.10	Peak	7.00	200	Vertical	Pass
5**	11569.863	39.77	-4.28	54.0	-14.23	AV	7.00	200	Vertical	Pass
6	16169.326	51.56	-0.46	74.0	-22.44	Peak	190.00	200	Vertical	Pass
6**	16169.326	42.30	-0.46	54.0	-11.70	AV	190.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.800	42.40	-17.39	74.0	-31.60	Peak	310.00	100	Horizontal	Pass
1**	1438.800	31.13	-17.39	54.0	-22.87	AV	310.00	100	Horizontal	Pass
2	4320.500	47.00	-4.63	74.0	-27.00	Peak	222.00	150	Horizontal	Pass
2**	4320.500	38.19	-4.63	54.0	-15.81	AV	222.00	150	Horizontal	Pass
3	5832.000	108.14	-2.83	--	--	Peak	285.00	150	Horizontal	N/A
3**	5832.000	101.38	-2.83	--	--	AV	285.00	150	Horizontal	N/A
4	7516.750	52.60	0.93	74.0	-21.40	Peak	222.00	300	Horizontal	Pass
4**	7516.750	43.79	0.93	54.0	-10.21	AV	222.00	300	Horizontal	Pass
5	11808.312	48.69	-3.48	74.0	-25.31	Peak	104.00	150	Horizontal	Pass
5**	11808.312	39.41	-3.48	54.0	-14.59	AV	104.00	150	Horizontal	Pass
6	15785.287	51.28	-0.78	74.0	-22.72	Peak	251.00	150	Horizontal	Pass
6**	15785.287	40.72	-0.78	54.0	-13.28	AV	251.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	42.94	-17.25	74.0	-31.06	Peak	339.00	200	Vertical	Pass
1**	1442.200	33.12	-17.25	54.0	-20.88	AV	339.00	200	Vertical	Pass
2	4316.750	47.57	-4.60	74.0	-26.43	Peak	226.00	200	Vertical	Pass
2**	4316.750	37.51	-4.60	54.0	-16.49	AV	226.00	200	Vertical	Pass
3	5819.250	105.03	-2.85	--	--	Peak	346.00	100	Vertical	N/A
3**	5819.250	97.79	-2.85	--	--	AV	346.00	100	Vertical	N/A
4	7455.750	53.32	1.15	74.0	-20.68	Peak	303.00	400	Vertical	Pass
4**	7455.750	43.61	1.15	54.0	-10.39	AV	303.00	400	Vertical	Pass
5	12436.025	48.93	-2.36	74.0	-25.07	Peak	273.00	200	Vertical	Pass
5**	12436.025	39.71	-2.36	54.0	-14.29	AV	273.00	200	Vertical	Pass
6	16157.776	51.17	-0.46	74.0	-22.83	Peak	112.00	200	Vertical	Pass
6**	16157.776	42.66	-0.46	54.0	-11.34	AV	112.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.400	40.76	-17.40	74.0	-33.24	Peak	0.00	200	Horizontal	Pass
1**	1438.400	29.88	-17.40	54.0	-24.12	AV	0.00	200	Horizontal	Pass
2	4342.750	47.83	-4.80	74.0	-26.17	Peak	27.00	100	Horizontal	Pass
2**	4342.750	37.71	-4.80	54.0	-16.29	AV	27.00	100	Horizontal	Pass
3	5768.750	104.88	-2.19	--	--	Peak	286.00	150	Horizontal	N/A
3**	5768.750	97.37	-2.19	--	--	AV	286.00	150	Horizontal	N/A
4	7510.750	52.31	0.52	74.0	-21.69	Peak	180.00	400	Horizontal	Pass
4**	7510.750	43.01	0.52	54.0	-10.99	AV	180.00	400	Horizontal	Pass
5	12538.625	48.94	-2.21	74.0	-25.06	Peak	289.00	150	Horizontal	Pass
5**	12538.625	40.12	-2.21	54.0	-13.88	AV	289.00	150	Horizontal	Pass
6	15783.451	50.42	-0.79	74.0	-23.58	Peak	170.00	150	Horizontal	Pass
6**	15783.451	41.18	-0.79	54.0	-12.82	AV	170.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	42.43	-17.32	74.0	-31.57	Peak	191.00	100	Vertical	Pass
1**	1439.900	32.71	-17.32	54.0	-21.29	AV	191.00	100	Vertical	Pass
2	4361.250	48.21	-4.29	74.0	-25.79	Peak	294.00	200	Vertical	Pass
2**	4361.250	38.05	-4.29	54.0	-15.95	AV	294.00	200	Vertical	Pass
3	5769.750	102.98	-2.25	--	--	Peak	17.00	200	Vertical	N/A
3**	5769.750	95.23	-2.25	--	--	AV	17.00	200	Vertical	N/A
4	7505.750	52.36	-0.12	74.0	-21.64	Peak	63.00	200	Vertical	Pass
4**	7505.750	43.37	-0.12	54.0	-10.63	AV	63.00	200	Vertical	Pass
5	12409.900	48.78	-2.76	74.0	-25.22	Peak	70.00	150	Vertical	Pass
5**	12409.900	39.09	-2.76	54.0	-14.91	AV	70.00	150	Vertical	Pass
6	15813.112	51.01	-0.73	74.0	-22.99	Peak	198.00	150	Vertical	Pass
6**	15813.112	40.87	-0.73	54.0	-13.13	AV	198.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.800	42.48	-17.27	74.0	-31.52	Peak	257.00	200	Horizontal	Pass
1**	1440.800	31.66	-17.27	54.0	-22.34	AV	257.00	200	Horizontal	Pass
2	4273.500	47.29	-4.94	74.0	-26.71	Peak	48.00	300	Horizontal	Pass
2**	4273.500	37.13	-4.94	54.0	-16.87	AV	48.00	300	Horizontal	Pass
3	5781.250	106.10	-3.02	--	--	Peak	285.00	150	Horizontal	N/A
3**	5781.250	99.48	-3.02	--	--	AV	285.00	150	Horizontal	N/A
4	7460.500	52.81	1.14	74.0	-21.19	Peak	92.00	400	Horizontal	Pass
4**	7460.500	43.48	1.14	54.0	-10.52	AV	92.00	400	Horizontal	Pass
5	12558.576	48.94	-2.21	74.0	-25.06	Peak	329.00	200	Horizontal	Pass
5**	12558.576	39.28	-2.21	54.0	-14.72	AV	329.00	200	Horizontal	Pass
6	16039.912	51.02	-0.11	74.0	-22.98	Peak	163.00	150	Horizontal	Pass
6**	16039.912	41.89	-0.11	54.0	-12.11	AV	163.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.600	41.83	-17.25	74.0	-32.17	Peak	331.00	300	Vertical	Pass
1**	1442.600	32.22	-17.25	54.0	-21.78	AV	331.00	300	Vertical	Pass
2	4261.750	47.59	-4.52	74.0	-26.41	Peak	16.00	200	Vertical	Pass
2**	4261.750	38.03	-4.52	54.0	-15.97	AV	16.00	200	Vertical	Pass
3	5792.250	103.85	-3.28	--	--	Peak	24.00	100	Vertical	N/A
3**	5792.250	95.83	-3.28	--	--	AV	24.00	100	Vertical	N/A
4	7460.250	52.17	1.14	74.0	-21.83	Peak	278.00	400	Vertical	Pass
4**	7460.250	43.87	1.14	54.0	-10.13	AV	278.00	400	Vertical	Pass
5	11428.076	49.21	-4.02	74.0	-24.79	Peak	43.00	200	Vertical	Pass
5**	11428.076	39.21	-4.02	54.0	-14.79	AV	43.00	200	Vertical	Pass
6	16170.112	51.10	-0.46	74.0	-22.90	Peak	212.00	400	Vertical	Pass
6**	16170.112	41.65	-0.46	54.0	-12.35	AV	212.00	400	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.900	42.05	-17.38	74.0	-31.95	Peak	280.00	200	Horizontal	Pass
1**	1438.900	30.69	-17.38	54.0	-23.31	AV	280.00	200	Horizontal	Pass
2	4300.500	47.21	-4.60	74.0	-26.79	Peak	27.00	300	Horizontal	Pass
2**	4300.500	38.39	-4.60	54.0	-15.61	AV	27.00	300	Horizontal	Pass
3	5778.250	101.90	-2.67	--	--	Peak	290.00	200	Horizontal	N/A
3**	5778.250	94.60	-2.67	--	--	AV	290.00	200	Horizontal	N/A
4	7454.500	52.40	1.17	74.0	-21.60	Peak	280.00	100	Horizontal	Pass
4**	7454.500	44.76	1.17	54.0	-9.24	AV	280.00	100	Horizontal	Pass
5	11171.100	48.69	-4.26	74.0	-25.31	Peak	360.00	100	Horizontal	Pass
5**	11171.100	39.15	-4.26	54.0	-14.85	AV	360.00	100	Horizontal	Pass
6	16010.512	51.15	-0.14	74.0	-22.85	Peak	271.00	150	Horizontal	Pass
6**	16010.512	41.46	-0.14	54.0	-12.54	AV	271.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.600	42.72	-17.52	74.0	-31.28	Peak	152.00	100	Vertical	Pass
1**	1593.600	36.33	-17.52	54.0	-17.67	AV	152.00	100	Vertical	Pass
2	4229.500	47.49	-5.21	74.0	-26.51	Peak	138.00	150	Vertical	Pass
2**	4229.500	38.20	-5.21	54.0	-15.80	AV	138.00	150	Vertical	Pass
3	5756.750	100.20	-2.62	--	--	Peak	348.00	150	Vertical	N/A
3**	5756.750	91.84	-2.62	--	--	AV	348.00	150	Vertical	N/A
4	7455.750	53.28	1.15	74.0	-20.72	Peak	321.00	100	Vertical	Pass
4**	7455.750	43.45	1.15	54.0	-10.55	AV	321.00	100	Vertical	Pass
5	10724.838	49.26	-4.86	74.0	-24.74	Peak	185.00	200	Vertical	Pass
5**	10724.838	39.34	-4.86	54.0	-14.66	AV	185.00	200	Vertical	Pass
6	15953.812	51.21	-0.23	74.0	-22.79	Peak	5.00	150	Vertical	Pass
6**	15953.812	41.49	-0.23	54.0	-12.51	AV	5.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.700	42.78	-17.40	74.0	-31.22	Peak	200.00	200	Horizontal	Pass
1**	1438.700	30.70	-17.40	54.0	-23.30	AV	200.00	200	Horizontal	Pass
2	4309.250	46.92	-4.29	74.0	-27.08	Peak	57.00	300	Horizontal	Pass
2**	4309.250	38.95	-4.29	54.0	-15.05	AV	57.00	300	Horizontal	Pass
3	5744.000	107.01	-2.97	--	--	Peak	293.00	150	Horizontal	N/A
3**	5744.000	99.67	-2.97	--	--	AV	293.00	150	Horizontal	N/A
4	7505.750	52.47	-0.12	74.0	-21.53	Peak	222.00	200	Horizontal	Pass
4**	7505.750	42.92	-0.12	54.0	-11.08	AV	222.00	200	Horizontal	Pass
5	12410.613	48.94	-2.75	74.0	-25.06	Peak	89.00	150	Horizontal	Pass
5**	12410.613	39.11	-2.75	54.0	-14.89	AV	89.00	150	Horizontal	Pass
6	15704.175	50.06	0.02	74.0	-23.94	Peak	273.00	150	Horizontal	Pass
6**	15704.175	40.94	0.02	54.0	-13.06	AV	273.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.700	42.78	-17.40	74.0	-31.22	Peak	200.00	200	Horizontal	Pass
1**	1438.700	30.70	-17.40	54.0	-23.30	AV	200.00	200	Horizontal	Pass
2	4309.250	46.92	-4.29	74.0	-27.08	Peak	57.00	300	Horizontal	Pass
2**	4309.250	38.95	-4.29	54.0	-15.05	AV	57.00	300	Horizontal	Pass
3	5744.000	107.01	-2.97	--	--	Peak	293.00	150	Horizontal	N/A
3**	5744.000	99.67	-2.97	--	--	AV	293.00	150	Horizontal	N/A
4	7505.750	52.47	-0.12	74.0	-21.53	Peak	222.00	200	Horizontal	Pass
4**	7505.750	42.92	-0.12	54.0	-11.08	AV	222.00	200	Horizontal	Pass
5	12410.613	48.94	-2.75	74.0	-25.06	Peak	89.00	150	Horizontal	Pass
5**	12410.613	39.11	-2.75	54.0	-14.89	AV	89.00	150	Horizontal	Pass
6	15704.175	50.06	0.02	74.0	-23.94	Peak	273.00	150	Horizontal	Pass
6**	15704.175	40.94	0.02	54.0	-13.06	AV	273.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.900	41.89	-17.26	74.0	-32.11	Peak	265.00	300	Horizontal	Pass
1**	1441.900	31.40	-17.26	54.0	-22.60	AV	265.00	300	Horizontal	Pass
2	4187.000	47.26	-4.88	74.0	-26.74	Peak	346.00	400	Horizontal	Pass
2**	4187.000	38.55	-4.88	54.0	-15.45	AV	346.00	400	Horizontal	Pass
3	5778.250	109.30	-2.67	--	--	Peak	282.00	200	Horizontal	N/A
3**	5778.250	100.08	-2.67	--	--	AV	282.00	200	Horizontal	N/A
4	7457.750	52.23	1.14	74.0	-21.77	Peak	46.00	100	Horizontal	Pass
4**	7457.750	43.66	1.14	54.0	-10.34	AV	46.00	100	Horizontal	Pass
5	12425.099	48.34	-2.53	74.0	-25.66	Peak	21.00	200	Horizontal	Pass
5**	12425.099	39.75	-2.53	54.0	-14.25	AV	21.00	200	Horizontal	Pass
6	15816.526	50.79	-0.73	74.0	-23.21	Peak	256.00	150	Horizontal	Pass
6**	15816.526	41.04	-0.73	54.0	-12.96	AV	256.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.800	41.94	-17.96	74.0	-32.06	Peak	146.00	200	Vertical	Pass
1**	1554.800	34.06	-17.96	54.0	-19.94	AV	146.00	200	Vertical	Pass
2	4289.250	47.73	-4.56	74.0	-26.27	Peak	44.00	300	Vertical	Pass
2**	4289.250	38.38	-4.56	54.0	-15.62	AV	44.00	300	Vertical	Pass
3	5785.250	105.69	-3.15	--	--	Peak	0.00	150	Vertical	N/A
3**	5785.250	96.71	-3.15	--	--	AV	0.00	150	Vertical	N/A
4	7506.750	52.35	0.10	74.0	-21.65	Peak	356.00	100	Vertical	Pass
4**	7506.750	43.71	0.10	54.0	-10.29	AV	356.00	100	Vertical	Pass
5	12439.349	48.74	-2.31	74.0	-25.26	Peak	318.00	100	Vertical	Pass
5**	12439.349	39.66	-2.31	54.0	-14.34	AV	318.00	100	Vertical	Pass
6	15696.300	51.01	-0.00	74.0	-22.99	Peak	154.00	150	Vertical	Pass
6**	15696.300	41.29	-0.00	54.0	-12.71	AV	154.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.700	42.42	-17.28	74.0	-31.58	Peak	263.00	200	Horizontal	Pass
1**	1440.700	32.70	-17.28	54.0	-21.30	AV	263.00	200	Horizontal	Pass
2	4309.750	47.31	-4.31	74.0	-26.69	Peak	59.00	400	Horizontal	Pass
2**	4309.750	38.36	-4.31	54.0	-15.64	AV	59.00	400	Horizontal	Pass
3	5827.000	107.83	-2.92	--	--	Peak	329.00	100	Horizontal	N/A
3**	5827.000	98.82	-2.92	--	--	AV	329.00	100	Horizontal	N/A
4	7465.750	52.40	0.81	74.0	-21.60	Peak	347.00	200	Horizontal	Pass
4**	7465.750	43.22	0.81	54.0	-10.78	AV	347.00	200	Horizontal	Pass
5	12450.987	49.18	-2.16	74.0	-24.82	Peak	7.00	100	Horizontal	Pass
5**	12450.987	40.08	-2.16	54.0	-13.92	AV	7.00	100	Horizontal	Pass
6	15822.825	50.42	-0.74	74.0	-23.58	Peak	353.00	150	Horizontal	Pass
6**	15822.825	41.28	-0.74	54.0	-12.72	AV	353.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.800	42.07	-17.26	74.0	-31.93	Peak	186.00	200	Vertical	Pass
1**	1441.800	33.61	-17.26	54.0	-20.39	AV	186.00	200	Vertical	Pass
2	4308.500	47.69	-4.23	74.0	-26.31	Peak	227.00	100	Vertical	Pass
2**	4308.500	38.52	-4.23	54.0	-15.48	AV	227.00	100	Vertical	Pass
3	5829.250	106.30	-3.13	--	--	Peak	24.00	200	Vertical	N/A
3**	5829.250	97.76	-3.13	--	--	AV	24.00	200	Vertical	N/A
4	7455.500	53.49	1.16	74.0	-20.51	Peak	338.00	400	Vertical	Pass
4**	7455.500	43.91	1.16	54.0	-10.09	AV	338.00	400	Vertical	Pass
5	11687.663	48.17	-4.27	74.0	-25.83	Peak	360.00	150	Vertical	Pass
5**	11687.663	38.53	-4.27	54.0	-15.47	AV	360.00	150	Vertical	Pass
6	15939.112	50.25	-0.44	74.0	-23.75	Peak	156.00	150	Vertical	Pass
6**	15939.112	41.96	-0.44	54.0	-12.04	AV	156.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	42.11	-17.32	74.0	-31.89	Peak	202.00	400	Horizontal	Pass
1**	1440.000	31.10	-17.32	54.0	-22.90	AV	202.00	400	Horizontal	Pass
2	4321.750	47.15	-4.75	74.0	-26.85	Peak	148.00	200	Horizontal	Pass
2**	4321.750	37.99	-4.75	54.0	-16.01	AV	148.00	200	Horizontal	Pass
3	5761.500	104.95	-2.32	--	--	Peak	87.00	100	Horizontal	N/A
3**	5761.500	96.51	-2.32	--	--	AV	87.00	100	Horizontal	N/A
4	7453.000	52.48	1.01	74.0	-21.52	Peak	53.00	100	Horizontal	Pass
4**	7453.000	43.94	1.01	54.0	-10.06	AV	53.00	100	Horizontal	Pass
5	11445.412	48.47	-3.90	74.0	-25.53	Peak	163.00	150	Horizontal	Pass
5**	11445.412	39.28	-3.90	54.0	-14.72	AV	163.00	150	Horizontal	Pass
6	16155.938	51.41	-0.46	74.0	-22.59	Peak	217.00	300	Horizontal	Pass
6**	16155.938	41.57	-0.46	54.0	-12.43	AV	217.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.600	42.07	-17.27	74.0	-31.93	Peak	334.00	100	Vertical	Pass
1**	1441.600	33.97	-17.27	54.0	-20.03	AV	334.00	100	Vertical	Pass
2	4302.250	47.29	-4.41	74.0	-26.71	Peak	310.00	400	Vertical	Pass
2**	4302.250	37.44	-4.41	54.0	-16.56	AV	310.00	400	Vertical	Pass
3	5771.500	102.84	-2.39	--	--	Peak	14.00	200	Vertical	N/A
3**	5771.500	94.93	-2.39	--	--	AV	14.00	200	Vertical	N/A
4	7515.250	51.86	0.86	74.0	-22.14	Peak	66.00	150	Vertical	Pass
4**	7515.250	43.84	0.86	54.0	-10.16	AV	66.00	150	Vertical	Pass
5	10681.612	49.50	-4.79	74.0	-24.50	Peak	80.00	100	Vertical	Pass
5**	10681.612	38.94	-4.79	54.0	-15.06	AV	80.00	100	Vertical	Pass
6	16178.250	51.05	-0.45	74.0	-22.95	Peak	266.00	300	Vertical	Pass
6**	16178.250	42.71	-0.45	54.0	-11.29	AV	266.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.100	41.90	-17.26	74.0	-32.10	Peak	321.00	400	Horizontal	Pass
1**	1442.100	31.25	-17.26	54.0	-22.75	AV	321.00	400	Horizontal	Pass
2	4259.000	47.50	-4.54	74.0	-26.50	Peak	278.00	200	Horizontal	Pass
2**	4259.000	37.85	-4.54	54.0	-16.15	AV	278.00	200	Horizontal	Pass
3	5779.000	106.27	-2.74	--	--	Peak	85.00	100	Horizontal	N/A
3**	5779.000	98.18	-2.74	--	--	AV	85.00	100	Horizontal	N/A
4	7439.500	52.12	0.29	74.0	-21.88	Peak	104.00	100	Horizontal	Pass
4**	7439.500	42.12	0.29	54.0	-11.88	AV	104.00	100	Horizontal	Pass
5	11439.000	48.66	-3.95	74.0	-25.34	Peak	259.00	150	Horizontal	Pass
5**	11439.000	38.97	-3.95	54.0	-15.03	AV	259.00	150	Horizontal	Pass
6	16042.537	50.88	-0.11	74.0	-23.12	Peak	141.00	300	Horizontal	Pass
6**	16042.537	40.92	-0.11	54.0	-13.08	AV	141.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.900	42.03	-17.92	74.0	-31.97	Peak	146.00	100	Vertical	Pass
1**	1553.900	33.92	-17.92	54.0	-20.08	AV	146.00	100	Vertical	Pass
2	4332.500	47.96	-4.92	74.0	-26.04	Peak	200.00	300	Vertical	Pass
2**	4332.500	37.38	-4.92	54.0	-16.62	AV	200.00	300	Vertical	Pass
3	5791.750	106.24	-3.30	--	--	Peak	346.00	200	Vertical	N/A
3**	5791.750	93.62	-3.30	--	--	AV	346.00	200	Vertical	N/A
4	7459.250	52.42	1.14	74.0	-21.58	Peak	112.00	200	Vertical	Pass
4**	7459.250	43.55	1.14	54.0	-10.45	AV	112.00	200	Vertical	Pass
5	12299.225	49.12	-2.44	74.0	-24.88	Peak	56.00	200	Vertical	Pass
5**	12299.225	39.52	-2.44	54.0	-14.48	AV	56.00	200	Vertical	Pass
6	15720.974	50.43	-0.34	74.0	-23.57	Peak	165.00	150	Vertical	Pass
6**	15720.974	41.15	-0.34	54.0	-12.85	AV	165.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.500	41.97	-17.40	74.0	-32.03	Peak	339.00	300	Horizontal	Pass
1**	1438.500	29.92	-17.40	54.0	-24.08	AV	339.00	300	Horizontal	Pass
2	4382.750	47.24	-3.95	74.0	-26.76	Peak	184.00	300	Horizontal	Pass
2**	4382.750	37.85	-3.95	54.0	-16.15	AV	184.00	300	Horizontal	Pass
3	5761.250	104.46	-2.33	--	--	Peak	89.00	200	Horizontal	N/A
3**	5761.250	92.68	-2.33	--	--	AV	89.00	200	Horizontal	N/A
4	7509.250	52.79	0.50	74.0	-21.21	Peak	2.00	400	Horizontal	Pass
4**	7509.250	43.39	0.50	54.0	-10.61	AV	2.00	400	Horizontal	Pass
5	12430.562	49.03	-2.45	74.0	-24.97	Peak	307.00	150	Horizontal	Pass
5**	12430.562	40.02	-2.45	54.0	-13.98	AV	307.00	150	Horizontal	Pass
6	16022.587	51.26	-0.13	74.0	-22.74	Peak	283.00	150	Horizontal	Pass
6**	16022.587	42.13	-0.13	54.0	-11.87	AV	283.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.500	41.88	-17.40	74.0	-32.12	Peak	180.00	200	Vertical	Pass
1**	1438.500	32.52	-17.40	54.0	-21.48	AV	180.00	200	Vertical	Pass
2	4315.000	47.07	-4.49	74.0	-26.93	Peak	119.00	300	Vertical	Pass
2**	4315.000	38.33	-4.49	54.0	-15.67	AV	119.00	300	Vertical	Pass
3	5777.000	101.05	-2.76	--	--	Peak	21.00	150	Vertical	N/A
3**	5777.000	93.00	-2.76	--	--	AV	21.00	150	Vertical	N/A
4	7456.500	52.31	1.14	74.0	-21.69	Peak	358.00	300	Vertical	Pass
4**	7456.500	43.53	1.14	54.0	-10.47	AV	358.00	300	Vertical	Pass
5	11145.450	48.53	-4.43	74.0	-25.47	Peak	130.00	150	Vertical	Pass
5**	11145.450	38.99	-4.43	54.0	-15.01	AV	130.00	150	Vertical	Pass
6	16033.350	51.52	-0.12	74.0	-22.48	Peak	72.00	150	Vertical	Pass
6**	16033.350	42.47	-0.12	54.0	-11.53	AV	72.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Main Antenna

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

Aux. Antenna

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
		Middle	Pass

MIMO


Test Band	Mode	Channel	Verdict
U-NII-1	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

Note: All the configurations were tested, but only the worst data was shown in this report.

Test Data and Plots


Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	61.36	3.93	74.0	-12.64	Peak	245.00	100	Horizontal	Pass
1**	5149.350	50.21	3.93	54.0	-3.79	AV	245.00	100	Horizontal	Pass
2	5149.675	59.39	3.94	74.0	-14.61	Peak	252.00	100	Horizontal	Pass
2**	5149.675	48.97	3.94	54.0	-5.03	AV	252.00	100	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	3.96	74.0	-15.71	Peak	157.00	200	Horizontal	Pass
1**	5350.000	47.76	3.96	54.0	-6.24	AV	157.00	200	Horizontal	Pass
2	5350.660	59.48	3.95	74.0	-14.52	Peak	115.00	200	Horizontal	Pass
2**	5350.660	47.43	3.95	54.0	-6.57	AV	115.00	200	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	67.38	3.86	74.0	-6.62	Peak	261.00	150	Horizontal	Pass
1**	5146.425	50.41	3.86	54.0	-3.59	AV	261.00	150	Horizontal	Pass
2	5149.675	64.01	3.94	74.0	-9.99	Peak	262.00	150	Horizontal	Pass
2**	5149.675	49.11	3.94	54.0	-4.89	AV	262.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.46	3.96	74.0	-16.54	Peak	346.00	100	Horizontal	Pass
1**	5350.055	47.66	3.96	54.0	-6.34	AV	346.00	100	Horizontal	Pass
2	5367.435	59.04	3.67	74.0	-14.96	Peak	300.00	100	Horizontal	Pass
2**	5367.435	47.16	3.67	54.0	-6.84	AV	300.00	100	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	67.84	3.93	74.0	-6.16	Peak	260.00	100	Horizontal	Pass
1**	5149.025	50.43	3.93	54.0	-3.57	AV	260.00	100	Horizontal	Pass
2	5149.675	64.55	3.94	74.0	-9.45	Peak	245.00	150	Horizontal	Pass
2**	5149.675	49.80	3.94	54.0	-4.20	AV	245.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.09	3.96	74.0	-14.91	Peak	251.00	200	Horizontal	Pass
1**	5350.000	47.90	3.96	54.0	-6.10	AV	251.00	200	Horizontal	Pass
2	5352.310	59.32	3.93	74.0	-14.68	Peak	341.00	150	Horizontal	Pass
2**	5352.310	47.91	3.93	54.0	-6.09	AV	341.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	65.78	3.91	74.0	-8.22	Peak	273.00	200	Horizontal	Pass
1**	5148.050	50.23	3.91	54.0	-3.77	AV	273.00	200	Horizontal	Pass
2	5149.675	62.53	3.94	74.0	-11.47	Peak	106.00	200	Horizontal	Pass
2**	5149.675	50.11	3.94	54.0	-3.89	AV	106.00	200	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.82	3.96	74.0	-16.18	Peak	1.00	100	Horizontal	Pass
1**	5350.000	47.59	3.96	54.0	-6.41	AV	1.00	100	Horizontal	Pass
2	5350.715	59.30	3.95	74.0	-14.70	Peak	310.00	100	Horizontal	Pass
2**	5350.715	47.86	3.95	54.0	-6.14	AV	310.00	100	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.29	3.93	74.0	-13.71	Peak	145.00	100	Horizontal	Pass
1**	5149.350	50.31	3.93	54.0	-3.69	AV	145.00	100	Horizontal	Pass
2	5149.675	60.17	3.94	74.0	-13.83	Peak	315.00	200	Horizontal	Pass
2**	5149.675	50.11	3.94	54.0	-3.89	AV	315.00	200	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.64	3.96	74.0	-16.36	Peak	194.00	100	Horizontal	Pass
1**	5350.000	47.57	3.96	54.0	-6.43	AV	194.00	100	Horizontal	Pass
2	5441.465	58.72	4.96	74.0	-15.28	Peak	327.00	200	Horizontal	Pass
2**	5441.465	47.66	4.96	54.0	-6.34	AV	327.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	64.39	3.91	74.0	-9.61	Peak	271.00	100	Horizontal	Pass
1**	5147.725	50.39	3.91	54.0	-3.61	AV	271.00	100	Horizontal	Pass
2	5149.675	61.30	3.94	74.0	-12.70	Peak	133.00	100	Horizontal	Pass
2**	5149.675	50.96	3.94	54.0	-3.04	AV	133.00	100	Horizontal	Pass
3	5149.025	60.69	3.93	74.0	-13.31	Peak	277.00	50	Horizontal	Pass
3**	5149.025	51.00	3.93	54.0	-3.00	AV	277.00	50	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.23	3.96	74.0	-16.77	Peak	173.00	100	Horizontal	Pass
1**	5350.000	47.72	3.96	54.0	-6.28	AV	173.00	100	Horizontal	Pass
2	5351.595	59.28	3.94	74.0	-14.72	Peak	175.00	100	Horizontal	Pass
2**	5351.595	47.49	3.94	54.0	-6.51	AV	175.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	66.99	3.92	74.0	-7.01	Peak	273.00	150	Horizontal	Pass
1**	5148.700	50.67	3.92	54.0	-3.33	AV	273.00	150	Horizontal	Pass
2	5149.675	66.79	3.94	74.0	-7.21	Peak	301.00	100	Horizontal	Pass
2**	5149.675	50.67	3.94	54.0	-3.33	AV	301.00	100	Horizontal	Pass
3	5147.400	65.43	3.90	74.0	-8.57	Peak	269.00	150	Horizontal	Pass
3**	5147.400	51.00	3.90	54.0	-3.00	AV	269.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.54	3.96	74.0	-16.46	Peak	293.00	200	Horizontal	Pass
1**	5350.055	48.07	3.96	54.0	-5.93	AV	293.00	200	Horizontal	Pass
2	5352.530	58.77	3.93	74.0	-15.23	Peak	278.00	100	Horizontal	Pass
2**	5352.530	47.63	3.93	54.0	-6.37	AV	278.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	62.60	3.90	74.0	-11.40	Peak	268.00	200	Horizontal	Pass
1**	5147.075	49.62	3.90	54.0	-4.38	AV	268.00	200	Horizontal	Pass
2	5149.675	60.07	3.94	74.0	-13.93	Peak	275.00	200	Horizontal	Pass
2**	5149.675	49.72	3.94	54.0	-4.28	AV	275.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.80	3.96	74.0	-16.20	Peak	163.00	150	Horizontal	Pass
1**	5350.000	47.73	3.96	54.0	-6.27	AV	163.00	150	Horizontal	Pass
2	5435.745	59.56	5.02	74.0	-14.44	Peak	114.00	150	Horizontal	Pass
2**	5435.745	47.44	5.02	54.0	-6.56	AV	114.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.000	63.67	3.51	74.0	-10.33	Peak	258.00	100	Horizontal	Pass
1**	5137.000	48.90	3.51	54.0	-5.10	AV	258.00	100	Horizontal	Pass
2	5149.675	58.11	3.94	74.0	-15.89	Peak	272.00	200	Horizontal	Pass
2**	5149.675	49.60	3.94	54.0	-4.40	AV	272.00	200	Horizontal	Pass
3	5135.375	62.16	3.57	74.0	-11.84	Peak	267.00	150	Horizontal	Pass
3**	5135.375	49.96	3.57	54.0	-4.04	AV	267.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.97	3.96	74.0	-16.03	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.71	3.96	54.0	-6.29	AV	360.00	150	Horizontal	Pass
2	5437.945	59.02	5.12	74.0	-14.98	Peak	346.00	150	Horizontal	Pass
2**	5437.945	47.59	5.12	54.0	-6.41	AV	346.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.000	59.52	5.18	68.2	-8.68	Peak	319.00	200	Horizontal	Pass
2	5650.000	57.09	4.91	68.2	-11.11	Peak	35.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.06	4.25	68.3	-12.24	Peak	121.00	150	Horizontal	Pass
2	5954.850	59.39	4.59	68.2	-8.81	Peak	17.00	100	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.125	59.56	5.14	68.2	-8.64	Peak	177.00	100	Horizontal	Pass
2	5650.000	57.22	4.91	68.2	-10.98	Peak	160.00	200	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.35	4.25	68.3	-10.95	Peak	238.00	100	Horizontal	Pass
2	5977.125	59.70	4.74	68.2	-8.50	Peak	265.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.000	60.30	5.31	68.2	-7.90	Peak	334.00	150	Horizontal	Pass
2	5650.000	57.56	4.91	68.2	-10.64	Peak	60.00	100	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.41	4.25	68.3	-11.89	Peak	277.00	100	Horizontal	Pass
2	5952.225	59.45	4.54	68.2	-8.75	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.938	59.97	5.17	68.2	-8.23	Peak	109.00	150	Horizontal	Pass
2	5650.000	57.31	4.91	68.2	-10.89	Peak	6.00	200	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.54	4.25	68.3	-11.76	Peak	45.00	200	Horizontal	Pass
2	5990.925	58.86	5.29	68.2	-9.34	Peak	45.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.937	59.36	5.14	68.2	-8.84	Peak	178.00	100	Horizontal	Pass
2	5650.000	57.82	4.91	68.2	-10.38	Peak	295.00	100	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.84	4.25	68.3	-11.46	Peak	44.00	100	Horizontal	Pass
2	5997.600	59.19	5.23	68.2	-9.01	Peak	66.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.500	60.14	5.36	68.2	-8.06	Peak	278.00	150	Horizontal	Pass
2	5650.000	58.36	4.91	68.2	-9.84	Peak	349.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.46	4.25	68.3	-11.84	Peak	254.00	200	Horizontal	Pass
2	5993.400	58.85	5.27	68.2	-9.35	Peak	217.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.562	59.44	5.53	68.2	-8.76	Peak	182.00	100	Horizontal	Pass
2	5650.000	57.32	4.91	68.2	-10.88	Peak	5.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.04	4.25	68.3	-11.26	Peak	314.00	200	Horizontal	Pass
2	5966.475	59.12	4.59	68.2	-9.08	Peak	79.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.500	59.30	5.16	68.2	-8.90	Peak	138.00	100	Horizontal	Pass
2	5650.000	57.09	4.91	68.2	-11.11	Peak	251.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.26	4.25	68.3	-12.04	Peak	26.00	100	Horizontal	Pass
2	5944.575	58.66	4.66	68.2	-9.54	Peak	116.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.375	61.74	5.44	68.2	-6.46	Peak	325.00	200	Horizontal	Pass
2	5650.000	57.63	4.91	68.2	-10.57	Peak	358.00	200	Horizontal	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.45	4.25	68.3	-11.85	Peak	336.00	200	Horizontal	Pass
2	5944.500	59.11	4.66	68.2	-9.09	Peak	221.00	150	Horizontal	Pass

Aux. Antenna


U-NII-1 11a CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	64.80	3.91	74.0	-9.20	Peak	133.00	200	Horizontal	Pass
1**	5148.050	48.95	3.91	54.0	-5.05	AV	133.00	200	Horizontal	Pass
2	5149.675	63.69	3.94	74.0	-10.31	Peak	286.00	100	Horizontal	Pass
2**	5149.675	48.69	3.94	54.0	-5.31	AV	286.00	100	Horizontal	Pass
3	5148.375	63.15	3.92	74.0	-10.85	Peak	128.00	150	Horizontal	Pass
3**	5148.375	50.01	3.92	54.0	-3.99	AV	128.00	150	Horizontal	Pass


U-NII-1 11a CH48

Bandedge_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.16	3.96	74.0	-16.84	Peak	136.00	200	Horizontal	Pass
1**	5350.000	47.92	3.96	54.0	-6.08	AV	136.00	200	Horizontal	Pass
2	5436.900	58.98	5.08	74.0	-15.02	Peak	124.00	150	Horizontal	Pass
2**	5436.900	47.79	5.08	54.0	-6.21	AV	124.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	68.23	3.93	74.0	-5.77	Peak	266.00	150	Horizontal	Pass
1**	5149.025	49.27	3.93	54.0	-4.73	AV	266.00	150	Horizontal	Pass
2	5149.675	66.92	3.94	74.0	-7.08	Peak	288.00	200	Horizontal	Pass
2**	5149.675	48.94	3.94	54.0	-5.06	AV	288.00	200	Horizontal	Pass
3	5149.350	61.80	3.93	74.0	-12.20	Peak	244.00	150	Horizontal	Pass
3**	5149.350	50.32	3.93	54.0	-3.68	AV	244.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.91	3.96	74.0	-16.09	Peak	282.00	150	Horizontal	Pass
1**	5350.000	47.69	3.96	54.0	-6.31	AV	282.00	150	Horizontal	Pass
2	5437.285	59.03	5.10	74.0	-14.97	Peak	0.00	100	Horizontal	Pass
2**	5437.285	47.51	5.10	54.0	-6.49	AV	0.00	100	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	65.47	3.94	74.0	-8.53	Peak	131.00	150	Horizontal	Pass
1**	5149.675	50.30	3.94	54.0	-3.70	AV	131.00	150	Horizontal	Pass
2	5149.675	65.47	3.94	74.0	-8.53	Peak	131.00	100	Horizontal	Pass
2**	5149.675	50.30	3.94	54.0	-3.70	AV	131.00	100	Horizontal	Pass
3	5149.675	65.47	3.94	74.0	-8.53	Peak	131.00	150	Horizontal	Pass
3**	5149.675	50.30	3.94	54.0	-3.70	AV	131.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.34	3.96	74.0	-15.66	Peak	274.00	100	Horizontal	Pass
1**	5350.000	47.70	3.96	54.0	-6.30	AV	274.00	100	Horizontal	Pass
2	5440.970	59.48	4.95	74.0	-14.52	Peak	318.00	200	Horizontal	Pass
2**	5440.970	47.55	4.95	54.0	-6.45	AV	318.00	200	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	68.34	3.94	74.0	-5.66	Peak	131.00	200	Horizontal	Pass
1**	5149.675	49.89	3.94	54.0	-4.11	AV	131.00	200	Horizontal	Pass
2	5149.675	68.34	3.94	74.0	-5.66	Peak	131.00	100	Horizontal	Pass
2**	5149.675	49.89	3.94	54.0	-4.11	AV	131.00	100	Horizontal	Pass
3	5149.350	65.63	3.93	74.0	-8.37	Peak	128.00	100	Horizontal	Pass
3**	5149.350	50.37	3.93	54.0	-3.63	AV	128.00	100	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.44	3.96	74.0	-16.56	Peak	354.00	200	Horizontal	Pass
1**	5350.055	47.73	3.96	54.0	-6.27	AV	354.00	200	Horizontal	Pass
2	5350.220	58.84	3.96	74.0	-15.16	Peak	308.00	100	Horizontal	Pass
2**	5350.220	47.69	3.96	54.0	-6.31	AV	308.00	100	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	64.90	3.91	74.0	-9.10	Peak	136.00	150	Horizontal	Pass
1**	5147.725	50.17	3.91	54.0	-3.83	AV	136.00	150	Horizontal	Pass
2	5149.675	62.16	3.94	74.0	-11.84	Peak	92.00	150	Horizontal	Pass
2**	5149.675	50.31	3.94	54.0	-3.69	AV	92.00	150	Horizontal	Pass
3	5148.050	62.85	3.91	74.0	-11.15	Peak	290.00	150	Horizontal	Pass
3**	5148.050	51.00	3.91	54.0	-3.00	AV	290.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.89	3.96	74.0	-16.11	Peak	48.00	150	Horizontal	Pass
1**	5350.055	47.70	3.96	54.0	-6.30	AV	48.00	150	Horizontal	Pass
2	5358.250	58.81	3.78	74.0	-15.19	Peak	349.00	200	Horizontal	Pass
2**	5358.250	47.40	3.78	54.0	-6.60	AV	349.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5118.800	61.74	4.02	74.0	-12.26	Peak	136.00	100	Horizontal	Pass
1**	5118.800	48.74	4.02	54.0	-5.26	AV	136.00	100	Horizontal	Pass
2	5149.675	59.20	3.94	74.0	-14.80	Peak	129.00	150	Horizontal	Pass
2**	5149.675	50.31	3.94	54.0	-3.69	AV	129.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.61	3.96	74.0	-16.39	Peak	63.00	100	Horizontal	Pass
1**	5350.055	47.48	3.96	54.0	-6.52	AV	63.00	100	Horizontal	Pass
2	5432.775	58.99	4.72	74.0	-15.01	Peak	126.00	200	Horizontal	Pass
2**	5432.775	47.28	4.72	54.0	-6.72	AV	126.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.975	66.60	3.94	74.0	-7.40	Peak	138.00	150	Horizontal	Pass
1**	5149.975	49.23	3.94	54.0	-4.77	AV	138.00	150	Horizontal	Pass
2	5149.675	66.60	3.94	74.0	-7.40	Peak	138.00	200	Horizontal	Pass
2**	5149.675	50.23	3.94	54.0	-3.77	AV	138.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.06	3.96	74.0	-16.94	Peak	80.00	200	Horizontal	Pass
1**	5350.055	47.51	3.96	54.0	-6.49	AV	80.00	200	Horizontal	Pass
2	5428.375	59.01	4.48	74.0	-14.99	Peak	144.00	150	Horizontal	Pass
2**	5428.375	47.40	4.48	54.0	-6.60	AV	144.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	61.20	3.91	74.0	-12.80	Peak	73.00	200	Horizontal	Pass
1**	5148.050	49.22	3.91	54.0	-4.78	AV	73.00	200	Horizontal	Pass
2	5149.675	60.16	3.94	74.0	-13.84	Peak	73.00	200	Horizontal	Pass
2**	5149.675	49.03	3.94	54.0	-4.97	AV	73.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.14	3.96	74.0	-16.86	Peak	187.00	150	Horizontal	Pass
1**	5350.055	48.04	3.96	54.0	-5.96	AV	187.00	150	Horizontal	Pass
2	5438.330	59.57	5.09	74.0	-14.43	Peak	231.00	150	Horizontal	Pass
2**	5438.330	47.62	5.09	54.0	-6.38	AV	231.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.000	62.95	3.51	74.0	-11.05	Peak	248.00	200	Horizontal	Pass
1**	5137.000	49.14	3.51	54.0	-4.86	AV	248.00	200	Horizontal	Pass
2	5149.675	58.75	3.94	74.0	-15.25	Peak	290.00	100	Horizontal	Pass
2**	5149.675	49.38	3.94	54.0	-4.62	AV	290.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.99	3.96	74.0	-16.01	Peak	74.00	100	Horizontal	Pass
1**	5350.000	47.39	3.96	54.0	-6.61	AV	74.00	100	Horizontal	Pass
2	5410.335	59.56	3.89	74.0	-14.44	Peak	102.00	150	Horizontal	Pass
2**	5410.335	46.84	3.89	54.0	-7.16	AV	102.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.000	59.55	5.47	68.2	-8.65	Peak	163.00	200	Horizontal	Pass
2	5650.000	57.18	4.91	68.2	-11.02	Peak	358.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.15	4.25	68.3	-12.15	Peak	347.00	150	Horizontal	Pass
2	5939.775	59.00	4.57	68.2	-9.20	Peak	207.00	200	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.812	59.38	5.39	68.2	-8.82	Peak	26.00	150	Horizontal	Pass
2	5650.000	57.13	4.91	68.2	-11.07	Peak	85.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.44	4.25	68.3	-13.86	Peak	360.00	100	Horizontal	Pass
2	5965.950	58.26	4.59	68.2	-9.94	Peak	360.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.688	59.28	5.42	68.2	-8.92	Peak	0.00	100	Horizontal	Pass
2	5650.000	57.87	4.91	68.2	-10.33	Peak	322.00	100	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.96	4.25	68.3	-11.34	Peak	124.00	200	Horizontal	Pass
2	5998.275	58.93	5.27	68.2	-9.27	Peak	262.00	100	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.250	59.55	5.51	68.2	-8.65	Peak	60.00	200	Horizontal	Pass
2	5650.000	56.55	4.91	68.2	-11.65	Peak	204.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.95	4.25	68.3	-11.35	Peak	179.00	200	Horizontal	Pass
2	5928.300	58.66	4.48	68.2	-9.54	Peak	299.00	200	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.125	59.60	5.41	68.2	-8.60	Peak	292.00	100	Horizontal	Pass
2	5650.000	56.89	4.91	68.2	-11.31	Peak	0.00	100	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
c	5924.925	56.81	4.25	68.3	-11.49	Peak	278.00	100	Horizontal	Pass
2	5948.475	59.02	4.60	68.2	-9.18	Peak	263.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.937	64.31	5.52	68.2	-3.89	Peak	316.00	100	Horizontal	Pass
2	5650.000	59.81	4.91	68.2	-8.39	Peak	290.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.30	4.25	68.3	-12.00	Peak	78.00	100	Horizontal	Pass
2	5999.925	59.39	5.30	68.2	-8.81	Peak	105.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.812	59.46	5.52	68.2	-8.74	Peak	247.00	150	Horizontal	Pass
2	5650.000	58.07	4.91	68.2	-10.13	Peak	279.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.57	4.25	68.3	-11.73	Peak	295.00	200	Horizontal	Pass
2	5962.725	59.22	4.70	68.2	-8.98	Peak	31.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.250	59.35	5.01	68.2	-8.85	Peak	152.00	200	Horizontal	Pass
2	5650.000	58.15	4.91	68.2	-10.05	Peak	270.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.49	4.25	68.3	-11.81	Peak	238.00	100	Horizontal	Pass
2	5965.500	59.54	4.59	68.2	-8.66	Peak	64.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.625	62.43	5.42	68.2	-5.77	Peak	293.00	200	Horizontal	Pass
2	5650.000	57.81	4.91	68.2	-10.39	Peak	80.00	200	Horizontal	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.69	4.25	68.3	-10.61	Peak	327.00	200	Horizontal	Pass
2	5992.125	59.57	5.27	68.2	-8.63	Peak	284.00	150	Horizontal	Pass


MIMO

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	69.76	3.94	74.0	-4.24	Peak	246.00	150	Horizontal	Pass
1**	5149.675	49.04	3.94	54.0	-4.96	AV	246.00	150	Horizontal	Pass
2	5149.675	69.76	3.94	74.0	-4.24	Peak	246.00	100	Horizontal	Pass
2**	5149.675	49.04	3.94	54.0	-4.96	AV	246.00	100	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.22	3.96	74.0	-16.78	Peak	119.00	150	Horizontal	Pass
1**	5350.000	47.65	3.96	54.0	-6.35	AV	119.00	150	Horizontal	Pass
2	5351.595	59.01	3.94	74.0	-14.99	Peak	231.00	100	Horizontal	Pass
2**	5351.595	47.45	3.94	54.0	-6.55	AV	231.00	100	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	66.46	3.93	74.0	-7.54	Peak	254.00	100	Horizontal	Pass
1**	5149.025	49.95	3.93	54.0	-4.05	AV	254.00	100	Horizontal	Pass
2	5149.675	63.63	3.94	74.0	-10.37	Peak	248.00	200	Horizontal	Pass
2**	5149.675	49.90	3.94	54.0	-4.10	AV	248.00	200	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.25	3.96	74.0	-16.75	Peak	0.00	200	Horizontal	Pass
1**	5350.000	47.72	3.96	54.0	-6.28	AV	0.00	200	Horizontal	Pass
2	5438.385	59.01	5.08	74.0	-14.99	Peak	65.00	150	Horizontal	Pass
2**	5438.385	47.80	5.08	54.0	-6.20	AV	65.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	70.97	3.94	74.0	-3.03	Peak	249.00	150	Horizontal	Pass
1**	5149.675	49.69	3.94	54.0	-4.31	AV	249.00	150	Horizontal	Pass
2	5149.675	70.97	3.94	74.0	-3.03	Peak	249.00	150	Horizontal	Pass
2**	5149.675	49.69	3.94	54.0	-4.31	AV	249.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	3.96	74.0	-15.71	Peak	317.00	150	Horizontal	Pass
1**	5350.000	47.49	3.96	54.0	-6.51	AV	317.00	150	Horizontal	Pass
2	5432.500	59.22	4.70	74.0	-14.78	Peak	272.00	100	Horizontal	Pass
2**	5432.500	47.53	4.70	54.0	-6.47	AV	272.00	100	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	62.02	3.83	74.0	-11.98	Peak	249.00	150	Horizontal	Pass
1**	5146.100	49.87	3.83	54.0	-4.13	AV	249.00	150	Horizontal	Pass
2	5149.675	59.81	3.94	74.0	-14.19	Peak	44.00	100	Horizontal	Pass
2**	5149.675	48.49	3.94	54.0	-5.51	AV	44.00	100	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.93	3.96	74.0	-17.07	Peak	168.00	150	Horizontal	Pass
1**	5350.000	47.71	3.96	54.0	-6.29	AV	168.00	150	Horizontal	Pass
2	5373.265	58.88	3.94	74.0	-15.12	Peak	3.00	200	Horizontal	Pass
2**	5373.265	47.46	3.94	54.0	-6.54	AV	3.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.125	59.59	4.04	74.0	-14.41	Peak	256.00	100	Horizontal	Pass
1**	5119.125	47.96	4.04	54.0	-6.04	AV	256.00	100	Horizontal	Pass
2	5149.675	58.29	3.94	74.0	-15.71	Peak	246.00	150	Horizontal	Pass
2**	5149.675	49.88	3.94	54.0	-4.12	AV	246.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.14	3.96	74.0	-16.86	Peak	331.00	150	Horizontal	Pass
1**	5350.055	47.56	3.96	54.0	-6.44	AV	331.00	150	Horizontal	Pass
2	5431.345	58.97	4.64	74.0	-15.03	Peak	46.00	200	Horizontal	Pass
2**	5431.345	47.12	4.64	54.0	-6.88	AV	46.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	64.19	3.86	74.0	-9.81	Peak	256.00	200	Horizontal	Pass
1**	5146.425	47.94	3.86	54.0	-6.06	AV	256.00	200	Horizontal	Pass
2	5149.675	62.43	3.94	74.0	-11.57	Peak	265.00	200	Horizontal	Pass
2**	5149.675	50.12	3.94	54.0	-3.88	AV	265.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.50	3.96	74.0	-16.50	Peak	172.00	150	Horizontal	Pass
1**	5350.055	47.49	3.96	54.0	-6.51	AV	172.00	150	Horizontal	Pass
2	5417.265	59.25	3.89	74.0	-14.75	Peak	265.00	200	Horizontal	Pass
2**	5417.265	46.74	3.89	54.0	-7.26	AV	265.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	64.40	3.94	74.0	-9.60	Peak	264.00	150	Horizontal	Pass
1**	5149.675	50.21	3.94	54.0	-3.79	AV	264.00	150	Horizontal	Pass
2	5149.675	64.40	3.94	74.0	-9.60	Peak	264.00	150	Horizontal	Pass
2**	5149.675	50.21	3.94	54.0	-3.79	AV	264.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.16	3.96	74.0	-16.84	Peak	6.00	200	Horizontal	Pass
1**	5350.055	47.55	3.96	54.0	-6.45	AV	6.00	200	Horizontal	Pass
2	5350.440	59.22	3.95	74.0	-14.78	Peak	248.00	200	Horizontal	Pass
2**	5350.440	47.63	3.95	54.0	-6.37	AV	248.00	200	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.750	64.21	3.60	74.0	-9.79	Peak	266.00	100	Horizontal	Pass
1**	5133.750	49.88	3.60	54.0	-4.12	AV	266.00	100	Horizontal	Pass
2	5149.675	59.00	3.94	74.0	-15.00	Peak	263.00	150	Horizontal	Pass
2**	5149.675	50.14	3.94	54.0	-3.86	AV	263.00	150	Horizontal	Pass
3	5148.700	59.94	3.92	74.0	-14.06	Peak	266.00	150	Horizontal	Pass
3**	5148.700	50.92	3.92	54.0	-3.08	AV	266.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.29	3.96	74.0	-16.71	Peak	226.00	200	Horizontal	Pass
1**	5350.000	47.69	3.96	54.0	-6.31	AV	226.00	200	Horizontal	Pass
2	5357.150	59.49	3.70	74.0	-14.51	Peak	0.00	200	Horizontal	Pass
2**	5357.150	47.23	3.70	54.0	-6.77	AV	0.00	200	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.437	59.38	5.41	68.2	-8.82	Peak	193.00	150	Horizontal	Pass
2	5650.000	57.03	4.91	68.2	-11.17	Peak	357.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.73	4.25	68.3	-10.57	Peak	283.00	200	Horizontal	Pass
2	5957.775	58.89	4.69	68.2	-9.31	Peak	55.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.625	60.38	4.96	68.2	-7.82	Peak	93.00	200	Horizontal	Pass
2	5650.000	57.00	4.91	68.2	-11.20	Peak	272.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.91	4.25	68.3	-11.39	Peak	100.00	200	Horizontal	Pass
2	5940.825	59.44	4.67	68.2	-8.76	Peak	124.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.938	59.39	5.44	68.2	-8.81	Peak	7.00	150	Horizontal	Pass
2	5650.000	56.95	4.91	68.2	-11.25	Peak	1.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.56	4.25	68.3	-10.74	Peak	80.00	100	Horizontal	Pass
2	5955.900	59.68	4.70	68.2	-8.52	Peak	332.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.375	59.38	5.35	68.2	-8.82	Peak	326.00	200	Horizontal	Pass
2	5650.000	57.83	4.91	68.2	-10.37	Peak	194.00	100	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.95	4.25	68.3	-11.35	Peak	154.00	150	Horizontal	Pass
2	5952.600	58.89	4.54	68.2	-9.31	Peak	168.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.250	61.82	5.46	68.2	-6.38	Peak	70.00	200	Horizontal	Pass
2	5650.000	58.32	4.91	68.2	-9.88	Peak	245.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.75	4.25	68.3	-11.55	Peak	32.00	200	Horizontal	Pass
2	5926.875	60.22	4.37	68.2	-7.98	Peak	287.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.000	59.60	5.44	68.2	-8.60	Peak	233.00	100	Horizontal	Pass
2	5650.000	57.87	4.91	68.2	-10.33	Peak	39.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.70	4.25	68.3	-12.60	Peak	244.00	150	Horizontal	Pass
2	5993.025	59.33	5.26	68.2	-8.87	Peak	44.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.625	59.47	5.28	68.2	-8.73	Peak	110.00	150	Horizontal	Pass
2	5650.000	57.27	4.91	68.2	-10.93	Peak	14.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.22	4.25	68.3	-11.08	Peak	126.00	200	Horizontal	Pass
2	5988.675	59.03	5.04	68.2	-9.17	Peak	333.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.375	63.65	4.89	68.2	-4.55	Peak	52.00	100	Horizontal	Pass
2	5650.000	60.49	4.91	68.2	-7.71	Peak	293.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.18	4.25	68.3	-10.12	Peak	282.00	150	Horizontal	Pass
2	5927.100	59.54	4.39	68.2	-8.66	Peak	312.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2280883-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2280883-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2280883-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--