

## **DTS-UNII Device Declaration Letter**

We	have declared by the have feel in the have declared by the have feel in the have been also been	pelow featured for FCC equip	oment authorization,		
(1) DFS Device ☐ Master, ☐ Client with Radar detection capability, ☐ Client without radar detection capability, ☐ N/A					
(2)	2) Active / Passive Scanning , Ad hoc mode access point capability				
	Frequency	Active Scanning	passive scanning	Ad Hoc Mode or	Access point
	Band (MHz)	(the device can transmit	(where the device is can	WIFI Direct	capability
		a probe (beacon))	listen only with no probes)	capability	
	2412-2462	⊠Yes, □No	☐Yes, ⊠No	☐Yes, ⊠No	☐ Yes, ⊠No
	2422-2452	⊠Yes, □No	☐Yes, ⊠No	☐Yes, ⊠No	☐Yes, ⊠No
	5180-5240	⊠Yes, □No	☐Yes, ⊠No	☐Yes,⊠No	☐ Yes, 🖂 No
	5260-5320	⊠Yes, □No	☐Yes, ⊠No	☐Yes, ⊠No	☐Yes, ⊠No
	5500-5700	⊠Yes, □No	☐Yes, ⊠No	☐Yes, ⊠No	☐Yes, ⊠No
	5745-5825	⊠Yes, □No	☐Yes, ⊠No	☐Yes, ⊠No	☐ Yes, ⊠No
(3)	(3) Country code selection ability - ☐ Yes, ☑ No If yes, pls explain how it was implemented: (pls also help to provide detail of options for each country selection)				
(4)	Meet 15.202 requirement - ☑Yes, ☐No, Pls check below: ☐A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices. ☑A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network.				



(5)	For client devices that have software configuration control to operate in different modes (active
	scanning in some and passive scanning in others) in different bands (devices with multiple
	equipment classes or those that operate on non-DFS frequencies) or modular devices which
	configure the modes of operations through software, the application must provide software and
	operations description on how the software and / or hardware is implemented to ensure that
	proper operations modes can not be modified by end user or an installer.
	☐ Apply, ☐ No Apply (If apply, pls help to provide explanation on it was implement, and how
	software was controlled)

(6) Please help to provide justification how device was restricted to operate in 5600-5650MHz in below.

The frequency bands of 5600-5650MHz is disabled in the frequency table, so the W3TR8812BU1 will not be operated in 5600-5650MHz.

Matthew Thompson (Signature)

Fleetmind Seon Solutions Inc Matthew Thompson / Engineering Manager

Phone: 604 941 0880

E-Mail: matthew.thompson@seon.com