

EXO 8 External Photos



Front (With and without cartridge cover)




Back (With and without battery)



Top



Bottom



Two side-by-side photographs of the EXOB 7L2R24 activation device. The left image shows the front panel with three circular ports and a red protective cover. The right image shows the back panel with three circular ports and a red protective cover. Both panels feature a label with technical specifications and a 'DEMO' marking.

Left Side



The image displays two views of a Blackline battery, a large, rectangular, black unit with a textured surface.

Left View (Front): The battery features a white label at the top with technical specifications: "3.2V 144Ah (1810Wh) LFP/PO4 Rechargeable Battery", "UNIT ID: 1403008555", "MODEL: ACC-GTExD-BAT", "20°C to 45°C (68°F to 113°F)", "WARNING: Charge only in a non-hazardous location. Use only with GTExD-A and GTExD-AZ.", "AVERTISSEMENT: Chargez dans un environnement non-dangereux. Utilisez uniquement avec GTExD-A (RINA2 EUS AZ)", "2024", and "Made in Canada". Below this is a red "WARNING" label with the text: "Do not charge battery below 0°C (32°F) or above 45°C (113°F). Only use Blackline Safety approved charger."

Right View (Back): The battery has a red label with a white battery icon and a charging symbol. The text on the label reads: "Fully charge before first use. Assurez-vous de charger la batterie avant la première utilisation. Cargar completamente antes del primer uso. Vor dem ersten Gebrauch vollständig aufladen. Caricare completamente prima del primo utilizzo. Volledig opladen voor het eerste gebruik. Carregar completamente antes da primeira utilização." Below the text is a QR code and the "blackline safety" logo.

Battery Sides



Battery Top



Battery Bottom

