

RF TEST REPORT



Report No.: 15070591-FCC-R5

Supersede Report No.: N/A

Applicant	Verykool USA Inc	
Product Name	Mobile phone	
Model No.	SL5009	
Serial No.	N/A	
Test Standard	FCC Part 22(H), FCC Part 24(E), FCC Part 27: 2014; ANSI/TIA C603 D: 2010	
Test Date	July 21 to July 31, 2015	
Issue Date	August 03, 2015	
Test Result	☒ Pass ☐ Fail	
Equipment complied with the specification ☒		
Equipment did not comply with the specification ☐		
<i>Winnie Zhang</i>	<i>David Huang</i>	
Winnie Zhang Test Engineer	David Huang Checked By	
This test report may be reproduced in full only Test result presented in this test report is applicable to the tested sample only		

Issued by:

SIEMIC (SHENZHEN-CHINA) LABORATORIES

Zone A, Floor 1, Building 2 Wan Ye Long Technology Park

South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong China 518108

Phone: +86 0755 2601 4629801 Email: China@siemic.com.cn

Laboratories Introduction

SIEMIC, headquartered in the heart of Silicon Valley, with superior facilities in US and Asia, is one of the leading independent testing and certification facilities providing customers with one-stop shop services for Compliance Testing and Global Certifications.



In addition to testing and certification, SIEMIC provides initial design reviews and compliance management throughout a project. Our extensive experience with China, Asia Pacific, North America, European, and International compliance requirements, assures the fastest, most cost effective way to attain regulatory compliance for the global markets.

Accreditations for Conformity Assessment

Country/Region	Scope
USA	EMC, RF/Wireless, SAR, Telecom
Canada	EMC, RF/Wireless, SAR, Telecom
Taiwan	EMC, RF, Telecom, SAR, Safety
Hong Kong	RF/Wireless, SAR, Telecom
Australia	EMC, RF, Telecom, SAR, Safety
Korea	EMI, EMS, RF, SAR, Telecom, Safety
Japan	EMI, RF/Wireless, SAR, Telecom
Singapore	EMC, RF, SAR, Telecom
Europe	EMC, RF, SAR, Telecom, Safety

Test Report	15070591-FCC-R5
Page	3 of 149

This page has been left blank intentionally.

CONTENTS

1. REPORT REVISION HISTORY	5
2. CUSTOMER INFORMATION	5
3. TEST SITE INFORMATION	5
4. EQUIPMENT UNDER TEST (EUT) INFORMATION	6
5. TEST SUMMARY	9
6. MEASUREMENTS, EXAMINATION AND DERIVED RESULTS	10
6.1 RF EXPOSURE (SAR).....	10
6.2 RF OUTPUT POWER	11
6.3 PEAK-AVERAGE RATIO.....	52
6.4 MODULATION CHARACTERISTIC.....	55
6.5 OCCUPIED BANDWIDTH.....	56
6.6 SPURIOUS EMISSIONS AT ANTENNA TERMINALS	89
6.7 SPURIOUS RADIATED EMISSIONS	96
6.8 BAND EDGE.....	103
6.9 BAND EDGE 27.53(M).....	127
6.10 FREQUENCY STABILITY	133
ANNEX A. TEST INSTRUMENT.....	138
ANNEX B. EUT AND TEST SETUP PHOTOGRAPHS.....	139
ANNEX C. TEST SETUP AND SUPPORTING EQUIPMENT.....	145
ANNEX C.II. EUT OPERATING CONKITIONS	147
ANNEX D. USER MANUAL / BLOCK DIAGRAM / SCHEMATICS / PARTLIST	148
ANNEX E. DECLARATION OF SIMILARITY	149

1. Report Revision History

Report No.	Report Version	Description	Issue Date
15070591-FCC-R5	NONE	Original	August 03, 2015

2. Customer information

Applicant Name	Verykool USA Inc
Applicant Add	3636 Nobel Drive, Suite 325, San Diego, CA 92122 USA
Manufacturer	Zechin Communications Co.,Ltd.
Manufacturer Add	Unit804,8th Floor Desay Tech Building Gaoxin, Road South, Nanshan District Shenzhen,China

3. Test site information

Lab performing tests	SIEMIC (Shenzhen-China) LABORATORIES
Lab Address	Zone A, Floor 1, Building 2 Wan Ye Long Technology Park South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong China 518108
FCC Test Site No.	718246
IC Test Site No.	4842E-1
Test Software	Radiated Emission Program-To Shenzhen v2.0

4. Equipment under Test (EUT) Information

Description of EUT: Mobile phone

Main Model: SL5009

Serial Model: N/A

Date EUT received: July 20, 2015

Test Date(s): July 21 to July 31, 2015

Equipment Category : PCE

Antenna Gain:

GSM850: 1.6 dBi
 PCS1900: 3.8 dBi
 UMTS-FDD Band V: 1.7 dBi
 UMTS-FDD Band IV: 3.7 dBi
 UMTS-FDD Band II: 3.8 dBi
 Bluetooth/BLE: 3 dBi
 WIFI: 2.9 dBi
 LTE Band 2: 3.8 dBi
 LTE Band 4: 3.8 dBi
 LTE Band 5: 3.8 dBi
 LTE Band 7: 3.8 dBi
 LTE Band 12: 3.8 dBi
 LTE Band 17: 3.8 dBi
 GPS: 1.6 dBi

Type of Modulation:

GSM / GPRS: GMSK
 EGPRS: GMSK, 8PSK
 UMTS-FDD: QPSK, 16QAM
 802.11b/g/n: DSSS, OFDM
 Bluetooth: GFSK, $\pi/4$ DQPSK, 8DPSK
 BLE: GFSK
 LTE Band: QPSK, 16QAM
 GPS: BPSK

	GSM850 TX: 824.2 ~ 848.8 MHz; RX: 869.2 ~ 893.8 MHz
	PCS1900 TX: 1850.2 ~ 1909.8 MHz; RX: 1930.2 ~ 1989.8 MHz
	UMTS-FDD Band V TX: 826.4 ~ 846.6 MHz; RX: 871.4 ~ 891.6 MHz
	UMTS-FDD Band IV TX:1712.4 ~ 1752.6 MHz;
	UMTS-FDD Band II TX:1852.4 ~ 1907.6 MHz;
	RX: 1932.4 ~ 1987.6 MHz
	WiFi:802.11b/g/n(20M): 2412-2462 MHz
	WiFi:802.11n(40M): 2422-2472 MHz
RF Operating Frequency (ies):	Bluetooth& BLE: 2402-2480 MHz
	LTE Band 2 TX: 1852.5 ~ 1907.5 MHz; RX : 1932.5 ~ 1987.5 MHz
	LTE Band 4 TX: 1712.5 ~ 1752.5 MHz; RX : 2112.5 ~ 2152.5 MHz
	LTE Band 5 TX: 826.5 ~ 846.5 MHz; RX : 871.5 ~ 891.5 MHz
	LTE Band 7 TX: 2502.5 ~ 2567.5 MHz; RX : 2622.5 ~ 2687.5 MHz
	LTE Band 12 TX:699.7 ~ 715.3 MHz; RX : 729.7~ 745.3MHz
	LTE Band 17 TX: 706.5 ~ 713.5 MHz; RX : 736.5 ~ 743.5 MHz
	GPS RX:1575.42 MHz
	LTE Band 2: 22.69 dBm
	LTE Band 4: 22.77 dBm
Maximum Conducted	LTE Band 5: 22.76 dBm
AV Power to Antenna:	LTE Band 7: 22.28 dBm
	LTE Band 12: 21.65 dBm
	LTE Band 17: 22.13 dBm
	LTE Band 2: 16.97 dBm / EIRP
	LTE Band 4: 17.17 dBm / EIRP
ERP/EIRP:	LTE Band 5: 17.18 dBm / EIRP
	LTE Band 7: 16.97 dBm / EIRP
	LTE Band 12: 16.24 dBm / EIRP
	LTE Band 17: 18.79 dBm / ERP
Port:	Power Port, Earphone Port, USB Port
	Battery:
	Model:344482PV
Input Power:	Spec:3.8V,1900mAh,7.22Wh
	Limited Charging Voltage: 4.35V
	Adapter:
	Model:SC050100-US

Test Report	15070591-FCC-R5
Page	8 of 149

Input: 100-240V; 50/60Hz; 0.4A

Output: DC 5.0V,1A

Trade Name : verykool

GPRS/EGPRS Multi-slot class 8/10/12

FCC ID: WA6SL5009

5. Test Summary

The product was tested in accordance with the following specifications.

All testing has been performed according to below product classification:

FCC Rules	Description of Test	Result
§ 1.1307; § 2.1093	RF Exposure (SAR)	Compliance
§2.1046; § 22.913(a); § 24.232(c); § 27.50(c.10); § 27.50(d.4)	RF Output Power	Compliance
§ 24.232 (d); § 27.50(d)	Peak-Average Ratio	Compliance
§ 2.1047	Modulation Characteristics	Compliance
§ 2.1049; § 22.905; § 22.917; § 24.238; § 27.53(a.5)	99% & -26 dB Occupied Bandwidth	Compliance
§ 2.1051; § 22.917(a); § 24.238(a); § 27.53(h)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917(a); § 24.238(a); § 27.53(h)	Field Strength of Spurious Radiation	Compliance
§ 22.917(a); § 24.238(a); § 27.53(m)	Out of band emission, Band Edge	Compliance
§ 27.53(m)	Band Edge 27.53(m)	Compliance
§ 2.1055; § 22.355; § 24.235; § 27.5(h); § 27.54	Frequency stability vs. temperature Frequency stability vs. voltage	Compliance

Note: Testing was performed by configuring EUT to maximum output power status, the declared output power class for different

Measurement Uncertainty

Emissions		
Test Item	Description	Uncertainty
Band Edge and Radiated Spurious Emissions	Confidence level of approximately 95% (in the case where distributions are normal), with a coverage factor of 2 (for EUTs < 0.5m X 0.5m X 0.5m)	+5.6dB/-4.5dB
-	-	-

6. MEASUREMENTS, EXAMINATION AND DERIVED RESULTS

6.1 RF Exposure (SAR)

Test Result: Pass


The EUT is a portable device, thus requires SAR evaluation;
Please refer to RF Exposure Evaluation Report: 15070591-FCC-H.

6.2 RF Output Power

Temperature	22°C
Relative Humidity	57%
Atmospheric Pressure	1005mbar
Test date :	August 05, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§22.913 (a)	a)	ERP:38.45dBm	☒
§24.232 (c)	b)	EIRP:33dBm	☒
§27.50 (c)	c)	EIRP: 30dBm	☒

Test Setup	 The diagram illustrates the test setup. On the left, a green rectangular box represents the 'Base Station'. A cable connects it to a blue rectangular box on the right, which is labeled 'EUT' (Equipment Under Test). The connection is shown as a simple line with a small square at the Base Station end and a small circle at the EUT end.
------------	---

Test Procedure	For Conducted Power: - The transmitter output port was connected to base station. - Set EUT at maximum power through base station. - Select lowest, middle, and highest channels for each band and different test mode. For ERP/EIRP: - The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable. - The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis. - The frequency range up to tenth harmonic of the fundamental frequency was investigated.
----------------	---

Test Report	15070591-FCC-R5
Page	12 of 149

	- Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution. - Spurious emissions in dB = $10 \log (\text{TX power in Watts}/0.001)$ – the absolute level - Spurious attenuation limit in dB = $43 + 10 \log_{10} (\text{power out in Watts})$.
Remark	
Result	☒ Pass ☐ Fail

Test Data ☒ Yes ☐ N/A

Test Plot ☐ Yes (See below) ☒ N/A

Conducted Power

LTE Band 2:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
20MHz	18700	1860.0	QPSK	1	0	0	22.17	22±1
				1	49	0	22.30	22±1
				1	99	0	22.34	22±1
				50	0	1	21.40	22±1
				50	24	1	21.44	22±1
				50	49	1	21.39	22±1
			16QAM	100	0	1	21.37	22±1
				1	0	1	21.77	21.3±1
				1	49	1	21.82	21.3±1
				1	99	1	21.84	21.3±1
				50	0	2	21.36	21.3±1
				50	24	2	21.43	21.3±1
				50	49	2	21.21	21.3±1
				100	0	2	20.59	21.3±1
	18900	1880.0	QPSK	1	0	0	22.41	22±1
				1	49	0	22.45	22±1
				1	99	0	22.44	22±1
				50	0	1	21.59	22±1
				50	24	1	21.57	22±1
				50	49	1	21.55	22±1
			16QAM	100	0	1	21.51	22±1
				1	0	1	21.93	21.3±1
				1	49	1	21.97	21.3±1
				1	99	1	21.95	21.3±1
				50	0	2	21.57	21.3±1
				50	24	2	21.43	21.3±1
				50	49	2	21.56	21.3±1
				100	0	2	20.71	21.3±1
	19100	1900.0	QPSK	1	0	0	22.56	22±1
				1	49	0	22.69	22±1
				1	99	0	22.58	22±1
				50	0	1	21.58	22±1
				50	24	1	21.63	22±1
				50	49	1	21.54	22±1
			16QAM	100	0	1	21.52	22±1
				1	0	1	21.53	21.3±1
				1	49	1	21.60	21.3±1
				1	99	1	21.50	21.3±1
				50	0	2	21.37	21.3±1
				50	24	2	21.39	21.3±1
				50	49	2	21.34	21.3±1
				100	0	2	20.57	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
15MHz	18675	1857.5	QPSK	1	0	0	22.31	22±1
				1	37	0	22.34	22±1
				1	74	0	22.37	22±1
				36	0	1	21.30	22±1
				36	16	1	21.34	22±1
				36	35	1	21.31	22±1
				75	0	1	21.27	22±1
			16QAM	1	0	1	21.86	22±1
				1	37	1	21.90	22±1
				1	74	1	21.92	22±1
				36	0	2	21.13	22±1
				36	16	2	21.09	22±1
				36	35	2	21.21	22±1
				75	0	2	21.13	22±1
	18900	1880.0	QPSK	1	0	0	22.18	22±1
				1	37	0	22.23	22±1
				1	74	0	22.24	22±1
				36	0	1	21.44	22±1
				36	16	1	21.47	22±1
				36	35	1	21.40	22±1
				75	0	1	21.41	22±1
			16QAM	1	0	1	22.06	21.3±1
				1	37	1	22.05	21.3±1
				1	74	1	22.06	21.3±1
				36	0	2	21.13	21.3±1
				36	16	2	21.23	21.3±1
				36	35	2	21.34	21.3±1
				75	0	2	20.71	21.3±1
	19125	1902.5	QPSK	1	0	0	22.42	22±1
				1	37	0	22.48	22±1
				1	74	0	22.49	22±1
				36	0	1	21.44	22±1
				36	16	1	21.48	22±1
				36	35	1	21.41	22±1
				75	0	1	21.46	22±1
			16QAM	1	0	1	21.38	21.3±1
				1	37	1	21.36	21.3±1
				1	74	1	21.35	21.3±1
				36	0	2	21.17	21.3±1
				36	16	2	21.24	21.3±1
				36	35	2	21.16	21.3±1
				75	0	2	20.74	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	18650	1855	QPSK	1	0	0	22.26	22±1
				1	24	0	22.28	22±1
				1	49	0	22.25	22±1
				25	0	1	21.28	22±1
				25	12	1	21.26	22±1
				25	24	1	21.19	22±1
				50	0	1	21.29	22±1
			16QAM	1	0	1	21.17	21.3±1
				1	24	1	21.18	21.3±1
				1	49	1	21.15	21.3±1
				25	0	2	21.09	21.3±1
				25	12	2	21.13	21.3±1
				25	24	2	21.04	21.3±1
				50	0	2	20.81	21.3±1
	18900	1880.0	QPSK	1	0	0	22.27	22±1
				1	24	0	22.28	22±1
				1	49	0	22.26	22±1
				25	0	1	21.48	22±1
				25	12	1	21.51	22±1
				25	24	1	21.49	22±1
				50	0	1	21.50	22±1
			16QAM	1	0	1	22.07	21.3±1
				1	24	1	22.10	21.3±1
				1	49	1	22.07	21.3±1
				25	0	2	21.31	21.3±1
				25	12	2	21.43	21.3±1
				25	24	2	21.36	21.3±1
				50	0	2	20.91	21.3±1
	19150	1905	QPSK	1	0	0	22.31	22±1
				1	24	0	22.35	22±1
				1	49	0	22.31	22±1
				25	0	1	21.51	22±1
				25	12	1	21.49	22±1
				25	24	1	21.37	22±1
				50	0	1	21.55	22±1
			16QAM	1	0	1	22.08	21.3±1
				1	24	1	22.07	21.3±1
				1	49	1	21.99	21.3±1
				25	0	2	21.43	21.3±1
				25	12	2	21.37	21.3±1
				25	24	2	21.29	21.3±1
				50	0	2	20.85	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	18625	1852.5	QPSK	1	0	0	22.45	22±1
				1	12	0	22.44	22±1
				1	24	0	22.40	22±1
				12	0	1	21.52	22±1
				12	6	1	21.56	22±1
				12	11	1	21.51	22±1
				25	0	1	21.46	22±1
			16QAM	1	0	1	21.48	21.3±1
				1	12	1	21.49	21.3±1
				1	24	1	21.44	21.3±1
				12	0	2	21.37	21.3±1
				12	6	2	21.42	21.3±1
				12	11	2	21.33	21.3±1
				25	0	2	20.74	21.3±1
	18900	1880.0	QPSK	1	0	0	22.41	22±1
				1	12	0	22.42	22±1
				1	24	0	22.37	22±1
				12	0	1	21.51	22±1
				12	6	1	21.61	22±1
				12	11	1	21.53	22±1
				25	0	1	21.48	22±1
			16QAM	1	0	1	21.94	21.3±1
				1	12	1	21.96	21.3±1
				1	24	1	21.89	21.3±1
				12	0	2	21.21	21.3±1
				12	6	2	21.37	21.3±1
				12	11	2	21.18	21.3±1
				25	0	2	20.52	21.3±1
	19175	1907.5	QPSK	1	0	0	22.37	22±1
				1	12	0	22.41	22±1
				1	24	0	22.34	22±1
				12	0	1	21.52	22±1
				12	6	1	21.56	22±1
				12	11	1	21.53	22±1
				25	0	1	21.47	22±1
			16QAM	1	0	1	21.51	21.3±1
				1	12	1	21.45	21.3±1
				1	24	1	21.44	21.3±1
				12	0	2	21.18	21.3±1
				12	6	2	21.27	21.3±1
				12	11	2	21.13	21.3±1
				25	0	2	20.72	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	18625	1852.5	QPSK	1	0	0	22.01	22±1
				1	7	0	22.04	22±1
				1	14	0	22.01	22±1
				8	0	1	21.17	22±1
				8	4	1	21.23	22±1
				8	7	1	21.23	22±1
				15	0	1	21.24	22±1
			16QAM	1	0	1	21.77	21.3±1
				1	7	1	21.73	21.3±1
				1	14	1	21.79	21.3±1
				8	0	2	21.18	21.3±1
				8	4	2	21.16	21.3±1
				8	7	2	20.98	21.3±1
				15	0	2	20.57	21.3±1
	18900	1880.0	QPSK	1	0	0	22.35	22±1
				1	7	0	22.41	22±1
				1	14	0	22.37	22±1
				8	0	1	21.31	22±1
				8	4	1	21.37	22±1
				8	7	1	21.29	22±1
				15	0	1	21.41	22±1
			16QAM	1	0	1	21.32	21.3±1
				1	7	1	21.33	21.3±1
				1	14	1	21.29	21.3±1
				8	0	2	21.03	21.3±1
				8	4	2	21.28	21.3±1
				8	7	2	21.16	21.3±1
				15	0	2	20.54	21.3±1
	19175	1907.5	QPSK	1	0	0	22.41	22±1
				1	7	0	22.44	22±1
				1	14	0	22.42	22±1
				8	0	1	21.33	22±1
				8	4	1	21.45	22±1
				8	7	1	21.36	22±1
				15	0	1	21.48	22±1
			16QAM	1	0	1	21.45	21.3±1
				1	7	1	21.43	21.3±1
				1	14	1	21.41	21.3±1
				8	0	2	21.35	21.3±1
				8	4	2	21.16	21.3±1
				8	7	2	21.41	21.3±1
				15	0	2	20.67	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	18607	1850.7	QPSK	1	0	0	22.08	22±1
				1	2	0	22.10	22±1
				1	5	0	22.12	22±1
				3	0	0	22.37	22±1
				3	1	0	22.39	22±1
				3	2	0	22.31	22±1
				6	0	1	21.17	22±1
			16QAM	1	0	1	20.86	21.3±1
				1	2	1	20.88	21.3±1
				1	5	1	20.89	21.3±1
				3	0	1	20.76	21.3±1
				3	1	1	20.65	21.3±1
				3	2	1	20.77	21.3±1
				6	0	2	20.61	21.3±1
	18900	1880.0	QPSK	1	0	0	22.40	22±1
				1	2	0	22.43	22±1
				1	5	0	22.45	22±1
				3	0	0	22.64	22±1
				3	1	0	22.62	21±1
				3	2	0	22.69	22±1
				6	0	1	21.35	22±1
			16QAM	1	0	1	21.33	21.3±1
				1	2	1	21.36	21.3±1
				1	5	1	21.35	21.3±1
				3	0	1	21.27	21.3±1
				3	1	1	21.23	21.3±1
				3	2	1	21.26	21.3±1
				6	0	2	20.48	21.3±1
	19193	1909.3	QPSK	1	0	0	22.44	22±1
				1	2	0	22.50	22±1
				1	5	0	22.48	22±1
				3	0	0	22.55	22±1
				3	1	0	22.64	22±1
				3	2	0	22.60	22±1
				6	0	1	21.36	21±1
			16QAM	1	0	1	21.42	21.3±1
				1	2	1	21.53	21.3±1
				1	5	1	21.47	21.3±1
				3	0	1	21.24	21.3±1
				3	1	1	21.35	21.3±1
				3	2	1	21.21	21.3±1
				6	0	2	20.34	21.3±1

LTE Band 4:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
20MHz	20050	1720.0	QPSK	1	0	0	22.19	22 ± 1
				1	49	0	22.21	22 ± 1
				1	99	0	22.15	22 ± 1
				50	0	1	21.74	22 ± 1
				50	24	1	21.78	22 ± 1
				50	49	1	21.75	22 ± 1
				100	0	1	21.72	22 ± 1
			16QAM	1	0	1	21.73	22 ± 1
				1	49	1	21.72	22 ± 1
				1	99	1	21.65	22 ± 1
				50	0	2	21.47	22 ± 1
				50	24	2	21.51	22 ± 1
				50	49	2	21.46	22 ± 1
				100	0	2	21.37	22 ± 1
	20175	1732.5	QPSK	1	0	0	21.69	22 ± 1
				1	49	0	21.65	22 ± 1
				1	99	0	21.63	22 ± 1
				50	0	1	22.03	22 ± 1
				50	24	1	21.88	22 ± 1
				50	49	1	21.69	22 ± 1
				100	0	1	21.52	22 ± 1
			16QAM	1	0	1	22.01	22 ± 1
				1	49	1	21.90	22 ± 1
				1	99	1	21.89	22 ± 1
				50	0	2	21.56	22 ± 1
				50	24	2	21.34	22 ± 1
				50	49	2	21.47	22 ± 1
				100	0	2	21.52	22 ± 1
	20300	1745.0	QPSK	1	0	0	21.49	22 ± 1
				1	49	0	21.46	22 ± 1
				1	99	0	21.41	22 ± 1
				50	0	1	21.51	22 ± 1
				50	24	1	21.48	22 ± 1
				50	49	1	21.53	22 ± 1
				100	0	1	21.52	22 ± 1
			16QAM	1	0	1	22.02	22 ± 1
				1	49	1	21.98	22 ± 1
				1	99	1	21.93	22 ± 1
				50	0	2	21.36	22 ± 1
				50	24	2	21.49	22 ± 1
				50	49	2	21.51	22 ± 1
				100	0	2	21.60	22 ± 1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
15MHz	20025	1717.5	QPSK	1	0	0	21.45	22 ± 1
				1	37	0	21.44	22 ± 1
				1	74	0	21.42	22 ± 1
				36	0	1	21.59	22 ± 1
				36	16	1	21.61	22 ± 1
				36	35	1	21.58	22 ± 1
				75	0	1	21.60	22 ± 1
			16QAM	1	0	1	22.19	22 ± 1
				1	37	1	22.21	22 ± 1
				1	74	1	22.17	22 ± 1
				36	0	2	21.16	22 ± 1
				36	16	2	21.34	22 ± 1
				36	35	2	21.45	22 ± 1
				75	0	2	21.84	22 ± 1
	20175	1732.5	QPSK	1	0	0	21.59	22 ± 1
				1	37	0	21.56	22 ± 1
				1	74	0	21.55	22 ± 1
				36	0	1	21.54	22 ± 1
				36	16	1	21.53	22 ± 1
				36	35	1	21.56	22 ± 1
				75	0	1	21.55	22 ± 1
			16QAM	1	0	1	21.43	22 ± 1
				1	37	1	21.41	22 ± 1
				1	74	1	21.37	22 ± 1
				36	0	2	21.48	22 ± 1
				36	16	2	21.43	22 ± 1
				36	35	2	21.34	22 ± 1
				75	0	2	21.51	22 ± 1
	20325	1747.5	QPSK	1	0	0	21.36	22 ± 1
				1	37	0	21.34	22 ± 1
				1	74	0	21.35	22 ± 1
				36	0	1	21.51	22 ± 1
				36	16	1	21.47	22 ± 1
				36	35	1	21.54	22 ± 1
				75	0	1	21.52	22 ± 1
			16QAM	1	0	1	22.12	22 ± 1
				1	37	1	22.13	22 ± 1
				1	74	1	22.14	22 ± 1
				36	0	2	21.52	22 ± 1
				36	16	2	21.54	22 ± 1
				36	35	2	21.65	22 ± 1
				75	0	2	21.77	22 ± 1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	20000	1715.0	QPSK	1	0	0	22.19	22±1
				1	24	0	22.13	22±1
				1	49	0	22.08	22±1
				25	0	1	21.45	22±1
				25	12	1	21.38	22±1
				25	24	1	21.35	22±1
			16QAM	50	0	1	21.23	22±1
				1	0	1	21.67	22±1
				1	24	1	21.73	22±1
				1	49	1	21.56	22±1
				25	0	2	21.26	22±1
				25	12	2	21.28	22±1
				25	24	2	21.31	22±1
	20175	1732.5	QPSK	50	0	2	21.12	22±1
				1	0	0	22.03	22±1
				1	24	0	22.18	22±1
				1	49	0	22.15	22±1
				25	0	1	21.34	22±1
				25	12	1	21.53	22±1
			16QAM	25	24	1	21.43	22±1
				50	0	1	21.09	22±1
				1	0	1	21.47	22±1
				1	24	1	21.56	22±1
				1	49	1	21.34	22±1
				25	0	2	21.12	22±1
	20350	1750.0	QPSK	25	12	2	21.28	22±1
				25	24	2	21.29	22±1
				25	24	1	21.16	22±1
				50	0	1	21.11	22±1
			16QAM	1	0	1	21.98	22±1
				1	24	1	21.76	22±1
				1	49	1	21.84	22±1
				25	0	2	21.23	22±1
				25	12	2	21.12	22±1
				25	24	2	21.14	22±1
				50	0	2	21.01	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	20000	1715.0	QPSK	1	0	0	22.33	22±1
				1	12	0	22.37	22±1
				1	24	0	22.30	22±1
				12	0	1	21.22	22±1
				12	6	1	21.31	22±1
				12	11	1	21.21	22±1
				25	0	1	21.19	22±1
			16QAM	1	0	1	21.38	21.3±1
				1	12	1	21.34	21.3±1
				1	24	1	21.29	21.3±1
				12	0	2	20.98	21.3±1
				12	6	2	21.03	21.3±1
				12	11	2	20.97	21.3±1
				25	0	2	20.34	21.3±1
	20175	1732.5	QPSK	1	0	0	22.13	22±1
				1	12	0	22.24	22±1
				1	24	0	22.31	22±1
				12	0	1	21.43	22±1
				12	6	1	21.46	22±1
				12	11	1	21.39	22±1
				25	0	1	21.14	22±1
			16QAM	1	0	1	21.64	21.3±1
				1	12	1	21.56	21.3±1
				1	24	1	21.47	21.3±1
				12	0	2	20.98	21.3±1
				12	6	2	21.31	21.3±1
				12	11	2	20.86	21.3±1
				25	0	2	20.61	21.3±1
	20350	1750.0	QPSK	1	0	0	22.21	22±1
				1	12	0	22.36	22±1
				1	24	0	22.29	22±1
				12	0	1	21.34	22±1
				12	6	1	21.22	22±1
				12	11	1	21.31	22±1
				25	0	1	21.13	22±1
			16QAM	1	0	1	21.26	21.3±1
				1	12	1	21.43	21.3±1
				1	24	1	21.37	21.3±1
				12	0	2	21.09	21.3±1
				12	6	2	20.98	21.3±1
				12	11	2	20.87	21.3±1
				25	0	2	20.57	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	19965	1711.5	QPSK	1	0	0	22.62	22±1
				1	7	0	22.61	22±1
				1	14	0	22.58	22±1
				8	0	1	21.59	22±1
				8	4	1	21.47	22±1
				8	7	1	21.58	22±1
				15	0	1	21.46	22±1
			16QAM	1	0	1	21.57	21.3±1
				1	7	1	21.58	21.3±1
				1	14	1	21.51	21.3±1
				8	0	2	21.47	21.3±1
				8	4	2	21.36	21.3±1
				8	7	2	21.41	21.3±1
				15	0	2	21.09	21.3±1
	20175	1732.5	QPSK	1	0	0	22.26	22±1
				1	7	0	22.36	22±1
				1	14	0	22.31	22±1
				8	0	1	21.33	22±1
				8	4	1	21.46	22±1
				8	7	1	21.30	22±1
				15	0	1	21.29	22±1
			16QAM	1	0	1	21.23	21.3±1
				1	7	1	21.21	21.3±1
				1	14	1	21.19	21.3±1
				8	0	2	21.08	21.3±1
				8	4	2	21.11	21.3±1
				8	7	2	21.09	21.3±1
				15	0	2	20.64	21.3±1
	20385	1753.5	QPSK	1	0	0	22.43	22±1
				1	7	0	22.56	22±1
				1	14	0	22.47	22±1
				8	0	1	21.46	22±1
				8	4	1	21.51	22±1
				8	7	1	21.64	22±1
				15	0	1	21.34	22±1
			16QAM	1	0	1	21.47	22±1
				1	7	1	21.52	22±1
				1	14	1	21.39	22±1
				8	0	2	21.23	22±1
				8	4	2	21.26	22±1
				8	7	2	21.37	22±1
				15	0	2	21.01	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	19957	1710.7	QPSK	1	0	0	22.64	22±1
				1	2	0	22.61	22±1
				1	5	0	22.65	22±1
				3	0	0	22.71	22±1
				3	1	0	22.77	22±1
				3	2	0	22.70	22±1
				6	0	1	21.61	22±1
			16QAM	1	0	1	21.46	21.3±1
				1	2	1	21.43	21.3±1
				1	5	1	21.48	21.3±1
				3	0	1	21.37	21.3±1
				3	1	1	21.36	21.3±1
				3	2	1	21.38	21.3±1
				6	0	2	20.98	21.3±1
	20175	1732.5	QPSK	1	0	0	22.35	22±1
				1	2	0	22.37	22±1
				1	5	0	22.38	22±1
				3	0	0	22.46	22±1
				3	1	0	22.51	22±1
				3	2	0	22.45	22±1
				6	0	1	21.35	22±1
			16QAM	1	0	1	21.22	21.3±1
				1	2	1	21.25	21.3±1
				1	5	1	21.24	21.3±1
				3	0	1	21.19	21.3±1
				3	1	1	21.16	21.3±1
				3	2	1	20.98	21.3±1
				6	0	2	20.57	21.3±1
	20393	1754.3	QPSK	1	0	0	22.47	22±1
				1	2	0	22.45	22±1
				1	5	0	22.43	22±1
				3	0	0	22.37	22±1
				3	1	0	22.35	22±1
				3	2	0	22.38	22±1
				6	0	1	21.39	22±1
			16QAM	1	0	1	22.44	22±1
				1	2	1	22.48	22±1
				1	5	1	22.47	22±1
				3	0	1	22.16	22±1
				3	1	1	22.23	22±1
				3	2	1	22.17	22±1
				6	0	2	21.71	22±1

LTE Band 5:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	20450	829	QPSK	1	0	0	22.76	22±1
				1	24	0	22.67	22±1
				1	49	0	22.66	22±1
				25	0	1	21.59	22±1
				25	12	1	21.61	22±1
				25	24	1	21.58	22±1
				50	0	1	21.58	22±1
			16QAM	1	0	1	21.51	21.3±1
				1	24	1	21.49	21.3±1
				1	49	1	21.50	21.3±1
				25	0	2	21.35	21.3±1
				25	12	2	21.31	21.3±1
				25	24	2	21.34	21.3±1
				50	0	2	20.89	21.3±1
	20525	836.5	QPSK	1	0	0	22.48	22±1
				1	24	0	22.56	22±1
				1	49	0	22.51	22±1
				25	0	1	21.64	22±1
				25	12	1	21.37	22±1
				25	24	1	21.23	22±1
				50	0	1	21.13	22±1
			16QAM	1	0	1	21.46	21.3±1
				1	24	1	21.37	21.3±1
				1	49	1	21.49	21.3±1
				25	0	2	21.28	21.3±1
				25	12	2	21.34	21.3±1
				25	24	2	21.37	21.3±1
				50	0	2	20.79	21.3±1
	20600	844	QPSK	1	0	0	22.64	22±1
				1	24	0	22.39	22±1
				1	49	0	22.48	22±1
				25	0	1	21.56	22±1
				25	12	1	21.64	22±1
				25	24	1	21.37	22±1
				50	0	1	21.24	22±1
			16QAM	1	0	1	21.38	21.3±1
				1	24	1	21.29	21.3±1
				1	49	1	21.43	21.3±1
				25	0	2	21.17	21.3±1
				25	12	2	21.24	21.3±1
				25	24	2	21.34	21.3±1
				50	0	2	20.77	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	20425	826.5	QPSK	1	0	0	22.65	22±1
				1	12	0	22.63	22±1
				1	24	0	22.63	22±1
				12	0	1	21.68	22±1
				12	6	1	21.59	22±1
				12	11	1	21.67	22±1
				25	0	1	21.65	22±1
			16QAM	1	0	1	22.09	21.3±1
				1	12	1	22.10	21.3±1
				1	24	1	22.02	21.3±1
				12	0	2	21.51	21.3±1
				12	6	2	21.37	21.3±1
				12	11	2	21.46	21.3±1
				25	0	2	20.71	21.3±1
	20525	836.5	QPSK	1	0	0	22.48	22±1
				1	12	0	22.52	22±1
				1	24	0	22.54	22±1
				12	0	1	21.77	22±1
				12	6	1	21.91	22±1
				12	11	1	21.79	22±1
				25	0	1	21.59	22±1
			16QAM	1	0	1	22.09	21.3±1
				1	12	1	22.14	21.3±1
				1	24	1	22.07	21.3±1
				12	0	2	21.57	21.3±1
				12	6	2	21.48	21.3±1
				12	11	2	21.34	21.3±1
				25	0	2	20.87	21.3±1
	20625	846.5	QPSK	1	0	0	22.67	22±1
				1	12	0	22.71	22±1
				1	24	0	22.36	22±1
				12	0	1	21.52	22±1
				12	6	1	21.49	22±1
				12	11	1	21.39	22±1
				25	0	1	21.32	22±1
			16QAM	1	0	1	22.21	21.3±1
				1	12	1	22.36	21.3±1
				1	24	1	22.41	21.3±1
				12	0	2	21.37	21.3±1
				12	6	2	21.26	21.3±1
				12	11	2	21.34	21.3±1
				25	0	2	20.71	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	20415	825.5	QPSK	1	0	0	22.49	22±1
				1	7	0	22.55	22±1
				1	14	0	22.47	22±1
				8	0	1	21.63	22±1
				8	4	1	21.66	22±1
				8	7	1	21.65	22±1
				15	0	1	21.64	22±1
			16QAM	1	0	1	22.18	21.3±1
				1	7	1	22.22	21.3±1
				1	14	1	22.12	21.3±1
				8	0	2	21.53	21.3±1
				8	4	2	21.58	21.3±1
				8	7	2	21.56	21.3±1
				15	0	2	20.83	21.3±1
	20525	836.5	QPSK	1	0	0	22.39	22±1
				1	7	0	22.41	22±1
				1	14	0	22.35	22±1
				8	0	1	21.46	22±1
				8	4	1	21.48	22±1
				8	7	1	21.39	22±1
				15	0	1	21.16	22±1
			16QAM	1	0	1	22.13	21.3±1
				1	7	1	22.24	21.3±1
				1	14	1	22.16	21.3±1
				8	0	2	21.19	21.3±1
				8	4	2	21.17	21.3±1
				8	7	2	21.11	21.3±1
				15	0	2	20.78	21.3±1
	20635	847.5	QPSK	1	0	0	22.45	22±1
				1	7	0	22.47	22±1
				1	14	0	22.44	22±1
				8	0	1	21.37	22±1
				8	4	1	21.43	22±1
				8	7	1	21.45	22±1
				15	0	1	21.11	22±1
			16QAM	1	0	1	22.19	21.3±1
				1	7	1	22.16	21.3±1
				1	14	1	22.05	21.3±1
				8	0	2	21.43	21.3±1
				8	4	2	21.38	21.3±1
				8	7	2	21.36	21.3±1
				15	0	2	20.97	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	20407	824.7	QPSK	1	0	0	22.43	22±1
				1	2	0	22.45	22±1
				1	5	0	22.48	22±1
				3	0	0	21.57	22±1
				3	1	0	21.61	22±1
				3	2	0	21.52	22±1
				6	0	1	21.45	22±1
			16QAM	1	0	1	22.14	22±1
				1	2	1	22.15	22±1
				1	5	1	22.18	22±1
				3	0	1	21.43	22±1
				3	1	1	21.51	22±1
				3	2	1	21.46	22±1
				6	0	2	21.29	22±1
	20525	836.5	QPSK	1	0	0	22.31	22±1
				1	2	0	22.39	22±1
				1	5	0	22.35	22±1
				3	0	0	21.48	22±1
				3	1	0	21.43	22±1
				3	2	0	21.36	22±1
				6	0	1	21.13	22±1
			16QAM	1	0	1	22.09	22±1
				1	2	1	22.12	22±1
				1	5	1	22.07	22±1
				3	0	1	21.37	22±1
				3	1	1	21.29	22±1
				3	2	1	21.18	22±1
				6	0	2	21.09	22±1
	20643	848.3	QPSK	1	0	0	22.29	22±1
				1	2	0	22.33	22±1
				1	5	0	22.12	22±1
				3	0	0	21.21	22±1
				3	1	0	21.25	22±1
				3	2	0	21.27	22±1
				6	0	1	21.03	22±1
			16QAM	1	0	1	22.18	21.3±1
				1	2	1	22.13	21.3±1
				1	5	1	22.21	21.3±1
				3	0	1	21.12	21.3±1
				3	1	1	21.23	21.3±1
				3	2	1	21.17	21.3±1
				6	0	2	20.71	21.3±1

LTE Band 7:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
20MHz	20850	2510	QPSK	1	0	0	21.36	21.3±1
				1	49	0	21.30	21.3±1
				1	99	0	21.26	21.3±1
				50	0	1	20.44	21.3±1
				50	24	1	20.50	21.3±1
				50	49	1	20.49	21.3±1
				100	0	1	20.46	21.3±1
			16QAM	1	0	1	21.25	21.3±1
				1	49	1	21.23	21.3±1
				1	99	1	21.22	21.3±1
				50	0	2	21.19	21.3±1
				50	24	2	21.14	21.3±1
				50	49	2	21.20	21.3±1
				100	0	2	20.75	21.3±1
	21100	2535	QPSK	1	0	0	21.68	22±1
				1	49	0	21.75	22±1
				1	99	0	21.74	22±1
				50	0	1	21.86	22±1
				50	24	1	21.72	22±1
				50	49	1	21.66	22±1
				100	0	1	21.35	22±1
			16QAM	1	0	1	21.03	21.3±1
				1	49	1	21.35	21.3±1
				1	99	1	21.34	21.3±1
				50	0	2	21.12	21.3±1
				50	24	2	21.08	21.3±1
				50	49	2	20.98	21.3±1
				100	0	2	20.56	21.3±1
	21350	2560	QPSK	1	0	0	22.26	21.3±1
				1	49	0	22.13	21.3±1
				1	99	0	21.25	21.3±1
				50	0	1	21.44	21.3±1
				50	24	1	21.43	21.3±1
				50	49	1	20.89	21.3±1
				100	0	1	20.84	21.3±1
			16QAM	1	0	1	21.36	21.3±1
				1	49	1	21.40	21.3±1
				1	99	1	20.76	21.3±1
				50	0	2	20.66	21.3±1
				50	24	2	20.82	21.3±1
				50	49	2	20.74	21.3±1
				100	0	2	20.51	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
15MHz	20825	1717.5	QPSK	1	0	0	20.68	21.3±1
				1	37	0	21.65	21.3±1
				1	74	0	21.86	21.3±1
				36	0	1	20.75	21.3±1
				36	16	1	20.81	21.3±1
				36	35	1	20.81	21.3±1
				75	0	1	20.53	21.3±1
			16QAM	1	0	1	20.69	21.3±1
				1	37	1	20.86	21.3±1
				1	74	1	21.55	21.3±1
				36	0	2	21.14	21.3±1
				36	16	2	21.05	21.3±1
				36	35	2	21.13	21.3±1
				75	0	2	20.41	21.3±1
	21100	1732.5	QPSK	1	0	0	21.03	21.3±1
				1	37	0	21.15	21.3±1
				1	74	0	21.26	21.3±1
				36	0	1	20.43	21.3±1
				36	16	1	20.52	21.3±1
				36	35	1	20.45	21.3±1
				75	0	1	20.36	21.3±1
			16QAM	1	0	1	21.23	21.3±1
				1	37	1	21.06	21.3±1
				1	74	1	21.14	21.3±1
				36	0	2	21.34	21.3±1
				36	16	2	21.12	21.3±1
				36	35	2	21.24	21.3±1
				75	0	2	20.43	21.3±1
	21375	1747.5	QPSK	1	0	0	22.28	21.3±1
				1	37	0	21.43	21.3±1
				1	74	0	21.03	21.3±1
				36	0	1	20.88	21.3±1
				36	16	1	21.23	21.3±1
				36	35	1	21.12	21.3±1
				75	0	1	20.56	21.3±1
			16QAM	1	0	1	22.06	21.3±1
				1	37	1	21.25	21.3±1
				1	74	1	21.12	21.3±1
				36	0	2	21.35	21.3±1
				36	16	2	21.04	21.3±1
				36	35	2	21.11	21.3±1
				75	0	2	20.81	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	20800	2502	QPSK	1	0	0	21.34	21.3±1
				1	24	0	21.53	21.3±1
				1	49	0	21.66	21.3±1
				25	0	1	21.23	21.3±1
				25	12	1	21.05	21.3±1
				25	24	1	21.33	21.3±1
				50	0	1	20.68	21.3±1
			16QAM	1	0	1	21.12	21.3±1
				1	24	1	21.04	21.3±1
				1	49	1	21.13	21.3±1
				25	0	2	21.03	21.3±1
				25	12	2	21.06	21.3±1
				25	24	2	21.09	21.3±1
				50	0	2	20.43	21.3±1
	21100	2535	QPSK	1	0	0	21.75	21.3±1
				1	24	0	21.85	21.3±1
				1	49	0	21.26	21.3±1
				25	0	1	20.86	21.3±1
				25	12	1	20.88	21.3±1
				25	24	1	20.56	21.3±1
				50	0	1	20.34	21.3±1
			16QAM	1	0	1	21.45	21.3±1
				1	24	1	21.16	21.3±1
				1	49	1	22.03	21.3±1
				25	0	2	21.53	21.3±1
				25	12	2	21.44	21.3±1
				25	24	2	21.36	21.3±1
				50	0	2	20.62	21.3±1
	21400	2565	QPSK	1	0	0	21.12	21.3±1
				1	24	0	21.23	21.3±1
				1	49	0	21.25	21.3±1
				25	0	1	21.04	21.3±1
				25	12	1	20.55	21.3±1
				25	24	1	21.34	21.3±1
				50	0	1	20.44	21.3±1
			16QAM	1	0	1	21.35	21.3±1
				1	24	1	21.22	21.3±1
				1	49	1	21.05	21.3±1
				25	0	2	20.95	21.3±1
				25	12	2	20.86	21.3±1
				25	24	2	20.79	21.3±1
				50	0	2	20.45	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	19975	1712.5	QPSK	1	0	0	21.53	21.3±1
				1	12	0	21.43	21.3±1
				1	24	0	21.26	21.3±1
				12	0	1	21.15	21.3±1
				12	6	1	21.07	21.3±1
				12	11	1	20.99	21.3±1
				25	0	1	20.53	21.3±1
			16QAM	1	0	1	21.12	21.3±1
				1	12	1	21.13	21.3±1
				1	24	1	21.24	21.3±1
				12	0	2	21.10	21.3±1
				12	6	2	20.86	21.3±1
				12	11	2	20.88	21.3±1
				25	0	2	20.75	21.3±1
	20175	1732.5	QPSK	1	0	0	21.56	21.3±1
				1	12	0	21.23	21.3±1
				1	24	0	21.23	21.3±1
				12	0	1	21.05	21.3±1
				12	6	1	20.86	21.3±1
				12	11	1	20.77	21.3±1
				25	0	1	20.41	21.3±1
			16QAM	1	0	1	21.06	21.3±1
				1	12	1	21.15	21.3±1
				1	24	1	21.23	21.3±1
				12	0	2	21.04	21.3±1
				12	6	2	21.06	21.3±1
				12	11	2	20.85	21.3±1
				25	0	2	20.71	21.3±1
	20375	1752.5	QPSK	1	0	0	21.46	21.3±1
				1	12	0	21.53	21.3±1
				1	24	0	21.39	21.3±1
				12	0	1	21.06	21.3±1
				12	6	1	21.01	21.3±1
				12	11	1	21.12	21.3±1
				25	0	1	20.75	21.3±1
			16QAM	1	0	1	21.43	21.3±1
				1	12	1	21.13	21.3±1
				1	24	1	21.19	21.3±1
				12	0	2	20.82	21.3±1
				12	6	2	21.12	21.3±1
				12	11	2	20.78	21.3±1
				25	0	2	20.63	21.3±1

LTE Band 12:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	23060	704	QPSK	1	0	0	21.56	21.3±1
				1	24	0	21.45	21.3±1
				1	49	0	21.43	21.3±1
				25	0	1	21.05	21.3±1
				25	12	1	21.09	21.3±1
				25	24	1	21.25	21.3±1
				50	0	1	20.85	21.3±1
			16QAM	1	0	1	21.65	21.3±1
				1	24	1	21.26	21.3±1
				1	49	1	21.16	21.3±1
				25	0	2	21.34	21.3±1
				25	12	2	21.27	21.3±1
				25	24	2	21.15	21.3±1
				50	0	2	20.86	21.3±1
	23095	707.5	QPSK	1	0	0	21.85	21.3±1
				1	24	0	21.57	21.3±1
				1	49	0	21.34	21.3±1
				25	0	1	21.09	21.3±1
				25	12	1	21.25	21.3±1
				25	24	1	21.26	21.3±1
				50	0	1	20.91	21.3±1
			16QAM	1	0	1	21.23	21.3±1
				1	24	1	21.36	21.3±1
				1	49	1	21.41	21.3±1
				25	0	2	21.33	21.3±1
				25	12	2	21.25	21.3±1
				25	24	2	21.42	21.3±1
				50	0	2	20.86	21.3±1
	23130	711	QPSK	1	0	0	21.46	21.3±1
				1	24	0	21.53	21.3±1
				1	49	0	21.44	21.3±1
				25	0	1	21.26	21.3±1
				25	12	1	21.24	21.3±1
				25	24	1	21.22	21.3±1
				50	0	1	20.85	21.3±1
			16QAM	1	0	1	21.29	21.3±1
				1	24	1	21.43	21.3±1
				1	49	1	21.39	21.3±1
				25	0	2	21.42	21.3±1
				25	12	2	21.37	21.3±1
				25	24	2	21.35	21.3±1
				50	0	2	20.41	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	23035	701.5	QPSK	1	0	0	21.45	21.3±1
				1	12	0	21.36	21.3±1
				1	24	0	21.15	21.3±1
				12	0	1	21.05	21.3±1
				12	6	1	21.16	21.3±1
				12	11	1	21.13	21.3±1
				25	0	1	20.88	21.3±1
			16QAM	1	0	1	21.63	21.3±1
				1	12	1	21.43	21.3±1
				1	24	1	21.52	21.3±1
				12	0	2	21.24	21.3±1
				12	6	2	21.15	21.3±1
				12	11	2	21.18	21.3±1
				25	0	2	20.81	21.3±1
	23095	707.5	QPSK	1	0	0	21.45	21.3±1
				1	12	0	21.35	21.3±1
				1	24	0	21.52	21.3±1
				12	0	1	21.04	21.3±1
				12	6	1	21.25	21.3±1
				12	11	1	21.12	21.3±1
				25	0	1	20.94	21.3±1
			16QAM	1	0	1	21.53	21.3±1
				1	12	1	21.46	21.3±1
				1	24	1	21.23	21.3±1
				12	0	2	21.11	21.3±1
				12	6	2	21.15	21.3±1
				12	11	2	21.04	21.3±1
				25	0	2	20.76	21.3±1
	23155	713.5	QPSK	1	0	0	21.35	21.3±1
				1	12	0	21.36	21.3±1
				1	24	0	21.35	21.3±1
				12	0	1	21.25	21.3±1
				12	6	1	21.26	21.3±1
				12	11	1	21.33	21.3±1
				25	0	1	20.95	21.3±1
			16QAM	1	0	1	21.52	21.3±1
				1	12	1	21.42	21.3±1
				1	24	1	21.42	21.3±1
				12	0	2	21.35	21.3±1
				12	6	2	21.28	21.3±1
				12	11	2	21.45	21.3±1
				25	0	2	20.92	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	23025	700.5	QPSK	1	0	0	21.36	22±1
				1	7	0	21.42	22±1
				1	14	0	21.29	22±1
				8	0	1	21.35	22±1
				8	4	1	21.55	22±1
				8	7	1	21.15	22±1
				15	0	1	21.06	22±1
			16QAM	1	0	1	21.26	21.3±1
				1	7	1	21.23	21.3±1
				1	14	1	21.19	21.3±1
				8	0	2	21.09	21.3±1
				8	4	2	21.08	21.3±1
				8	7	2	21.11	21.3±1
				15	0	2	20.71	21.3±1
	23095	707.5	QPSK	1	0	0	21.43	21.3±1
				1	7	0	21.41	21.3±1
				1	14	0	21.32	21.3±1
				8	0	1	21.20	21.3±1
				8	4	1	21.15	21.3±1
				8	7	1	21.31	21.3±1
				15	0	1	20.66	21.3±1
			16QAM	1	0	1	21.24	21.3±1
				1	7	1	21.15	21.3±1
				1	14	1	21.15	21.3±1
				8	0	2	21.08	21.3±1
				8	4	2	21.24	21.3±1
				8	7	2	21.03	21.3±1
				15	0	2	20.78	21.3±1
	23025	714.5	QPSK	1	0	0	21.36	22±1
				1	7	0	21.42	22±1
				1	14	0	21.29	22±1
				8	0	1	21.35	22±1
				8	4	1	21.55	22±1
				8	7	1	21.15	22±1
				15	0	1	21.06	22±1
			16QAM	1	0	1	21.26	21.3±1
				1	7	1	21.23	21.3±1
				1	14	1	21.19	21.3±1
				8	0	2	21.09	21.3±1
				8	4	2	21.08	21.3±1
				8	7	2	21.11	21.3±1
				15	0	2	20.71	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	23017	699.7	QPSK	1	0	0	21.53	21.3±1
				1	2	0	21.35	21.3±1
				1	5	0	21.42	21.3±1
				3	0	0	21.36	21.3±1
				3	1	0	21.24	21.3±1
				3	2	0	21.20	21.3±1
				6	0	1	20.68	21.3±1
			16QAM	1	0	1	21.34	21.3±1
				1	2	1	21.36	21.3±1
				1	5	1	21.29	21.3±1
				3	0	1	21.33	21.3±1
				3	1	1	21.06	21.3±1
				3	2	1	21.05	21.3±1
				6	0	2	20.85	21.3±1
	23095	707.5	QPSK	1	0	0	21.43	21.3±1
				1	2	0	21.44	21.3±1
				1	5	0	21.37	21.3±1
				3	0	0	21.26	21.3±1
				3	1	0	21.28	21.3±1
				3	2	0	21.22	21.3±1
				6	0	1	20.91	21.3±1
			16QAM	1	0	1	21.35	21.3±1
				1	2	1	21.42	21.3±1
				1	5	1	21.39	21.3±1
				3	0	1	21.15	21.3±1
				3	1	1	21.16	21.3±1
				3	2	1	21.08	21.3±1
				6	0	2	20.85	21.3±1
	23173	715.3	QPSK	1	0	0	21.43	21.3±1
				1	2	0	21.37	21.3±1
				1	5	0	21.29	21.3±1
				3	0	0	21.16	21.3±1
				3	1	0	21.13	21.3±1
				3	2	0	21.75	21.3±1
				6	0	1	20.88	21.3±1
			16QAM	1	0	1	21.53	21.3±1
				1	2	1	21.41	21.3±1
				1	5	1	21.42	21.3±1
				3	0	1	21.35	21.3±1
				3	1	1	21.38	21.3±1
				3	2	1	21.36	21.3±1
				6	0	2	20.99	21.3±1

LTE Band 17:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	23780	709.0	QPSK	1	0	0	21.51	21.3±1
				1	24	0	21.53	21.3±1
				1	49	0	21.51	21.3±1
				25	0	1	21.35	21.3±1
				25	12	1	21.26	21.3±1
				25	24	1	21.28	21.3±1
				50	0	1	20.81	21.3±1
			16QAM	1	0	1	21.50	21.3±1
				1	24	1	21.52	21.3±1
				1	49	1	21.51	21.3±1
				25	0	2	21.33	21.3±1
				25	12	2	21.26	21.3±1
				25	24	2	21.34	21.3±1
				50	0	2	20.86	21.3±1
	23790	701.0	QPSK	1	0	0	21.46	21.3±1
				1	24	0	21.43	21.3±1
				1	49	0	21.45	21.3±1
				25	0	1	21.35	21.3±1
				25	12	1	21.29	21.3±1
				25	24	1	21.31	21.3±1
				50	0	1	20.86	21.3±1
			16QAM	1	0	1	21.51	21.3±1
				1	24	1	21.46	21.3±1
				1	49	1	21.45	21.3±1
				25	0	2	21.34	21.3±1
				25	12	2	21.33	21.3±1
				25	24	2	21.34	21.3±1
				50	0	2	20.88	21.3±1
	23800	711.0	QPSK	1	0	0	21.45	21.3±1
				1	24	0	21.48	21.3±1
				1	49	0	21.38	21.3±1
				25	0	1	21.40	21.3±1
				25	12	1	21.35	21.3±1
				25	24	1	21.38	21.3±1
				50	0	1	20.95	21.3±1
			16QAM	1	0	1	21.53	21.3±1
				1	24	1	21.54	21.3±1
				1	49	1	21.45	21.3±1
				25	0	2	21.28	21.3±1
				25	12	2	21.27	21.3±1
				25	24	2	21.53	21.3±1
				50	0	2	20.80	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	23755	706.5	QPSK	1	0	0	22.05	22±1
				1	12	0	21.56	22±1
				1	24	0	21.49	22±1
				12	0	1	21.35	22±1
				12	6	1	21.26	22±1
				12	11	1	21.25	22±1
				25	0	1	21.16	22±1
			16QAM	1	0	1	22.13	22±1
				1	12	1	21.52	22±1
				1	24	1	21.43	22±1
				12	0	2	21.36	22±1
				12	6	2	21.29	22±1
				12	11	2	21.22	22±1
				25	0	2	21.15	22±1
	23790	710.0	QPSK	1	0	0	21.63	22±1
				1	12	0	21.53	22±1
				1	24	0	21.44	22±1
				12	0	1	21.24	22±1
				12	6	1	21.23	22±1
				12	11	1	21.33	22±1
				25	0	1	21.22	22±1
			16QAM	1	0	1	21.35	22±1
				1	12	1	21.32	22±1
				1	24	1	21.26	22±1
				12	0	2	21.29	22±1
				12	6	2	21.25	22±1
				12	11	2	21.31	22±1
				25	0	2	21.08	22±1
	23825	713.5	QPSK	1	0	0	22.06	21.3±1
				1	12	0	21.71	21.3±1
				1	24	0	21.61	21.3±1
				12	0	1	21.43	21.3±1
				12	6	1	21.36	21.3±1
				12	11	1	21.42	21.3±1
				25	0	1	20.91	21.3±1
			16QAM	1	0	1	21.43	21.3±1
				1	12	1	21.55	21.3±1
				1	24	1	21.46	21.3±1
				12	0	2	21.35	21.3±1
				12	6	2	21.29	21.3±1
				12	11	2	21.30	21.3±1
				25	0	2	21.01	21.3±1

ERP & EIRP

EIRP for LTE Band 2 (Part 24E)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
1850.7	1.4	QPSK	1/0	9.71	V	7.88	0.85	16.74	33.01
1880	1.4	QPSK	1/0	9.83	V	7.88	0.85	16.86	33.01
1909.3	1.4	QPSK	1/0	9.69	V	7.88	0.85	16.72	33.01
1850.7	1.4	QPSK	1/0	8.14	H	7.88	0.85	15.17	33.01
1880	1.4	QPSK	1/0	8.07	H	7.88	0.85	15.10	33.01
1909.3	1.4	QPSK	1/0	8.12	H	7.88	0.85	15.15	33.01
1850.7	1.4	16-QAM	1/0	9.28	V	7.88	0.85	16.31	33.01
1880	1.4	16-QAM	1/0	9.19	V	7.88	0.85	16.22	33.01
1909.3	1.4	16-QAM	1/0	9.24	V	7.88	0.85	16.27	33.01
1850.7	1.4	16-QAM	1/0	7.96	H	7.88	0.85	14.99	33.01
1880	1.4	16-QAM	1/0	8.01	H	7.88	0.85	15.04	33.01
1909.3	1.4	16-QAM	1/0	7.95	H	7.88	0.85	14.98	33.01
1851.5	3	QPSK	1/0	9.82	V	7.88	0.85	16.85	33.01
1880	3	QPSK	1/0	9.77	V	7.88	0.85	16.80	33.01
1908.5	3	QPSK	1/0	9.84	V	7.88	0.85	16.87	33.01
1851.5	3	QPSK	1/0	8.36	H	7.88	0.85	15.39	33.01
1880	3	QPSK	1/0	8.39	H	7.88	0.85	15.42	33.01
1908.5	3	QPSK	1/0	8.41	H	7.88	0.85	15.44	33.01
1851.5	3	16-QAM	1/0	9.38	V	7.88	0.85	16.41	33.01
1880	3	16-QAM	1/0	9.41	V	7.88	0.85	16.44	33.01
1908.5	3	16-QAM	1/0	9.38	V	7.88	0.85	16.41	33.01
1851.5	3	16-QAM	1/0	8.56	H	7.88	0.85	15.59	33.01
1880	3	16-QAM	1/0	8.63	H	7.88	0.85	15.66	33.01
1908.5	3	16-QAM	1/0	8.59	H	7.88	0.85	15.62	33.01
1852.5	5	QPSK	1/24	9.91	V	7.88	0.85	16.94	33.01
1880	5	QPSK	1/0	9.87	V	7.88	0.85	16.90	33.01
1907.5	5	QPSK	1/24	9.94	V	7.88	0.85	16.97	33.01
1852.5	5	QPSK	1/24	8.24	H	7.88	0.85	15.27	33.01
1880	5	QPSK	1/0	8.29	H	7.88	0.85	15.32	33.01
1907.5	5	QPSK	1/24	8.18	H	7.88	0.85	15.21	33.01
1852.5	5	16-QAM	1/24	9.14	V	7.88	0.85	16.17	33.01
1880	5	16-QAM	1/0	9.22	V	7.88	0.85	16.25	33.01

1907.5	5	16-QAM	1/24	9.16	V	7.88	0.85	16.19	33.01
1852.5	5	16-QAM	1/24	8.35	H	7.88	0.85	15.38	33.01
1880	5	16-QAM	1/0	8.44	H	7.88	0.85	15.47	33.01
1907.5	5	16-QAM	1/24	8.38	H	7.88	0.85	15.41	33.01
1855	10	QPSK	1/0	9.77	V	7.88	0.85	16.80	33.01
1880	10	QPSK	1/0	9.73	V	7.88	0.85	16.76	33.01
1905	10	QPSK	1/49	9.74	V	7.88	0.85	16.77	33.01
1855	10	QPSK	1/0	8.15	H	7.88	0.85	15.18	33.01
1880	10	QPSK	1/0	8.23	H	7.88	0.85	15.26	33.01
1905	10	QPSK	1/49	8.17	H	7.88	0.85	15.20	33.01
1855	10	16-QAM	1/0	9.18	V	7.88	0.85	16.21	33.01
1880	10	16-QAM	1/0	9.15	V	7.88	0.85	16.18	33.01
1905	10	16-QAM	1/49	9.24	V	7.88	0.85	16.27	33.01
1855	10	16-QAM	1/0	7.63	H	7.88	0.85	14.66	33.01
1880	10	16-QAM	1/0	7.68	H	7.88	0.85	14.71	33.01
1905	10	16-QAM	1/49	7.59	H	7.88	0.85	14.62	33.01
1857.5	15	QPSK	1/0	9.84	V	7.88	0.85	16.87	33.01
1880	15	QPSK	1/0	9.76	V	7.88	0.85	16.79	33.01
1902.5	15	QPSK	1/0	9.85	V	7.88	0.85	16.88	33.01
1857.5	15	QPSK	1/0	8.59	H	7.88	0.85	15.62	33.01
1880	15	QPSK	1/0	8.62	H	7.88	0.85	15.65	33.01
1902.5	15	QPSK	1/0	8.54	H	7.88	0.85	15.57	33.01
1857.5	15	16-QAM	1/0	9.33	V	7.88	0.85	16.36	33.01
1880	15	16-QAM	1/0	9.26	V	7.88	0.85	16.29	33.01
1902.5	15	16-QAM	1/0	9.31	V	7.88	0.85	16.34	33.01
1857.5	15	16-QAM	1/0	8.64	H	7.88	0.85	15.67	33.01
1880	15	16-QAM	1/0	8.55	H	7.88	0.85	15.58	33.01
1902.5	15	16-QAM	1/0	8.62	H	7.88	0.85	15.65	33.01
1860	20	QPSK	1/0	9.68	V	7.88	0.85	16.71	33.01
1880	20	QPSK	1/0	9.71	V	7.88	0.85	16.74	33.01
1900	20	QPSK	1/0	9.73	V	7.88	0.85	16.76	33.01
1860	20	QPSK	1/0	8.25	H	7.88	0.85	15.28	33.01
1880	20	QPSK	1/0	8.37	H	7.88	0.85	15.40	33.01
1900	20	QPSK	1/0	8.19	H	7.88	0.85	15.22	33.01
1860	20	16-QAM	1/0	9.33	V	7.88	0.85	16.36	33.01
1880	20	16-QAM	1/0	9.42	V	7.88	0.85	16.45	33.01
1900	20	16-QAM	1/0	9.38	V	7.88	0.85	16.41	33.01
1860	20	16-QAM	1/0	8.26	H	7.88	0.85	15.29	33.01

Test Report	15070591-FCC-R5
Page	41 of 149

1880	20	16-QAM	1/0	8.33	H	7.88	0.85	15.36	33.01
1900	20	16-QAM	1/0	8.28	H	7.88	0.85	15.31	33.01

EIRP for LTE Band 4 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
1710.7	1.4	QPSK	1/0	10.01	V	7.95	0.79	17.17	30
1732.5	1.4	QPSK	1/0	9.96	V	7.95	0.79	17.12	30
1754.3	1.4	QPSK	1/0	9.99	V	7.95	0.79	17.15	30
1710.7	1.4	QPSK	1/0	8.83	H	7.95	0.79	15.99	30
1732.5	1.4	QPSK	1/0	8.75	H	7.95	0.79	15.91	30
1754.3	1.4	QPSK	1/0	8.82	H	7.95	0.79	15.98	30
1710.7	1.4	16-QAM	1/5	9.78	V	7.95	0.79	16.94	30
1732.5	1.4	16-QAM	1/0	9.69	V	7.95	0.79	16.85	30
1754.3	1.4	16-QAM	1/0	9.75	V	7.95	0.79	16.91	30
1710.7	1.4	16-QAM	1/5	8.37	H	7.95	0.79	15.53	30
1732.5	1.4	16-QAM	1/0	8.29	H	7.95	0.79	15.45	30
1754.3	1.4	16-QAM	1/0	8.35	H	7.95	0.79	15.51	30
1711.5	3	QPSK	1/0	9.88	V	7.95	0.79	17.04	30
1732.5	3	QPSK	1/0	9.92	V	7.95	0.79	17.08	30
1753.5	3	QPSK	1/0	9.95	V	7.95	0.79	17.11	30
1711.5	3	QPSK	1/0	8.46	H	7.95	0.79	15.62	30
1732.5	3	QPSK	1/0	8.39	H	7.95	0.79	15.55	30
1753.5	3	QPSK	1/0	8.41	H	7.95	0.79	15.57	30
1711.5	3	16-QAM	1/0	9.36	V	7.95	0.79	16.52	30
1732.5	3	16-QAM	1/0	9.44	V	7.95	0.79	16.60	30
1753.5	3	16-QAM	1/0	9.48	V	7.95	0.79	16.64	30
1711.5	3	16-QAM	1/0	8.22	H	7.95	0.79	15.38	30
1732.5	3	16-QAM	1/0	8.26	H	7.95	0.79	15.42	30
1753.5	3	16-QAM	1/0	8.31	H	7.95	0.79	15.47	30
1712.5	5	QPSK	1/0	9.78	V	7.95	0.79	16.94	30
1732.5	5	QPSK	1/0	9.71	V	7.95	0.79	16.87	30
1752.5	5	QPSK	1/24	9.65	V	7.95	0.79	16.81	30
1712.5	5	QPSK	1/0	8.36	H	7.95	0.79	15.52	30
1732.5	5	QPSK	1/0	8.44	H	7.95	0.79	15.60	30
1752.5	5	QPSK	1/24	8.32	H	7.95	0.79	15.48	30
1712.5	5	16-QAM	1/0	9.46	V	7.95	0.79	16.62	30
1732.5	5	16-QAM	1/0	9.38	V	7.95	0.79	16.54	30
1752.5	5	16-QAM	1/24	9.42	V	7.95	0.79	16.58	30

1712.5	5	16-QAM	1/0	7.99	H	7.95	0.79	15.15	30
1732.5	5	16-QAM	1/0	8.15	H	7.95	0.79	15.31	30
1752.5	5	16-QAM	1/24	8.04	H	7.95	0.79	15.20	30
1715	10	QPSK	1/0	9.66	V	7.95	0.79	16.82	30
1732.5	10	QPSK	1/49	9.58	V	7.95	0.79	16.74	30
1750	10	QPSK	1/0	9.53	V	7.95	0.79	16.69	30
1715	10	QPSK	1/0	8.27	H	7.95	0.79	15.43	30
1732.5	10	QPSK	1/49	8.33	H	7.95	0.79	15.49	30
1750	10	QPSK	1/0	8.19	H	7.95	0.79	15.35	30
1715	10	16-QAM	1/0	9.23	V	7.95	0.79	16.39	30
1732.5	10	16-QAM	1/49	9.31	V	7.95	0.79	16.47	30
1750	10	16-QAM	1/0	9.25	V	7.95	0.79	16.41	30
1715	10	16-QAM	1/0	8.09	H	7.95	0.79	15.25	30
1732.5	10	16-QAM	1/49	8.11	H	7.95	0.79	15.27	30
1750	10	16-QAM	1/0	8.17	H	7.95	0.79	15.33	30
1717.5	15	QPSK	1/0	9.52	V	7.95	0.79	16.68	30
1732.5	15	QPSK	1/74	9.47	V	7.95	0.79	16.63	30
1747.5	15	QPSK	1/0	9.53	V	7.95	0.79	16.69	30
1717.5	15	QPSK	1/0	8.33	H	7.95	0.79	15.49	30
1732.5	15	QPSK	1/74	8.26	H	7.95	0.79	15.42	30
1747.5	15	QPSK	1/0	8.31	H	7.95	0.79	15.47	30
1717.5	15	16-QAM	1/0	9.25	V	7.95	0.79	16.41	30
1732.5	15	16-QAM	1/74	9.16	V	7.95	0.79	16.32	30
1747.5	15	16-QAM	1/0	9.17	V	7.95	0.79	16.33	30
1717.5	15	16-QAM	1/0	7.85	H	7.95	0.79	15.01	30
1732.5	15	16-QAM	1/74	7.93	H	7.95	0.79	15.09	30
1747.5	15	16-QAM	1/0	7.91	H	7.95	0.79	15.07	30
1720	20	QPSK	1/99	9.64	V	7.95	0.79	16.80	30
1732.5	20	QPSK	1/99	9.57	V	7.95	0.79	16.73	30
1745	20	QPSK	1/0	9.61	V	7.95	0.79	16.77	30
1720	20	QPSK	1/99	8.83	H	7.95	0.79	15.99	30
1732.5	20	QPSK	1/99	8.75	H	7.95	0.79	15.91	30
1745	20	QPSK	1/0	8.81	H	7.95	0.79	15.97	30
1720	20	16-QAM	1/99	9.12	V	7.95	0.79	16.28	30
1732.5	20	16-QAM	1/99	9.08	V	7.95	0.79	16.24	30
1745	20	16-QAM	1/0	9.15	V	7.95	0.79	16.31	30
1720	20	16-QAM	1/99	7.96	H	7.95	0.79	15.12	30
1732.5	20	16-QAM	1/99	7.93	H	7.95	0.79	15.09	30

Test Report	15070591-FCC-R5
Page	44 of 149

1745	20	16-QAM	1/0	8.02	H	7.95	0.79	15.18	30
------	----	--------	-----	------	---	------	------	-------	----

EIRP for LTE Band 5 (Part 22)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
824.7	1.4	QPSK	1/5	9.83	V	6.8	0.44	16.19	34.77
836.5	1.4	QPSK	1/5	9.86	V	6.8	0.44	16.22	34.77
848.3	1.4	QPSK	1/5	9.78	V	6.9	0.44	16.24	34.77
824.7	1.4	QPSK	1/5	8.25	H	6.8	0.44	14.61	34.77
836.5	1.4	QPSK	1/5	8.33	H	6.8	0.44	14.69	34.77
848.3	1.4	QPSK	1/5	8.17	H	6.9	0.44	14.63	34.77
824.7	1.4	16-QAM	1/5	9.41	V	6.8	0.44	15.77	34.77
836.5	1.4	16-QAM	1/5	9.38	V	6.8	0.44	15.74	34.77
848.3	1.4	16-QAM	1/5	9.45	V	6.9	0.44	15.91	34.77
824.7	1.4	16-QAM	1/5	8.13	H	6.8	0.44	14.49	34.77
836.5	1.4	16-QAM	1/5	8.06	H	6.8	0.44	14.42	34.77
848.3	1.4	16-QAM	1/5	8.14	H	6.9	0.44	14.60	34.77
825.5	3	QPSK	1/14	10.13	V	6.8	0.44	16.49	34.77
836.5	3	QPSK	1/0	10.16	V	6.8	0.44	16.52	34.77
847.5	3	QPSK	1/14	10.08	V	6.9	0.44	16.54	34.77
825.5	3	QPSK	1/14	9.35	H	6.8	0.44	15.71	34.77
836.5	3	QPSK	1/0	9.41	H	6.8	0.44	15.77	34.77
847.5	3	QPSK	1/14	9.32	H	6.9	0.44	15.78	34.77
825.5	3	16-QAM	1/14	9.58	V	6.8	0.44	15.94	34.77
836.5	3	16-QAM	1/0	9.62	V	6.8	0.44	15.98	34.77
847.5	3	16-QAM	1/14	9.67	V	6.9	0.44	16.13	34.77
825.5	3	16-QAM	1/14	8.49	H	6.8	0.44	14.85	34.77
836.5	3	16-QAM	1/0	8.52	H	6.8	0.44	14.88	34.77
847.5	3	16-QAM	1/14	8.57	H	6.9	0.44	15.03	34.77
826.5	5	QPSK	1/24	10.19	V	6.8	0.44	16.55	34.77
836.5	5	QPSK	1/24	10.22	V	6.8	0.44	16.58	34.77
846.5	5	QPSK	1/24	10.17	V	6.8	0.44	16.53	34.77
826.5	5	QPSK	1/24	9.46	H	6.8	0.44	15.82	34.77
836.5	5	QPSK	1/24	9.55	H	6.8	0.44	15.91	34.77
846.5	5	QPSK	1/24	9.47	H	6.8	0.44	15.83	34.77
826.5	5	16-QAM	1/24	9.67	V	6.8	0.44	16.03	34.77
836.5	5	16-QAM	1/24	9.74	V	6.8	0.44	16.10	34.77
846.5	5	16-QAM	1/24	9.66	V	6.8	0.44	16.02	34.77

Test Report	15070591-FCC-R5
Page	46 of 149

826.5	5	16-QAM	1/24	8.56	H	6.8	0.44	14.92	34.77
836.5	5	16-QAM	1/24	8.62	H	6.8	0.44	14.98	34.77
846.5	5	16-QAM	1/24	8.58	H	6.8	0.44	14.94	34.77
829	10	QPSK	1/49	10.75	V	6.8	0.44	17.11	34.77
836.5	10	QPSK	1/49	10.82	V	6.8	0.44	17.18	34.77
844	10	QPSK	1/49	10.71	V	6.8	0.44	17.07	34.77
829	10	QPSK	1/49	9.68	H	6.8	0.44	16.04	34.77
836.5	10	QPSK	1/49	9.54	H	6.8	0.44	15.90	34.77
844	10	QPSK	1/49	9.63	H	6.8	0.44	15.99	34.77
829	10	16-QAM	1/49	10.26	V	6.8	0.44	16.62	34.77
836.5	10	16-QAM	1/49	10.18	V	6.8	0.44	16.54	34.77
844	10	16-QAM	1/49	10.24	V	6.8	0.44	16.60	34.77
829	10	16-QAM	1/49	8.93	H	6.8	0.44	15.29	34.77
836.5	10	16-QAM	1/49	8.87	H	6.8	0.44	15.23	34.77
844	10	16-QAM	1/49	9.96	H	6.8	0.44	16.32	34.77

ERP for LTE Band 7 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
2502.5	5	QPSK	1/0	8.66	V	8.93	0.83	16.76	30
2535	5	QPSK	1/0	8.54	V	8.93	0.83	16.64	30
2567.5	5	QPSK	1/24	8.57	V	8.93	0.83	16.67	30
2502.5	5	QPSK	1/0	7.82	H	8.93	0.83	15.92	30
2535	5	QPSK	1/0	7.89	H	8.93	0.83	15.99	30
2567.5	5	QPSK	1/24	7.91	H	8.93	0.83	16.01	30
2502.5	5	16-QAM	1/0	8.11	V	8.93	0.83	16.21	30
2535	5	16-QAM	1/0	8.15	V	8.93	0.83	16.25	30
2567.5	5	16-QAM	1/24	8.23	V	8.93	0.83	16.33	30
2502.5	5	16-QAM	1/0	7.24	H	8.93	0.83	15.34	30
2535	5	16-QAM	1/0	7.33	H	8.93	0.83	15.43	30
2567.5	5	16-QAM	1/24	7.28	H	8.93	0.83	15.38	30
2505	10	QPSK	1/0	8.62	V	8.93	0.83	16.72	30
2535	10	QPSK	1/49	8.57	V	8.93	0.83	16.67	30
2565	10	QPSK	1/0	8.52	V	8.93	0.83	16.62	30
2505	10	QPSK	1/0	8.03	H	8.93	0.83	16.13	30
2535	10	QPSK	1/49	8.14	H	8.93	0.83	16.24	30
2565	10	QPSK	1/0	8.11	H	8.93	0.83	16.21	30
2505	10	16-QAM	1/0	8.29	V	8.93	0.83	16.39	30
2535	10	16-QAM	1/49	8.35	V	8.93	0.83	16.45	30
2565	10	16-QAM	1/0	8.26	V	8.93	0.83	16.36	30
2505	10	16-QAM	1/0	7.16	H	8.93	0.83	15.26	30
2535	10	16-QAM	1/49	7.22	H	8.93	0.83	15.32	30
2565	10	16-QAM	1/0	7.14	H	8.93	0.83	15.24	30
2507.5	15	QPSK	1/0	8.74	V	8.93	0.83	16.84	30
2535	15	QPSK	1/74	8.69	V	8.93	0.83	16.79	30
2562.5	15	QPSK	1/0	8.78	V	8.93	0.83	16.88	30
2507.5	15	QPSK	1/0	8.09	H	8.93	0.83	16.19	30
2535	15	QPSK	1/74	8.12	H	8.93	0.83	16.22	30
2562.5	15	QPSK	1/0	8.21	H	8.93	0.83	16.31	30
2507.5	15	16-QAM	1/0	8.35	V	8.93	0.83	16.45	30
2535	15	16-QAM	1/74	8.41	V	8.93	0.83	16.51	30
2562.5	15	16-QAM	1/0	8.37	V	8.93	0.83	16.47	30

Test Report	15070591-FCC-R5
Page	48 of 149

2507.5	15	16-QAM	1/0	7.25	H	8.93	0.83	15.35	30
2535	15	16-QAM	1/74	7.33	H	8.93	0.83	15.43	30
2562.5	15	16-QAM	1/0	7.26	H	8.93	0.83	15.36	30
2510	20	QPSK	1/99	8.84	V	8.93	0.83	16.94	30
2535	20	QPSK	1/99	8.83	V	8.93	0.83	16.93	30
2560	20	QPSK	1/0	8.87	V	8.93	0.83	16.97	30
2510	20	QPSK	1/99	8.17	H	8.93	0.83	16.27	30
2535	20	QPSK	1/99	8.21	H	8.93	0.83	16.31	30
2560	20	QPSK	1/0	8.16	H	8.93	0.83	16.26	30
2510	20	16-QAM	1/99	8.55	V	8.93	0.83	16.65	30
2535	20	16-QAM	1/99	8.47	V	8.93	0.83	16.57	30
2560	20	16-QAM	1/0	8.52	V	8.93	0.83	16.62	30
2510	20	16-QAM	1/99	7.38	H	8.93	0.83	15.48	30
2535	20	16-QAM	1/99	7.44	H	8.93	0.83	15.54	30
2560	20	16-QAM	1/0	7.46	H	8.93	0.83	15.56	30

ERP for LTE Band 12 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
699.7	1.4	QPSK	1/5	9.76	V	6.9	0.42	16.24	34.77
707.5	1.4	QPSK	1/5	9.58	V	6.8	0.42	15.96	34.77
715.3	1.4	QPSK	1/5	9.64	V	6.8	0.42	16.02	34.77
699.7	1.4	QPSK	1/5	8.65	H	6.9	0.42	15.13	34.77
707.5	1.4	QPSK	1/5	8.78	H	6.8	0.42	15.16	34.77
715.3	1.4	QPSK	1/5	8.49	H	6.8	0.42	14.87	34.77
699.7	1.4	16-QAM	1/5	8.95	V	6.9	0.42	15.43	34.77
707.5	1.4	16-QAM	1/5	8.99	V	6.8	0.42	15.37	34.77
715.3	1.4	16-QAM	1/5	9.03	V	6.8	0.42	15.41	34.77
699.7	1.4	16-QAM	1/5	7.66	H	6.9	0.42	14.14	34.77
707.5	1.4	16-QAM	1/5	7.74	H	6.8	0.42	14.12	34.77
715.3	1.4	16-QAM	1/5	7.79	H	6.8	0.42	14.17	34.77
700.5	3	QPSK	1/14	9.68	V	6.9	0.42	16.16	34.77
707.5	3	QPSK	1/0	9.63	V	6.8	0.42	16.01	34.77
714.5	3	QPSK	1/14	9.74	V	6.8	0.42	16.12	34.77
700.5	3	QPSK	1/14	8.52	H	6.9	0.42	15.00	34.77
707.5	3	QPSK	1/0	8.64	H	6.8	0.42	15.02	34.77
714.5	3	QPSK	1/14	8.57	H	6.8	0.42	14.95	34.77
700.5	3	16-QAM	1/14	9.16	V	6.9	0.42	15.64	34.77
707.5	3	16-QAM	1/0	9.24	V	6.8	0.42	15.62	34.77
714.5	3	16-QAM	1/14	9.18	V	6.8	0.42	15.56	34.77
700.5	3	16-QAM	1/14	7.62	H	6.9	0.42	14.10	34.77
707.5	3	16-QAM	1/0	7.55	H	6.8	0.42	13.93	34.77
714.5	3	16-QAM	1/14	7.64	H	6.8	0.42	14.02	34.77
701.5	5	QPSK	1/24	9.58	V	6.9	0.42	16.06	34.77
707.5	5	QPSK	1/24	9.62	V	6.8	0.42	16.00	34.77
713.5	5	QPSK	1/24	9.57	V	6.8	0.42	15.95	34.77
701.5	5	QPSK	1/24	8.53	H	6.9	0.42	15.01	34.77
707.5	5	QPSK	1/24	8.66	H	6.8	0.42	15.04	34.77
713.5	5	QPSK	1/24	8.57	H	6.8	0.42	14.95	34.77
701.5	5	16-QAM	1/24	8.96	V	6.9	0.42	15.44	34.77
707.5	5	16-QAM	1/24	8.93	V	6.8	0.42	15.31	34.77
713.5	5	16-QAM	1/24	9.07	V	6.8	0.42	15.45	34.77
701.5	5	16-QAM	1/24	7.86	H	6.9	0.42	14.34	34.77
707.5	5	16-QAM	1/24	7.92	H	6.8	0.42	14.30	34.77

713.5	5	16-QAM	1/24	7.85	H	6.8	0.42	14.23	34.77
704	10	QPSK	1/49	9.75	V	6.8	0.42	16.13	34.77
707.5	10	QPSK	1/49	9.68	V	6.8	0.42	16.06	34.77
711	10	QPSK	1/49	9.72	V	6.8	0.42	16.10	34.77
704	10	QPSK	1/49	8.83	H	6.8	0.42	15.21	34.77
707.5	10	QPSK	1/49	8.78	H	6.8	0.42	15.16	34.77
711	10	QPSK	1/49	8.81	H	6.8	0.42	15.19	34.77
704	10	16-QAM	1/49	9.13	V	6.8	0.42	15.51	34.77
707.5	10	16-QAM	1/49	9.21	V	6.8	0.42	15.59	34.77
711	10	16-QAM	1/49	9.18	V	6.8	0.42	15.56	34.77
704	10	16-QAM	1/49	7.95	H	6.8	0.42	14.33	34.77
707.5	10	16-QAM	1/49	7.86	H	6.8	0.42	14.24	34.77
711	10	16-QAM	1/49	7.94	H	6.8	0.42	14.32	34.77


ERP for LTE Band 17 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
706.5	5	QPSK	1/0	12.35	V	6.8	0.42	18.73	34.77
710	5	QPSK	1/0	12.41	V	6.8	0.42	18.79	34.77
713.5	5	QPSK	1/0	12.39	V	6.8	0.42	18.77	34.77
706.5	5	QPSK	1/0	11.16	H	6.8	0.42	17.54	34.77
710	5	QPSK	1/0	11.24	H	6.8	0.42	17.62	34.77
713.5	5	QPSK	1/0	11.18	H	6.8	0.42	17.56	34.77
706.5	5	16-QAM	1/0	11.85	V	6.8	0.42	18.23	34.77
710	5	16-QAM	1/0	11.92	V	6.8	0.42	18.30	34.77
713.5	5	16-QAM	1/0	11.87	V	6.8	0.42	18.25	34.77
706.5	5	16-QAM	1/0	10.62	H	6.8	0.42	17.00	34.77
710	5	16-QAM	1/0	10.57	H	6.8	0.42	16.95	34.77
713.5	5	16-QAM	1/0	10.66	H	6.8	0.42	17.04	34.77
709	10	QPSK	1/0	9.85	V	6.8	0.42	16.23	34.77
710	10	QPSK	1/0	9.79	V	6.8	0.42	16.17	34.77
711	10	QPSK	1/0	9.88	V	6.8	0.42	16.26	34.77
709	10	QPSK	1/0	8.33	H	6.8	0.42	14.71	34.77
710	10	QPSK	1/0	8.41	H	6.8	0.42	14.79	34.77
711	10	QPSK	1/0	8.46	H	6.8	0.42	14.84	34.77
709	10	16-QAM	1/0	9.14	V	6.8	0.42	15.52	34.77
710	10	16-QAM	1/0	9.26	V	6.8	0.42	15.64	34.77
711	10	16-QAM	1/0	9.18	V	6.8	0.42	15.56	34.77
709	10	16-QAM	1/0	8.27	H	6.8	0.42	14.65	34.77
710	10	16-QAM	1/0	8.34	H	6.8	0.42	14.72	34.77
711	10	16-QAM	1/0	8.25	H	6.8	0.42	14.63	34.77

6.3 Peak-Average Ratio

Temperature	23°C
Relative Humidity	58%
Atmospheric Pressure	1006mbar
Test date :	August 06, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§24.232(d) § 27.50(d)	a)	The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.	☒
Test Setup	 Base Station Spectrum Analyzer EUT		
Test Procedure	According with KDB 971168 1. The signal analyzer' s CCDF measurement profile is enabled 2. Frequency = carrier center frequency 3. Measurement BW > Emission bandwidth of signal 4. The signal analyzer was set to collect one million samples to generate the CCDF curve 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal “ RF Burst” trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the “ on time” of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power		
Remark			
Result	☒ Pass ☐ Fail		

Test Data ☒ Yes ☐ N/A

Test Plot ☐ Yes (See below) ☒ N/A

LTE Band 2 (part 24E)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
1.4	1880	RB 1/0	QPSK	25.66	22.4	3.26
			16QAM	24.32	21.33	2.99
3	1880	RB 1/0	QPSK	25.1	22.35	2.75
			16QAM	24.26	21.32	2.94
5	1880	RB 1/0	QPSK	25.32	22.41	2.91
			16QAM	25.2	21.94	3.26
10	1880	RB 1/0	QPSK	24.31	22.27	2.04
			16QAM	24.33	22.07	2.26
15	1880	RB 1/0	QPSK	25.12	22.18	2.94
			16QAM	25.26	22.06	3.2
20	1880	RB 1/0	QPSK	25.24	22.41	2.83
			16QAM	24.68	21.93	2.75

LTE Band 4 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
1.4	1732.5	RB 1/0	QPSK	25.12	22.35	2.77
			16QAM	25.13	21.22	3.91
3	1732.5	RB 1/0	QPSK	25.21	22.26	2.95
			16QAM	24.86	21.23	3.63
5	1732.5	RB 1/0	QPSK	24.86	22.13	2.73
			16QAM	25.34	21.64	3.7
10	1732.5	RB 1/0	QPSK	25.02	22.03	2.99
			16QAM	25.16	21.47	3.69
15	1732.5	RB 1/0	QPSK	25.09	21.59	3.5
			16QAM	24.88	21.43	3.45
20	1732.5	RB 1/0	QPSK	24.56	21.69	2.87
			16QAM	24.88	22.01	2.87

LTE Band 7 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
5	1880	RB 1/0	QPSK	25.16	21.56	3.6
			16QAM	25.34	21.06	4.28
10	1880	RB 1/0	QPSK	25.33	21.75	3.58
			16QAM	25.29	21.45	3.84
15	1880	RB 1/0	QPSK	25.43	21.03	4.4
			16QAM	25.15	21.23	3.92
20	1880	RB 1/0	QPSK	25.24	21.68	3.56
			16QAM	24.76	21.03	3.73

LTE Band 12 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
1.4	1732.5	RB 1/0	QPSK	25.1	21.43	3.67
			16QAM	25.24	21.35	3.89
3	1732.5	RB 1/0	QPSK	25.34	21.43	3.91
			16QAM	24.86	21.24	3.62
5	1732.5	RB 1/0	QPSK	24.95	21.45	3.5
			16QAM	25.12	21.53	3.59
10	1732.5	RB 1/0	QPSK	25.05	21.85	3.2
			16QAM	25.07	21.23	3.84

LTE Band 17 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
5	710	RB 1/0	QPSK	25.13	21.63	3.5
			16QAM	25.29	21.35	3.94
10	710	RB 1/0	QPSK	25.43	21.46	3.97
			16QAM	25.32	21.51	3.81

6.4 Modulation Characteristic

According to FCC § 2.1047(d), Part 22H&24E& Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

6.5 Occupied Bandwidth

Temperature	23°C
Relative Humidity	55%
Atmospheric Pressure	1031mbar
Test date :	July 31-August 03, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§2.1049, §22.917, §22.905 §24.238 §27.53(a)	a)	99% Occupied Bandwidth(kHz)	☒
	b)	26 dB Bandwidth(kHz)	☒
Test Setup	Base Station Spectrum Analyzer EUT		
Test Procedure	- The EUT was connected to Spectrum Analyzer and Base Station via power divider. - The 99% and 26 dB occupied bandwidth (BW) of the middle channel for the highest RF powers.		
Remark			
Result	☒ Pass ☐ Fail		

Test Data ☒ Yes ☐ N/A

Test Plot ☒ Yes (See below) ☐ N/A

LTE Band 2 (Part 24E)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	18607	1850.7	16QAM	1.1073	1.302
			QPSK	1.1043	1.303
1.4	18900	1880	16QAM	1.1038	1.309
			QPSK	1.1032	1.291
1.4	19193	1909.3	16QAM	1.1031	1.312
			QPSK	1.1082	1.311
3.0463	18615	1851.5	16QAM	2.7539	3.046
			QPSK	2.7498	3.044
3	18900	1880	16QAM	2.7458	3.042
			QPSK	2.7601	3.016
3	19185	1908.5	16QAM	2.7468	3.067
			QPSK	2.7527	3.050
5	18625	1852.5	16QAM	4.5467	5.075
			QPSK	4.5345	5.076
5	18900	1880	16QAM	4.5385	5.077
			QPSK	4.5438	5.109
5	19175	1907.5	16QAM	4.5442	5.114
			QPSK	4.5453	5.084
10	18650	1855	16QAM	9.1024	10.18
			QPSK	9.0835	10.17
10	18900	1880	16QAM	9.1215	10.08
			QPSK	9.1126	10.18
10	19150	1905	16QAM	9.1320	10.17
			QPSK	9.1326	10.22
15	18675	1857.5	16QAM	13.519	14.84
			QPSK	13.509	14.86
15	18900	1880	16QAM	13.545	14.87
			QPSK	13.524	14.92
15	19125	1902.5	16QAM	13.578	14.90
			QPSK	13.531	14.81

20	18700	1860	16QAM	17.977	19.49
			QPSK	17.977	19.48
20	18900	1880	16QAM	17.898	19.16
			QPSK	17.875	19.22
20	19100	1900	16QAM	17.992	19.36
			QPSK	17.995	19.64

LTE Band 4 (Part 27)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	19957	1710.7	16QAM	1.0933	1.263
			QPSK	1.0919	1.265
1.4	20175	1732.5	16QAM	1.0923	1.273
			QPSK	1.0997	1.278
1.4	20393	1754.3	16QAM	1.0985	1.265
			QPSK	1.1019	1.256
3	19965	1711.5	16QAM	2.7429	3.051
			QPSK	2.7329	3.029
3	20175	1732.5	16QAM	2.7360	3.031
			QPSK	2.7373	3.045
3	20385	1753.5	16QAM	2.7323	3.033
			QPSK	2.7261	3.040
5	19975	1712.5	16QAM	4.5952	6.572
			QPSK	4.5936	6.529
5	20175	1732.5	16QAM	4.5576	5.140
			QPSK	4.5598	5.132
5	20375	1752.5	16QAM	4.5478	6.255
			QPSK	4.5485	5.941
10	20000	1715	16QAM	9.1004	10.18
			QPSK	9.1047	10.07
10	20175	1732.5	16QAM	9.0303	10.03
			QPSK	9.0324	10.03
10	20350	1750	16QAM	9.0659	10.10
			QPSK	9.0718	10.01

15	20025	1717.5	16QAM	13.526	14.97
			QPSK	13.530	15.06
15	20175	1732.5	16QAM	13.442	14.80
			QPSK	13.442	14.80
15	20325	1747.5	16QAM	13.515	14.83
			QPSK	13.515	14.81
20	20050	1720	16QAM	17.961	19.46
			QPSK	17.978	19.37
20	20175	1732.5	16QAM	17.885	19.49
			QPSK	17.867	19.44
20	20300	1745	16QAM	17.941	19.09
			QPSK	17.984	19.29

LTE Band 5 (Part 22H)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	20407	824.7	16QAM	1.0938	1.268
			QPSK	1.0936	1.268
1.4	20525	936.5	16QAM	1.0980	1.288
			QPSK	1.0927	1.261
1.4	20643	949.3	16QAM	1.1034	1.260
			QPSK	1.0987	1.253
3	20415	825.5	16QAM	2.7266	3.002
			QPSK	2.7273	3.029
3	20525	936.5	16QAM	2.7286	3.040
			QPSK	2.7354	3.048
3	20635	847.5	16QAM	2.7331	3.050
			QPSK	2.7322	3.045
5	20425	826.5	16QAM	4.5315	5.038
			QPSK	4.5298	5.036
5	20525	936.5	16QAM	4.5205	5.051
			QPSK	4.5161	5.036
5	20625	846.5	16QAM	4.5148	4.984
			QPSK	4.5213	5.022

10	20450	829	16QAM	9.0559	10.11
			QPSK	9.0384	10.04
10	20525	936.5	16QAM	9.0602	10.08
			QPSK	9.0699	10.06
10	20800	844	16QAM	9.0656	10.03
			QPSK	9.0817	9.977

LTE Band 7 (Part 27) result

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	20775	2502.5	16QAM	4.5212	5.049
			QPSK	4.5095	5.057
5	21100	2535	16QAM	4.4982	4.998
			QPSK	4.5129	4.989
5	21425	2567.5	16QAM	4.5255	5.043
			QPSK	4.5306	5.080
10	20800	2505	16QAM	9.0469	10.10
			QPSK	9.0318	9.984
10	21100	2535	16QAM	9.0512	10.12
			QPSK	9.0593	10.12
10	21400	2562.5	16QAM	9.0626	10.07
			QPSK	9.0531	10.07
15	20825	2507.5	16QAM	13.480	14.72
			QPSK	13.455	14.85
15	21100	2535	16QAM	13.456	14.64
			QPSK	13.489	14.82
15	21400	2562.5	16QAM	13.475	14.60
			QPSK	13.498	14.74
20	20850	2510	16QAM	17.882	19.09
			QPSK	17.921	19.14
20	21100	2535	16QAM	17.923	19.28
			QPSK	17.915	19.34
20	21350	2560	16QAM	17.892	19.32
			QPSK	17.905	19.29

LTE Band 12 (Part 27)


BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	23017	699.7	16QAM	1.0930	1.265
			QPSK	1.0937	1.273
1.4	23095	707.5	16QAM	1.0945	1.264
			QPSK	1.0973	1.272
1.4	23173	715.3	16QAM	1.0984	1.256
			QPSK	1.0982	1.261
3	23025	700.5	16QAM	2.7468	3.026
			QPSK	2.7508	3.010
3	23095	707.5	16QAM	2.7313	3.023
			QPSK	2.7353	3.046
3	23165	714.5	16QAM	2.7327	3.034
			QPSK	2.7188	3.035
5	23035	701.5	16QAM	4.5427	5.094
			QPSK	4.5281	5.049
5	23095	707.5	16QAM	4.5184	5.008
			QPSK	4.5180	5.074
5	23055	713.5	16QAM	4.5039	5.039
			QPSK	4.5161	5.058
10	23060	704	16QAM	9.0427	10.14
			QPSK	9.0444	10.04
10	23095	707.5	16QAM	9.0620	10.06
			QPSK	9.0670	10.13
10	23130	711	16QAM	9.0726	10.15
			QPSK	9.0736	10.12

LTE Band 17 (Part 27)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	23755	706.5	16QAM	4.5145	5.069
			QPSK	4.5107	5.008
5	23790	710	16QAM	4.5046	5.006
			QPSK	4.5169	4.988
5	23825	713.5	16QAM	4.5318	5.017
			QPSK	4.5300	5.060
10	23780	709	16QAM	9.0632	10.10
			QPSK	9.0772	10.05
10	23790	710	16QAM	9.0657	9.999
			QPSK	9.0588	10.07
10	23800	711	16QAM	9.0645	10.01
			QPSK	9.0815	10.11

Test Plots


LTE Band 2 (Part 24E)



LTE band 2 - Low CH QPSK-1.4




LTE band 2 - Low CH 16QAM-1.4




LTE band 2 - Middle CH QPSK-1.4




LTE band 2 - Middle CH 16QAM-1.4




LTE band 2 - High CH QPSK-1.4




LTE band 2 - High CH 16QAM-1.4




LTE band 2 - Low CH QPSK-3




LTE band 2 - Low CH 16QAM-3




LTE band 2 - Middle CH QPSK-3




LTE band 2 - Middle CH 16QAM-3



LTE band 2 - High CH QPSK-3




LTE band 2 - High CH 16QAM-3



LTE band 2 - Low CH QPSK-5




LTE band 2 - Low CH 16QAM-5




LTE band 2 - Middle CH QPSK-5




LTE band 2 - Middle CH 16QAM-5




LTE band 2 - High CH QPSK-5




LTE band 2 - High CH 16QAM-5




LTE band 2 - Low CH QPSK-10




LTE band 2 - Low CH 16QAM-10




LTE band 2 - Middle CH QPSK-10




LTE band 2 - Middle CH 16QAM-10




LTE band 2 - High CH QPSK-10




LTE band 2 - High CH 16QAM-10



LTE band 2 - Low CH QPSK-15




LTE band 2 - Low CH 16QAM-15




LTE band 2 - Middle CH QPSK-15




LTE band 2 - Middle CH 16QAM-15



LTE band 2 - High CH QPSK-15




LTE band 2 - High CH 16QAM-15




LTE band 2 - Low CH QPSK-20




LTE band 2 - Low CH 16QAM-20




LTE band 2 - Middle CH QPSK-20



LTE band 2 - Middle CH 16QAM-20




LTE band 2 - High CH QPSK-20




LTE band 2 - High CH 16QAM-20


LTE Band 4 (Part 27)




LTE band 4 - Low CH QPSK-1.4




LTE band 4 - Low CH 16QAM-1.4




LTE band 4 - Middle CH QPSK-1.4




LTE band 4 - Middle CH 16QAM-1.4




LTE band 4 - High CH QPSK-1.4




LTE band 4 - High CH 16QAM-1.4




LTE band 4 - Low CH QPSK-3




LTE band 4 - Low CH 16QAM-3




LTE band 4 - Middle CH QPSK-3




LTE band 4 - Middle CH 16QAM-3



LTE band 4 - High CH QPSK-3




LTE band 4 - High CH 16QAM-3



LTE band 4 - Low CH QPSK-5




LTE band 4 - Low CH 16QAM-5




LTE band 4 - Middle CH QPSK-5




LTE band 4 - Middle CH 16QAM-5




LTE band 4 - High CH QPSK-5




LTE band 4 - High CH 16QAM-5



LTE band 4 - Low CH QPSK-10




LTE band 4 - Low CH 16QAM-10




LTE band 4 - Middle CH QPSK-10




LTE band 4 - Middle CH 16QAM-10




LTE band 4 - High CH QPSK-10




LTE band 4 - High CH 16QAM-10




LTE band 4 - Low CH QPSK-15




LTE band 4 - Low CH 16QAM-15




LTE band 4 - Middle CH QPSK-15




LTE band 4 - Middle CH 16QAM-15




LTE band 4 - High CH QPSK-15




LTE band 4 - High CH 16QAM-15



LTE band 4 - Low CH QPSK-20




LTE band 4 - Low CH 16QAM-20




LTE band 4 - Middle CH QPSK-20



LTE band 4 - Middle CH 16QAM-20




LTE band 4 - High CH QPSK-20




LTE band 4 - High CH 16QAM-20


LTE Band 5 (Part 22H)



LTE band 5 - Low CH QPSK-1.4




LTE band 5 - Low CH 16QAM-1.4




LTE band 5 - Middle CH QPSK-1.4




LTE band 5 - Middle CH 16QAM-1.4




LTE band 5 - High CH QPSK-1.4




LTE band 5 - High CH 16QAM-1.4




LTE band 5 - Low CH QPSK-3




LTE band 5 - Low CH 16QAM-3




LTE band 5 - Middle CH QPSK-3




LTE band 5 - Middle CH 16QAM-3




LTE band 5 - High CH QPSK-3




LTE band 5 - High CH 16QAM-3




LTE band 5 - Low CH QPSK-5




LTE band 5 - Low CH 16QAM-5




LTE band 5 - Middle CH QPSK-5




LTE band 5 - Middle CH 16QAM-5




LTE band 5 - High CH QPSK-5




LTE band 5 - High CH 16QAM-5



LTE band 5 - Low CH QPSK-10




LTE band 5 - Low CH 16QAM-10




LTE band 5 - Middle CH QPSK-10



LTE band 5 - Middle CH 16QAM-10




LTE band 5 - High CH QPSK-10




LTE band 5 - High CH 16QAM-10

LTE Band 7 (Part 27)




LTE band 7 - Low CH QPSK-5




LTE band 7 - Low CH 16QAM-5




LTE band 7 - Middle CH QPSK-5




LTE band 7 - Middle CH 16QAM-5




LTE band 7 - High CH QPSK-5




LTE band 7 - High CH 16QAM-5




LTE band 7 - Low CH QPSK-10




LTE band 7 - Low CH 16QAM-10




LTE band 7 - Middle CH QPSK-10



LTE band 7 - Middle CH 16QAM-10



LTE band 7 - High CH QPSK-10



LTE band 7 - High CH 16QAM-10