




Upright Mounts Inc.


RC-01

Remote Control

PRODUCT BRIEF



一. PROGRAMMING THE REMOTE CONTROL:



To raise the life : Please use the "▲"button to start for raising action.

To low the lift : Please use the "▼"button to start for lowing action.

To stop the action in raising or lowing : Please push down any "▲"or "▼"button then the action in raising or lowing will stop.

The launcher of remote control will output the voltage via the controller and make the lift action (raising or lowing).

二 · Key Product Features

- High stability Saw resonator
- HCS200 scroll code IC
- Modulation Mode : ASK
- PCB antenna
- Waiting Current <1uA
- Modulation Mode : ASK
- Conforms to ETSI and ROHS request

三 · Applications

- remote switches

四. Technical parameter

Model	RC-01
Operation Frequency	433.92MHz
Output Power	$\leq 2\text{dBm}$
Output Current	$\leq 10\text{mA}$
Operating Voltage	12V
Waiting Current	$\leq 1\mu\text{A}$
Modulation	ASK
Stability Frequency	$\pm 100\text{KHz}$
Operating Temperature	-20°C-70°C
Storage Temperature	-30°C-85°C
Dimensions	50x34x12(mm)
Reference Range	15m

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.