



## TEST REPORT

**Application No.:** SZEM2006004502CR  
**Applicant:** BTI Wireless  
**Address of Applicant:** 6185 Phyllis Drive #D, Cypress, California 90630, United States  
**Manufacturer:** Bravo Tech Inc  
**Address of Manufacturer:** 14600 INDUSTRY CIRCLE LA MIRADA, CA 90638  
**Factory:** Bravo Tech Inc  
**Address of Factory:** 14600 INDUSTRY CIRCLE LA MIRADA, CA 90638  
**Equipment Under Test (EUT):**  
**EUT Name:** LTE Outdoor CPE  
**Model No.:** CP880-B  
**FCC ID:** WBKCP880-B  
**Standard(s) :** CBRSA-TS-9001-V1.0.0  
WINNF-19-IN-00033 V1.0  
WINNF-TS-0122-V1.0.0  
FCC 47 CFR Part 96  
KDB 940660 D01  
KDB 940660 D02  
**Date of Receipt:** 2020-06-02  
**Date of Test:** 2020-07-06 to 2020-07-13  
**Date of Issue:** 2020-07-16

<b>Test Result:</b>	<b>Pass*</b>
---------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above.



Keny Xu

Keny Xu  
EMC Laboratory Manager





Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2020-07-16		Original

Authorized for issue by:			
			
		Jacky Li /Project Engineer	
			
		Eric Fu /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Shenzhen CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 2 Test Summary

Item	Standard	Test Case ID	Result
Multi-Step registration	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.1	Pass
Single-Step registration for CBSD with CPI signed data	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.5	Pass
Missing Required parameters (responseCode 102)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.8	Pass
Pending registration (responseCode 200)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.10	Pass
Invalid parameter (responseCode 103)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.12	Pass
Blacklisted CBSD (responseCode 101)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.14	Pass
Unsupported SAS protocol version (responseCode 100)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.16	Pass
Group Error (responseCode 201)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.REG.18	Pass
Unsuccessful Grant responseCode=400 (INTERFERENCE)	WINNF-TS-0122-V1.0.0	WINNF.FT.D.GRA.1	Pass
Unsuccessful Grant responseCode=401 (GRANT_CONFLICT)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.GRA.2	Pass
Heartbeat Success Case (first Heartbeat Response)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.1	Pass
Heartbeat responseCode=105 (DEREGISTER)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.3	Pass
Heartbeat responseCode=500 (TERMINATED_GRANT)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.4	Pass
Heartbeat responseCode=501 (SUSPENDED_GRANT) in First Heartbeat Response	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.5	Pass
Heartbeat responseCode=501 (SUSPENDED_GRANT) in Subsequent Heartbeat Response	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.6	Pass
Heartbeat responseCode=502 (UNSYNC_OP_PARAM)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.7	Pass
Heartbeat Response Absent (First Heartbeat)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.9	Pass
Heartbeat Response Absent (Subsequent Heartbeat)	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.10	Pass
Successful Grant Renewal in Heartbeat Test Case	WINNF-TS-0122-V1.0.0	WINNF.FT.C.HBT.11	Pass

Item	Standard	Test Case ID	Result
Grant Response contains measReportConfig	WINNF-TS-0122-V1.0.0	WINNF.FT.C.MES.3	Pass
Heartbeat Response contains measReportConfig	WINNF-TS-0122-V1.0.0	WINNF.FT.C.MES.4	Pass
Successful Relinquishment	WINNF-TS-0122-V1.0.0	WINNF.FT.C.RLQ.1	Pass
Unsuccessful Relinquishment, responseCode=102	WINNF-TS-0122-V1.0.0	WINNF.FT.C.RLQ.3	Pass
Unsuccessful Relinquishment, responseCode=103	WINNF-TS-0122-V1.0.0	WINNF.FT.C.RLQ.5	Pass
Successful Deregistration	WINNF-TS-0122-V1.0.0	WINNF.FT.C.DRG.1	Pass
Deregistration responseCode=102	WINNF-TS-0122-V1.0.0	WINNF.FT.C.DRG.3	Pass
Deregistration responseCode=103	WINNF-TS-0122-V1.0.0	WINNF.FT.C.DRG.5	Pass
Successful TLS connection between UUT and SAS Test Harness	WINNF-TS-0122-V1.0.0	WINNF.FT.C.SCS.1	Pass
TLS failure due to revoked certificate	WINNF-TS-0122-V1.0.0	WINNF.FT.C.SCS.2	Pass
TLS failure due to expired server certificate	WINNF-TS-0122-V1.0.0	WINNF.FT.C.SCS.3	Pass
TLS failure when SAS Test Harness certificate is issue by unknown CA	WINNF-TS-0122-V1.0.0	WINNF.FT.C.SCS.4	Pass
TLS failure when certificate at the SAS Test Harness is corrupted	WINNF-TS-0122-V1.0.0	WINNF.FT.C.SCS.5	Pass
UUT RF Transmit Power Measurement	WINNF-TS-0122-V1.0.0	WINNF.PT.C.HBT	Pass
SAS Version: 1.0.0.3			

The UUT is a CPE-CBSD product. According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

**Test standards:**

**CBRSA-TS-9001-V1.0.0**

CBRS Alliance Certification Test Plan

**WINNF-TS-0122-V1.0.0**

Test and Certification for Citizens Broadband Radio Service (CBRS); Conformance and Performance Test Technical Specification; CBSD/DP as Unit Under Test (UUT)

**WINNF-19-IN-00033 V1.0**

CBRS CPE-CBSD as UUT Test Guidelines

**KDB 940660 D01 Part 96 CBRS Eqpt v02**

**KDB 940660 D02 CPE-CBSD Handshake Procedures v02**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, China  
Shenzhen Branch, China

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



### 3 Contents

	Page
<b>1 COVER PAGE .....</b>	<b>1</b>
<b>2 TEST SUMMARY .....</b>	<b>3</b>
<b>3 CONTENTS .....</b>	<b>5</b>
<b>4 GENERAL INFORMATION .....</b>	<b>8</b>
4.1 DETAILS OF E.U.T. ....	8
4.2 DESCRIPTION OF CBSD/DP SUPPORT FEATURES .....	8
4.3 SUMMARY OF TEST RESULTS .....	9
4.4 MODIFICATION RECORD .....	9
4.5 MEASUREMENT UNCERTAINTY .....	10
4.6 DESCRIPTION OF SUPPORT UNITS .....	10
4.7 TEST LOCATION.....	10
<b>5 EQUIPMENT LIST .....</b>	<b>11</b>
<b>6 TEST METHOD AND ENVIRONMENT.....</b>	<b>12</b>
6.1 CBSD/DP CONFORMANCE AND PERFORMANCE .....	12
6.2 CPE-CBSD HANDSHAKE PROCEDURES.....	12
6.3 CBSD TEST PROCEDURE .....	12
6.4 DURATION AND DUTY CYCLE MEASUREMENT.....	12
6.5 DURATION AND DUTY CYCLE TEST PROCEDURE .....	12
6.6 TEST ENVIRONMENT .....	13
6.7 TEST SETUP.....	13
<b>7 TEST DATA.....</b>	<b>14</b>
7.1 CBSD REGISTRATION PROCESS .....	14
7.1.1 WINNF.FT.C.REG.1 .....	14
7.1.2 WINNF.FT.C.REG.5 .....	15
7.1.3 WINNF.FT.C.REG.8 .....	16
7.1.4 WINNF.FT.C.REG.10 .....	17
7.1.5 WINNF.FT.C.REG.12 .....	18
7.1.6 WINNF.FT.C.REG.14 .....	19
7.1.7 WINNF.FT.C.REG.16 .....	20
7.1.8 WINNF.FT.C.REG.18 .....	21
7.2 CBSD SPECTRUM GRANT PROCESS .....	22
7.2.1 WINNF.FT.C.GRA.1.....	22
7.2.2 WINNF.FT.C.GRA.2.....	22
7.3 CBSD HEARTBEAT PROCESS.....	23
7.3.1 WINNF.FT.C.HBT.1 .....	23
7.3.2 WINNF.FT.C.HBT.3.....	24
7.3.3 WINNF.FT.C.HBT.4.....	25
7.3.4 WINNF.FT.C.HBT.5.....	26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

7.3.5	WINNF.FT.C.HBT.6	27
7.3.6	WINNF.FT.C.HBT.7	28
7.3.7	WINNF.FT.C.HBT.9	29
7.3.8	WINNF.FT.C.HBT.10	30
7.3.9	WINNF.FT.C.HBT.11	31
7.4	CBSD MEASUREMENT REPORT	33
7.4.1	WINNF.FT.C.MES.3	33
7.4.2	WINNF.FT.C.MES.4	34
7.5	CBSD RELINQUISHMENT PROCESS	35
7.5.1	WINNF.FT.C.RLQ.1	35
7.5.2	WINNF.FT.C.RLQ.3	36
7.5.3	WINNF.FT.C.RLQ.5	37
7.6	CBSD DEREGISTRATION PROCESS	38
7.6.1	WINNF.FT.C.DRG.1	38
7.6.2	WINNF.FT.C.DRG.3	39
7.6.3	WINNF.FT.C.DRG.5	40
7.7	CBSD SECURITY VALIDATION	41
7.7.1	WINNF.FT.C.SCS.1	41
7.7.2	WINNF.FT.C.SCS.2	41
7.7.3	WINNF.FT.C.SCS.3	42
7.7.4	WINNF.FT.C.SCS.4	42
7.7.5	WINNF.FT.C.SCS.5	43
7.8	CBSD RF POWER MEASUREMENT	44
7.8.1	WINNF.PT.C.HBT.1	44
7.9	DURATION AND DUTY CYCLE	47
7.10	VERIFY THAT THE DEVICE WILL REGISTER WITH A SAS WHEN OPERATING BELOW 23 DBM	49
<b>8</b>	<b>TEST DATA LOG</b>	<b>50</b>
8.1	WINNF.FT.C.REG.1	50
8.2	WINNF.FT.C.REG.5	52
8.3	WINNF.FT.C.REG.8	54
8.4	WINNF.FT.C.REG.10	56
8.5	WINNF.FT.C.REG.12	58
8.6	WINNF.FT.C.REG.14	60
8.7	WINNF.FT.C.REG.16	62
8.8	WINNF.FT.C.REG.18	64
8.9	WINNF.FT.C.GRA.1	66
8.10	WINNF.FT.C.GRA.2	70
8.11	WINNF.FT.C.HBT.1	74
8.12	WINNF.FT.C.HBT.3	81
8.13	WINNF.FT.C.HBT.4	87
8.14	WINNF.FT.C.HBT.5	94
8.15	WINNF.FT.C.HBT.6	99
8.16	WINNF.FT.C.HBT.7	105
8.17	WINNF.FT.C.HBT.9	111
8.18	WINNF.FT.C.HBT.10	117
8.19	WINNF.FT.C.HBT.11	124
8.20	WINNF.FT.C.MES.3	132
8.21	WINNF.FT.C.MES.4	139
8.22	WINNF.FT.C.RLQ.1	147



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



8.23	WINNF.FT.C.RLQ.3 .....	157
8.24	WINNF.FT.C.RLQ.5 .....	164
8.25	WINNF.FT.C.DRG.1 .....	169
8.26	WINNF.FT.C.DRG.3 .....	175
8.27	WINNF.FT.C.DRG.5 .....	181
8.28	WINNF.FT.C.SCS.1 .....	187
8.29	WINNF.FT.C.SCS.2 .....	188
8.30	WINNF.FT.C.SCS.3 .....	189
8.31	WINNF.FT.C.SCS.4 .....	190
8.32	WINNF.FT.C.SCS.5 .....	191
<b>9</b>	<b>PHOTOGRAPHS.....</b>	<b>192</b>
9.1	EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS).....	192



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	Adapter Model NO.: ASSA107A-240050 Input: 100-240V~50/60Hz, 0.45A Output: 24.0V, 0.5A POE Model NO.: GRT-HCQ-1000
Cable:	DC cable: 148cm unshielded
Sample Type:	Fixed device
CBSD Class:	B(Outdoor CPE)
Transmitter Frequency Band:	LTE Band 48
Transmitter Frequency Range:	3550~3700MHz
Hardware Version:	CW1202_V2.0
Software Version:	MG12_0.3.3.8_V1.0-CBSD-STD
Test sample:	1257019260400202(S/N)
Antenna Gain:	14 dBi

### 4.2 Description of CBSD/DP Support Features

Condition	Feature Description	Supported
C1	Mandatory for UUT which supports multi-step registration message.	Y
C2	Mandatory for UUT which supports single-step registration with no CPI-signed data in the registration message. By definition, this is a subset of Category A devices which determine all registration information, including location, without CPI intervention.	N
C3	Mandatory for UUT which supports single-step registration containing CPI-signed data in the registration message.	Y
C4	Mandatory for UUT which supports RECEIVED_POWER_WITHOUT_GRANT measurement report type.	N
C5	Mandatory for UUT which supports RECEIVED_POWER_WITH_GRANT measurement report type.	Y
C6	Mandatory for UUT which supports parameter change being made at the UUT and prior to sending a deregistration.	N

Y: Supported

N: Not supported



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





#### 4.3 Summary of Test Results

WINNF-TS-0122			
Classes	Test Case Items	Pass Items	Pass Rate (%)
FT (CBSD, DP/CBSD)	32	32	100
PT (CBSD, DP/CBSD)	1	1	100
Total	33	33	100

Note:

1. Functional Test (FT): Test to validate the conformance of the Protocols and functionalities implemented in the CBSD/DP UUT to the requirements developed by WinnForum and supporting FCC/DoD requirements.
2. Field/Performance Test (PT): Test to check the capability of the CBSD/DP UUT to support various traffic models and actual operations in the field.

Duration and Duty Cycle		
Period	Limit	Test Result
10-second	1-second	Pass
300-second	10-second	Pass
3600-second	20-second	Pass

Note: Limited in duration and duty cycle to the minimum time necessary to get a grant from the SAS.  
This time should not exceed 1 second within any 10-second period, 10seconds within any 300-second period, or 20 seconds within any 3600-second period.

#### 4.4 Modification Record

1. The Pass/Fail criteria "UUT shall not transmit RF" is replaced by "CPE-CBSD UUT shall not transmit user traffic".
2. The Pass/Fail criteria "UUT shall stop transmission" is replaced by CPE-CBSD UUT shall stop transmitting user traffic"



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	$\pm 7.25 \times 10^{-8}$
2	RF conducted power	$\pm 0.75\text{dB}$
3	Temperature test	$\pm 1^\circ\text{C}$
4	Humidity test	$\pm 3\%$
5	Supply voltages	$\pm 1.5\%$
6	Time	$\pm 3\%$

#### 4.6 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
EPC	Lanner Electronics Inc.	LICA-1513A	LR202002004052
Router	TP-LINK	TL-R860+	1175379002425
Base station	Baicells	mBS105 (FCC ID: 2AG32MBS110596)	120200007219BSP0001

#### 4.7 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China.  
518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 5 Equipment List

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Laptop (With SAS Test harness)	Lenovo	Pro-13API 2019	REF. No.SEA1800	/	/
Spectrum Analyzer	R&S	FSP	SEM004-06	2019-09-24	2020-09-23
Spectrum Analyzer	Keysight	N9020A	SEM004-17	2020-05-21	2021-05-20
Shield Room	SAEMC	MSR433	SEM001-11	2018-03-13	2021-03-12
Coaxial Cable	SGS	N/A	SEM031-01	2019-07-11	2020-07-10
				2020-07-11	2021-07-10
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-03	2019-09-27	2020-09-26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6 Test Method and Environment

### 6.1 CBSD/DP Conformance and Performance

Test Requirement: CBRS CBSD Test Specification WINNF-TS-0122-V1.0.0  
Test Method: CBRS CBSD Test Specification WINNF-TS-0122-V1.0.0  
WINNF-IN-0156\_WinnForum\_SAS\_Test\_Harness\_CBSD\_UUT\_Tutorial\_v1\_0\_0\_1

### 6.2 CPE-CBSD Handshake Procedures

Test Requirement: KDB 940660 D02 CPE-CBSD Handshake Procedures v02  
Test Method: WINNF-19-IN-00033 V1.0  
KDB 940660 D02 CPE-CBSD Handshake Procedures v02

### 6.3 CBSD Test Procedure

- Connect the UUT to SAS Test Harness system and RF Test instruments via the CBSD interface and RF components. The highest level is set to test configuration.
- UUT shall be UTC time synchronized
- The frequency band is granted and set as UUT supported Modulation and Channels, transmitted power of the UUT according to it granted parameters from the SAS TestHarness.
- Each test case results was recorded and validated by SAS Test Harness system and RF instruments test cases was recorded test results from SAS Test Harness system.

### 6.4 Duration and Duty Cycle Measurement

The CPE-CBSD shall validate and ensure that limited in duration and duty cycle to the minimum time necessary to get a grant from the SAS.

### 6.5 Duration and Duty Cycle Test Procedure

- CPE-CBSD as UUT does not receive any RF signal from its "Compatible BTS-CBSD" (FCC ID: 2AG32MBS110596), so CPE-CBSD as UUT does not transmit. UUT shall be UTC time synchronized.
- Use the WinnForum SAS Harness #1 for CPE-CBSD as UUT and run test case WINNF.FT.C.GRA.1 for CPE-CBSD as UUT.
- CPE-CBSD as UUT starts to receive the RF signal from its "Compatible BTS-CBSD", so CPE-CBSD can start communicating with the WinnForum SAS Harness #1. Make note of the time when RF Test equipment logs the first transmission from CPE-CBSD which is above 23dBm/10MHz – this is the start time of the {X time out of Y time}.
- When the test case WINNF.FT.C.GRA.1 finishes and the questions appear on the WinnForum SAS Harness #1 console, do NOT answer the questions. Wait until Y time has passed from step #3. During this Y time, the RF test equipment is logging the amount of time CPE-CBSD as UUT transmitted EIRP above 23dBm/10MHz. The amount of time logged for transmitting EIRP above 23dBm/10MHz is the X time.
- Answer the questions on the WinnForum SAS Harness #1 console so the WinnForum SAS Harness #1 is ready for the next test.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 6.6 Test Environment

Test Harness Version: V1.0.0.3  
Operating System: Microsoft Windows 10  
TLS Version: 1.2  
Python Version: 2.7.13  
Environmental Conditions: 25deg. C, 65%RH  
Input Power: 120Vac, 60Hz

## 6.7 Test Setup



CPE-CBSD as UUT, BTS-CBSD direct communication without Domain Proxy

## 7 Test Data

### 7.1 CBSD Registration Process

#### 7.1.1 WINNF.FT.C.REG.1

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>● UUT has successfully completed SAS Discovery and Authentication with the SAS Test Harness</li> <li>● UUT is in the Unregistered state</li> </ul>	--	--
2	CBSD sends correct Registration request information, as specified in [n.5], to the SAS Test Harness: <ul style="list-style-type: none"> <li>● The required userId, fcId and cbsdSerialNumber registration parameters shall be sent from the CBSD and conform to proper format and acceptable ranges.</li> <li>● Any REG-conditional or optional registration parameters that may be included in the message shall be verified that they conform to proper format and are within acceptable ranges.</li> </ul> <p>Note: It is outside the scope of this document to test the Registration information that is supplied via another means.</p>	<div>■</div> Pass	<div>□</div> Fail
3	<ul style="list-style-type: none"> <li>● SAS Test Harness sends a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>- cbsdId = C</li> <li>- measReportConfig shall not be included</li> <li>- responseCode = 0</li> </ul> </li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=0) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: <ul style="list-style-type: none"> <li>● UUT shall not transmit RF</li> </ul>	<div>■</div> Pass	<div>□</div> Fail

**7.1.2 WINNF.FT.C.REG.5**

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>● UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>● UUT is in the Unregistered state</li> <li>● All of the required and REG-Conditional parameters shall be configured and CPI signature provided</li> </ul>	--	--
2	CBSD sends Registration request to the SAS Test Harness: <ul style="list-style-type: none"> <li>● The required userId, fcId and cbsdSerialNumber and REG-Conditional cbsdCategory, airInterface, measCapability and cpiSignatureData registration parameters shall be sent from the CBSD and conform to proper format and acceptable ranges.</li> <li>● Any optional registration parameters that may be included in the message shall be verified that they conform to proper format and are within acceptable ranges.</li> </ul>	■ Pass	□ Fail
3	<ul style="list-style-type: none"> <li>● SAS Test Harness sends a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>- cbsdId = C</li> <li>- measReportConfig shall not be included.</li> <li>- responseCode = 0</li> </ul> </li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=0) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: <ul style="list-style-type: none"> <li>● UUT shall not transmit RF</li> </ul>	■ Pass	□ Fail

### 7.1.3 WINNF.FT.C.REG.8

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>UUT is in the Unregistered state</li> </ul>	--	--
2	CBSD sends a Registration request to SAS Test Harness.	--	--
3	SAS Test Harness rejects the request by sending a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>SAS response does not include cbsdId</li> <li>responseCode = R</li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=0) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: <ul style="list-style-type: none"> <li>UUT shall not transmit RF</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail



**7.1.4 WINNF.FT.C.REG.10**

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>• UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>• UUT is in the Unregistered state</li> </ul>	--	--
2	CBSD sends a Registration request to SAS Test Harness.	--	--
3	SAS Test Harness rejects the request by sending a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>- SAS response does not include cbsdId</li> <li>- responseCode = R</li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=200) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify:  UUT shall not transmit RF	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.1.5 WINNF.FT.C.REG.12**

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>• UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>• UUT is in the Unregistered state</li> </ul>	--	--
2	CBSD sends a Registration request to SAS Test Harness.	--	--
3	SAS Test Harness rejects the request by sending a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>- SAS response does not include cbsdId</li> <li>- responseCode = R</li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=103) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: UUT shall not transmit RF	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.1.6 WINNF.FT.C.REG.14**

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>• UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>• UUT is in the Unregistered state</li> </ul>	--	--
2	CBSD sends a Registration request to SAS Test Harness.	--	--
3	SAS Test Harness rejects the request by sending a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>- SAS response does not include cbsdId</li> <li>- responseCode = R</li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=101) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: UUT shall not transmit RF	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.1.7 WINNF.FT.C.REG.16**

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>• UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>• UUT is in the Unregistered state</li> </ul>	--	--
2	CBSD sends a Registration request to SAS Test Harness.	--	--
3	SAS Test Harness rejects the request by sending a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>- SAS response does not include cbsdId</li> <li>- responseCode = R</li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=100) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: UUT shall not transmit RF	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail



**7.1.8 WINNF.FT.C.REG.18**

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>UUT is in the Unregistered state</li> </ul>	--	--
2	CBSD sends a Registration request to SAS Test Harness.	--	--
3	SAS Test Harness rejects the request by sending a CBSD Registration Response as follows: <ul style="list-style-type: none"> <li>SAS response does not include cbsdId</li> <li>responseCode = R</li> </ul>	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=201) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: UUT shall not transmit RF	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

## 7.2 CBSD Spectrum Grant Process

### 7.2.1 WINNF.FT.C.GRA.1

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: ● UUT has registered successfully with SAS Test Harness, with cbsdId = C	--	--
2	UUT sends valid Grant Request.	■ Pass	□ Fail
3	SAS Test Harness sends a Grant Response message, including ● cbsdId=C - responseCode = R	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=0) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: ● UUT shall not transmit RF	■ Pass	□ Fail

### 7.2.2 WINNF.FT.C.GRA.2

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: ● UUT has registered successfully with SAS Test Harness, with cbsdId = C	--	--
2	UUT sends valid Grant Request.	■ Pass	□ Fail
3	SAS Test Harness sends a Grant Response message, including - cbsdId=C - responseCode = R	--	--
4	After completion of step 3, SAS Test Harness will not provide any positive response (responseCode=401) to further request messages from the UUT.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: ● UUT shall not transmit RF	■ Pass	□ Fail

## 7.3 CBSD HeartBeat Process

### 7.3.1 WINNF.FT.C.HBT.1

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: ● UUT has registered successfully with SAS Test Harness, with cbsdId = C	--	--
2	UUT sends a message: ● If message is type Spectrum Inquiry Request, go to step 3, or ● If message is type Grant Request, go to step 5	--	--
3	UUT sends Spectrum Inquiry Request. Validate: ● cbsdId = C ● List of frequencyRange objects sent by UUT are within the CBRS frequency range	■ Pass	□ Fail
4	SAS Test Harness sends a Spectrum Inquiry Response message, including the following parameters: ● cbsdId = C ● availableChannel is an array of availableChannel objects ● responseCode = 0	--	--
5	UUT sends Grant Request message. Validate: ● cbsdId = C ● maxEIRP is at or below the limit appropriate for CBSD category as defined by Part 96 ● operationFrequencyRange, F, sent by UUT is a valid range within the CBRS band	■ Pass	□ Fail
6	SAS Test Harness sends a Grant Response message, including the parameters: ● cbsdId = C ● grantId = G = a valid grant ID ● grantExpireTime = UTC time greater than duration of the test ● responseCode = 0	--	--
7	UUT sends a first Heartbeat Request message. Verify Heartbeat Request message is formatted correctly, including: ● cbsdId = C ● grantId = G ● operationState = "GRANTED"	■ Pass	□ Fail
8	SAS Test Harness sends a Heartbeat Response message, with the following parameters: ● cbsdId = C ● grantId = G ● transmitExpireTime = current UTC time + 200 seconds ● responseCode = 0	--	--

9	For further Heartbeat Request messages sent from UUT after completion of step 8, validate message is sent within latest specified heartbeatInterval, and: <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "AUTHORIZED"</li> </ul> and SAS Test Harness responds with a Heartbeat Response message including the following parameters: <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● transmitExpireTime = current UTC time + 200 seconds</li> <li>● responseCode = 0</li> </ul>	■ Pass	□ Fail
10	Monitor the RF output of the UUT from start of test until UUT transmission commences. Verify: <ul style="list-style-type: none"> <li>● UUT does not transmit at any time prior to completion of the first heartbeat response</li> <li>● UUT transmits after step 8 is complete, and its transmission is limited to within the bandwidth range F.</li> </ul>	■ Pass	□ Fail

### 7.3.2 WINNF.FT.C.HBT.3

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>● UUT has registered successfully with SAS Test Harness</li> <li>● UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>○ valid cbsdId = C</li> <li>○ valid grantId = G</li> <li>○ grant is for frequency range F, power P</li> <li>○ grantExpireTime = UTC time greater than duration of the test</li> </ul> </li> <li>● UUT is in AUTHORIZED state and is transmitting within the grant bandwidth F on RF interface</li> </ul>	--	--
2	UUT sends a Heartbeat Request message. Ensure Heartbeat Request message is sent within Heartbeat Interval specified in the latest Heartbeat Response, and formatted correctly, including: <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "AUTHORIZED"</li> </ul>	--	--
3	SAS Test Harness sends a Heartbeat Response message, including the following parameters: <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● transmitExpireTime = T = Current UTC time</li> <li>● responseCode = 105 (DEREGISTER)</li> </ul>	--	--
4	After completion of step 3, SAS Test Harness shall not allow any further grants to the UUT.	--	--
5	Monitor the RF output of the UUT. Verify: <ul style="list-style-type: none"> <li>● UUT shall stop transmission within (T + 60 seconds) of completion of step 3</li> </ul>	■ Pass	□ Fail



**7.3.3 WINNF.FT.C.HBT.4**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>● UUT has registered successfully with SAS Test Harness</li> <li>● UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>○ valid cbsdId = C</li> <li>○ valid grantId = G</li> <li>○ grant is for frequency range F, power P</li> <li>○ grantExpireTime = UTC time greater than duration of the test</li> </ul> </li> <li>● UUT is in AUTHORIZED state and is transmitting within the grant bandwidth F on RF interface</li> </ul>	--	--
2	<p>UUT sends a Heartbeat Request message. Ensure Heartbeat Request message is sent within latest specified heartbeatInterval, and is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "AUTHORIZED"</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<p>SAS Test Harness sends a Heartbeat Response message, including the following parameters:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● transmitExpireTime = T = current UTC time</li> <li>● responseCode = 500 (TERMINATED_GRANT)</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness shall not allow any further grants to the UUT.</p>	--	--
5	<p>Monitor the RF output of the UUT. Verify:</p> <ul style="list-style-type: none"> <li>● UUT shall stop transmission within (T + 60 seconds) of completion of step 3</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.3.4 WINNF.FT.C.HBT.5**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>● UUT has registered successfully with SAS Test Harness</li> <li>● UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>○ valid cbsdId = C</li> <li>○ valid grantId = G</li> <li>○ grant is for frequency range F, power P</li> <li>○ grantExpireTime = UTC time greater than duration of the test</li> </ul> </li> <li>● UUT is in GRANTED, but not AUTHORIZED state (i.e. has not performed its first Heartbeat Request)</li> </ul>	--	--
2	<p>UUT sends a Heartbeat Request message. Verify Heartbeat Request message is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "GRANTED"</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<p>SAS Test Harness sends a Heartbeat Response message, including the following parameters:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● transmitExpireTime = T = current UTC time</li> <li>● ?responseCode = 501 (SUSPENDED_GRANT)</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness shall not allow any further grants to the UUT.</p>	--	--
5	<p>Monitor the SAS-CBSD interface. Verify either A OR B occurs:</p> <p>A. UUT sends a Heartbeat Request message. Ensure message is sent within latest specified heartbeatInterval, and is correctly formatted with parameters:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "GRANTED"</li> </ul> <p>B. UUT sends a Relinquishment request message. Ensure message is correctly formatted with parameters:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> </ul> <p>Monitor the RF output of the UUT. Verify:</p> <ul style="list-style-type: none"> <li>● UUT does not transmit at any time</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.3.5 WINNF.FT.C.HBT.6**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>UUT has registered successfully with SAS Test Harness</li> <li>UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>valid cbsdId = C</li> <li>valid grantId = G</li> <li>grant is for frequency range F, power P</li> <li>grantExpireTime = UTC time greater than duration of the test</li> </ul> </li> <li>UUT is in AUTHORIZED state and is transmitting within the grant bandwidth F on RF interface</li> </ul>	--	--
2	<p>UUT sends a Heartbeat Request message. Ensure Heartbeat Request message is sent within latest specified heartbeatInterval, and is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>operationState = "AUTHORIZED"</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<p>SAS Test Harness sends a Heartbeat Response message, including the following parameters:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>transmitExpireTime = T = current UTC time</li> <li>responseCode = 501 (SUSPENDED_GRANT)</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness shall not allow any further grants to the UUT.</p>	--	--
5	<p>Monitor the SAS-CBSD interface. Verify either A OR B occurs:</p> <p>A. UUT sends a Heartbeat Request message. Ensure message is sent within latest specified heartbeatInterval, and is correctly formatted with parameters:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>operationState = "GRANTED"</li> </ul> <p>B. UUT sends a Relinquishment request message. Ensure message is correctly formatted with parameters:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> </ul> <p>Monitor the RF output of the UUT. Verify:</p> <ul style="list-style-type: none"> <li>UUT shall stop transmission within (T+60) seconds of completion of step 3</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.3.6 WINNF.FT.C.HBT.7**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>● UUT has registered successfully with SAS Test Harness</li> <li>● UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>○ valid cbsdId = C</li> <li>○ valid grantId = G</li> <li>○ grant is for frequency range F, power P</li> <li>○ grantExpireTime = UTC time greater than duration of the test</li> </ul> </li> <li>● UUT is in AUTHORIZED state and is transmitting within the grant bandwidth F on RF interface</li> </ul>	--	--
2	<p>UUT sends a Heartbeat Request message. Ensure Heartbeat Request message is sent within latest specified heartbeatInterval, and is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "AUTHORIZED"</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<p>SAS Test Harness sends a Heartbeat Response message, including the following parameters:</p> <ul style="list-style-type: none"> <li>○ cbsdId = C</li> <li>○ grantId = G</li> <li>○ transmitExpireTime = T = current UTC time</li> <li>● responseCode = 502 (UNSYNC_OP_PARAM)</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness shall not allow any further grants to the UUT.</p>	--	--
5	<p>Monitor the SAS-CBSD interface. Verify:</p> <ul style="list-style-type: none"> <li>● UUT sends a Grant Relinquishment Request message. Verify message is correctly formatted with parameters: <ul style="list-style-type: none"> <li>○ cbsdId = C</li> <li>○ grantId = G</li> </ul> </li> </ul> <p>Monitor the RF output of the UUT. Verify:</p> <ul style="list-style-type: none"> <li>● UUT shall stop transmission within (T+60) seconds of completion of step 3</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail



**7.3.7 WINNF.FT.C.HBT.9**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>● UUT has registered successfully with SAS Test Harness</li> <li>● UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>○ valid cbsdId = C</li> <li>○ valid grantId = G</li> <li>○ grant is for frequency range F, power P</li> <li>○ grantExpireTime = UTC time greater than duration of the test</li> </ul> </li> <li>● UUT is in GRANTED, but not AUTHORIZED state(i.e. has not performed its first Heartbeat Request)</li> </ul>	--	--
2	<p>UUT sends a Heartbeat Request message. Ensure Heartbeat Request message is sent within latest specified heartbeatInterval, and is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "GRANTED"</li> </ul>	<div>■</div> <div>Pass</div>	<div>□</div> <div>Fail</div>
3	<p>After completion of step 2, SAS Test Harness does not respond to any further</p> <ul style="list-style-type: none"> <li>● messages from UUT to simulate loss of network connection</li> </ul>	--	--
4	<p>Monitor the RF output of the UUT from start of test to 60 seconds after step 3. Verify: At any time during the test, UUT shall not transmit on RF interface</p>	<div>■</div> <div>Pass</div>	<div>□</div> <div>Fail</div>

**7.3.8 WINNF.FT.C.HBT.10**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>UUT has registered successfully with SAS Test Harness</li> <li>UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>valid cbsdId = C</li> <li>valid grantId = G</li> <li>grant is for frequency range F, power P</li> <li>grantExpireTime = UTC time greater than duration of the test</li> </ul> </li> <li>UUT is in AUTHORIZED state and is transmitting within the grant bandwidth F on RF interface</li> </ul>	--	--
2	<p>UUT sends a Heartbeat Request message. Verify Heartbeat Request message is sent within latest specified heartbeatInterval, and is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>operationState = "AUTHORIZED"</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<p>SAS Test Harness sends a Heartbeat Response message, including the following parameters:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>transmitExpireTime = T = current UTC time + 200 seconds</li> <li>responseCode = 0</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness shall not allow any further grants to the UUT.</p>	--	--
5	<p>Monitor the RF output of the UUT. Verify:</p> <ul style="list-style-type: none"> <li>UUT shall stop all transmission on RF interface within (transmitExpireTime + 60 seconds), using the transmitExpireTime sent in Step 3.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.3.9 WINNF.FT.C.HBT.11**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>● UUT has registered successfully with SAS Test Harness</li> <li>● UUT has a valid single grant as follows: <ul style="list-style-type: none"> <li>○ valid cbsdId = C</li> <li>○ valid grantId = G</li> <li>○ grant is for frequency range F, power P</li> </ul> </li> <li>● UUT is in AUTHORIZED state and is transmitting within the grant bandwidth F on RF interface.</li> <li>● Grant has the following parameters at the start of the test: <ul style="list-style-type: none"> <li>○ grantExpireTime = UTC time equal to time at start of test + 300 seconds = Tgrant_expire</li> <li>○ transmitExpireTime = UTC time equal to time at start of test + 200 seconds</li> <li>○ heartbeatInterval = 60 seconds</li> </ul> </li> </ul>	--	--
2	<p>UUT sends a Heartbeat Request message.</p> <ul style="list-style-type: none"> <li>● If Heartbeat Request message contains grantRenew = TRUE, go to Step 6, else go to Step 3.</li> </ul>	--	--
3	<p>Verify Heartbeat Request message is sent within the latest specified <i>heartbeatInterval</i>, and is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "AUTHORIZED"</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
4	<p>SAS Test Harness sends a Heartbeat Response message, with the following parameters:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● transmitExpireTime = current UTC + 200 seconds</li> <li>● grantExpireTime = same as Step 1</li> <li>● responseCode = 0</li> </ul>	--	--
5	Go to Step 2	--	--
6	<p>Verify Heartbeat Request message is sent within the latest specified <i>heartbeatInterval</i>, and is formatted correctly, including:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● operationState = "AUTHORIZED"</li> <li>● grantRenew = TRUE</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
7	<p>SAS Test Harness sends a Heartbeat Response message, with the following parameters:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● grantExpireTime = UTC time set far in the future</li> <li>● transmitExpireTime = current UTC time + 200 seconds</li> <li>● responseCode = 0</li> </ul>	--	--

8	Continue to respond to any subsequent Heartbeat Request from CBSD with Heartbeat Response with the following parameters: <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> <li>● transmitExpireTime = same as Step 7</li> <li>● responseCode = 0</li> </ul>	--	--
9	Monitor RF transmission of UUT from start of test until Tgrant_expire + 60 seconds and ensure UUT continues to transmit throughout the time period.	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 7.4 CBSD Measurement Report

### 7.4.1 WINNF.FT.C.MES.3

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>UUT has successfully registered with SAS Test Harness, with cbsdId=C and measCapability = "RECEIVED_POWER_WITH_GRANT"</li> </ul>	--	--
2	UUT sends a Grant Request message. Verify Grant Request message contains all required parameters properly formatted, and specifically: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>operationParam is present and format is valid</li> </ul>	■ Pass	□ Fail
3	SAS Test Harness sends a Grant Response message, with the following parameters: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G = valid grant ID</li> <li>grantExpireTime = UTC time in the future</li> <li>heartbeatInterval = 60 seconds</li> <li>measReportConfig= "RECEIVED_POWER_WITH_GRANT"</li> <li>operationParam is set to valid operating parameters</li> <li>channelType = "GAA"</li> <li>responseCode = 0</li> </ul>	--	--
4	UUT sends a Heartbeat Request message. Verify message contains all required parameters properly formatted, and specifically: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>operationState = "GRANTED"</li> </ul>	■ Pass	□ Fail
5	If Heartbeat Request message (step 4) contains measReport object, then: <ul style="list-style-type: none"> <li>verify measReport is properly formatted as object rcvdPowerMeasReport</li> <li>end test, with PASS result</li> </ul> else, if Heartbeat Request message (step 4) does not contain measReport object, then: <ul style="list-style-type: none"> <li>If number of Heartbeat Requests sent by UUT after Step 3 is = 5, then stop test with result of FAIL</li> </ul>	■ Pass	□ Fail
6	SAS Test Harness sends a Heartbeat Response message, containing all required parameters properly formatted, and specifically: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>transmitExpireTime = current UTC time + 200 seconds</li> <li>responseCode = 0</li> </ul> Go to Step 4, above	--	--

**7.4.2 WINNF.FT.C.MES.4**

#	Test Execution Steps	Results	
1	Ensure the following conditions are met for test entry: <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>UUT has successfully registered with SAS Test Harness, with cbsdId=C and measCapability = "RECEIVED_POWER_WITH_GRANT"</li> <li>UUT has received a valid grant with grantId = G</li> <li>UUT is in Grant State AUTHORIZED and is actively transmitting within the bounds of its grant.</li> <li>Grant has heartbeatInterval = 60 seconds</li> </ul>	--	--
2	UUT sends a Heartbeat Request message. Verify Heartbeat Request message contains all required parameters properly formatted, and specifically: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>operationState = "AUTHORIZED"</li> </ul>	■ Pass	□ Fail
3	SAS Test Harness sends a Heartbeat Response message, containing all required parameters properly formatted, and specifically: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>measReportConfig= "RECEIVED_POWER_WITH_GRANT"</li> <li>responseCode = 0</li> </ul>	--	--
4	UUT sends a Heartbeat Request message. Verify message contains all required parameters properly formatted, and specifically: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>operationState = "AUTHORIZED"</li> </ul>	■ Pass	□ Fail
5	If Heartbeat Request message (step 4) contains measReport object, then: <ul style="list-style-type: none"> <li>verify measReport is properly formatted as object rcvdPowerMeasReport</li> <li>end test, with PASS result</li> </ul> else, if Heartbeat Request message (step 4) does not contain measReport object, then: <ul style="list-style-type: none"> <li>If number of Heartbeat Requests sent by UUT after Step 3 is = 5, then stop test with result of FAIL</li> </ul>	■ Pass	□ Fail
6	SAS Test Harness sends a Heartbeat Response message, containing all required parameters properly formatted, and specifically: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>responseCode = 0</li> </ul> Go to Step 4, above	--	--

## 7.5 CBSD Relinquishment Process

### 7.5.1 WINNF.FT.C.RLQ.1

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>UUT has successfully registered with SAS Test Harness, with cbsdId=C</li> <li>UUT has received a valid grant with grantId = G</li> <li>UUT is in Grant State AUTHORIZED and is actively transmitting within the bounds of its grant.</li> </ul> <p>Invoke trigger to relinquish UUT Grant from the SAS Test Harness</p>	--	--
2	<p>UUT sends a Relinquishment Request message. Verify message contains all required parameters properly formatted, and specifically:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<p>SAS Test Harness shall approve the request with a Relinquishment Response message with parameters:</p> <ul style="list-style-type: none"> <li>- cbsdId = C</li> <li>- grantId = G</li> <li>● responseCode = 0</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness will not provide any additional positive</p> <ul style="list-style-type: none"> <li>● response (responseCode=0) to further request messages from the UUT</li> </ul>	--	--
5	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>UUT shall stop RF transmission at any time between triggering the relinquishment and UUT sending the relinquishment request</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.5.2 WINNF.FT.C.RLQ.3**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>UUT has successfully registered with SAS Test Harness, with cbsdId=C</li> <li>UUT has received a valid grant with grantId = G</li> <li>UUT is in Grant State AUTHORIZED and is actively transmitting within the bounds of its grant.</li> </ul> <p>Invoke trigger to relinquish UUT Grant from the SAS Test Harness</p>	--	--
2	<p>UUT sends a Relinquishment Request message. Verify message contains all required parameters properly formatted, and specifically:</p> <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> </ul>	--	--
3	<p>SAS Test Harness shall approve the request with a Relinquishment Response message with parameters:</p> <ul style="list-style-type: none"> <li>- cbsdId = C</li> <li>- No grantId</li> <li>- responseCode = R</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness will not provide any additional positive</p> <ul style="list-style-type: none"> <li>response (responseCode=0) to further request messages from the UUT</li> </ul>	--	--
5	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>UUT shall stop RF transmission at any time between triggering the relinquishment and UUT sending the relinquishment request</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail



**7.5.3 WINNF.FT.C.RLQ.5**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>● UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>● UUT has successfully registered with SAS Test Harness, with cbsdId=C</li> <li>● UUT has received a valid grant with grantId = G</li> <li>● UUT is in Grant State AUTHORIZED and is actively transmitting within the bounds of its grant.</li> </ul> <p>Invoke trigger to relinquish UUT Grant from the SAS Test Harness</p>	--	--
2	<p>UUT sends a Relinquishment Request message. Verify message contains all required parameters properly formatted, and specifically:</p> <ul style="list-style-type: none"> <li>● cbsdId = C</li> <li>● grantId = G</li> </ul>	--	--
3	<p>SAS Test Harness shall approve the request with a Relinquishment Response message with parameters:</p> <ul style="list-style-type: none"> <li>- cbsdId = C</li> <li>- responseCode = 103</li> <li>- responseData = "grantId"</li> </ul>	--	--
4	<p>After completion of step 3, SAS Test Harness will not provide any additional positive response (responseCode=0) to further request messages from the UUT</p>	--	--
5	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>● UUT shall stop RF transmission at any time between triggering the relinquishment and UUT sending the relinquishment request</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

## 7.6 CBSD Deregistration Process

### 7.6.1 WINNF.FT.C.DRG.1

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>• UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>• UUT has successfully registered with SAS Test Harness, with cbsdId=C</li> <li>• UUT has received a valid grant with grantId = G</li> <li>• UUT is in Grant State AUTHORIZED and is actively transmitting within the bounds of its grant.</li> </ul> <p>Invoke trigger to deregister UUT from the SAS Test Harness</p>	--	--
2	<p>UUT sends a Relinquishment request and receives Relinquishment response with</p> <ul style="list-style-type: none"> <li>• responseCode=0</li> </ul>	--	--
3	<ul style="list-style-type: none"> <li>• UUT sends Deregistration Request to SAS Test Harness with cbsdId = C.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
4	<p>SAS Test Harness shall approve the request with a Deregistration Response message with parameters:</p> <ul style="list-style-type: none"> <li>• cbsdId = C</li> <li>• responseCode = 0</li> </ul>	--	--
5	<p>After completion of step 3, SAS Test Harness will not provide any additional positive</p> <ul style="list-style-type: none"> <li>• response (responseCode=0) to further request messages from the UUT.</li> </ul>	--	--
6	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 4 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>• UUT stopped RF transmission at any time between triggering the deregistration and either A OR B occurs:             <ul style="list-style-type: none"> <li>A. UUT sending a Registration Request message, as this is not mandatory</li> <li>B. UUT sending a Deregistration Request message</li> </ul> </li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.6.2 WINNF.FT.C.DRG.3**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>• UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>• UUT has successfully registered with SAS Test Harness, with cbsdId=C</li> <li>• UUT has received a valid grant with grantId = G</li> <li>• UUT is in Grant State AUTHORIZED and is actively transmitting within the bounds of its grant.</li> </ul> <p>Invoke trigger to deregister UUT from the SAS Test Harness</p>	--	--
2	<p>UUT sends a Relinquishment request and receives Relinquishment response with</p> <ul style="list-style-type: none"> <li>• responseCode=0</li> </ul>	--	--
3	<ul style="list-style-type: none"> <li>• UUT sends Deregistration Request to SAS Test Harness with cbsdId = C.</li> </ul>		
4	<p>SAS Test Harness shall approve the request with a Deregistration Response message with parameters:</p> <ul style="list-style-type: none"> <li>• No cbsdId</li> <li>• responseCode = 102</li> </ul>	--	--
5	<p>After completion of step 3, SAS Test Harness will not provide any additional positive</p> <ul style="list-style-type: none"> <li>• response (responseCode=0) to further request messages from the UUT.</li> </ul>	--	--
6	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 4 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>• UUT stopped RF transmission at any time between triggering the deregistration and either A OR B occurs:</li> </ul> <p>A. UUT sending a Registration Request message, as this is not mandatory</p> <p>B. UUT sending a Deregistration Request message</p>	<div> <input checked="" type="checkbox"/> Pass         </div>	<div> <input type="checkbox"/> Fail         </div>

**7.6.3 WINNF.FT.C.DRG.5**

#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with SAS Test Harness</li> <li>UUT has successfully registered with SAS Test Harness, with cbsdId=C</li> <li>UUT has received a valid grant with grantId = G</li> <li>UUT is in Grant State AUTHORIZED and is actively transmitting within the bounds of its grant.</li> </ul> <p>Invoke trigger to deregister UUT from the SAS Test Harness</p>	--	--
2	<p>UUT sends a Relinquishment request and receives Relinquishment response with</p> <ul style="list-style-type: none"> <li>responseCode=0</li> </ul>	--	--
3	<ul style="list-style-type: none"> <li>UUT sends Deregistration Request to SAS Test Harness with cbsdId = C.</li> </ul>		
4	<p>SAS Test Harness shall approve the request with a Deregistration Response message with parameters:</p> <ul style="list-style-type: none"> <li>responseCode = 103</li> <li>responseData = "cbsdId"</li> </ul>	--	--
5	<p>After completion of step 3, SAS Test Harness will not provide any additional positive</p> <ul style="list-style-type: none"> <li>response (responseCode=0) to further request messages from the UUT.</li> </ul>	--	--
6	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 4 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>UUT stopped RF transmission at any time between triggering the deregistration and either A OR B occurs: <ul style="list-style-type: none"> <li>A. UUT sending a Registration Request message, as this is not mandatory</li> <li>B. UUT sending a Deregistration Request message</li> </ul> </li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail



## 7.7 CBSD Security Validation

### 7.7.1 WINNF.FT.C.SCS.1

#	Test Execution Steps	Results	
1	<ul style="list-style-type: none"> <li>UUT shall start CBSD-SAS communication with the security procedure</li> <li>The UUT shall establish a TLS handshake with the SAS Test Harness using configured certificate.</li> <li>Configure the SAS Test Harness to accept the security procedure and establish the connection</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
2	<ul style="list-style-type: none"> <li>Make sure that Mutual authentication happens between UUT and the SAS Test Harness.</li> <li>Make sure that UUT uses TLS v1.2</li> <li>Make sure that cipher suites from one of the following is selected,               <ul style="list-style-type: none"> <li>TLS_RSA_WITH_AES_128_GCM_SHA256</li> <li>TLS_RSA_WITH_AES_256_GCM_SHA384</li> <li>TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256</li> <li>TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384</li> <li>TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256</li> </ul> </li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<p>A successful registration is accomplished using one of the test cases described in section 6.1.4.1, depending on CBSD capability.</p> <ul style="list-style-type: none"> <li>UUT sends a registration request to the SAS Test Harness and the SAS Test Harness sends a Registration Response with responseCode = 0 and cbsdId.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
4	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>UUT shall not transmit RF</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

### 7.7.2 WINNF.FT.C.SCS.2

#	Test Execution Steps	Results	
1	<ul style="list-style-type: none"> <li>UUT shall start CBSD-SAS communication with the security procedures</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
2	<ul style="list-style-type: none"> <li>Make sure that UUT uses TLS v1.2 for security establishment.</li> <li>Make sure UUT selects the correct cipher suite.</li> <li>UUT shall use CRL or OCSP to verify the validity of the server certificate.</li> <li>Make sure that Mutual authentication does not happen between UUT and the SAS Test Harness.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<ul style="list-style-type: none"> <li>UUT may retry for the security procedure which shall fail.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
4	<ul style="list-style-type: none"> <li>SAS Test-Harness shall not receive any Registration request or any application data.</li> </ul>	--	--
5	<p>Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify:</p> <ul style="list-style-type: none"> <li>UUT shall not transmit RF</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

### 7.7.3 WINNF.FT.C.SCS.3

#	Test Execution Steps	Results	
1	● UUT shall start CBSD-SAS communication with the security procedures	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
2	<ul style="list-style-type: none"> <li>● Make sure that UUT uses TLS v1.2 for security establishment.</li> <li>● Make sure UUT selects the correct cipher suite.</li> <li>● UUT shall use CRL or OCSP to verify the validity of the server certificate.</li> <li>● Make sure that Mutual authentication does not happen between UUT and the SAS Test Harness.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	● UUT may retry for the security procedure which shall fail.	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
4	● SAS Test-Harness shall not receive any Registration request or any application data.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: <ul style="list-style-type: none"> <li>● UUT shall not transmit RF</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

### 7.7.4 WINNF.FT.C.SCS.4

#	Test Execution Steps	Results	
1	● UUT shall start CBSD-SAS communication with the security procedures	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
2	<ul style="list-style-type: none"> <li>● Make sure that UUT uses TLS v1.2 for security establishment.</li> <li>● Make sure UUT selects the correct cipher suite.</li> <li>● UUT shall use CRL or OCSP to verify the validity of the server certificate</li> <li>● Make sure that Mutual authentication does not happen between UUT and the SAS Test Harness.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	● UUT may retry for the security procedure which shall fail.	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
4	● SAS Test-Harness shall not receive any Registration request or any application data.	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: <ul style="list-style-type: none"> <li>● UUT shall not transmit RF</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

**7.7.5 WINNF.FT.C.SCS.5**

#	Test Execution Steps	Results	
1	<ul style="list-style-type: none"> <li>UUT shall start CBSD-SAS communication with the security procedures</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
2	<ul style="list-style-type: none"> <li>Make sure that UUT uses TLS v1.2 for security establishment.</li> <li>Make sure UUT selects the correct cipher suite.</li> <li>UUT shall use CRL or OCSP to verify the validity of the server certificate</li> <li>Make sure that Mutual authentication does not happen between UUT and the SAS Test Harness.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
3	<ul style="list-style-type: none"> <li>UUT may retry for the security procedure which shall fail.</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail
4	<ul style="list-style-type: none"> <li>SAS Test-Harness shall not receive any Registration request or any application data.</li> </ul>	--	--
5	Monitor the RF output of the UUT from start of test until 60 seconds after Step 3 is complete. This is the end of the test. Verify: <ul style="list-style-type: none"> <li>UUT shall not transmit RF</li> </ul>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail

## 7.8 CBSD RF Power Measurement

### 7.8.1 WINNF.PT.C.HBT.1


#	Test Execution Steps	Results	
1	<p>Ensure the following conditions are met for test entry:</p> <ul style="list-style-type: none"> <li>UUT has successfully completed SAS Discovery and Authentication with the SAS Test Harness</li> <li>UUT has registered with the SAS, with CBSD ID = C</li> <li>UUT has a single valid grant G with parameters {lowFrequency = FL, highFrequency = FH, maxEirp = Pi}, with grant in AUTHORIZED state, and grantExpireTime set to a value far past the duration of this test case</li> </ul> <p>Note: in order for the UUT to request a grant with the parameters {lowFrequency, highFrequency, maxEirp}, the SAS Test Harness may need to provide appropriate guidance in the availableChannel object of the spectrumInquiry response message, and the operationParam object of the grant response message. Alternately, the UUT vendor may provide the ability to set those parameters on the UUT so that the UUT will request a grant with those parameters</p>	--	--
2	<p>UUT and SAS Test Harness perform a series of Heartbeat Request/Response cycles, which continues until the other test steps are complete. Messaging for each cycle is as follows:</p> <ul style="list-style-type: none"> <li>UUT sends Heartbeat Request, including: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> </ul> </li> <li>SAS Test Harness responds with Heartbeat Response, including: <ul style="list-style-type: none"> <li>cbsdId = C</li> <li>grantId = G</li> <li>transmitExpireTime = current UTC time + 200 seconds</li> <li>responseCode = 0</li> </ul> </li> </ul>	--	--
3	<p>Tester performs power measurement on RF interface(s) of UUT, and verifies it complies with the maxEirp setting, Pi. The RF measurement method is out of scope of this document, but may include additional configuration of the UUT, as required, to fulfill the requirements of the power measurement method.</p> <p>Note: it may be required for the vendor to provide a method or configuration to bring the UUT to a mode which is required by the measurement methodology. Any such mode is vendor-specific and depends upon UUT behavior and the measurement methodology.</p>	<input checked="" type="checkbox"/> Pass	<input type="checkbox"/> Fail




RF measurement plot for Test Case :

- Tester performs power measurement on RF interface(s) of UUT, and verifies it complies with the maxEirp setting, Pi. The RF measurement method is out of scope of this document, but may include additional configuration of the UUT, as required, to fulfill the requirements of the power measurement method.

Channel	Freq. (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
		Ant. 1		
Low	3560	22.58	23	Pass
Low	3560	34.43	37	Pass



Target Power: 37dBm



Note: The Ref offset=Antenna Gain + Path loss






## 7.9 Duration and Duty Cycle

Duration and Duty Cycle			
Period	Minimum Time (s)	Limit (s)	Pass / Fail
10-second	0.008	1-second	Pass
300-second	0.235	10-second	Pass
3600-second	0.844	20-second	Pass

Note:

1. Limited in duration and duty cycle to the minimum time necessary to get a grant from the SAS. This time should not exceed 1 second within any 10-second period, 10seconds within any 300-second period, or 20 seconds within any 3600-second period.
2. Pass = Minimum Time < Limit




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 300s Period Test data




### 3600s Period Test data





## 7.10 Verify that the device will register with a SAS when operating below 23 dBm

Verified in test case WINNF.PT.C.HBT.1, the CPE-CBSD as UUT default EIRP is under 23 dBm and can register success with SAS. After granted, the CPE-CBSD UUT will adjust the EIRP by maxEirp.



### Note:

1. Red color line in above plot represents the 23 dBm.
2. When Granted the product will transmit at power level above 23dBm.
3. Only when the product sends packets the product will work at max EIRP.

## 8 Test Data Log

### 8.1 WINNF.FT.C.REG.1

```
"registrationRequest": [
    {
        "airInterface": {
            "radioTechnology": "E_UTRA"
        },
        "callSign": "callSign123",
        "cbssCategory": "B",
        "cbssSerialNumber": "1257019260400202",
        "cpiSignatureData": {
            "digitalSignature": "mE06LcEEEXbM-jZKWny1CfA8LMahWsrMBziL__3g5iaVAwqi-
y9PMSE33xXcDzc_g4rgcG3dAjJ4JcqZ_3OP0DEnV0pL6LZgC1nqQyfXDxn8m1paCPXKUAYY8hla6cL1b5Af
M9MxsAfInzk5UJLEggT8wk_ykVH49BsY-
VH5x_MBX4dOAKilYILqitqDTXOI1f0w7iLdDU2fFCtP0GoDIC1kq0TnCwsAJNfRey0MgVVPvXIQ3tD4AR0BJ
SAK-jxgerPaLeUGOaV8yxhsnooogCjle7PzjJ-
yLsxJdUtr9KsuvyivcA30i7DD8AknFPydAQX1UDLacA6QeyrYeixs8UA",
            "encodedCpiSignedData":
"eyJjYnNkU2VyaWFsTnVtYmVyljoMTI1NzAxOTI2MDQwMDlwMlslmZjY0lkloiV0JLQ1A4ODAtQilsImLuc3R
hbGxhdGlvbIBhcmFtljp7ImFudGVubmFBemltbXRoljoyMjlslmFudGVubmFCZWZtd2lkdggiOjMzMiwYw50Z
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaw4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd
MliwiaW5kb29yRGVwbG95bWVudCl6ZmFsc2UsImxhdGl0dWRlljo1OC44MzMzMzMyLCJsbn25naXR1ZGUiojk4Lj
M0NX0slInBybz2Zlc3Npb25hbEluc3RhbmGxlckRhGEiOnsiY3BpSWQiOiIxMjMiLCJjcGlOWW1lIjoMTIzlzwiaW5z
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LTExVDE3OjE4OjA0WiJ9fQ",
            "protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"
        },
        "fcid": "WBKCP880-B",
        "groupingParam": [
            {
                "groupId": "123",
                "groupType": "INTERFERENCE_COORDINATION"
            }
        ],
        "measCapability": [
            "RECEIVED_POWER_WITH_GRANT"
        ],
        "userId": "123"
    }
]
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced or further disseminated in any form without the express written approval of the Company. Any use of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:** To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com.cn

2020-07-11T10:49:42.367Z - INFO - Registration message contains cpiSignatureData

2020-07-11T10:49:42.367Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-11T10:49:42.367Z - INFO - encodedCpiSignedData contents = {

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcclId": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-11T17:18:04Z",
  "cpId": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
```

2020-07-11T10:49:42.403Z - INFO - verified signature on cpiSignatureData

2020-07-11T10:49:42.405Z - INFO - cpiSignatureData data successfully validated against jsonschema

2020-07-11T10:49:42.407Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
    "response": {
      "responseCode": 0
    }
  }
]
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 8.2 WINNF.FT.C.REG.5

```
"registrationRequest": [
```

```

{
  "airInterface": {
    "radioTechnology": "E_UTRA"
  },
  "callSign": "callSign123",
  "cbstdCategory": "B",
  "cbstdSerialNumber": "1257019260400202",
  "cpiSignatureData": {
    "digitalSignature": "mE06LcEEXbM-jZKWny1CfA8LMahWsrMBziL__3g5iaVAwqi-
y9PMSE33xXcDzc_g4rgcG3dAjJ4JcqZ_3OP0DEnV0pL6LZgC1nqQyfXDxn8m1paCPXKUAYY8hla6cL1b5Af
M9MxsAfInzk5UJLEggT8wk_ykVH49Bsy-
VH5x_MBX4dOAKiIYLqitqDTXOI1f0w7iLdDU2fFCTP0GoDIC1kq0TnCwsAJNFrey0MgVVPvXIQ3tD4AR0BJ
SAk-jxgerPaLeUGOaV8yxhsnoogCjle7PzjJ-
yLsxJdUtr9KsuvyivcA30i7DD8AknFPydAQX1UDLacA6QeyrYeixs8UA",
    "encodedCpiSignedData":
"eyJjYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMmIzYjY0IkljoiV0JLQ1A4ODAtQilslmluc3R
hbGxhdGlvbiBhcmFtIjlp7lMfudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z
W5uYURvd250aWx0Ijo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUd
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMzMyLCJsb25naXR1ZGUj4Lj
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlc3RhdGEiOnsiY3BpSWQiOiIjMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z
dGFsbENlcnRpb25uYW1lIjoiMjAyMC03LTEuVDE3OjE4OjA0WiJ9fQ",
    "protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"
  },
  "fcclId": "WBKCP880-B",
  "groupingParam": [
    {
      "groupId": "123",
      "groupType": "INTERFERENCE_COORDINATION"
    }
  ],
  "measCapability": [
    "RECEIVED_POWER_WITH_GRANT"
  ],
  "userId": "123"
}
]
}

```

2020-07-12T00:51:18.338Z - INFO - Registration message contains cpiSignatureData

2020-07-12T00:51:18.339Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T00:51:18.339Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>, and, for electronic form documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced without the full written approval of the Company. Any use of this document in violation of the content of the consent or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:** To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Center (EC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-11T17:18:04Z",
  "cpid": "123"
},
"cbid": "123"
}
2020-07-12T00:51:18.408Z - INFO - verified signature on cpiSignatureData
2020-07-12T00:51:18.415Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T00:51:18.417Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbid": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
```



### 8.3 WINNF.FT.C.REG.8

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuWshsz1FexWHY7pzFjh34srmMjU  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0slNjYyZlci3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGlOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LTEyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:15:13.789Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:15:13.789Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:15:13.789Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
Shenzhen Branch, China SGS-CSTC Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbid": "1257019260400202"
}
2020-07-12T01:15:13.826Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:15:13.829Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:15:13.831Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 102
      }
    }
  ]
}
```



#### 8.4 WINNF.TC.REG.10

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmVJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGlOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:18:51.983Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:18:51.983Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:18:51.983Z - INFO - encodedCpiSignedData contents = {





```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbid": "1257019260400202"
}
2020-07-12T01:18:52.019Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:18:52.022Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:18:52.023Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 200
      }
    }
  ]
}
```



## 8.5 WINNF.TC.REG.12

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0slnByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGlOYW1lIjoIMTlziW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:20:15.348Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:20:15.348Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:20:15.348Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpild": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T01:20:15.384Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:20:15.388Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:20:15.390Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 103
      }
    }
  ]
}
```



## 8.6 WINNF.TC.REG.14

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuawshsz1FexWHY7pzFjh34srmMjU  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0IkljoIV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2IkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0Ijo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoIUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJs25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:21:25.565Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:21:25.565Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:21:25.565Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
Shenzhen Branch, China SGS-CSTC Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbid": "1257019260400202"
}
2020-07-12T01:21:25.605Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:21:25.608Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:21:25.609Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 101
      }
    }
  ]
}
```



## 8.7 WINNF.TC.REG.16

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-

7pFWBsLvlEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJs25naXR1ZGUiOjk4Lj  
M0NX0slNByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:27:54.519Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:27:54.519Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:27:54.520Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbid": "1257019260400202"
}
2020-07-12T01:27:54.556Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:27:54.559Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:27:54.562Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 100
      }
    }
  ]
}
```



## 8.8 WINNF.TC.REG.18

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmVJXyGrzze6knNuegWtThP-

7pFWBsLvlEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWFTd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljoiOC44MzMyLCJs25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoiMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoiMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:28:50.105Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:28:50.105Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:28:50.105Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
Shenzhen Branch, China SGS-CSTC Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcId": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpId": "123"
},
"cbSdSerialNumber": "1257019260400202"
}
2020-07-12T01:28:50.148Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:28:50.160Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:28:50.164Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 201
      }
    }
  ]
}
```



## 8.9 WINNF.TC.GRA.1

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0IkljoIV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2IkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0Ijo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoIUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMzMyLCJs25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMjMiLCJjcGLOYW1lIjoIMTlziW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:32:24.823Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:32:24.823Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:32:24.823Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T01:32:24.869Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:32:24.874Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:32:24.875Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T01:32:25.088Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```

```

    }
  ]
}
2020-07-12T01:32:25.095Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T01:32:25.229Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T01:32:25.236Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





```
"response": {  
  "responseCode": 400  
}  
}  
]  
}
```



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service) EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.ssgsgroup.com.cn](http://www.ssgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 8.10 WINNF.FT.C.GRA.2

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLjCjB25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LTEyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:37:51.454Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:37:51.454Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:37:51.454Z - INFO - encodedCpiSignedData contents = {



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Central Service Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T01:37:51.492Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:37:51.494Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:37:51.496Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T01:37:51.746Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T01:37:51.755Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T01:37:51.927Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T01:37:51.937Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • 科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





```
"response": {  
  "responseCode": 401  
}  
}  
]  
}
```



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.ssgsgroup.com.cn](http://www.ssgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 8.11 WINNF.FT.C.HBT.1

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature": "mE06LcEEXbM-jZKWny1CfA8LMahWsrMBzIL\_\_3g5iaVAwqi-y9PMSE33xXcDzc\_g4rgcG3dAjJ4JcqZ\_3OP0DEnV0pL6LZGc1nqQyfXDxn8m1paCPXKUAYY8hla6cL1b5AfM9MxsAfINzk5UJLEggT8wk\_ykVH49Bsy-VH5x\_MBX4dOAKilYILqitqDTXOI1f0w7iLdDU2fFCTP0GoDIC1kq0TnCwsAJNFrey0MgVVPvXIQ3tD4AR0BJSak-jxgerPaLeUGOaV8yxhsnooogCjle7PzjJ-yLsxJdUtr9KsuvyivcA30i7DD8AknFPydAQX1UDLacA6QeyrYeixs8UA",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMlslmZjY0IkljoiV0JLQ1A4ODAtQilslmluc3RhbGxhdGlvbIBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50ZW5uYURvd250aWx0Ijo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUdMliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMzMyLCJsb25naXR1ZGUiojK4LjM0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQioiIjE0LCJjcGLOYW1lIjoiMTIzliwiaW5zdGFsbENlcnRpb25UaW1lIjoiMjAyMC03LTExVDE3OjE4OjA0WiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-11T10:52:30.503Z - INFO - Registration message contains cpiSignatureData

2020-07-11T10:52:30.503Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-11T10:52:30.503Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-11T17:18:04Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-11T10:52:30.540Z - INFO - verified signature on cpiSignatureData
2020-07-11T10:52:30.545Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-11T10:52:30.546Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-11T10:52:30.765Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```

```

    }
  ]
}
2020-07-11T10:52:30.782Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-11T10:52:30.930Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-11T10:52:30.937Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • 科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-18T10:52:30Z",
    "grantId": "719619079",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-11T10:53:01.134Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "719619079",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-11T10:53:01.148Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "719619079",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-11T10:56:21Z"
    }
  ]
}
2020-07-11T10:53:31.335Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "719619079",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-11T10:53:31.336Z - INFO - Time interval between two heartbeat request messages is: 30.2, limit is:
65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / 实验室

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2020-07-11T10:53:31.342Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "719619079",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-11T10:56:51Z"
  }
]
```

2020-07-11T10:54:01.533Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "719619079",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-11T10:54:01.536Z - INFO - Time interval between two heartbeat request messages is: 30.199, limit is: 65.0

2020-07-11T10:54:01.539Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "719619079",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-11T10:57:21Z"
  }
]
```

2020-07-11T10:54:31.733Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "719619079",
    "operationState": "AUTHORIZED"
  }
]
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    ]
  }
2020-07-11T10:54:31.734Z - INFO - Time interval between two heartbeat request messages is: 30.2, limit is:
65.0
2020-07-11T10:54:31.740Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "719619079",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-11T10:57:51Z"
    }
  ]
}
2020-07-11T10:55:01.904Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "719619079",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-11T10:55:01.904Z - INFO - Time interval between two heartbeat request messages is: 30.17, limit is:
65.0
2020-07-11T10:55:01.911Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "719619079",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-11T10:58:21Z"
    }
  ]
}
2020-07-11T10:55:32.095Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Central Service Co., Ltd. Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",  
"grantId": "719619079",  
"operationState": "AUTHORIZED"
```

```
}
```

```
]
```

```
}
```

2020-07-11T10:55:32.098Z - INFO - Time interval between two heartbeat request messages is: 30.191, limit is: 65.0

2020-07-11T10:55:32.105Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
```

```
"grantId": "719619079",
```

```
"response": {
```

```
"responseCode": 0
```

```
},
```

```
"transmitExpireTime": "2020-07-11T10:58:52Z"
```

```
}
```

```
]
```

```
}
```





## 8.12 WINNF.FT.C.HBT.3

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA"
    },
    "callSign": "callSign123",
    "cbsdCategory": "B",
    "cbsdSerialNumber": "1257019260400202",
    "cpiSignatureData": {
      "digitalSignature":
"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m_ydXvd
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-
7pFWBsLvIEcs3d86AR-
lhs34vXqtkAdx_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjU
xJDmaZ-jbCdOagjuwCDpk5moe_1v9sAleIN1-Trgtx_mcTbF7Cpnkfr2WHiwviq2XNcNz6_uABNTAEw",
      "encodedCpiSignedData":
"eyJjYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMlslmZjY0IkljoiV0JLQ1A4ODAtQilslmluc3R
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdgGgiOjMzMywiYW50Z
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUd
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLmYLCjsb25naXR1ZGUiOjk4Lj
M0NX0slnByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoiMTIzliwiaW5z
dGFsbENlcnRpZmljYXRpb25UaW1lIjoiMjAyMC03LTYyVDA5OjAwOjExWiJ9fQ",
      "protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"
    },
    "fcclId": "WBKCP880-B",
    "groupingParam": [
      {
        "groupId": "123",
        "groupType": "INTERFERENCE_COORDINATION"
      }
    ],
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "123"
  }
]
```

2020-07-12T01:45:48.805Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:45:48.805Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:45:48.805Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Central Service Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T01:45:48.845Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:45:48.848Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:45:48.849Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T01:45:49.082Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T01:45:49.089Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T01:45:49.221Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T01:45:49.227Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • 科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T01:45:49Z",
    "grantId": "373618039",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T01:46:19.433Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "373618039",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T01:46:19.444Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "373618039",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T01:49:39Z"
    }
  ]
}
2020-07-12T01:46:49.631Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "373618039",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T01:46:49.634Z - INFO - Time interval between two heartbeat request messages is: 30.198, limit
is: 65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services, CCC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2020-07-12T01:46:49.638Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "373618039",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T01:50:09Z"
  }
]
```

2020-07-12T01:47:19.792Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "373618039",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T01:47:19.793Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is: 65.0

2020-07-12T01:47:19.798Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "373618039",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T01:50:39Z"
  }
]
```

2020-07-12T01:47:49.992Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "373618039",
    "operationState": "AUTHORIZED"
  }
]
```



```

    ]
  }
2020-07-12T01:47:49.993Z - INFO - Time interval between two heartbeat request messages is: 30.2, limit is:
65.0
2020-07-12T01:47:49.997Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "373618039",
      "response": {
        "responseCode": 105
      },
      "transmitExpireTime": "2020-07-12T01:47:49Z"
    }
  ]
}

```



### 8.13 WINNF.FT.C.HBT.4

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA"
    },
    "callSign": "callSign123",
    "cbsdCategory": "B",
    "cbsdSerialNumber": "1257019260400202",
    "cpiSignatureData": {
      "digitalSignature":
"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m_ydXvd
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmVJXyGrzze6knNuegWtThP-
7pFWBsLvIEcs3d86AR-
lhs34vXqtkAdx_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjU
xJDmaZ-jbCdOagjuwCDpk5moe_1v9sAleIN1-Trgtx_mcTbF7Cpnkfr2WHiwviq2XNcNz6_uABNTAEw",
      "encodedCpiSignedData":
"eyJjYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMjY0IkljoiV0JLQ1A4ODAtQilslmluc3R
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjY0IkljoiV0JLQ1A4ODAtQilslmluc3R
W5uYURvd250aWx0Ijo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUd
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLCJs25naXR1ZGUiOjk4Lj
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjY0IkljoiV0JLQ1A4ODAtQilslmluc3R
dGFsbENlcnRpZmljYXRpb25UaW1lIjoiMjY0IkljoiV0JLQ1A4ODAtQilslmluc3R",
      "protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"
    },
    "fcclId": "WBKCP880-B",
    "groupingParam": [
      {
        "groupId": "123",
        "groupType": "INTERFERENCE_COORDINATION"
      }
    ],
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "123"
  }
]
```

2020-07-12T03:31:45.142Z - INFO - Registration message contains cpiSignatureData

2020-07-12T03:31:45.142Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T03:31:45.144Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, China  
Shenzhen Branch, China

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T03:31:45.227Z - INFO - verified signature on cpiSignatureData
2020-07-12T03:31:45.233Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T03:31:45.236Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T03:31:45.552Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



```

    }
  ]
}
2020-07-12T03:31:45.566Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T03:31:45.750Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T03:31:45.775Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T03:31:45Z",
    "grantId": "645572479",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T03:32:15.990Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "645572479",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T03:32:16.000Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "645572479",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:35:35Z"
    }
  ]
}
2020-07-12T03:32:46.151Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "645572479",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:32:46.154Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is:
65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2020-07-12T03:32:46.164Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "645572479",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:36:06Z"
  }
]
```

2020-07-12T03:33:16.311Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "645572479",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T03:33:16.313Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is: 65.0

2020-07-12T03:33:16.325Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "645572479",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:36:36Z"
  }
]
```

2020-07-12T03:33:46.490Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "645572479",
    "operationState": "AUTHORIZED"
  }
]
```



```

    ]
  }
2020-07-12T03:33:46.494Z - INFO - Time interval between two heartbeat request messages is: 30.18, limit is:
65.0
2020-07-12T03:33:46.506Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "645572479",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:37:06Z"
    }
  ]
}
2020-07-12T03:34:16.701Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "645572479",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:34:16.704Z - INFO - Time interval between two heartbeat request messages is: 30.211, limit
is: 65.0
2020-07-12T03:34:16.717Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "645572479",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:37:36Z"
    }
  ]
}
2020-07-12T03:34:46.911Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services, CCC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
"grantId": "645572479",
"operationState": "AUTHORIZED"
```

```
}
```

```
]
```

```
}
```

2020-07-12T03:34:46.917Z - INFO - Time interval between two heartbeat request messages is: 30.209, limit is: 65.0

2020-07-12T03:34:46.924Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
```

```
"grantId": "645572479",
```

```
"response": {
```

```
"responseCode": 500
```

```
},
```

```
"transmitExpireTime": "2020-07-12T03:34:46Z"
```

```
}
```

```
]
```

```
}
```



## 8.14 WINNF.FT.C.HBT.5

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOpR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGlOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:51:48.798Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:51:48.798Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:51:48.798Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
Shenzhen Branch, China SGS-CSTC Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T01:51:48.835Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:51:48.838Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:51:48.838Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T01:51:49.099Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```

```

    }
  ]
}
2020-07-12T01:51:49.108Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T01:51:49.240Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T01:51:49.246Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T01:51:49Z",
    "grantId": "936543302",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T01:52:19.430Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "936543302",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T01:52:19.444Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "936543302",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-07-12T01:52:19Z"
    }
  ]
}
2020-07-12T01:52:49.710Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "936543302",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T01:52:49.711Z - INFO - Time interval between two heartbeat request messages is: 30.279, limit
is: 65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / 实验室

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2020-07-12T01:52:49.720Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [  
  {  
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",  
    "grantId": "936543302",  
    "response": {  
      "responseCode": 501  
    },  
    "transmitExpireTime": "2020-07-12T01:52:49Z"  
  }  
]  
}
```



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service) EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 8.15 WINNF.FT.C.HBT.6

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshs1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWFTd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T01:56:00.461Z - INFO - Registration message contains cpiSignatureData

2020-07-12T01:56:00.461Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T01:56:00.461Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T01:56:00.497Z - INFO - verified signature on cpiSignatureData
2020-07-12T01:56:00.502Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T01:56:00.503Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T01:56:00.719Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```

    }
  ]
}
2020-07-12T01:56:00.727Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T01:56:00.865Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T01:56:00.875Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • 科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T01:56:00Z",
    "grantId": "543172560",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T01:56:31.068Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "543172560",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T01:56:31.075Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "543172560",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T01:59:51Z"
    }
  ]
}
2020-07-12T01:57:01.269Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "543172560",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T01:57:01.273Z - INFO - Time interval between two heartbeat request messages is: 30.202, limit
is: 65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / 实验室

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2020-07-12T01:57:01.282Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "543172560",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T02:00:21Z"
  }
]
```

2020-07-12T01:57:31.469Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "543172560",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T01:57:31.470Z - INFO - Time interval between two heartbeat request messages is: 30.199, limit is: 65.0

2020-07-12T01:57:31.474Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "543172560",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T02:00:51Z"
  }
]
```

2020-07-12T01:58:01.628Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "543172560",
    "operationState": "AUTHORIZED"
  }
]
```



```

    ]
  }
2020-07-12T01:58:01.631Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is:
65.0
2020-07-12T01:58:01.640Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "543172560",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-07-12T01:58:01Z"
    }
  ]
}
2020-07-12T01:58:32.148Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "543172560",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T01:58:32.150Z - INFO - Time interval between two heartbeat request messages is: 30.519, limit
is: 65.0
2020-07-12T01:58:32.155Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "543172560",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-07-12T01:58:32Z"
    }
  ]
}

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 8.16 WINNF.FT.C.HBT.7

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0IkljoIV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2IkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0Ijo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T02:03:22.180Z - INFO - Registration message contains cpiSignatureData

2020-07-12T02:03:22.180Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T02:03:22.180Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T02:03:22.223Z - INFO - verified signature on cpiSignatureData
2020-07-12T02:03:22.226Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T02:03:22.227Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T02:03:22.516Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T02:03:22.523Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T02:03:22.696Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T02:03:22.704Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T02:03:22Z",
    "grantId": "493051373",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T02:03:52.946Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "493051373",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T02:03:52.956Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "493051373",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T02:07:12Z"
    }
  ]
}
2020-07-12T02:04:23.105Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "493051373",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T02:04:23.107Z - INFO - Time interval between two heartbeat request messages is: 30.159, limit
is: 65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2020-07-12T02:04:23.111Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "493051373",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T02:07:43Z"
  }
]
```

2020-07-12T02:04:53.305Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "493051373",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T02:04:53.309Z - INFO - Time interval between two heartbeat request messages is: 30.201, limit is: 65.0

2020-07-12T02:04:53.316Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "493051373",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T02:08:13Z"
  }
]
```

2020-07-12T02:05:23.545Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "493051373",
    "operationState": "AUTHORIZED"
  }
]
```



```

    ]
  }
2020-07-12T02:05:23.546Z - INFO - Time interval between two heartbeat request messages is: 30.239, limit
is: 65.0
2020-07-12T02:05:23.552Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "493051373",
      "response": {
        "responseCode": 502
      },
      "transmitExpireTime": "2020-07-12T02:05:23Z"
    }
  ]
}
2020-07-12T02:05:24.035Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "493051373"
    }
  ]
}
2020-07-12T02:05:24.040Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "493051373",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 8.17 WINNF.FT.C.HBT.9

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmVJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdhzcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljoiOC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoiMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoiMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T02:10:15.328Z - INFO - Registration message contains cpiSignatureData

2020-07-12T02:10:15.328Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T02:10:15.328Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T02:10:15.364Z - INFO - verified signature on cpiSignatureData
2020-07-12T02:10:15.368Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T02:10:15.368Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T02:10:15.572Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```

    }
  ]
}
2020-07-12T02:10:15.585Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T02:10:15.713Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T02:10:15.726Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T02:10:15Z",
    "grantId": "195027392",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
]
}
2020-07-12T02:10:45.904Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "195027392",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T02:11:11.153Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "195027392",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T02:11:11.153Z - INFO - request message received while HBT is absent, sleep 179 sec before responding
2020-07-12T02:11:36.213Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "195027392",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T02:11:36.213Z - INFO - request message received while HBT is absent, sleep 154 sec before responding
2020-07-12T02:12:01.292Z - INFO - heartbeat request from CBRS : {

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "195027392",
    "operationState": "GRANTED"
  }
]
```

2020-07-12T02:12:01.293Z - INFO - request message received while HBT is absent, sleep 129 sec before responding

2020-07-12T02:12:26.411Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "195027392",
    "operationState": "GRANTED"
  }
]
```

2020-07-12T02:12:26.413Z - INFO - request message received while HBT is absent, sleep 104 sec before responding

2020-07-12T02:12:51.493Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "195027392",
    "operationState": "GRANTED"
  }
]
```

2020-07-12T02:12:51.493Z - INFO - request message received while HBT is absent, sleep 79 sec before responding

2020-07-12T02:13:16.572Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "195027392",
    "operationState": "GRANTED"
  }
]
```





2020-07-12T02:13:16.572Z - INFO - request message received while HBT is absent, sleep 54 sec before responding

2020-07-12T02:13:41.651Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [  
  {  
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",  
    "grantId": "195027392",  
    "operationState": "GRANTED"  
  }  
]
```

2020-07-12T02:13:41.651Z - INFO - request message received while HBT is absent, sleep 29 sec before responding

2020-07-12T02:14:05.915Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [  
  {  
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",  
    "grantId": "195027392",  
    "response": {  
      "responseCode": 501  
    },  
    "transmitExpireTime": "2020-07-12T02:14:05Z"  
  }  
]
```





## 8.18 WINNF.FT.C.HBT.10

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbnRhdGEiOjE0Y3BpSWQlOiIxMjMiLCJlcjE0Y0Y1IjoiMTIzIiwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoiMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T02:18:42.898Z - INFO - Registration message contains cpiSignatureData

2020-07-12T02:18:42.898Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T02:18:42.900Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T02:18:42.937Z - INFO - verified signature on cpiSignatureData
2020-07-12T02:18:42.940Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T02:18:42.941Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T02:18:43.190Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T02:18:43.204Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T02:18:43.355Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T02:18:43.361Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • 科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T02:18:43Z",
    "grantId": "479221579",
    "heartbeatInterval": 60,
    "response": {
        "responseCode": 0
    }
}
]
}
2020-07-12T02:19:13.539Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
            "grantId": "479221579",
            "operationState": "GRANTED"
        }
    ]
}
2020-07-12T02:19:13.545Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
            "grantId": "479221579",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-07-12T02:22:33Z"
        }
    ]
}
2020-07-12T02:19:43.698Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
            "grantId": "479221579",
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-07-12T02:19:43.700Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is:
65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2020-07-12T02:19:43.706Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "479221579",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T02:23:03Z"
  }
]
```

2020-07-12T02:20:13.859Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "479221579",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T02:20:13.861Z - INFO - Time interval between two heartbeat request messages is: 30.161, limit is: 65.0

2020-07-12T02:20:13.865Z - INFO - LAST HBT RESPONSE THAT SET TRANSMIT\_EXPIRE\_TIME WAS AT: 2020-07-12 02:19:43.699000

2020-07-12T02:20:39.069Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "479221579",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T02:20:39.069Z - INFO - request message received while HBT is absent, sleep 179 sec before responding

2020-07-12T02:21:04.109Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "479221579",
    "operationState": "AUTHORIZED"
  }
]
```



```

    }
  ]
}
2020-07-12T02:21:04.109Z - INFO - request message received while HBT is absent, sleep 154 sec before responding
2020-07-12T02:21:29.148Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "479221579",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T02:21:29.148Z - INFO - request message received while HBT is absent, sleep 129 sec before responding
2020-07-12T02:21:54.188Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "479221579",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T02:21:54.188Z - INFO - request message received while HBT is absent, sleep 104 sec before responding
2020-07-12T02:22:19.187Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "479221579",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T02:22:19.187Z - INFO - request message received while HBT is absent, sleep 79 sec before responding
2020-07-12T02:22:44.229Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "grantId": "479221579",
    "operationState": "AUTHORIZED"
  }
]
}
2020-07-12T02:22:44.229Z - INFO - request message received while HBT is absent, sleep 54 sec before
responding
2020-07-12T02:23:09.628Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "479221579",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T02:23:09.628Z - INFO - request message received while HBT is absent, sleep 29 sec before
responding
2020-07-12T02:23:33.875Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "479221579",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-07-12T02:23:33Z"
    }
  ]
}
}

```



## 8.19 WINNF.FT.C.HBT.11

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1ljoIMTlZliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1ljoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T02:41:30.352Z - INFO - Registration message contains cpiSignatureData

2020-07-12T02:41:30.352Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T02:41:30.354Z - INFO - encodedCpiSignedData contents = {





```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T02:41:30.444Z - INFO - verified signature on cpiSignatureData
2020-07-12T02:41:30.451Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T02:41:30.454Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T02:41:30.661Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T02:41:30.673Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T02:41:30.801Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T02:41:30.815Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-12T02:47:30Z",
    "grantId": "558747959",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T02:42:01.012Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "558747959",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T02:42:01.026Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "558747959",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T02:45:21Z"
    }
  ]
}
2020-07-12T02:42:31.210Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "558747959",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T02:42:31.214Z - INFO - Time interval between two heartbeat request messages is: 30.199, limit
is: 65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / 实验室

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2020-07-12T02:42:31.226Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "558747959",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T02:45:51Z"
  }
]
```

2020-07-12T02:43:01.411Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "558747959",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T02:43:01.414Z - INFO - Time interval between two heartbeat request messages is: 30.2, limit is: 65.0

2020-07-12T02:43:01.426Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "558747959",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T02:46:21Z"
  }
]
```

2020-07-12T02:43:31.611Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "558747959",
    "operationState": "AUTHORIZED"
  }
]
```





```

    ]
  }
2020-07-12T02:43:31.615Z - INFO - Time interval between two heartbeat request messages is: 30.2, limit is:
65.0
2020-07-12T02:43:31.625Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "558747959",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T02:46:51Z"
    }
  ]
}
2020-07-12T02:44:01.811Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "558747959",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T02:44:01.813Z - INFO - Time interval between two heartbeat request messages is: 30.2, limit is:
65.0
2020-07-12T02:44:01.823Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "558747959",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T02:47:21Z"
    }
  ]
}
2020-07-12T02:44:32.010Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
"grantId": "558747959",
"grantRenew": true,
"operationState": "AUTHORIZED"
```

```
}
```

```
]
```

```
}
```

2020-07-12T02:44:32.013Z - INFO - Time interval between two heartbeat request messages is: 30.2, limit is: 65.0

2020-07-12T02:44:32.026Z - INFO - grantRenew received in HBT request message

2020-07-12T02:44:32.026Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
"grantExpireTime": "2020-07-12T02:50:32Z",
"grantId": "558747959",
"response": {
  "responseCode": 0
```

```
},
```

```
"transmitExpireTime": "2020-07-12T02:47:52Z"
```

```
}
```

```
]
```

```
}
```

2020-07-12T02:45:02.250Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
"grantId": "558747959",
"operationState": "AUTHORIZED"
```

```
}
```

```
]
```

```
}
```

2020-07-12T02:45:02.253Z - INFO - Time interval between two heartbeat request messages is: 30.239, limit is: 65.0

2020-07-12T02:45:02.266Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
"grantId": "558747959",
"response": {
  "responseCode": 0
```

```
},
```

```
}
```

```
]
```

```
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, China  
Shenzhen Branch, China

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



"transmitExpireTime": "2020-07-12T02:48:22Z"

}

]

}



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service) EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 8.20 WINNF.FT.C.MES.3

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuawshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1ljoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1ljoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T03:13:40.065Z - INFO - Registration message contains cpiSignatureData

2020-07-12T03:13:40.065Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T03:13:40.066Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
Shenzhen Branch, Central Science & Technology Laboratory, 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T03:13:40.157Z - INFO - verified signature on cpiSignatureData
2020-07-12T03:13:40.165Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T03:13:40.168Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T03:13:40.378Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```

```

    }
  ]
}
2020-07-12T03:13:40.394Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T03:13:40.519Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T03:13:40.533Z - INFO - Response message contains measReportConfig
2020-07-12T03:13:40.535Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

"cbstdId": "WBKCP880-BMock-SAS1257019260400202",
"channelType": "GAA",
"grantExpireTime": "2020-07-19T03:13:40Z",
"grantId": "565170955",
"heartbeatInterval": 60,
"measReportConfig": [
  "RECEIVED_POWER_WITH_GRANT"
],
"response": {
  "responseCode": 0
}
}
]
}
}
2020-07-12T03:14:10.709Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "565170955",
      "measReport": {
        "rcvdPowerMeasReports": [
          {
            "measBandwidth": 10000000,
            "measFrequency": 3550000000,
            "measRcvdPower": -60
          },
          {
            "measBandwidth": 10000000,
            "measFrequency": 3560000000,
            "measRcvdPower": -60
          }
        ]
      },
      "operationState": "GRANTED"
    }
  ]
}
}
2020-07-12T03:14:10.716Z - INFO - measReport received in heartbeat message
2020-07-12T03:14:10.726Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {

```



```

    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "565170955",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:17:30Z"
  }
}
}
2020-07-12T03:14:40.898Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "565170955",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:14:40.901Z - INFO - Time interval between two heartbeat request messages is: 30.189, limit
is: 65.0
2020-07-12T03:14:40.914Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "565170955",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:18:00Z"
    }
  ]
}
2020-07-12T03:15:11.059Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "565170955",
      "operationState": "AUTHORIZED"
    }
  ]
}
}

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2020-07-12T03:15:11.062Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is: 65.0

2020-07-12T03:15:11.073Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "565170955",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:18:31Z"
  }
]
```

2020-07-12T03:15:41.217Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "565170955",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T03:15:41.221Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is: 65.0

2020-07-12T03:15:41.237Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "565170955",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:19:01Z"
  }
]
```

2020-07-12T03:16:11.398Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "565170955",

```



```

    "operationState": "AUTHORIZED"
  }
]
}
2020-07-12T03:16:11.401Z - INFO - Time interval between two heartbeat request messages is: 30.179, limit
is: 65.0
2020-07-12T03:16:11.414Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "565170955",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:19:31Z"
    }
  ]
}
}

```



## 8.21 WINNF.FT.C.MES.4

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmVJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1ljoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1ljoIMjAyMC03LTYyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T03:20:03.209Z - INFO - Registration message contains cpiSignatureData

2020-07-12T03:20:03.210Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T03:20:03.210Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T03:20:03.325Z - INFO - verified signature on cpiSignatureData
2020-07-12T03:20:03.332Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T03:20:03.338Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T03:20:03.555Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```

    }
  ]
}
2020-07-12T03:20:03.576Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T03:20:03.716Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T03:20:03.730Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T03:20:03Z",
    "grantId": "884771487",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
]
}
2020-07-12T03:20:33.936Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T03:20:33.948Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:23:53Z"
    }
  ]
}
2020-07-12T03:21:04.115Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:21:04.117Z - INFO - Time interval between two heartbeat request messages is: 30.179, limit
is: 65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services, CCC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2020-07-12T03:21:04.125Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "884771487",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:24:24Z"
  }
]
```

2020-07-12T03:21:34.275Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "884771487",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T03:21:34.279Z - INFO - Time interval between two heartbeat request messages is: 30.161, limit is: 65.0

2020-07-12T03:21:34.290Z - INFO - Response message contains measReportConfig

2020-07-12T03:21:34.290Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "884771487",
    "measReportConfig": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:24:54Z"
  }
]
```

2020-07-12T03:22:04.456Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
```



```

"cbstdId": "WBKCP880-BMock-SAS1257019260400202",
"grantId": "884771487",
"measReport": {
  "rcvdPowerMeasReports": [
    {
      "measBandwidth": 10000000,
      "measFrequency": 3550000000,
      "measRcvdPower": -60
    },
    {
      "measBandwidth": 10000000,
      "measFrequency": 3560000000,
      "measRcvdPower": -60
    }
  ]
},
"operationState": "AUTHORIZED"
}
]
}
}
2020-07-12T03:22:04.459Z - INFO - Time interval between two heartbeat request messages is: 30.18, limit is: 65.0
2020-07-12T03:22:04.460Z - INFO - measReport received in heartbeat message
2020-07-12T03:22:04.469Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": {
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:25:24Z"
    }
  ]
}
}
2020-07-12T03:22:34.615Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": {
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "operationState": "AUTHORIZED"
    }
  ]
}

```





```

    ]
  }
2020-07-12T03:22:34.618Z - INFO - Time interval between two heartbeat request messages is: 30.159, limit
is: 65.0
2020-07-12T03:22:34.634Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:25:54Z"
    }
  ]
}
2020-07-12T03:23:04.835Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:23:04.838Z - INFO - Time interval between two heartbeat request messages is: 30.22, limit is:
65.0
2020-07-12T03:23:04.849Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "884771487",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:26:24Z"
    }
  ]
}
2020-07-12T03:23:35.015Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Central Service & Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
"grantId": "884771487",
"operationState": "AUTHORIZED"
```

```
}
```

```
]
```

```
}
```

2020-07-12T03:23:35.019Z - INFO - Time interval between two heartbeat request messages is: 30.18, limit is: 65.0

2020-07-12T03:23:35.029Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
```

```
"grantId": "884771487",
```

```
"response": {
```

```
"responseCode": 0
```

```
},
```

```
"transmitExpireTime": "2020-07-12T03:26:55Z"
```

```
}
```

```
]
```

```
}
```

2020-07-12T03:24:05.174Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
```

```
"grantId": "884771487",
```

```
"operationState": "AUTHORIZED"
```

```
}
```

```
]
```

```
}
```

2020-07-12T03:24:05.177Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is: 65.0

2020-07-12T03:24:05.190Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
```

```
{
```

```
"cbsdId": "WBKCP880-BMock-SAS1257019260400202",
```

```
"grantId": "884771487",
```

```
"response": {
```

```
"responseCode": 0
```

```
},
```

```
"transmitExpireTime": "2020-07-12T03:27:25Z"
```

```
}
```

```
]
```



}

## 8.22 WINNF.FT.C.RLQ.1

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLviEcs3d86AR-

lhs34vXqtkAdx\_uVMpbdXQh33XSOPR6gOt5yiGvc4bCWEYKhhdhzcBOcuaWshsz1FexWHY7pzFjh34srmMjU  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1ljoIMTlzlwiiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1ljoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T03:40:39.265Z - INFO - Registration message contains cpiSignatureData

2020-07-12T03:40:39.265Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T03:40:39.266Z - INFO - encodedCpiSignedData contents = {



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T03:40:39.355Z - INFO - verified signature on cpiSignatureData
2020-07-12T03:40:39.369Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T03:40:39.372Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T03:40:39.588Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```

    }
  ]
}
2020-07-12T03:40:39.602Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T03:40:39.747Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T03:40:39.763Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T03:40:39Z",
    "grantId": "243152463",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T03:41:09.927Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T03:41:09.940Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:44:29Z"
    }
  ]
}
2020-07-12T03:41:40.108Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:41:40.111Z - INFO - Time interval between two heartbeat request messages is: 30.18, limit is:
65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2020-07-12T03:41:40.122Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "243152463",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:45:00Z"
  }
]
```

2020-07-12T03:42:10.266Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "243152463",
    "operationState": "AUTHORIZED"
  }
]
```

2020-07-12T03:42:10.270Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is: 65.0

2020-07-12T03:42:10.282Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "243152463",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T03:45:30Z"
  }
]
```

2020-07-12T03:42:40.427Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "243152463",
    "operationState": "AUTHORIZED"
  }
]
```



```

    ]
  }
2020-07-12T03:42:40.430Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is:
65.0
2020-07-12T03:42:40.440Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:46:00Z"
    }
  ]
}
2020-07-12T03:43:10.586Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:43:10.591Z - INFO - Time interval between two heartbeat request messages is: 30.159, limit
is: 65.0
2020-07-12T03:43:10.599Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:46:30Z"
    }
  ]
}
2020-07-12T03:43:40.766Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services, CCC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



```

    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "243152463",
    "operationState": "AUTHORIZED"
  }
}
}
2020-07-12T03:43:40.770Z - INFO - Time interval between two heartbeat request messages is: 30.18, limit is:
65.0
2020-07-12T03:43:40.780Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:47:00Z"
    }
  ]
}
}
2020-07-12T03:44:10.976Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "operationState": "AUTHORIZED"
    }
  ]
}
}
2020-07-12T03:44:10.982Z - INFO - Time interval between two heartbeat request messages is: 30.21, limit is:
65.0
2020-07-12T03:44:10.993Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:47:30Z"
    }
  ]
}
}

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

}
2020-07-12T03:44:41.186Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:44:41.190Z - INFO - Time interval between two heartbeat request messages is: 30.21, limit is: 65.0
2020-07-12T03:44:41.200Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:48:01Z"
    }
  ]
}
2020-07-12T03:45:11.421Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:45:11.424Z - INFO - Time interval between two heartbeat request messages is: 30.234, limit is: 65.0
2020-07-12T03:45:11.436Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    },
    "transmitExpireTime": "2020-07-12T03:48:31Z"
  }
]
}
2020-07-12T03:45:41.635Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:45:41.640Z - INFO - Time interval between two heartbeat request messages is: 30.216, limit
is: 65.0
2020-07-12T03:45:41.651Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:49:01Z"
    }
  ]
}
2020-07-12T03:46:00.946Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463"
    }
  ]
}
2020-07-12T03:46:00.959Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "243152463",
      "response": {

```





```
"responseCode": 0
    }
  }
]
```



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.ssgsgroup.com.cn](http://www.ssgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



### 8.23 WINNF.FT.C.RLQ.3

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuawshsz1FexWHY7pzFjh34srmMjU  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWFTd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1ljoIMTlziw5z  
dGFsbENlcnRpZmljYXRpb25UaW1ljoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T03:51:43.365Z - INFO - Registration message contains cpiSignatureData

2020-07-12T03:51:43.365Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T03:51:43.367Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
Shenzhen Branch, China SGS-CSTC Standards Technical Services Co., Ltd. Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T03:51:43.440Z - INFO - verified signature on cpiSignatureData
2020-07-12T03:51:43.446Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T03:51:43.447Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T03:51:43.703Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```

```

    }
  ]
}
2020-07-12T03:51:43.720Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T03:52:09.365Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
2020-07-12T03:52:09.391Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {

```



```

    "channelType": "GAA",
    "frequencyRange": {
      "highFrequency": 3570000000,
      "lowFrequency": 3550000000
    },
    "ruleApplied": "FCC_PART_96"
  }
],
"cbstdId": "WBKCP880-BMock-SAS1257019260400202",
"response": {
  "responseCode": 0
}
}
]
}
2020-07-12T03:52:09.523Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
}
2020-07-12T03:52:09.539Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-19T03:52:09Z",
      "grantId": "908572740",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```





```

    ]
  }
2020-07-12T03:52:39.812Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "908572740",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T03:52:39.821Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "908572740",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:55:59Z"
    }
  ]
}
2020-07-12T03:53:09.963Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "908572740",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:53:09.967Z - INFO - Time interval between two heartbeat request messages is: 30.151, limit is: 65.0
2020-07-12T03:53:09.977Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "908572740",
      "response": {
        "responseCode": 0
      },
    }
  ],
}

```



```

    "transmitExpireTime": "2020-07-12T03:56:29Z"
  }
]
}
2020-07-12T03:53:40.148Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "908572740",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T03:53:40.151Z - INFO - Time interval between two heartbeat request messages is: 30.184, limit is: 65.0
2020-07-12T03:53:40.161Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "908572740",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T03:57:00Z"
    }
  ]
}
2020-07-12T03:53:47.923Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "908572740"
    }
  ]
}
2020-07-12T03:53:47.936Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 102,
        "responseData": [

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



```
"grantId"  
  ]  
  }  
  }  
  ]  
}
```



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service) EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 8.24 WINNF.FT.C.RLQ.5

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1ljoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1ljoIMjAyMC03LEtyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T06:11:52.858Z - INFO - Registration message contains cpiSignatureData

2020-07-12T06:11:52.858Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T06:11:52.859Z - INFO - encodedCpiSignedData contents = {





```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T06:11:52.948Z - INFO - verified signature on cpiSignatureData
2020-07-12T06:11:52.959Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T06:11:52.961Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T06:11:53.178Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T06:11:53.194Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T06:11:53.339Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T06:11:53.352Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T06:11:53Z",
    "grantId": "149855650",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T06:12:23.519Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "149855650",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T06:12:23.526Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "149855650",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T06:15:43Z"
    }
  ]
}
2020-07-12T06:12:53.680Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "149855650",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T06:12:53.686Z - INFO - Time interval between two heartbeat request messages is: 30.161, limit
is: 65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2020-07-12T06:12:53.700Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "149855650",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T06:16:13Z"
  }
]
```

2020-07-12T06:13:04.997Z - INFO - relinquishment request from CBRS : {

```
"relinquishmentRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "149855650"
  }
]
```

2020-07-12T06:13:05.010Z - INFO - engine sent successfully, the response to CBRS : {

```
"relinquishmentResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "response": {
      "responseCode": 103,
      "responseData": [
        "grantId"
      ]
    }
  }
]
```





## 8.25 WINNF.FT.C.DRG.1

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkl1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-  
7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJjYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0IkljoIV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWFTd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0Ijo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoIQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGlOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LTYyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T07:04:44.959Z - INFO - Registration message contains cpiSignatureData

2020-07-12T07:04:44.960Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T07:04:44.960Z - INFO - encodedCpiSignedData contents = {



```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T07:04:45.052Z - INFO - verified signature on cpiSignatureData
2020-07-12T07:04:45.059Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T07:04:45.062Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T07:04:45.269Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, General Service Laboratory

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T07:04:45.286Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T07:04:45.407Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T07:04:45.420Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T07:04:45Z",
    "grantId": "757068407",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T07:05:15.588Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "757068407",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T07:05:15.602Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "757068407",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T07:08:35Z"
    }
  ]
}
2020-07-12T07:05:45.818Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "757068407",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T07:05:45.821Z - INFO - Time interval between two heartbeat request messages is: 30.23, limit is:
65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / 实验室

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2020-07-12T07:05:45.832Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "757068407",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T07:09:05Z"
  }
]
```

2020-07-12T07:05:48.528Z - INFO - relinquishment request from CBRS : {

```
"relinquishmentRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "757068407"
  }
]
```

2020-07-12T07:05:48.539Z - INFO - engine sent successfully, the response to CBRS : {

```
"relinquishmentResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "757068407",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-07-12T07:05:50.987Z - INFO - relinquishment request from CBRS : {

```
"relinquishmentRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "757068407"
  }
]
```

2020-07-12T07:05:51.000Z - INFO - engine sent successfully, the response to CBRS : {

```
"relinquishmentResponse": [
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
{
  "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
  "grantId": "757068407",
  "response": {
    "responseCode": 0
  }
}
]
}
2020-07-12T07:05:51.217Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202"
    }
  ]
}
2020-07-12T07:05:51.230Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
```



## 8.26 WINNF.FT.C.DRG.3

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgylAtIE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmvJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshs1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVljoIMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvblBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljo1OC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGLOYW1lIjoIMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoIMjAyMC03LTYyVDA5OjAwOjExWiJ9fQ",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T07:11:00.132Z - INFO - Registration message contains cpiSignatureData

2020-07-12T07:11:00.132Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T07:11:00.134Z - INFO - encodedCpiSignedData contents = {



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Central Service Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T07:11:00.230Z - INFO - verified signature on cpiSignatureData
2020-07-12T07:11:00.237Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T07:11:00.240Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T07:11:00.446Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



```

    }
  ]
}
2020-07-12T07:11:00.460Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T07:11:00.585Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T07:11:00.599Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T07:11:00Z",
    "grantId": "629235087",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
}
}
2020-07-12T07:11:30.744Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "629235087",
      "operationState": "GRANTED"
    }
  ]
}
2020-07-12T07:11:30.757Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "629235087",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-07-12T07:14:50Z"
    }
  ]
}
2020-07-12T07:12:00.904Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "grantId": "629235087",
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-07-12T07:12:00.908Z - INFO - Time interval between two heartbeat request messages is: 30.16, limit is:
65.0

```



2020-07-12T07:12:00.920Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "629235087",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T07:15:20Z"
  }
]
```

2020-07-12T07:12:02.785Z - INFO - relinquishment request from CBRS : {

```
"relinquishmentRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "629235087"
  }
]
```

2020-07-12T07:12:02.795Z - INFO - engine sent successfully, the response to CBRS : {

```
"relinquishmentResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "629235087",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-07-12T07:12:04.694Z - INFO - relinquishment request from CBRS : {

```
"relinquishmentRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "629235087"
  }
]
```

2020-07-12T07:12:04.706Z - INFO - engine sent successfully, the response to CBRS : {

```
"relinquishmentResponse": [
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
{
  "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
  "grantId": "629235087",
  "response": {
    "responseCode": 0
  }
}
]
}
2020-07-12T07:12:04.884Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202"
    }
  ]
}
2020-07-12T07:12:04.895Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "response": {
        "responseCode": 102
      }
    }
  ]
}
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (General Service & Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 8.27 WINNF.FT.C.DRG.5

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E\_UTRA"

},

"callSign": "callSign123",

"cbsdCategory": "B",

"cbsdSerialNumber": "1257019260400202",

"cpiSignatureData": {

"digitalSignature":

"Vgq2CNehdHgyIAtlE6yM5WEokZUTfuwTjvGA7sfzukYbgF904TOsglnVkn1nhm0sTy7i70qQbcFjvr5m\_ydXvd  
AJSIYioISG2Bb1d4eMfYhJUQUULWiqLJH0chxPGOE28pWTX3v9uuKmVJXyGrzze6knNuegWtThP-

7pFWBsLvIEcs3d86AR-

lhs34vXqtkAdx\_uVMpbDQXh33XSOPR6gOt5yiGvc4bCWEYKhhdzjcBOcuaWshsz1FexWHY7pzFjh34srmMjJ  
xJDmaZ-jbCdOagjuwCDpk5moe\_1v9sAleIN1-Trgtx\_mcTbF7Cpnkfr2WHiwviq2XNcNz6\_uABNTAEw",

"encodedCpiSignedData":

"eyJYnNkU2VyaWFsTnVtYmVyljoiMTI1NzAxOTI2MDQwMDIwMlslmZjY0lkloiV0JLQ1A4ODAtQilslmluc3R  
hbGxhdGlvbBhcmFtIjlp7ImFudGVubmFBemltdXRoljoyMjlsImFudGVubmFCZWZtd2lkdGgiOjMzMywiYW50Z  
W5uYURvd250aWx0ljo0NSwiYW50ZW5uYUdhaW4iOjE0LCJoZWlnaHQiOjEwLCJoZWlnaHRUeXBlljoiQUd  
MliwiaW5kb29yRGVwbG95bWVudCI6ZmFsc2UsImxhdGloZWlljoiOC44MzMyLCJsb25naXR1ZGUiOjk4Lj  
M0NX0sInByb2Zlc3Npb25hbEluc3RhbGxlcRhdGEiOnsiY3BpSWQlOiIxMjMiLCJjcGlOYW1lIjoiMTIzliwiaW5z  
dGFsbENlcnRpZmljYXRpb25UaW1lIjoiMjAyMC03LEtyVDA5OjAwOjExWiJ9Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcclId": "WBKCP880-B",

"groupingParam": [

{

"groupId": "123",

"groupType": "INTERFERENCE\_COORDINATION"

}

],

"measCapability": [

"RECEIVED\_POWER\_WITH\_GRANT"

],

"userId": "123"

}

]

}

2020-07-12T07:16:08.325Z - INFO - Registration message contains cpiSignatureData

2020-07-12T07:16:08.326Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-07-12T07:16:08.326Z - INFO - encodedCpiSignedData contents = {



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
"installationParam": {
  "antennaAzimuth": 222,
  "heightType": "AGL",
  "longitude": 98.345,
  "height": 10,
  "indoorDeployment": false,
  "latitude": 58.8332,
  "antennaDowntilt": 45,
  "antennaBeamwidth": 333,
  "antennaGain": 14
},
"fcid": "WBKCP880-B",
"professionalInstallerData": {
  "cpiName": "123",
  "installCertificationTime": "2020-7-12T09:00:11Z",
  "cpid": "123"
},
"cbstdSerialNumber": "1257019260400202"
}
2020-07-12T07:16:08.391Z - INFO - verified signature on cpiSignatureData
2020-07-12T07:16:08.397Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-07-12T07:16:08.398Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-07-12T07:16:08.604Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "WBKCP880-BMock-SAS1257019260400202",
      "inquiredSpectrum": [
        {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      ]
    }
  ]
}
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    }
  ]
}
2020-07-12T07:16:08.618Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3570000000,
            "lowFrequency": 3550000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-07-12T07:16:08.769Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
      "operationParam": {
        "maxEirp": 37,
        "operationFrequencyRange": {
          "highFrequency": 3570000000,
          "lowFrequency": 3550000000
        }
      }
    }
  ]
}
2020-07-12T07:16:08.782Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202",

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch • General Service Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```

    "channelType": "GAA",
    "grantExpireTime": "2020-07-19T07:16:08Z",
    "grantId": "694257217",
    "heartbeatInterval": 60,
    "response": {
        "responseCode": 0
    }
}
]
}
2020-07-12T07:16:38.963Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
            "grantId": "694257217",
            "operationState": "GRANTED"
        }
    ]
}
2020-07-12T07:16:38.976Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
            "grantId": "694257217",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-07-12T07:19:58Z"
        }
    ]
}
2020-07-12T07:17:09.142Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
            "grantId": "694257217",
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-07-12T07:17:09.145Z - INFO - Time interval between two heartbeat request messages is: 30.18, limit is:
65.0

```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / 实验室

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2020-07-12T07:17:09.157Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "694257217",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-07-12T07:20:29Z"
  }
]
```

2020-07-12T07:17:11.381Z - INFO - relinquishment request from CBRS : {

```
"relinquishmentRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "694257217"
  }
]
```

2020-07-12T07:17:11.395Z - INFO - engine sent successfully, the response to CBRS : {

```
"relinquishmentResponse": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "694257217",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-07-12T07:17:12.022Z - INFO - relinquishment request from CBRS : {

```
"relinquishmentRequest": [
  {
    "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
    "grantId": "694257217"
  }
]
```

2020-07-12T07:17:12.032Z - INFO - engine sent successfully, the response to CBRS : {

```
"relinquishmentResponse": [
```



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

```
{
  "cbsdId": "WBKCP880-BMock-SAS1257019260400202",
  "grantId": "694257217",
  "response": {
    "responseCode": 0
  }
}
]
}
2020-07-12T07:17:12.203Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "WBKCP880-BMock-SAS1257019260400202"
    }
  ]
}
2020-07-12T07:17:12.213Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "response": {
        "responseCode": 103,
        "responseData": [
          "cbsdId"
        ]
      }
    }
  ]
}
}
```





## 8.28 WINNF.FT.C.SCS.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM200600450204  
Page: 188 of 192

## 8.29 WINNF.FT.C.SCS.2

Wireshark packet capture analysis of a TLSv1.2 handshake. The packet list shows a Client Hello (233 bytes) and a Server Hello (1372 bytes). The packet details pane shows the TLSv1.2 Record Layer: Handshake Protocol: Server Hello. The handshake type is Server Hello (2). The version is TLS 1.2 (0x0303). The length is 86 bytes. The random bytes are e1c2896f1357db4711df3789069a6e6843628bb7ab5cd3c8c6b9863. The session ID length is 32. The cipher suite is TLS\_RSA\_WITH\_AES\_256\_GCM\_SHA384 (0x009d). The compression method is null (0). The extensions length is 10. The extensions include renegotiation\_info (len=1) and heartbeat (len=1).

Wireshark packet capture analysis of an HTTP GET request. The packet list shows a GET request (1090 bytes) to /criserver.cgi. The packet details pane shows the HTTP/1.1 200 OK response. The content type is application/octet-stream. The server is HFS 2.3m. The set-cookie is HFS\_SID=0.211718405829743; path=/; HttpOnly. The etag is A585A390267ED82C0695AA62EBFFDEB8. The last-modified is Sat, 11 Jul 2020 08:59:24 GMT. The content-disposition is attachment; filename="criserver.cgi".



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26710534 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26710534 f (86-755) 26710594 sgs.china@sgs.com





### 8.30 WINNF.FT.C.SCS.3

No.	Time	Source	Destination	Protocol	Length	Info
10	8.079937	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
11	8.081026	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
13	8.081034	192.168.24.103	192.168.24.100	TLSv1.2	350	Certificate, Certificate Request, Server Hello Done
17	8.180015	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Certificate Expired)
22	13.739943	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
23	13.740722	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
25	13.740729	192.168.24.103	192.168.24.100	TLSv1.2	350	Certificate, Certificate Request, Server Hello Done
29	13.840105	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Certificate Expired)

> Frame 17: 61 bytes on wire (488 bits), 61 bytes captured (488 bits) on interface \Device\NPF\_{597870C7-DF67-43F3-9908-7E516DAFA60B}, id 0  
> Ethernet II, Src: Baicells\_0c:ba:1d (48:bf:74:0c:ba:1d), Dst: RealtekS\_68:01:f1 (00:e0:4c:68:01:f1)  
> Internet Protocol Version 4, Src: 192.168.24.100, Dst: 192.168.24.103  
> Transmission Control Protocol, Src Port: 43713, Dst Port: 5000, Seq: 180, Ack: 2933, Len: 7  
▼ Transport Layer Security  
  ▼ TLSv1.2 Record Layer: Alert (Level: Fatal, Description: Certificate Expired)  
    Content Type: Alert (21)  
    Version: TLS 1.2 (0x0303)  
    Length: 2  
    ▼ Alert Message  
      Level: Fatal (2)  
      Description: Certificate Expired (45)

0000 00 e0 4c 68 01 f1 48 bf 74 0c ba 1d 00 00 45 00 --Lh..H..t....E  
0010 00 2f 82 f1 48 00 40 06 05 bc c0 a8 18 64 c0 a8 ./..@....d..  
0020 18 67 aa c1 13 88 16 db 81 1a 97 9f de 48 50 18 g.....HP..  
0030 02 93 e7 e9 00 00 15 03 03 00 02 02 2d .....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM200600450204  
Page: 190 of 192

## 8.31 WINNF.FT.C.SCS.4

Wireshark 2.10.0 (64-bit) - 以太网 5

文件(F) 编辑(E) 视图(V) 捕获(C) 分析(A) 统计(S) 电话(T) 无线(W) 工具(I) 帮助(H)

过滤器: tls

No.	Time	Source	Destination	Protocol	Length	Info
88	21.152342	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
89	21.153277	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
91	21.153284	192.168.24.103	192.168.24.100	TLSv1.2	349	Certificate, Certificate Request, Server Hello Done
95	21.192130	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Unknown CA)
100	26.792183	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
101	26.793083	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
103	26.793095	192.168.24.103	192.168.24.100	TLSv1.2	349	Certificate, Certificate Request, Server Hello Done
107	26.832237	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Unknown CA)

> Frame 107: 61 bytes on wire (488 bits), 61 bytes captured (488 bits) on interface \Device\NPF\_{597870C7-DF67-43F3-9908-7E5160AFA608}, id 0  
> Ethernet II, Src: Baicells\_0c:ba:1d (48:bf:74:0c:ba:1d), Dst: RealtekS\_68:01:f1 (00:e0:4c:68:01:f1)  
> Internet Protocol Version 4, Src: 192.168.24.100, Dst: 192.168.24.103  
> Transmission Control Protocol, Src Port: 52735, Dst Port: 5000, Seq: 180, Ack: 2932, Len: 7  
▼ Transport Layer Security  
  ▼ TLSv1.2 Record Layer: Alert (Level: Fatal, Description: Unknown CA)  
    Content Type: Alert (21)  
    Version: TLS 1.2 (0x0303)  
    Length: 2  
    ▼ Alert Message  
      Level: Fatal (2)  
      Description: Unknown CA (48)

0000 00 e0 4c 68 01 f1 48 bf 74 0c ba 1d 00 00 45 00 H...H...t...E...  
0010 00 2f 39 47 40 00 40 06 4f 66 c0 a8 18 64 c0 a8 /9G@ @ Of...d...  
0020 18 67 cd ff 13 88 f1 29 67 e5 3d b1 9d 24 50 18 g...g...=...SP...  
0030 02 93 9b a4 00 00 15 03 03 00 02 02 30 .....o

Wireshark 以太网 5\_20200712163757\_a19656.pcapng 分組: 105 已显示: 8 (7.4%) 已丢弃: 0 (0.0%) 配置: Default

Wireshark 2.10.0 (64-bit) - 以太网 5

文件(F) 编辑(E) 视图(V) 捕获(C) 分析(A) 统计(S) 电话(T) 无线(W) 工具(I) 帮助(H)

过滤器: tls

No.	Time	Source	Destination	Protocol	Length	Info
4	0.040035	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
5	0.041030	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
7	0.041036	192.168.24.103	192.168.24.100	TLSv1.2	349	Certificate, Certificate Request, Server Hello Done
11	0.079976	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Unknown CA)
18	5.639993	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
19	5.640878	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
21	5.640886	192.168.24.103	192.168.24.100	TLSv1.2	349	Certificate, Certificate Request, Server Hello Done
25	5.680008	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Unknown CA)

> Frame 5: 1372 bytes on wire (10976 bits), 1372 bytes captured (10976 bits) on interface \Device\NPF\_{597870C7-DF67-43F3-9908-7E5160AFA608}, id 0  
> Ethernet II, Src: RealtekS\_68:01:f1 (00:e0:4c:68:01:f1), Dst: Baicells\_0c:ba:1d (48:bf:74:0c:ba:1d)  
> Internet Protocol Version 4, Src: 192.168.24.103, Dst: 192.168.24.100  
> Transmission Control Protocol, Src Port: 5000, Dst Port: 49867, Seq: 1, Ack: 1318  
▼ Transport Layer Security  
  ▼ TLSv1.2 Record Layer: Handshake Protocol: Server Hello  
    Content Type: Handshake (22)  
    Version: TLS 1.2 (0x0303)  
    Length: 86  
    ▼ Handshake Protocol: Server Hello  
      Handshake Type: Server Hello (2)  
      Length: 82  
      Version: TLS 1.2 (0x0303)  
      Random: 8894a0b3126e0c5b8ca5da116c698dfcc303d52383fef827...  
      GMT Unix Time: Aug 12, 2042 15:37:23.000000000 中国标准时间  
      Random Bytes: 126e0c5b8ca5da116c698dfcc303d52383fef827968cb09d...  
      Session ID Length: 32  
      Session ID: 414de07f4b5db78cb659e3e88e776fba4319d6ae98684de...  
      Cipher Suite: TLS\_RSA\_WITH\_AES\_256\_GCM\_SHA384 (0x009d)  
      Compression Method: null (0)  
      Extensions Length: 10  
      > Extension: renegotiation\_info (len=1)  
      > Extension: heartbeat (len=1)

0000 48 bf 74 0c ba 1d 00 e0 4c 68 01 f1 00 00 45 00 H...H...t...E...  
0010 05 4e f1 f4 40 00 40 06 00 00 c0 a8 18 67 c0 a8 N...@...g...  
0020 18 64 13 88 c2 c0 6a b0 20 24 02 04 00 03 50 18 d...j...\$...CP...  
0030 02 02 b7 5c 00 00 15 03 03 00 56 02 00 00 52 03 ...V...V...R...  
0040 03 08 94 a0 b3 12 6e 0c 5b 8c a5 da 11 6c 69 8d ...n...[...ll...  
0050 fc c3 03 d5 23 83 fe f8 27 96 8c b0 9d 5a 09 62 ...Z...b...  
0060 54 20 41 40 e0 7f 4b 5d b7 8c b6 59 e3 3e 88 e7 T AM...K...Y...>...  
0070 76 fb e4 31 9d 6a e9 06 84 de b6 1f c5 7f 00 d3 V...1...J...>...  
0080 2e 0f 00 9d 00 00 0a ff 01 00 01 00 00 0f 00 01 .....  
0090 01 16 03 03 0a e0 00 00 0a dc 00 0a d9 00 04 ec .....  
0000

Wireshark 以太网 5\_20200712164341\_a16904.pcapng 分組: 26 已显示: 8 (30.8%) 已丢弃: 0 (0.0%) 配置: Default



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



## 8.32 WINNF.FT.C.SCS.5

以太网5

文件(F) 编辑(E) 视图(V) 路由(R) 捕获(C) 分析(A) 统计(S) 电话(T) 无线(W) 工具(I) 帮助(H)

tsls

No.	Time	Source	Destination	Protocol	Length	Info
76	55.059590	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
77	55.060549	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
79	55.060556	192.168.24.103	192.168.24.100	TLSv1.2	350	Certificate, Certificate Request, Server Hello Done
83	55.159613	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Decrypt Error)
90	60.739866	192.168.24.100	192.168.24.103	TLSv1.2	233	Client Hello
91	60.740791	192.168.24.103	192.168.24.100	TLSv1.2	1372	Server Hello
93	60.740802	192.168.24.103	192.168.24.100	TLSv1.2	350	Certificate, Certificate Request, Server Hello Done
97	60.839544	192.168.24.100	192.168.24.103	TLSv1.2	61	Alert (Level: Fatal, Description: Decrypt Error)

> Frame 91: 1372 bytes on wire (10976 bits), 1372 bytes captured (10976 bits) on interface \Device\NPF\_{597870C7-DF67-43F3-9908-7E5160AFA608}, id 0

> Ethernet II, Src: Realtek5\_68:01:f1 (00:e0:4c:68:01:f1), Dst: Balcells\_8c:ba:1d (48:bf:74:0c:ba:1d)

> Internet Protocol Version 4, Src: 192.168.24.103, Dst: 192.168.24.100

> Transmission Control Protocol, Src Port: 5000, Dst Port: 50527, Seq: 1, Ack: 180, Len: 1318

> Transport Layer Security

- > TLSv1.2 Record Layer: Handshake Protocol: Server Hello
  - Content Type: Handshake (22)
  - Version: TLS 1.2 (0x0303)
  - Length: 86
- > Handshake Protocol: Server Hello
  - Handshake Type: Server Hello (2)
  - Length: 82
  - Version: TLS 1.2 (0x0303)
  - > Random: 29e5d7bb0671f23632b5f0edcef40f970411221080a03bd8...
  - > GMT Unix Time: Apr 11, 1992 02:00:27.000000000 中国标准时间
  - > Random Bytes: 0671f23632b5f0edcef40f970411221080a03bd8590d386...
  - > Session ID Length: 32
  - > Session ID: 02296ddc4faebd2a8a12ad459607eac7f8169252766736de...
  - > Cipher Suite: TLS\_RSA\_WITH\_AES\_256\_GCM\_SHA384 (0x009d)
  - > Compression Method: null (0)
  - > Extensions Length: 10
  - > Extension: renegotiation\_info (len=1)
  - > Extension: heartbeat (len=1)

0000 48 bf 74 0c ba 1d 00 e0 4c 68 01 f1 08 00 45 00 H t ..... L h ..... E  
0010 05 4e f1 90 40 00 00 06 00 00 c0 a8 18 67 c0 a8 N : @ : ..... g :  
0020 18 64 13 88 c5 5f a5 9b c9 56 40 af 5f da 50 10 d ..... V g ..... P  
0030 02 02 b7 5c 00 00 16 03 03 00 56 02 00 00 52 03 : ..... V : ..... R  
0040 03 29 e5 d7 bb 06 71 f2 36 32 b5 f0 ed ce f4 0f ) ..... q : 62 .....  
0050 97 d4 11 22 10 00 a0 3b d8 d5 98 d3 86 26 80 4d ..... : ..... & M  
0060 4a 20 02 29 6d dc 4f 4e bd 2a 8a 12 ad 45 96 07 J ..... m O N ..... E  
0070 ea c7 f8 16 92 52 76 67 36 de e7 59 f3 24 7e 53 ..... R v g 6 : Y 6-S  
0080 62 ca 00 9d 00 00 0a ff 01 00 01 00 00 0f 00 01 b ..... : .....  
0090 01 16 03 03 0a e1 0b 00 0a dd 00 0a da 00 04 ed ..... : .....  
0000

wireshark\_以太网5\_20200712163900\_a18348.pcapng

分組: 98 • 已顯示: 8 (8.2%) • 已過濾: 0 (0.0%)

配置: Default



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 9 Photographs

### 9.1 EUT Constructional Details (EUT Photos)

Please Refer to external and internal photos for details.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Testing Center, EEC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com