

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 30k\_SISO\_20MHz\_NTNV\_EIRP

### 1.1.1 Test Result

| 5G NR n48 SCS=30kHz SISO 20MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 3560.01         | Edge_1RB_Left   | 18.50                | /    | /   | 19.79     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.21                | /    | /   | 19.50     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 16.41                | /    | /   | 17.70     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 18.43                | /    | /   | 19.72     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.49                | /    | /   | 19.78     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Right | 18.31                | /    | /   | 19.60     | /    | /   | /     | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 19.49                | /    | /   | 20.78     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 19.47                | /    | /   | 20.76     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 21.98                | /    | /   | 23.27     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 22.10                | /    | /   | 23.39     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Left  | 21.95                | /    | /   | 23.24     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Right | 21.98                | /    | /   | 23.27     | /    | /   | /     | Pass    |
|                                    | 3690            | Edge_1RB_Left   | 17.77                | /    | /   | 19.06     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.68                | /    | /   | 18.97     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 14.14                | /    | /   | 15.43     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 17.69                | /    | /   | 18.98     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.80                | /    | /   | 19.09     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Right | 17.65                | /    | /   | 18.94     | /    | /   | /     | Pass    |
| DFT-s-OFDM QPSK                    | 3560.01         | Edge_1RB_Left   | 18.45                | /    | /   | 19.74     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.28                | /    | /   | 19.57     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 16.48                | /    | /   | 17.77     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 18.41                | /    | /   | 19.70     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.45                | /    | /   | 19.74     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Right | 18.33                | /    | /   | 19.62     | /    | /   | /     | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 19.43                | /    | /   | 20.72     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 19.47                | /    | /   | 20.76     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 22.10                | /    | /   | 23.39     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 22.04                | /    | /   | 23.33     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Left  | 21.96                | /    | /   | 23.25     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Right | 22.01                | /    | /   | 23.30     | /    | /   | /     | Pass    |
|                                    | 3690            | Edge_1RB_Left   | 17.81                | /    | /   | 19.10     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.68                | /    | /   | 18.97     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 14.14                | /    | /   | 15.43     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 17.69                | /    | /   | 18.98     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.77                | /    | /   | 19.06     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Right | 17.66                | /    | /   | 18.95     | /    | /   | /     | Pass    |
| DFT-s-OFDM 16 QAM                  | 3560.01         | Edge_1RB_Left   | 18.36                | /    | /   | 19.65     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.21                | /    | /   | 19.50     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 16.49                | /    | /   | 17.78     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 18.45                | /    | /   | 19.74     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.39                | /    | /   | 19.68     | /    | /   | /     | Pass    |
|                                    |                 | Inner_1RB_Right | 18.19                | /    | /   | 19.48     | /    | /   | /     | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 19.47                | /    | /   | 20.76     | /    | /   | /     | Pass    |
|                                    |                 | Edge_1RB_Right  | 19.41                | /    | /   | 20.70     | /    | /   | /     | Pass    |
|                                    |                 | Outer_Full      | 22.05                | /    | /   | 23.34     | /    | /   | /     | Pass    |
|                                    |                 | Inner_Full      | 22.06                | /    | /   | 23.35     | /    | /   | /     | Pass    |

|                    |         |                 |       |   |   |       |   |   |   |      |
|--------------------|---------|-----------------|-------|---|---|-------|---|---|---|------|
|                    |         | Inner 1RB Left  | 21.89 | / | / | 23.18 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 21.86 | / | / | 23.15 | / | / | / | Pass |
|                    | 3690    | Edge 1RB Left   | 17.62 | / | / | 18.91 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 17.54 | / | / | 18.83 | / | / | / | Pass |
|                    |         | Outer Full      | 14.14 | / | / | 15.43 | / | / | / | Pass |
|                    |         | Inner Full      | 17.67 | / | / | 18.96 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 17.63 | / | / | 18.92 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 17.55 | / | / | 18.84 | / | / | / | Pass |
| DFT-s-OFDM 64 QAM  | 3560.01 | Edge 1RB Left   | 18.54 | / | / | 19.83 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 18.30 | / | / | 19.59 | / | / | / | Pass |
|                    |         | Outer Full      | 16.46 | / | / | 17.75 | / | / | / | Pass |
|                    |         | Inner Full      | 18.45 | / | / | 19.74 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 18.52 | / | / | 19.81 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 18.32 | / | / | 19.61 | / | / | / | Pass |
|                    | 3624.99 | Edge 1RB Left   | 19.80 | / | / | 21.09 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 19.72 | / | / | 21.01 | / | / | / | Pass |
|                    |         | Outer Full      | 22.01 | / | / | 23.30 | / | / | / | Pass |
|                    |         | Inner Full      | 22.07 | / | / | 23.36 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 22.09 | / | / | 23.38 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 22.10 | / | / | 23.39 | / | / | / | Pass |
|                    | 3690    | Edge 1RB Left   | 17.78 | / | / | 19.07 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 17.68 | / | / | 18.97 | / | / | / | Pass |
|                    |         | Outer Full      | 14.11 | / | / | 15.40 | / | / | / | Pass |
|                    |         | Inner Full      | 17.67 | / | / | 18.96 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 17.78 | / | / | 19.07 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 17.63 | / | / | 18.92 | / | / | / | Pass |
| DFT-s-OFDM 256 QAM | 3560.01 | Edge 1RB Left   | 18.35 | / | / | 19.64 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 18.19 | / | / | 19.48 | / | / | / | Pass |
|                    |         | Outer Full      | 16.44 | / | / | 17.73 | / | / | / | Pass |
|                    |         | Inner Full      | 18.47 | / | / | 19.76 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 18.39 | / | / | 19.68 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 18.15 | / | / | 19.44 | / | / | / | Pass |
|                    | 3624.99 | Edge 1RB Left   | 19.44 | / | / | 20.73 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 19.46 | / | / | 20.75 | / | / | / | Pass |
|                    |         | Outer Full      | 22.11 | / | / | 23.40 | / | / | / | Pass |
|                    |         | Inner Full      | 22.15 | / | / | 23.44 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 21.89 | / | / | 23.18 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 21.96 | / | / | 23.25 | / | / | / | Pass |
|                    | 3690    | Edge 1RB Left   | 17.67 | / | / | 18.96 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 17.64 | / | / | 18.93 | / | / | / | Pass |
|                    |         | Outer Full      | 14.14 | / | / | 15.43 | / | / | / | Pass |
|                    |         | Inner Full      | 17.66 | / | / | 18.95 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 17.68 | / | / | 18.97 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 17.63 | / | / | 18.92 | / | / | / | Pass |
| CP-OFDM QPSK       | 3560.01 | Edge 1RB Left   | 18.52 | / | / | 19.81 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 18.35 | / | / | 19.64 | / | / | / | Pass |
|                    |         | Outer Full      | 16.48 | / | / | 17.77 | / | / | / | Pass |
|                    |         | Inner Full      | 18.46 | / | / | 19.75 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 18.58 | / | / | 19.87 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 18.34 | / | / | 19.63 | / | / | / | Pass |
|                    | 3624.99 | Edge 1RB Left   | 19.57 | / | / | 20.86 | / | / | / | Pass |
|                    |         | Edge 1RB Right  | 19.58 | / | / | 20.87 | / | / | / | Pass |
|                    |         | Outer Full      | 22.12 | / | / | 23.41 | / | / | / | Pass |
|                    |         | Inner Full      | 22.07 | / | / | 23.36 | / | / | / | Pass |
|                    |         | Inner 1RB Left  | 22.09 | / | / | 23.38 | / | / | / | Pass |
|                    |         | Inner 1RB Right | 22.05 | / | / | 23.34 | / | / | / | Pass |
|                    | 3690    | Edge 1RB Left   | 17.79 | / | / | 19.08 | / | / | / | Pass |

|                 |         |                 |       |   |   |       |   |   |   |      |
|-----------------|---------|-----------------|-------|---|---|-------|---|---|---|------|
|                 |         | Edge 1RB Right  | 17.69 | / | / | 18.98 | / | / | / | Pass |
|                 |         | Outer Full      | 14.17 | / | / | 15.46 | / | / | / | Pass |
|                 |         | Inner Full      | 17.66 | / | / | 18.95 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 17.74 | / | / | 19.03 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 17.74 | / | / | 19.03 | / | / | / | Pass |
| CP-OFDM 16 QAM  | 3560.01 | Edge 1RB Left   | 18.43 | / | / | 19.72 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 18.21 | / | / | 19.50 | / | / | / | Pass |
|                 |         | Outer Full      | 16.43 | / | / | 17.72 | / | / | / | Pass |
|                 |         | Inner Full      | 18.44 | / | / | 19.73 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 18.43 | / | / | 19.72 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 18.19 | / | / | 19.48 | / | / | / | Pass |
|                 | 3624.99 | Edge 1RB Left   | 19.51 | / | / | 20.80 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 19.51 | / | / | 20.80 | / | / | / | Pass |
|                 |         | Outer Full      | 22.13 | / | / | 23.42 | / | / | / | Pass |
|                 |         | Inner Full      | 22.11 | / | / | 23.40 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 21.90 | / | / | 23.19 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 21.90 | / | / | 23.19 | / | / | / | Pass |
|                 | 3690    | Edge 1RB Left   | 17.64 | / | / | 18.93 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 17.58 | / | / | 18.87 | / | / | / | Pass |
|                 |         | Outer Full      | 14.19 | / | / | 15.48 | / | / | / | Pass |
|                 |         | Inner Full      | 17.65 | / | / | 18.94 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 17.70 | / | / | 18.99 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 17.62 | / | / | 18.91 | / | / | / | Pass |
| CP-OFDM 64 QAM  | 3560.01 | Edge 1RB Left   | 18.56 | / | / | 19.85 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 18.35 | / | / | 19.64 | / | / | / | Pass |
|                 |         | Outer Full      | 16.44 | / | / | 17.73 | / | / | / | Pass |
|                 |         | Inner Full      | 18.45 | / | / | 19.74 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 18.59 | / | / | 19.88 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 18.34 | / | / | 19.63 | / | / | / | Pass |
|                 | 3624.99 | Edge 1RB Left   | 19.69 | / | / | 20.98 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 19.72 | / | / | 21.01 | / | / | / | Pass |
|                 |         | Outer Full      | 22.07 | / | / | 23.36 | / | / | / | Pass |
|                 |         | Inner Full      | 22.13 | / | / | 23.42 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 22.13 | / | / | 23.42 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 22.21 | / | / | 23.50 | / | / | / | Pass |
|                 | 3690    | Edge 1RB Left   | 17.81 | / | / | 19.10 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 17.69 | / | / | 18.98 | / | / | / | Pass |
|                 |         | Outer Full      | 14.16 | / | / | 15.45 | / | / | / | Pass |
|                 |         | Inner Full      | 17.72 | / | / | 19.01 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 17.82 | / | / | 19.11 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 17.71 | / | / | 19.00 | / | / | / | Pass |
| CP-OFDM 256 QAM | 3560.01 | Edge 1RB Left   | 18.44 | / | / | 19.73 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 18.25 | / | / | 19.54 | / | / | / | Pass |
|                 |         | Outer Full      | 16.39 | / | / | 17.68 | / | / | / | Pass |
|                 |         | Inner Full      | 18.54 | / | / | 19.83 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 18.47 | / | / | 19.76 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 18.20 | / | / | 19.49 | / | / | / | Pass |
|                 | 3624.99 | Edge 1RB Left   | 19.50 | / | / | 20.79 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 19.66 | / | / | 20.95 | / | / | / | Pass |
|                 |         | Outer Full      | 21.24 | / | / | 22.53 | / | / | / | Pass |
|                 |         | Inner Full      | 21.00 | / | / | 22.29 | / | / | / | Pass |
|                 |         | Inner 1RB Left  | 21.73 | / | / | 23.02 | / | / | / | Pass |
|                 |         | Inner 1RB Right | 22.02 | / | / | 23.31 | / | / | / | Pass |
|                 | 3690    | Edge 1RB Left   | 17.73 | / | / | 19.02 | / | / | / | Pass |
|                 |         | Edge 1RB Right  | 17.71 | / | / | 19.00 | / | / | / | Pass |
|                 |         | Outer Full      | 14.16 | / | / | 15.45 | / | / | / | Pass |
|                 |         | Inner Full      | 17.77 | / | / | 19.06 | / | / | / | Pass |

|                                                                                 |  |                 |       |   |   |       |   |   |   |      |
|---------------------------------------------------------------------------------|--|-----------------|-------|---|---|-------|---|---|---|------|
|                                                                                 |  | Inner_1RB_Left  | 17.81 | / | / | 19.10 | / | / | / | Pass |
|                                                                                 |  | Inner_1RB_Right | 17.74 | / | / | 19.03 | / | / | / | Pass |
| Note1: Antenna Gain: Ant1: 1.29dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |  |                 |       |   |   |       |   |   |   |      |

## 1.2 30k\_SISO\_20MHz\_NTNV\_EIRP/10MHz

### 1.2.1 Test Result

| 5G NR n48 SCS=30kHz SISO 20MHz NTN |                 |                 |                            |      |     |                 |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------------|------|-----|-----------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm/10MHz) |      |     | EIRP(dBm/10MHz) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                       | Ant2 | Sum | Ant1            | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 3560.01         | Edge_1RB_Left   | 18.49                      | /    | /   | 19.78           | /    | /   | <=47  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.13                      | /    | /   | 18.42           | /    | /   | <=47  | Pass    |
|                                    |                 | Outer_Full      | 12.58                      | /    | /   | 13.87           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_Full      | 18.07                      | /    | /   | 19.36           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.47                      | /    | /   | 18.76           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.41                      | /    | /   | 18.70           | /    | /   | <=47  | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 16.77                      | /    | /   | 18.06           | /    | /   | <=47  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.61                      | /    | /   | 17.90           | /    | /   | <=47  | Pass    |
|                                    |                 | Outer_Full      | 16.98                      | /    | /   | 18.27           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_Full      | 20.10                      | /    | /   | 21.39           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Left  | 20.06                      | /    | /   | 21.35           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.32                      | /    | /   | 19.61           | /    | /   | <=47  | Pass    |
|                                    | 3690            | Edge_1RB_Left   | 13.69                      | /    | /   | 14.98           | /    | /   | <=47  | Pass    |
|                                    |                 | Edge_1RB_Right  | 12.59                      | /    | /   | 13.88           | /    | /   | <=47  | Pass    |
|                                    |                 | Outer_Full      | 6.45                       | /    | /   | 7.74            | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_Full      | 13.12                      | /    | /   | 14.41           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Left  | 12.51                      | /    | /   | 13.80           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Right | 13.51                      | /    | /   | 14.80           | /    | /   | <=47  | Pass    |
| DFT-s-OFDM QPSK                    | 3560.01         | Edge_1RB_Left   | 17.49                      | /    | /   | 18.78           | /    | /   | <=47  | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.25                      | /    | /   | 19.54           | /    | /   | <=47  | Pass    |
|                                    |                 | Outer_Full      | 13.40                      | /    | /   | 14.69           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_Full      | 17.76                      | /    | /   | 19.05           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.18                      | /    | /   | 19.47           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.84                      | /    | /   | 20.13           | /    | /   | <=47  | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 16.29                      | /    | /   | 17.58           | /    | /   | <=47  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.07                      | /    | /   | 16.36           | /    | /   | <=47  | Pass    |
|                                    |                 | Outer_Full      | 16.77                      | /    | /   | 18.06           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_Full      | 19.03                      | /    | /   | 20.32           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.06                      | /    | /   | 20.35           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.26                      | /    | /   | 19.55           | /    | /   | <=47  | Pass    |
|                                    | 3690            | Edge_1RB_Left   | 12.83                      | /    | /   | 14.12           | /    | /   | <=47  | Pass    |
|                                    |                 | Edge_1RB_Right  | 12.79                      | /    | /   | 14.08           | /    | /   | <=47  | Pass    |
|                                    |                 | Outer_Full      | 6.28                       | /    | /   | 7.57            | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_Full      | 13.33                      | /    | /   | 14.62           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Left  | 13.61                      | /    | /   | 14.90           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Right | 12.36                      | /    | /   | 13.65           | /    | /   | <=47  | Pass    |
| DFT-s-OFDM 16 QAM                  | 3560.01         | Edge_1RB_Left   | 18.08                      | /    | /   | 19.37           | /    | /   | <=47  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.38                      | /    | /   | 17.67           | /    | /   | <=47  | Pass    |
|                                    |                 | Outer_Full      | 13.08                      | /    | /   | 14.37           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_Full      | 17.84                      | /    | /   | 19.13           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.02                      | /    | /   | 20.31           | /    | /   | <=47  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.21                      | /    | /   | 18.50           | /    | /   | <=47  | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 16.36                      | /    | /   | 17.65           | /    | /   | <=47  | Pass    |

|                    |         |                 |       |   |   |       |   |   |      |      |
|--------------------|---------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |         | Edge_1RB_Right  | 15.67 | / | / | 16.96 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 17.00 | / | / | 18.29 | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 19.23 | / | / | 20.52 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 18.89 | / | / | 20.18 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Right | 18.46 | / | / | 19.75 | / | / | <=47 | Pass |
|                    | 3690    | Edge_1RB_Left   | 12.59 | / | / | 13.88 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 12.25 | / | / | 13.54 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 6.74  | / | / | 8.03  | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 12.79 | / | / | 14.08 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 12.44 | / | / | 13.73 | / | / | <=47 | Pass |
| DFT-s-OFDM 64 QAM  | 3560.01 | Inner_1RB_Right | 12.72 | / | / | 14.01 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 18.29 | / | / | 19.58 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 17.16 | / | / | 18.45 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 12.96 | / | / | 14.25 | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 17.07 | / | / | 18.36 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 16.81 | / | / | 18.10 | / | / | <=47 | Pass |
|                    | 3624.99 | Inner_1RB_Right | 16.78 | / | / | 18.07 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 15.88 | / | / | 17.17 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 17.30 | / | / | 18.59 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 16.17 | / | / | 17.46 | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 18.28 | / | / | 19.57 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 18.91 | / | / | 20.20 | / | / | <=47 | Pass |
|                    | 3690    | Inner_1RB_Right | 19.34 | / | / | 20.63 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 12.48 | / | / | 13.77 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 12.59 | / | / | 13.88 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 6.50  | / | / | 7.79  | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 12.41 | / | / | 13.70 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 12.98 | / | / | 14.27 | / | / | <=47 | Pass |
| DFT-s-OFDM 256 QAM | 3560.01 | Inner_1RB_Right | 11.83 | / | / | 13.12 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 18.32 | / | / | 19.61 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 17.62 | / | / | 18.91 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 13.01 | / | / | 14.30 | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 18.05 | / | / | 19.34 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 17.31 | / | / | 18.60 | / | / | <=47 | Pass |
|                    | 3624.99 | Inner_1RB_Right | 16.26 | / | / | 17.55 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 16.73 | / | / | 18.02 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 16.04 | / | / | 17.33 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 16.18 | / | / | 17.47 | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 18.78 | / | / | 20.07 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 19.95 | / | / | 21.24 | / | / | <=47 | Pass |
|                    | 3690    | Inner_1RB_Right | 18.88 | / | / | 20.17 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 11.57 | / | / | 12.86 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 12.60 | / | / | 13.89 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 6.58  | / | / | 7.87  | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 13.06 | / | / | 14.35 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 13.77 | / | / | 15.06 | / | / | <=47 | Pass |
| CP-OFDM QPSK       | 3560.01 | Inner_1RB_Right | 12.85 | / | / | 14.14 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 16.94 | / | / | 18.23 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 17.99 | / | / | 19.28 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 12.83 | / | / | 14.12 | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 18.27 | / | / | 19.56 | / | / | <=47 | Pass |
|                    |         | Inner_1RB_Left  | 19.24 | / | / | 20.53 | / | / | <=47 | Pass |
|                    | 3624.99 | Inner_1RB_Right | 16.92 | / | / | 18.21 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Left   | 15.86 | / | / | 17.15 | / | / | <=47 | Pass |
|                    |         | Edge_1RB_Right  | 17.47 | / | / | 18.76 | / | / | <=47 | Pass |
|                    |         | Outer_Full      | 16.17 | / | / | 17.46 | / | / | <=47 | Pass |
|                    |         | Inner_Full      | 17.47 | / | / | 18.76 | / | / | <=47 | Pass |

|                 |         |                 |       |   |   |       |   |   |      |      |
|-----------------|---------|-----------------|-------|---|---|-------|---|---|------|------|
|                 |         | Inner_1RB_Left  | 17.88 | / | / | 19.17 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 18.14 | / | / | 19.43 | / | / | <=47 | Pass |
|                 | 3690    | Edge_1RB_Left   | 13.08 | / | / | 14.37 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 13.08 | / | / | 14.37 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 6.96  | / | / | 8.25  | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 12.98 | / | / | 14.27 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 13.38 | / | / | 14.67 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 13.43 | / | / | 14.72 | / | / | <=47 | Pass |
| CP-OFDM 16 QAM  | 3560.01 | Edge_1RB_Left   | 16.86 | / | / | 18.15 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 15.70 | / | / | 16.99 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 13.39 | / | / | 14.68 | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 16.46 | / | / | 17.75 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 16.71 | / | / | 18.00 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 16.84 | / | / | 18.13 | / | / | <=47 | Pass |
|                 | 3624.99 | Edge_1RB_Left   | 15.53 | / | / | 16.82 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 15.98 | / | / | 17.27 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 15.60 | / | / | 16.89 | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 17.01 | / | / | 18.30 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 17.82 | / | / | 19.11 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 16.91 | / | / | 18.20 | / | / | <=47 | Pass |
|                 | 3690    | Edge_1RB_Left   | 12.47 | / | / | 13.76 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 12.27 | / | / | 13.56 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 6.13  | / | / | 7.42  | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 13.16 | / | / | 14.45 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 12.86 | / | / | 14.15 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 12.21 | / | / | 13.50 | / | / | <=47 | Pass |
| CP-OFDM 64 QAM  | 3560.01 | Edge_1RB_Left   | 17.66 | / | / | 18.95 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 17.06 | / | / | 18.35 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 13.68 | / | / | 14.97 | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 17.36 | / | / | 18.65 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 17.46 | / | / | 18.75 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 15.80 | / | / | 17.09 | / | / | <=47 | Pass |
|                 | 3624.99 | Edge_1RB_Left   | 15.89 | / | / | 17.18 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 15.99 | / | / | 17.28 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 15.53 | / | / | 16.82 | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 18.54 | / | / | 19.83 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 18.35 | / | / | 19.64 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 18.12 | / | / | 19.41 | / | / | <=47 | Pass |
|                 | 3690    | Edge_1RB_Left   | 13.21 | / | / | 14.50 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 13.30 | / | / | 14.59 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 6.66  | / | / | 7.95  | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 12.05 | / | / | 13.34 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 13.03 | / | / | 14.32 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 12.74 | / | / | 14.03 | / | / | <=47 | Pass |
| CP-OFDM 256 QAM | 3560.01 | Edge_1RB_Left   | 17.05 | / | / | 18.34 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 17.00 | / | / | 18.29 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 14.24 | / | / | 15.53 | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 17.31 | / | / | 18.60 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 15.32 | / | / | 16.61 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 17.84 | / | / | 19.13 | / | / | <=47 | Pass |
|                 | 3624.99 | Edge_1RB_Left   | 15.91 | / | / | 17.20 | / | / | <=47 | Pass |
|                 |         | Edge_1RB_Right  | 15.21 | / | / | 16.50 | / | / | <=47 | Pass |
|                 |         | Outer_Full      | 14.94 | / | / | 16.23 | / | / | <=47 | Pass |
|                 |         | Inner_Full      | 17.02 | / | / | 18.31 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Left  | 18.41 | / | / | 19.70 | / | / | <=47 | Pass |
|                 |         | Inner_1RB_Right | 18.18 | / | / | 19.47 | / | / | <=47 | Pass |
|                 | 3690    | Edge_1RB_Left   | 12.73 | / | / | 14.02 | / | / | <=47 | Pass |

|                                                                                 |  |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|--|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 |  | Edge_1RB_Right  | 12.18 | / | / | 13.47 | / | / | <=47 | Pass |
|                                                                                 |  | Outer_Full      | 5.69  | / | / | 6.98  | / | / | <=47 | Pass |
|                                                                                 |  | Inner_Full      | 12.95 | / | / | 14.24 | / | / | <=47 | Pass |
|                                                                                 |  | Inner_1RB_Left  | 12.89 | / | / | 14.18 | / | / | <=47 | Pass |
|                                                                                 |  | Inner_1RB_Right | 11.37 | / | / | 12.66 | / | / | <=47 | Pass |
| Note1: Antenna Gain: Ant1: 1.29dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |  |                 |       |   |   |       |   |   |      |      |

### 1.3 30k\_SISO\_20MHz\_NTNV\_PSD

#### 1.3.1 Test Result

| 5G NR n48 SCS=30kHz SISO 20MHz NTN |                 |                 |                        |      |     |                    |      |     |       |         |
|------------------------------------|-----------------|-----------------|------------------------|------|-----|--------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted PSD(dBm/MHz) |      |     | E.I.R.PSD(dBm/MHz) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                   | Ant2 | Sum | Ant1               | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK               | 3560.01         | Edge_1RB_Left   | 17.59                  | /    | /   | 18.88              | /    | /   | <=37  | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.22                  | /    | /   | 19.51              | /    | /   | <=37  | Pass    |
|                                    |                 | Outer_Full      | 6.08                   | /    | /   | 7.37               | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_Full      | 11.18                  | /    | /   | 12.47              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.27                  | /    | /   | 19.56              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.29                  | /    | /   | 18.58              | /    | /   | <=37  | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 17.63                  | /    | /   | 18.92              | /    | /   | <=37  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.31                  | /    | /   | 17.60              | /    | /   | <=37  | Pass    |
|                                    |                 | Outer_Full      | 7.81                   | /    | /   | 9.10               | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_Full      | 11.07                  | /    | /   | 12.36              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Left  | 20.14                  | /    | /   | 21.43              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Right | 19.95                  | /    | /   | 21.24              | /    | /   | <=37  | Pass    |
|                                    | 3690            | Edge_1RB_Left   | 13.70                  | /    | /   | 14.99              | /    | /   | <=37  | Pass    |
|                                    |                 | Edge_1RB_Right  | 13.37                  | /    | /   | 14.66              | /    | /   | <=37  | Pass    |
|                                    |                 | Outer_Full      | -1.51                  | /    | /   | -0.22              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_Full      | 5.12                   | /    | /   | 6.41               | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Left  | 13.14                  | /    | /   | 14.43              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Right | 13.16                  | /    | /   | 14.45              | /    | /   | <=37  | Pass    |
| DFT-s-OFDM QPSK                    | 3560.01         | Edge_1RB_Left   | 17.91                  | /    | /   | 19.20              | /    | /   | <=37  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.17                  | /    | /   | 18.46              | /    | /   | <=37  | Pass    |
|                                    |                 | Outer_Full      | 4.41                   | /    | /   | 5.70               | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_Full      | 9.07                   | /    | /   | 10.36              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.25                  | /    | /   | 20.54              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.63                  | /    | /   | 17.92              | /    | /   | <=37  | Pass    |
|                                    | 3624.99         | Edge_1RB_Left   | 18.17                  | /    | /   | 19.46              | /    | /   | <=37  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.35                  | /    | /   | 17.64              | /    | /   | <=37  | Pass    |
|                                    |                 | Outer_Full      | 8.76                   | /    | /   | 10.05              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_Full      | 11.67                  | /    | /   | 12.96              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Left  | 20.30                  | /    | /   | 21.59              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Right | 19.42                  | /    | /   | 20.71              | /    | /   | <=37  | Pass    |
|                                    | 3690            | Edge_1RB_Left   | 13.08                  | /    | /   | 14.37              | /    | /   | <=37  | Pass    |
|                                    |                 | Edge_1RB_Right  | 13.63                  | /    | /   | 14.92              | /    | /   | <=37  | Pass    |
|                                    |                 | Outer_Full      | -0.42                  | /    | /   | 0.87               | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_Full      | 5.69                   | /    | /   | 6.98               | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Left  | 13.70                  | /    | /   | 14.99              | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_1RB_Right | 13.22                  | /    | /   | 14.51              | /    | /   | <=37  | Pass    |
| DFT-s-OFDM 16 QAM                  | 3560.01         | Edge_1RB_Left   | 18.06                  | /    | /   | 19.35              | /    | /   | <=37  | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.41                  | /    | /   | 19.70              | /    | /   | <=37  | Pass    |
|                                    |                 | Outer_Full      | 5.20                   | /    | /   | 6.49               | /    | /   | <=37  | Pass    |
|                                    |                 | Inner_Full      | 9.89                   | /    | /   | 11.18              | /    | /   | <=37  | Pass    |


|                    |         |                 |       |   |   |       |   |   |      |      |
|--------------------|---------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |         | Inner_1RB_Left  | 17.98 | / | / | 19.27 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 18.47 | / | / | 19.76 | / | / | <=37 | Pass |
|                    | 3624.99 | Edge_1RB_Left   | 17.15 | / | / | 18.44 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 16.59 | / | / | 17.88 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | 8.77  | / | / | 10.06 | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 11.24 | / | / | 12.53 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 19.83 | / | / | 21.12 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 20.37 | / | / | 21.66 | / | / | <=37 | Pass |
|                    | 3690    | Edge_1RB_Left   | 12.91 | / | / | 14.20 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 13.19 | / | / | 14.48 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | -1.31 | / | / | -0.02 | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 6.20  | / | / | 7.49  | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 12.60 | / | / | 13.89 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 12.91 | / | / | 14.20 | / | / | <=37 | Pass |
| DFT-s-OFDM 64 QAM  | 3560.01 | Edge_1RB_Left   | 19.39 | / | / | 20.68 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 18.04 | / | / | 19.33 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | 5.50  | / | / | 6.79  | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 10.32 | / | / | 11.61 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 18.20 | / | / | 19.49 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 17.30 | / | / | 18.59 | / | / | <=37 | Pass |
|                    | 3624.99 | Edge_1RB_Left   | 17.19 | / | / | 18.48 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 16.95 | / | / | 18.24 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | 8.12  | / | / | 9.41  | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 10.99 | / | / | 12.28 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 20.50 | / | / | 21.79 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 19.46 | / | / | 20.75 | / | / | <=37 | Pass |
|                    | 3690    | Edge_1RB_Left   | 13.30 | / | / | 14.59 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 13.14 | / | / | 14.43 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | -0.84 | / | / | 0.45  | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 5.83  | / | / | 7.12  | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 12.93 | / | / | 14.22 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 13.75 | / | / | 15.04 | / | / | <=37 | Pass |
| DFT-s-OFDM 256 QAM | 3560.01 | Edge_1RB_Left   | 18.35 | / | / | 19.64 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 16.98 | / | / | 18.27 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | 4.84  | / | / | 6.13  | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 9.83  | / | / | 11.12 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 19.23 | / | / | 20.52 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 18.41 | / | / | 19.70 | / | / | <=37 | Pass |
|                    | 3624.99 | Edge_1RB_Left   | 16.93 | / | / | 18.22 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 15.92 | / | / | 17.21 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | 7.48  | / | / | 8.77  | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 11.50 | / | / | 12.79 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 18.86 | / | / | 20.15 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 19.50 | / | / | 20.79 | / | / | <=37 | Pass |
|                    | 3690    | Edge_1RB_Left   | 13.68 | / | / | 14.97 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 13.38 | / | / | 14.67 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | -0.81 | / | / | 0.48  | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 5.51  | / | / | 6.80  | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 13.08 | / | / | 14.37 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 14.30 | / | / | 15.59 | / | / | <=37 | Pass |
| CP-OFDM QPSK       | 3560.01 | Edge_1RB_Left   | 17.91 | / | / | 19.20 | / | / | <=37 | Pass |
|                    |         | Edge_1RB_Right  | 17.19 | / | / | 18.48 | / | / | <=37 | Pass |
|                    |         | Outer_Full      | 5.01  | / | / | 6.30  | / | / | <=37 | Pass |
|                    |         | Inner_Full      | 9.23  | / | / | 10.52 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Left  | 19.66 | / | / | 20.95 | / | / | <=37 | Pass |
|                    |         | Inner_1RB_Right | 17.03 | / | / | 18.32 | / | / | <=37 | Pass |
|                    | 3624.99 | Edge_1RB_Left   | 18.25 | / | / | 19.54 | / | / | <=37 | Pass |




|                 |         |                 |       |   |   |       |   |   |      |      |
|-----------------|---------|-----------------|-------|---|---|-------|---|---|------|------|
|                 |         | Edge_1RB_Right  | 18.05 | / | / | 19.34 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | 8.24  | / | / | 9.53  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 10.60 | / | / | 11.89 | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 20.33 | / | / | 21.62 | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Right | 18.19 | / | / | 19.48 | / | / | <=37 | Pass |
|                 | 3690    | Edge_1RB_Left   | 14.51 | / | / | 15.80 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 13.68 | / | / | 14.97 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | -0.84 | / | / | 0.45  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 6.10  | / | / | 7.39  | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 13.25 | / | / | 14.54 | / | / | <=37 | Pass |
| CP-OFDM 16 QAM  | 3560.01 | Inner_1RB_Right | 13.33 | / | / | 14.62 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 18.95 | / | / | 20.24 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 17.85 | / | / | 19.14 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | 4.82  | / | / | 6.11  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 10.08 | / | / | 11.37 | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 18.81 | / | / | 20.10 | / | / | <=37 | Pass |
|                 | 3624.99 | Inner_1RB_Right | 19.01 | / | / | 20.30 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 17.87 | / | / | 19.16 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 15.50 | / | / | 16.79 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | 7.73  | / | / | 9.02  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 10.69 | / | / | 11.98 | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 18.60 | / | / | 19.89 | / | / | <=37 | Pass |
|                 | 3690    | Inner_1RB_Right | 19.15 | / | / | 20.44 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 13.00 | / | / | 14.29 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 13.91 | / | / | 15.20 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | -1.71 | / | / | -0.42 | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 5.16  | / | / | 6.45  | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 13.60 | / | / | 14.89 | / | / | <=37 | Pass |
| CP-OFDM 64 QAM  | 3560.01 | Inner_1RB_Right | 13.38 | / | / | 14.67 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 18.65 | / | / | 19.94 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 18.63 | / | / | 19.92 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | 5.14  | / | / | 6.43  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 10.40 | / | / | 11.69 | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 18.79 | / | / | 20.08 | / | / | <=37 | Pass |
|                 | 3624.99 | Inner_1RB_Right | 18.71 | / | / | 20.00 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 16.40 | / | / | 17.69 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 15.56 | / | / | 16.85 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | 7.91  | / | / | 9.20  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 10.99 | / | / | 12.28 | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 18.58 | / | / | 19.87 | / | / | <=37 | Pass |
|                 | 3690    | Inner_1RB_Right | 19.69 | / | / | 20.98 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 13.66 | / | / | 14.95 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 13.79 | / | / | 15.08 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | -0.92 | / | / | 0.37  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 5.24  | / | / | 6.53  | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 14.13 | / | / | 15.42 | / | / | <=37 | Pass |
| CP-OFDM 256 QAM | 3560.01 | Inner_1RB_Right | 13.35 | / | / | 14.64 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 16.25 | / | / | 17.54 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 17.84 | / | / | 19.13 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | 5.45  | / | / | 6.74  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 10.38 | / | / | 11.67 | / | / | <=37 | Pass |
|                 |         | Inner_1RB_Left  | 16.95 | / | / | 18.24 | / | / | <=37 | Pass |
|                 | 3624.99 | Inner_1RB_Right | 20.24 | / | / | 21.53 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Left   | 15.95 | / | / | 17.24 | / | / | <=37 | Pass |
|                 |         | Edge_1RB_Right  | 16.43 | / | / | 17.72 | / | / | <=37 | Pass |
|                 |         | Outer_Full      | 6.35  | / | / | 7.64  | / | / | <=37 | Pass |
|                 |         | Inner_Full      | 9.17  | / | / | 10.46 | / | / | <=37 | Pass |

|                                                                                 |      |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 |      | Inner_1RB_Left  | 17.61 | / | / | 18.90 | / | / | <=37 | Pass |
|                                                                                 |      | Inner_1RB_Right | 18.81 | / | / | 20.10 | / | / | <=37 | Pass |
|                                                                                 | 3690 | Edge_1RB_Left   | 13.51 | / | / | 14.80 | / | / | <=37 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 12.57 | / | / | 13.86 | / | / | <=37 | Pass |
|                                                                                 |      | Outer_Full      | -1.28 | / | / | 0.01  | / | / | <=37 | Pass |
|                                                                                 |      | Inner_Full      | 4.86  | / | / | 6.15  | / | / | <=37 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 13.24 | / | / | 14.53 | / | / | <=37 | Pass |
|                                                                                 |      | Inner_1RB_Right | 13.74 | / | / | 15.03 | / | / | <=37 | Pass |
|                                                                                 |      |                 |       |   |   |       |   |   |      |      |
| Note1: Antenna Gain: Ant1: 1.29dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |      |                 |       |   |   |       |   |   |      |      |


1.3.2 Test Graph




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3560.01MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3560.01MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3624.99MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3624.99MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3624.99MHz\_Inner\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3624.99MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3624.99MHz\_Inner\_1RB\_Right







n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3690MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3690MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3690MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Inner\_Full







n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3560.01MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3560.01MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3560.01MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Edge\_1RB\_Right







n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3624.99MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3690MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3690MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3690MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3560.01MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3560.01MHz\_Inner\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3560.01MHz\_Inner\_1RB\_Right







n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3624.99MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3690MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3690MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3690MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3560.01MHz\_Edge\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3560.01MHz\_Inner\_Full







n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3560.01MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3624.99MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3690MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3690MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3690MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_3690MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Right







n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Inner\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Right

