

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200026702

Page: 1 of 7

1 Cover Page***RF MPE REPORT***

Application No.: KSCR2302000267AT
FCC ID: WBKF224041
Applicant: Bravo Tech Inc.
Address of Applicant: 11205 Knott Avenue, Suite A, Cypress, CA 90630
Manufacturer: Bravo Tech Inc.
Address of Manufacturer: 11205 Knott Avenue, Suite A, Cypress, CA 90630
Equipment Under Test (EUT):

EUT Name: 5G NR Femtocell
Model No.: nCELL-F2240

Trade mark:



Standard(s) : FCC Rules 47 CFR §2.1091
KDB447498 D01 General RF Exposure Guidance v06
Date of Receipt: 2024-03-01
Date of Test: 2024-03-02 to 2024-03-15
Date of Issue: 2023-03-21

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Member of the SGS Group (SGS SA)

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200026702

Page: 2 of 7

Revision Record				
Version	Chapter	Date	Modifier	Remark
00	Original	2024-03-21		/

Authorized for issue by:			
Tested By	 Cloud Peng		
	<hr/> Cloud Peng /Project Engineer		
Approved By	 Terry Hou		
	<hr/> Terry Hou /Reviewer		

2 Contents

	Page
1 Cover Page	1
2 Contents	3
3 General Information.....	4
3.1 General Description of E.U.T.	4
3.2 Technical Specifications.....	4
3.3 Test Location.....	5
3.4 Test Facility	5
4 Test Standards and Limits.....	6
4.1 FCC Radiofrequency radiation exposure limits:.....	6
5 Measurement and Calculation.....	7
5.1 Maximum transmit power	7
5.2 MPE Calculation.....	7

3 General Information

3.1 General Description of E.U.T.

Power supply:	DC 12V/5A
---------------	-----------

3.2 Technical Specifications

Frequency Band:	5GNR N41
Frequency Range:	2496MHz-2690MHz
Antenna Type:	Internal Antenna
Antenna Gain:	5.0dBi (Provided by manufacturer)
Sample Type:	Fixed device
Support Bandwidth:	40MHz ,60MHz,80MHz,100MHz
Modulation Type:	5G NR: CP-OFDM: 64QAM, 256QAM
MIMO:	2T2R MIMO, SISO
Temperature Range:	-30°C to 55°C

Note:

The antenna gain value is provided by the customer. The test lab will not be responsible for wrong test result due to incorrect information about antenna gain values.



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200026702

Page: 5 of 7

3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

1.SGS is not responsible for wrong test results due to incorrect information (e.g., max. internal working frequency, antenna gain, cable loss, etc) is provided by the applicant. (If applicable).

2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (If applicable).

3. Sample source: sent by customer.

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA**

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• **FCC**

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

• **ISED**

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 2324E

• **VCCI**

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200026702

Page: 6 of 7

4 Test Standards and Limits

4.1 FCC Radiofrequency radiation exposure limits:

According to §1.1310, the limit for general population/uncontrolled exposures

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

Note: 5G N41 is 1mW/cm².

5 Measurement and Calculation

5.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR240200026701.

5.2 MPE Calculation

According to the formula $S=P/4\pi R^2$, we can calculate S which is MPE.

Note:

1)P (mW)

2)R = distance to the center of radiation of antenna (in centimeter)

3)MPE limit = 1mW/cm²

Test Mode	Frequency Band (MHz)	Maximum E.I.R.P (dBm)	Power Density (mW/cm ²)	Limit of Power Density S(mW/cm ²)	Safety Distance (cm)
5G NR Band n41	2496 ~ 2690	32	0.3153	1	20

According to the KDB447498 section 7.2 determine the device is exclusion from SAR test.

--End of the Report--