



Profile: CDD	Page No.: 1
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.235	37.294	-29.765	74.000	6.941	PK
2	*	15540.000	45.646	30.010	-28.354	74.000	15.637	PK

Profile: CDD	Page No.: 2
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.655	37.714	-29.345	74.000	6.941	PK
2	*	15540.000	45.358	29.722	-28.642	74.000	15.637	PK

Profile: CDD	Page No.: 3
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.643	37.118	-29.357	74.000	7.525	PK
2	*	15660.000	46.253	30.426	-27.747	74.000	15.828	PK

Profile: CDD	Page No.: 4
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.764	37.239	-29.236	74.000	7.525	PK
2	*	15660.000	45.764	29.937	-28.236	74.000	15.828	PK

Profile: CDD	Page No.: 5
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.634	36.696	-29.366	74.000	7.938	PK
2	*	15720.000	45.757	30.396	-28.243	74.000	15.361	PK

Profile: CDD	Page No.: 6
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.578	37.640	-28.422	74.000	7.938	PK
2	*	15720.000	46.356	30.995	-27.644	74.000	15.361	PK

Profile: CDD	Page No.: 7
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	45.979	38.117	-28.021	74.000	7.862	PK
2		15780.000	45.567	30.026	-28.433	74.000	15.541	PK

Profile: CDD	Page No.: 8
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.455	35.593	-30.545	74.000	7.862	PK
2	*	15780.000	45.948	30.407	-28.052	74.000	15.541	PK

Profile: CDD	Page No.: 9
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.284	36.742	-28.716	74.000	8.542	PK
2	*	15900.000	46.398	30.406	-27.602	74.000	15.992	PK

Profile: CDD	Page No.: 10
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	45.948	37.406	-28.052	74.000	8.542	PK
2		15900.000	45.643	29.651	-28.357	74.000	15.992	PK

Profile: CDD	Page No.: 11
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.859	36.203	-30.141	74.000	7.657	PK
2	*	15960.000	47.466	30.965	-26.534	74.000	16.501	PK

Profile: CDD	Page No.: 12
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.976	38.320	-28.024	74.000	7.657	PK
2	*	15960.000	46.356	29.855	-27.644	74.000	16.501	PK

Profile: CDD	Page No.: 13
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.847	36.427	-29.153	74.000	8.419	PK
2	*	16500.000	47.458	30.412	-26.542	74.000	17.046	PK

Profile: CDD	Page No.: 14
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.857	36.437	-29.143	74.000	8.419	PK
2	*	16500.000	46.488	29.442	-27.512	74.000	17.046	PK

Profile: CDD	Page No.: 15
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.584	35.654	-29.416	74.000	8.929	PK
2	*	16740.000	46.987	30.406	-27.013	74.000	16.582	PK

Profile: CDD	Page No.: 16
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.485	35.555	-29.515	74.000	8.929	PK
2	*	16740.000	47.456	30.875	-26.544	74.000	16.582	PK

Profile: CDD	Page No.: 17
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.356	34.197	-30.644	74.000	9.160	PK
2	*	17100.000	48.466	30.654	-25.534	74.000	17.812	PK

Profile: CDD	Page No.: 18
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.356	34.197	-30.644	74.000	9.160	PK
2	*	17100.000	50.345	32.533	-23.655	74.000	17.812	PK

Profile: CDD	Page No.: 19
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.987	36.115	-29.013	74.000	8.872	PK
2	*	17160.000	48.394	31.256	-25.606	74.000	17.138	PK

Profile: CDD	Page No.: 20
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.356	35.484	-29.644	74.000	8.872	PK
2	*	17160.000	48.243	31.105	-25.757	74.000	17.138	PK

Profile: CDD	Page No.: 21
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.527	35.467	-29.473	74.000	9.060	PK
2	*	17235.000	48.647	30.165	-25.353	74.000	18.482	PK

Profile: CDD	Page No.: 22
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.547	35.487	-29.453	74.000	9.060	PK
2	*	17235.000	48.878	30.396	-25.122	74.000	18.482	PK

Profile: CDD	Page No.: 23
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.537	35.078	-29.463	74.000	9.459	PK
2	*	17355.000	48.654	30.915	-25.346	74.000	17.738	PK

Profile: CDD	Page No.: 24
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.584	37.125	-27.416	74.000	9.459	PK
2	*	17355.000	49.747	32.008	-24.253	74.000	17.738	PK

Profile: CDD	Page No.: 25
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.835	34.859	-29.165	74.000	9.976	PK
2	*	17475.000	49.765	32.413	-24.235	74.000	17.352	PK

Profile: CDD	Page No.: 26
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.249	34.273	-29.751	74.000	9.976	PK
2	*	17475.000	49.068	31.716	-24.932	74.000	17.352	PK

Profile: CDD	Page No.: 27
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.297	38.356	-28.703	74.000	6.941	PK
2	*	15540.000	46.687	31.051	-27.313	74.000	15.637	PK

Profile: CDD	Page No.: 28
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.758	37.817	-29.242	74.000	6.941	PK
2	*	15540.000	46.876	31.240	-27.124	74.000	15.637	PK

Profile: CDD	Page No.: 29
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.979	37.454	-29.021	74.000	7.525	PK
2	*	15660.000	46.573	30.746	-27.427	74.000	15.828	PK

Profile: CDD	Page No.: 30
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.877	37.352	-29.123	74.000	7.525	PK
2	*	15660.000	46.758	30.931	-27.242	74.000	15.828	PK

Profile: CDD	Page No.: 31
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.575	36.637	-29.425	74.000	7.938	PK
2	*	15720.000	46.296	30.935	-27.704	74.000	15.361	PK

Profile: CDD	Page No.: 32
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.769	37.831	-28.231	74.000	7.938	PK
2	*	15720.000	46.577	31.216	-27.423	74.000	15.361	PK

Profile: CDD	Page No.: 33
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.487	36.625	-29.513	74.000	7.862	PK
2	*	15780.000	45.868	30.327	-28.132	74.000	15.541	PK

Profile: CDD	Page No.: 34
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.576	36.714	-29.424	74.000	7.862	PK
2	*	15780.000	46.028	30.487	-27.972	74.000	15.541	PK

Profile: CDD	Page No.: 35
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.234	36.692	-28.766	74.000	8.542	PK
2	*	15900.000	46.298	30.306	-27.702	74.000	15.992	PK

Profile: CDD	Page No.: 36
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	45.297	36.755	-28.703	74.000	8.542	PK
2		15900.000	45.095	29.103	-28.905	74.000	15.992	PK

Profile: CDD	Page No.: 37
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.575	35.919	-30.425	74.000	7.657	PK
2	*	15960.000	47.377	30.876	-26.623	74.000	16.501	PK

Profile: CDD	Page No.: 38
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.876	37.220	-29.124	74.000	7.657	PK
2	*	15960.000	48.210	31.709	-25.790	74.000	16.501	PK

Profile: CDD	Page No.: 39
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.736	37.316	-28.264	74.000	8.419	PK
2	*	16500.000	48.458	31.412	-25.542	74.000	17.046	PK

Profile: CDD	Page No.: 40
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.287	35.867	-29.713	74.000	8.419	PK
2	*	16500.000	47.487	30.441	-26.513	74.000	17.046	PK

Profile: CDD	Page No.: 41
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.297	35.367	-29.703	74.000	8.929	PK
2	*	16740.000	49.068	32.487	-24.932	74.000	16.582	PK

Profile: CDD	Page No.: 42
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.965	36.035	-29.035	74.000	8.929	PK
2	*	16740.000	49.894	33.313	-24.106	74.000	16.582	PK

Profile: CDD	Page No.: 43
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.028	34.869	-29.972	74.000	9.160	PK
2	*	17100.000	48.810	30.998	-25.190	74.000	17.812	PK

Profile: CDD	Page No.: 44
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.764	35.605	-29.236	74.000	9.160	PK
2	*	17100.000	50.287	32.475	-23.713	74.000	17.812	PK

Profile: CDD	Page No.: 45
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.478	34.606	-30.522	74.000	8.872	PK
2	*	17100.000	49.299	31.487	-24.701	74.000	17.812	PK

Profile: CDD	Page No.: 46
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.967	36.095	-29.033	74.000	8.872	PK
2	*	17160.000	48.866	31.728	-25.134	74.000	17.138	PK

Profile: CDD	Page No.: 47
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.297	35.237	-29.703	74.000	9.060	PK
2	*	17235.000	48.946	30.464	-25.054	74.000	18.482	PK

Profile: CDD	Page No.: 48
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.274	35.214	-29.726	74.000	9.060	PK
2	*	17235.000	49.220	30.738	-24.780	74.000	18.482	PK

Profile: CDD	Page No.: 49
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.737	35.278	-29.263	74.000	9.459	PK
2	*	17355.000	49.276	31.537	-24.724	74.000	17.738	PK

Profile: CDD	Page No.: 50
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.399	35.940	-28.601	74.000	9.459	PK
2	*	17355.000	49.276	31.537	-24.724	74.000	17.738	PK

Profile: CDD	Page No.: 51
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.659	34.683	-29.341	74.000	9.976	PK
2	*	17475.000	50.827	33.475	-23.173	74.000	17.352	PK

Profile: CDD	Page No.: 52
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.297	34.321	-29.703	74.000	9.976	PK
2	*	17475.000	50.387	33.035	-23.613	74.000	17.352	PK

Profile: CDD	Page No.: 53
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.298	37.609	-28.702	74.000	7.689	PK
2	*	15570.000	46.028	29.470	-27.972	74.000	16.558	PK

Profile: CDD	Page No.: 54
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.018	36.329	-29.982	74.000	7.689	PK
2	*	15570.000	46.028	29.470	-27.972	74.000	16.558	PK

Profile: CDD	Page No.: 55
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.966	37.845	-29.034	74.000	7.121	PK
2	*	15690.000	44.987	29.258	-29.013	74.000	15.729	PK

Profile: CDD	Page No.: 56
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.330	37.209	-29.670	74.000	7.121	PK
2	*	15690.000	46.330	30.601	-27.670	74.000	15.729	PK

Profile: CDD	Page No.: 57
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.298	37.998	-28.702	74.000	7.300	PK
2	*	15810.000	46.399	31.301	-27.601	74.000	15.098	PK

Profile: CDD	Page No.: 58
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.039	37.739	-28.961	74.000	7.300	PK
2	*	15810.000	47.289	32.191	-26.711	74.000	15.098	PK

Profile: CDD	Page No.: 59
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.398	34.505	-31.602	74.000	7.894	PK
2	*	15930.000	46.837	30.187	-27.163	74.000	16.650	PK

Profile: CDD	Page No.: 60
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.735	36.842	-29.265	74.000	7.894	PK
2	*	15930.000	47.027	30.377	-26.973	74.000	16.650	PK

Profile: CDD	Page No.: 61
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.828	36.315	-29.172	74.000	8.513	PK
2	*	16530.000	48.398	31.169	-25.602	74.000	17.229	PK

Profile: CDD	Page No.: 62
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.210	36.697	-28.790	74.000	8.513	PK
2	*	16530.000	49.029	31.800	-24.971	74.000	17.229	PK

Profile: CDD	Page No.: 63
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.028	35.528	-29.972	74.000	8.500	PK
2	*	16650.000	49.298	32.313	-24.702	74.000	16.986	PK

Profile: CDD	Page No.: 64
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.074	35.654	-29.926	74.000	8.419	PK
2	*	16650.000	48.298	31.313	-25.702	74.000	16.986	PK

Profile: CDD	Page No.: 65
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.283	35.279	-29.717	74.000	9.003	PK
2	*	17010.000	50.292	31.985	-23.708	74.000	18.307	PK

Profile: CDD	Page No.: 66
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.293	35.289	-29.707	74.000	9.003	PK
2	*	17010.000	49.038	30.731	-24.962	74.000	18.307	PK

Profile: CDD	Page No.: 67
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.394	33.573	-30.606	74.000	9.821	PK
2	*	17130.000	49.030	31.935	-24.970	74.000	17.095	PK

Profile: CDD	Page No.: 68
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.987	34.166	-30.013	74.000	9.821	PK
2	*	17130.000	49.398	32.303	-24.602	74.000	17.095	PK

Profile: CDD	Page No.: 69
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.283	35.915	-28.717	74.000	9.367	PK
2	*	17265.000	49.873	31.644	-24.127	74.000	18.230	PK

Profile: CDD	Page No.: 70
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.388	36.020	-28.612	74.000	9.367	PK
2	*	17265.000	50.298	32.069	-23.702	74.000	18.230	PK

Profile: CDD	Page No.: 71
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.395	34.834	-29.605	74.000	9.560	PK
2	*	17385.000	50.028	33.224	-23.972	74.000	16.803	PK

Profile: CDD	Page No.: 72
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.231	35.670	-28.769	74.000	9.560	PK
2	*	17385.000	49.028	32.224	-24.972	74.000	16.803	PK

Profile: CDD	Page No.: 73
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.018	38.077	-28.982	74.000	6.941	PK
2	*	15540.000	46.388	30.752	-27.612	74.000	15.637	PK

Profile: CDD	Page No.: 74
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 23:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.294	38.353	-28.706	74.000	6.941	PK
2	*	15540.000	47.029	31.393	-26.971	74.000	15.637	PK

Profile: CDD	Page No.: 75
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.384	37.859	-28.616	74.000	7.525	PK
2	*	15660.000	46.293	30.466	-27.707	74.000	15.828	PK

Profile: CDD	Page No.: 76
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.293	37.768	-28.707	74.000	7.525	PK
2	*	15660.000	47.293	31.466	-26.707	74.000	15.828	PK

Profile: CDD	Page No.: 77
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.295	38.357	-27.705	74.000	7.938	PK
2	*	15720.000	47.029	31.668	-26.971	74.000	15.361	PK

Profile: CDD	Page No.: 78
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.299	37.361	-28.701	74.000	7.938	PK
2	*	15720.000	47.383	32.022	-26.617	74.000	15.361	PK

Profile: CDD	Page No.: 79
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.929	37.067	-29.071	74.000	7.862	PK
2	*	15780.000	46.298	30.757	-27.702	74.000	15.541	PK

Profile: CDD	Page No.: 80
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.329	36.467	-29.671	74.000	7.862	PK
2	*	15780.000	46.933	31.392	-27.067	74.000	15.541	PK

Profile: CDD	Page No.: 81
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	46.983	38.441	-27.017	74.000	8.542	PK
2		15900.000	46.399	30.407	-27.601	74.000	15.992	PK

Profile: CDD	Page No.: 82
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	45.568	37.026	-28.432	74.000	8.542	PK
2		15900.000	45.348	29.356	-28.652	74.000	15.992	PK

Profile: CDD	Page No.: 83
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.439	35.783	-30.561	74.000	7.657	PK
2	*	15960.000	46.393	29.892	-27.607	74.000	16.501	PK

Profile: CDD	Page No.: 84
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.309	36.653	-29.691	74.000	7.657	PK
2	*	15960.000	46.232	29.731	-27.768	74.000	16.501	PK

Profile: CDD	Page No.: 85
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.394	36.974	-28.606	74.000	8.419	PK
2	*	16500.000	49.099	32.053	-24.901	74.000	17.046	PK

Profile: CDD	Page No.: 86
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.293	35.873	-29.707	74.000	8.419	PK
2	*	16500.000	47.484	30.438	-26.516	74.000	17.046	PK

Profile: CDD	Page No.: 87
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.844	34.914	-30.156	74.000	8.929	PK
2	*	16740.000	49.087	32.506	-24.913	74.000	16.582	PK

Profile: CDD	Page No.: 88
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.293	35.363	-29.707	74.000	8.929	PK
2	*	16740.000	49.078	32.497	-24.922	74.000	16.582	PK

Profile: CDD	Page No.: 89
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.394	35.235	-29.606	74.000	9.160	PK
2	*	17100.000	50.939	33.127	-23.061	74.000	17.812	PK

Profile: CDD	Page No.: 90
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.939	34.780	-30.061	74.000	9.160	PK
2	*	17100.000	49.037	31.225	-24.963	74.000	17.812	PK

Profile: CDD	Page No.: 91
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.398	34.526	-30.602	74.000	8.872	PK
2	*	17160.000	48.088	30.950	-25.912	74.000	17.138	PK

Profile: CDD	Page No.: 92
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.493	34.621	-30.507	74.000	8.872	PK
2	*	17160.000	49.329	32.191	-24.671	74.000	17.138	PK

Profile: CDD	Page No.: 93
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.394	34.334	-30.606	74.000	9.060	PK
2	*	17235.000	49.089	30.607	-24.911	74.000	18.482	PK

Profile: CDD	Page No.: 94
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.933	35.873	-29.067	74.000	9.060	PK
2	*	17235.000	48.848	30.366	-25.152	74.000	18.482	PK

Profile: CDD	Page No.: 95
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.384	35.925	-28.616	74.000	9.459	PK
2	*	17355.000	49.028	31.289	-24.972	74.000	17.738	PK

Profile: CDD	Page No.: 96
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.292	34.833	-29.708	74.000	9.459	PK
2	*	17355.000	48.496	30.757	-25.504	74.000	17.738	PK

Profile: CDD	Page No.: 97
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.293	34.317	-29.707	74.000	9.976	PK
2	*	17475.000	51.393	34.041	-22.607	74.000	17.352	PK

Profile: CDD	Page No.: 98
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.283	34.307	-29.717	74.000	9.976	PK
2	*	17475.000	49.024	31.672	-24.976	74.000	17.352	PK

Profile: CDD	Page No.: 99
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.233	37.544	-28.767	74.000	7.689	PK
2	*	15570.000	47.033	30.475	-26.967	74.000	16.558	PK

Profile: CDD	Page No.: 100
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.093	34.404	-31.907	74.000	7.689	PK
2	*	15570.000	44.231	27.673	-29.769	74.000	16.558	PK

Profile: CDD	Page No.: 101
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10460.000	45.330	38.209	-28.670	74.000	7.121	PK
2		15690.000	45.328	29.599	-28.672	74.000	15.729	PK

Profile: CDD	Page No.: 102
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.395	37.274	-29.605	74.000	7.121	PK
2	*	15690.000	45.877	30.148	-28.123	74.000	15.729	PK

Profile: CDD	Page No.: 103
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.939	38.639	-28.061	74.000	7.300	PK
2	*	15810.000	47.984	32.886	-26.016	74.000	15.098	PK

Profile: CDD	Page No.: 104
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.203	36.903	-29.797	74.000	7.300	PK
2	*	15810.000	46.321	31.223	-27.679	74.000	15.098	PK

Profile: CDD	Page No.: 105
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.294	35.401	-30.706	74.000	7.894	PK
2	*	15930.000	45.030	28.380	-28.970	74.000	16.650	PK

Profile: CDD	Page No.: 106
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.929	37.036	-29.071	74.000	7.894	PK
2	*	15930.000	45.992	29.342	-28.008	74.000	16.650	PK

Profile: CDD	Page No.: 107
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.039	34.526	-30.961	74.000	8.513	PK
2	*	16530.000	48.209	30.980	-25.791	74.000	17.229	PK

Profile: CDD	Page No.: 108
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.329	35.816	-29.671	74.000	8.513	PK
2	*	16530.000	47.040	29.811	-26.960	74.000	17.229	PK

Profile: CDD	Page No.: 109
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.493	34.993	-30.507	74.000	8.500	PK
2	*	16650.000	48.394	31.409	-25.606	74.000	16.986	PK

Profile: CDD	Page No.: 110
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.303	34.803	-30.697	74.000	8.500	PK
2	*	16650.000	48.079	31.094	-25.921	74.000	16.986	PK

Profile: CDD	Page No.: 111
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.029	36.025	-28.971	74.000	9.003	PK
2	*	17010.000	48.089	29.782	-25.911	74.000	18.307	PK

Profile: CDD	Page No.: 112
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.293	35.289	-29.707	74.000	9.003	PK
2	*	17010.000	48.039	29.732	-25.961	74.000	18.307	PK

Profile: CDD	Page No.: 113
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.039	33.218	-30.961	74.000	9.821	PK
2	*	17130.000	48.350	31.255	-25.650	74.000	17.095	PK

Profile: CDD	Page No.: 114
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.929	34.108	-30.071	74.000	9.821	PK
2	*	17130.000	47.431	30.336	-26.569	74.000	17.095	PK

Profile: CDD	Page No.: 115
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.294	33.926	-30.706	74.000	9.367	PK
2	*	17265.000	49.038	30.809	-24.962	74.000	18.230	PK

Profile: CDD	Page No.: 116
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 12:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.987	35.619	-29.013	74.000	9.367	PK
2	*	17265.000	50.245	32.016	-23.755	74.000	18.230	PK

Profile: CDD	Page No.: 117
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5775MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.029	33.468	-30.971	74.000	9.560	PK
2	*	17385.000	48.038	31.234	-25.962	74.000	16.803	PK

Profile: CDD	Page No.: 118
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5775MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.345	33.784	-30.655	74.000	9.560	PK
2	*	17385.000	48.099	31.295	-25.901	74.000	16.803	PK

Profile: CDD	Page No.: 119
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.293	37.540	-28.707	74.000	7.752	PK
2	*	15630.000	45.294	29.291	-28.706	74.000	16.003	PK

Profile: CDD	Page No.: 120
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.240	37.487	-28.760	74.000	7.752	PK
2		15630.000	44.298	28.295	-29.702	74.000	16.003	PK

Profile: CDD	Page No.: 121
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.205	36.036	-29.795	74.000	8.169	PK
2	*	15870.000	46.394	30.275	-27.606	74.000	16.119	PK

Profile: CDD	Page No.: 122
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.294	36.125	-29.706	74.000	8.169	PK
2	*	15870.000	46.320	30.201	-27.680	74.000	16.119	PK

Profile: CDD	Page No.: 123
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.292	34.615	-30.708	74.000	8.678	PK
2	*	16590.000	47.087	30.183	-26.913	74.000	16.903	PK

Profile: CDD	Page No.: 124
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.209	35.532	-29.791	74.000	8.678	PK
2	*	16590.000	49.075	32.171	-24.925	74.000	16.903	PK

Profile: CDD	Page No.: 125
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.293	34.201	-30.707	74.000	9.092	PK
2	*	17070.000	48.040	31.281	-25.960	74.000	16.759	PK

Profile: CDD	Page No.: 126
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.394	34.302	-30.606	74.000	9.092	PK
2	*	17070.000	49.067	32.308	-24.933	74.000	16.759	PK

Profile: CDD	Page No.: 127
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.494	34.160	-30.506	74.000	9.334	PK
2	*	17325.000	49.067	31.622	-24.933	74.000	17.446	PK

Profile: CDD	Page No.: 128
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.543	34.209	-30.457	74.000	9.334	PK
2	*	17325.000	49.057	31.612	-24.943	74.000	17.446	PK

Profile: CDD	Page No.: 129
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.299	38.358	-28.701	74.000	6.941	PK
2	*	15540.000	46.394	30.758	-27.606	74.000	15.637	PK

Profile: CDD	Page No.: 130
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.283	38.342	-28.717	74.000	6.941	PK
2	*	15540.000	47.976	32.340	-26.024	74.000	15.637	PK

Profile: CDD	Page No.: 131
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.294	37.769	-28.706	74.000	7.525	PK
2	*	15660.000	46.932	31.105	-27.068	74.000	15.828	PK

Profile: CDD	Page No.: 132
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.293	38.768	-27.707	74.000	7.525	PK
2	*	15660.000	47.838	32.011	-26.162	74.000	15.828	PK

Profile: CDD	Page No.: 133
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.253	36.315	-29.747	74.000	7.938	PK
2	*	15720.000	45.344	29.983	-28.656	74.000	15.361	PK

Profile: CDD	Page No.: 134
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.283	36.345	-29.717	74.000	7.938	PK
2	*	15720.000	45.383	30.022	-28.617	74.000	15.361	PK

Profile: CDD	Page No.: 135
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.293	36.431	-29.707	74.000	7.862	PK
2	*	15780.000	47.087	31.546	-26.913	74.000	15.541	PK

Profile: CDD	Page No.: 136
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.293	35.431	-30.707	74.000	7.862	PK
2	*	15780.000	45.940	30.399	-28.060	74.000	15.541	PK

Profile: CDD	Page No.: 137
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.989	35.447	-30.011	74.000	8.542	PK
2	*	15900.000	45.294	29.302	-28.706	74.000	15.992	PK

Profile: CDD	Page No.: 138
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.293	35.751	-29.707	74.000	8.542	PK
2	*	15900.000	46.933	30.941	-27.067	74.000	15.992	PK

Profile: CDD	Page No.: 139
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.987	37.331	-29.013	74.000	7.657	PK
2	*	15960.000	47.394	30.893	-26.606	74.000	16.501	PK

Profile: CDD	Page No.: 140
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.293	35.637	-30.707	74.000	7.657	PK
2	*	15960.000	45.393	28.892	-28.607	74.000	16.501	PK

Profile: CDD	Page No.: 141
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.494	35.074	-30.506	74.000	8.419	PK
2	*	16500.000	46.393	29.347	-27.607	74.000	17.046	PK

Profile: CDD	Page No.: 142
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.354	35.934	-29.646	74.000	8.419	PK
2	*	16500.000	47.068	30.022	-26.932	74.000	17.046	PK

Profile: CDD	Page No.: 143
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.867	35.937	-29.133	74.000	8.929	PK
2	*	16740.000	48.076	31.495	-25.924	74.000	16.582	PK

Profile: CDD	Page No.: 144
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.293	35.363	-29.707	74.000	8.929	PK
2	*	16740.000	49.067	32.486	-24.933	74.000	16.582	PK

Profile: CDD	Page No.: 145
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.939	34.780	-30.061	74.000	9.160	PK
2	*	17100.000	48.239	30.427	-25.761	74.000	17.812	PK

Profile: CDD	Page No.: 146
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.484	34.325	-30.516	74.000	9.160	PK
2	*	17100.000	49.393	31.581	-24.607	74.000	17.812	PK

Profile: CDD	Page No.: 147
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.494	34.622	-30.506	74.000	8.872	PK
2	*	17160.000	47.383	30.245	-26.617	74.000	17.138	PK

Profile: CDD	Page No.: 148
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.329	35.457	-29.671	74.000	8.872	PK
2	*	17160.000	47.329	30.191	-26.671	74.000	17.138	PK

Profile: CDD	Page No.: 149
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.293	34.233	-30.707	74.000	9.060	PK
2	*	17235.000	47.383	28.901	-26.617	74.000	18.482	PK

Profile: CDD	Page No.: 150
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.293	35.233	-29.707	74.000	9.060	PK
2	*	17235.000	48.086	29.604	-25.914	74.000	18.482	PK

Profile: CDD	Page No.: 151
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.028	35.569	-28.972	74.000	9.459	PK
2	*	17355.000	50.082	32.343	-23.918	74.000	17.738	PK

Profile: CDD	Page No.: 152
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.029	34.570	-29.971	74.000	9.459	PK
2	*	17355.000	48.294	30.555	-25.706	74.000	17.738	PK

Profile: CDD	Page No.: 153
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.073	35.097	-28.927	74.000	9.976	PK
2	*	17475.000	48.203	30.851	-25.797	74.000	17.352	PK

Profile: CDD	Page No.: 154
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.394	33.418	-30.606	74.000	9.976	PK
2	*	17475.000	48.303	30.951	-25.697	74.000	17.352	PK

Profile: CDD	Page No.: 155
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.203	36.514	-29.797	74.000	7.689	PK
2	*	15570.000	45.203	28.645	-28.797	74.000	16.558	PK

Profile: CDD	Page No.: 156
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.293	35.604	-30.707	74.000	7.689	PK
2	*	15570.000	45.293	28.735	-28.707	74.000	16.558	PK

Profile: CDD	Page No.: 157
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.210	37.089	-29.790	74.000	7.121	PK
2	*	15690.000	45.293	29.564	-28.707	74.000	15.729	PK

Profile: CDD	Page No.: 158
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10460.000	44.210	37.089	-29.790	74.000	7.121	PK
2		15690.000	44.029	28.300	-29.971	74.000	15.729	PK

Profile: CDD	Page No.: 159
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.209	36.909	-29.791	74.000	7.300	PK
2	*	15810.000	47.293	32.195	-26.707	74.000	15.098	PK

Profile: CDD	Page No.: 160
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.209	36.909	-29.791	74.000	7.300	PK
2	*	15810.000	46.293	31.195	-27.707	74.000	15.098	PK

Profile: CDD	Page No.: 161
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.293	35.400	-30.707	74.000	7.894	PK
2	*	15930.000	46.394	29.744	-27.606	74.000	16.650	PK

Profile: CDD	Page No.: 162
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.203	35.310	-30.797	74.000	7.894	PK
2	*	15930.000	46.231	29.581	-27.769	74.000	16.650	PK

Profile: CDD	Page No.: 163
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.209	34.696	-30.791	74.000	8.513	PK
2	*	16530.000	48.209	30.980	-25.791	74.000	17.229	PK

Profile: CDD	Page No.: 164
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.293	36.780	-28.707	74.000	8.513	PK
2	*	16530.000	47.209	29.980	-26.791	74.000	17.229	PK

Profile: CDD	Page No.: 165
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.209	34.709	-30.791	74.000	8.500	PK
2	*	16650.000	47.329	30.344	-26.671	74.000	16.986	PK

Profile: CDD	Page No.: 166
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.245	34.745	-30.755	74.000	8.500	PK
2	*	16650.000	48.320	31.335	-25.680	74.000	16.986	PK

Profile: CDD	Page No.: 167
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.209	36.205	-28.791	74.000	9.003	PK
2	*	17010.000	50.077	31.770	-23.923	74.000	18.307	PK

Profile: CDD	Page No.: 168
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.293	36.289	-28.707	74.000	9.003	PK
2	*	17010.000	50.030	31.723	-23.970	74.000	18.307	PK

Profile: CDD	Page No.: 169
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.039	33.218	-30.961	74.000	9.821	PK
2	*	17130.000	47.392	30.297	-26.608	74.000	17.095	PK

Profile: CDD	Page No.: 170
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.244	33.423	-30.756	74.000	9.821	PK
2	*	17130.000	48.083	30.988	-25.917	74.000	17.095	PK

Profile: CDD	Page No.: 171
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.310	35.942	-28.690	74.000	9.367	PK
2	*	17265.000	51.393	33.164	-22.607	74.000	18.230	PK

Profile: CDD	Page No.: 172
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.321	34.953	-29.679	74.000	9.367	PK
2	*	17265.000	48.067	29.838	-25.933	74.000	18.230	PK

Profile: CDD	Page No.: 173
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.293	34.732	-29.707	74.000	9.560	PK
2	*	17385.000	49.037	32.233	-24.963	74.000	16.803	PK

Profile: CDD	Page No.: 174
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.330	34.769	-29.670	74.000	9.560	PK
2	*	17385.000	48.293	31.489	-25.707	74.000	16.803	PK

Profile: CDD	Page No.: 175
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.245	38.492	-27.755	74.000	7.752	PK
2		15630.000	45.309	29.306	-28.691	74.000	16.003	PK

Profile: CDD	Page No.: 176
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.210	37.457	-28.790	74.000	7.752	PK
2		15630.000	44.209	28.206	-29.791	74.000	16.003	PK

Profile: CDD	Page No.: 177
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.321	36.152	-29.679	74.000	8.169	PK
2	*	15870.000	46.393	30.274	-27.607	74.000	16.119	PK

Profile: CDD	Page No.: 178
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.303	36.134	-29.697	74.000	8.169	PK
2	*	15870.000	47.209	31.090	-26.791	74.000	16.119	PK

Profile: CDD	Page No.: 179
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.094	35.417	-29.906	74.000	8.678	PK
2	*	16590.000	48.394	31.490	-25.606	74.000	16.903	PK

Profile: CDD	Page No.: 180
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.293	35.616	-29.707	74.000	8.678	PK
2	*	16590.000	48.494	31.590	-25.506	74.000	16.903	PK

Profile: CDD	Page No.: 181
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.394	34.302	-30.606	74.000	9.092	PK
2	*	17070.000	48.383	31.624	-25.617	74.000	16.759	PK

Profile: CDD	Page No.: 182
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.293	35.201	-29.707	74.000	9.092	PK
2	*	17070.000	49.044	32.285	-24.956	74.000	16.759	PK

Profile: CDD	Page No.: 183
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.209	34.875	-29.791	74.000	9.334	PK
2	*	17325.000	49.309	31.864	-24.691	74.000	17.446	PK

Profile: CDD	Page No.: 184
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.293	34.959	-29.707	74.000	9.334	PK
2	*	17325.000	50.394	32.949	-23.606	74.000	17.446	PK

Profile: CDD	Page No.: 185
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax160	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.210	35.846	-29.790	74.000	8.363	PK
2	*	15750.000	46.394	30.589	-27.606	74.000	15.806	PK

Profile: CDD	Page No.: 186
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax160	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.210	35.846	-29.790	74.000	8.363	PK
2	*	15750.000	47.209	31.404	-26.791	74.000	15.806	PK

Profile: CDD	Page No.: 187
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax160	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.293	35.404	-29.707	74.000	8.889	PK
2	*	16710.000	48.309	31.154	-25.691	74.000	17.154	PK

Profile: CDD	Page No.: 188
Engineer: blank	
Site: AC5	Time: 2018/08/29 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax160	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.220	35.331	-29.780	74.000	8.889	PK
2	*	16710.000	48.209	31.054	-25.791	74.000	17.154	PK