

June 23, 2008

Request for Modular Approval Attestation for the Wireless sensor network node
Module

(FCC ID: WE2WSN-001)

Per the FCC Public Notice DA-00-1407 for Part 15 Unlicensed Modular Transmitter
approval the following information is provided:

- 1) PN DA 00-1407 Page 2 Item 1: "The EUT must have its own RF Shielding"
Answer: The radio portion of this module has been shielded, please see
exhibition External Photo.
- 2) PN DA 00-1407 Page 2 Item 2: The EUT must have buffered modulation/data
inputs.
Answer: The EUT has buffered data inputs, it is integrated in chip CC2430.
- 3) PN DA 00-1407 Page 2 Item 3: The EUT must have its own power supply
regulation and VCO built-in.
Answer: The EUT interface provides 3.0VDC, and on board IC CC2430 have its
own VCO inside.
- 4) PN DA 00-1407 Page 2 Item 4: The antenna must either be permanently
attached or employ a "unique" antenna connector. Any antenna used with
module must be approved with the module at time of initial authorization.
Professional installation provision may not be applied to modules
regarding use of any other antenna other then the one authorized at the
time of Certification of the module.
Answer: The EUT meets the antenna requirements. It is fix antenna. Refer to
the photo of antennas are shown in the test report.
- 5) PN DA 00-1407 Page 2 Item 4: Any antenna used with the module must be
approved with the module. (The "professional installation" provision
(15.203) may not be applied to modules)
Answer: The EUT's fixed antenna and the board are approved together.
- 6) PN DA 00-1407 Page 2 Item: The modular transmitter must be tested in a
stand-alone configuration. i.e., the module must not be inside another
device during testing.
Answer: The EUT is tested in a stand alone configuration via a
extender. Please see the photo of test setup photo of the report.
- 7) PN DA 00-1407 Page 2 Item: Unless the module is battery powered, it must
comply with the AC line conducted requirements found in Section 15.207.
Answer: It is battery Powered.
- 8) PN DA 00-1407 Page 2 Item: AC, DC, and data input/output lines must not
contain ferrites, unless they will be marketed with the module.
Answer: There is no ferrites on the EUT and during the testing.
- 9) PN DA 00-1407 Page 2 Item: The module must have its own FCC ID and if not
visible when installed inside another device, the outside device must