

Differences Declaration


To whom concern,

We company [MeLE Technologies \(Shenzhen\) Co., Ltd.](#)

Here by declares:

The product model(s) PCG02 APO is the same PCB layout, interior structure and electrical circuits with PCG02 APL, which tested in Global United Technology Services Co., Ltd., the only differences between them are the model names. PCG02 APL and PCG02 APO are designed based on Apollo Lake and can support Apollo Lake processor. Both PCG02 APL and PCG02 APO will have two different PCB layout to support different DDR, and each PCB layout will have different configurations. Differences are listed as bellow.

Model	Appearance	PCB Layout	RAM	Storage	operating system
PCG02 APL		 	2GB, 3GB, 4GB, 6GB, 8GB	32GB, 64GB, 128GB, 256GB	Windows10/ NoOS/Linux /Ubuntu

PCG02 APL		 	2GB, 3GB, 4GB, 6GB, 8GB	32GB, 64GB, 128GB, 256GB	Windows10/ NoOS/Linux /Ubuntu
PCG02 APO		 	2GB, 3GB, 4GB, 6GB, 8GB	32GB, 64GB, 128GB, 256GB	Windows10/ NoOS/Linux /Ubuntu
PCG02 APO		 	2GB, 3GB, 4GB, 6GB, 8GB	32GB, 64GB, 128GB, 256GB	Windows10/ NoOS/Linux /Ubuntu

Sincerely yours,

Ji Wang

Name (in print): **Ji Wang**

Title: **Test Manager**

Company name: **MeLE Technologies (Shenzhen) Co., Ltd.**

Company address: **3FW Mele Building, No.28 Cuijing Rd., Pingshan District, Shenzhen, Guangdong Province, (518118), P.R.China**

Tel: **+86-755-86383226**

E-Mail: **wangji@mele.cn**