



RF EXPOSURE REPORT

REPORT NO.: SA970421L14

MODEL NO.: K2-MSP6150-1

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: KTwo Technology Solutions Pvt. Ltd.

ADDRESS: 1st Floor, Rajajinagar IT Park, Rajajinagar
Industrial Estate, Bangalore 560 044, INDIA

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang
244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd., Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)		Pout (mW)
Conducted Power	-0.85	0.822
EIRP Power	-0.55	0.881

***Note:** The antenna is Chip antenna with 0.3dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 0.881mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold