











		18																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																	
ANT	SISO																																																																																																	
Pol.	Horizontal										Fundamental																																																																																							
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>68.52</td><td>74.00</td><td>-5.48</td><td>60.24</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>280 360 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	68.52	74.00	-5.48	60.24	32.15	7.33	37.20	6.00	280 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.20</td><td>-----</td><td>-----</td><td>100.06</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>280 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.20	-----	-----	100.06	32.07	7.28	37.21	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.22	68.52	74.00	-5.48	60.24	32.15	7.33	37.20	6.00	280 360 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	108.20	-----	-----	100.06	32.07	7.28	37.21	6.00	280 360 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.56</td><td>54.00</td><td>-4.44</td><td>41.28</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>280 360 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.56	54.00	-4.44	41.28	32.15	7.33	37.20	6.00	280 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.11</td><td>-----</td><td>-----</td><td>90.97</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>280 360 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.11	-----	-----	90.97	32.07	7.28	37.21	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	49.56	54.00	-4.44	41.28	32.15	7.33	37.20	6.00	280 360 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	99.11	-----	-----	90.97	32.07	7.28	37.21	6.00	280 360 AVERAGE																																																																																								





Mode	18																																																						
	Band Edge																																																						
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																						
ANT	SISO																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>64.00</td><td>74.00</td><td>-10.00</td><td>55.72</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>375 111 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2484.46	64.00	74.00	-10.00	55.72	32.15	7.33	37.20	6.00	375 111 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																													
1	2484.46	64.00	74.00	-10.00	55.72	32.15	7.33	37.20	6.00	375 111 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.81</td><td>-----</td><td>-----</td><td>97.67</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>375 111 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2462.00	105.81	-----	-----	97.67	32.07	7.28	37.21	6.00	375 111 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																													
1	2462.00	105.81	-----	-----	97.67	32.07	7.28	37.21	6.00	375 111 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>36.41</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>375 111 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2483.50	44.69	54.00	-9.31	36.41	32.15	7.33	37.20	6.00	375 111 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																													
1	2483.50	44.69	54.00	-9.31	36.41	32.15	7.33	37.20	6.00	375 111 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.33</td><td>-----</td><td>-----</td><td>88.19</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>375 111 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2462.00	96.33	-----	-----	88.19	32.07	7.28	37.21	6.00	375 111 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																													
1	2462.00	96.33	-----	-----	88.19	32.07	7.28	37.21	6.00	375 111 AVERAGE																																													



Mode	18																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																																													
ANT	SISO																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>61.29</td><td>33.90</td><td>10.40</td><td>66.08</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>60.16</td><td>35.51</td><td>12.88</td><td>67.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	39.51	74.00	-34.49	61.29	33.90	10.40	66.08	0.00	---	PEAK	2	7386.00	40.94	74.00	-33.06	60.16	35.51	12.88	67.61	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>64.96</td><td>33.90</td><td>10.40</td><td>66.08</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>60.30</td><td>35.51</td><td>12.88</td><td>67.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.18	74.00	-30.82	64.96	33.90	10.40	66.08	0.00	---	PEAK	2	7386.00	41.08	74.00	-32.92	60.30	35.51	12.88	67.61	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	39.51	74.00	-34.49	61.29	33.90	10.40	66.08	0.00	---	PEAK																																																																																																																			
2	7386.00	40.94	74.00	-33.06	60.16	35.51	12.88	67.61	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	43.18	74.00	-30.82	64.96	33.90	10.40	66.08	0.00	---	PEAK																																																																																																																			
2	7386.00	41.08	74.00	-32.92	60.30	35.51	12.88	67.61	0.00	---	PEAK																																																																																																																			







Mode	12																																																																																																																			
	LF																																																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.49</td><td>20.86</td><td>40.00</td><td>-19.14</td><td>28.45</td><td>24.86</td><td>0.36</td><td>32.81</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>113.91</td><td>19.05</td><td>43.50</td><td>-24.45</td><td>33.48</td><td>17.18</td><td>1.05</td><td>32.66</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>173.80</td><td>24.54</td><td>43.50</td><td>-18.96</td><td>40.45</td><td>15.44</td><td>1.38</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>233.94</td><td>28.63</td><td>46.00</td><td>-17.37</td><td>43.23</td><td>16.65</td><td>1.60</td><td>32.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>493.90</td><td>28.16</td><td>46.00</td><td>-17.84</td><td>35.14</td><td>23.84</td><td>2.32</td><td>33.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>897.18</td><td>36.31</td><td>46.00</td><td>-9.69</td><td>36.58</td><td>28.96</td><td>3.12</td><td>32.35</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.49	20.86	40.00	-19.14	28.45	24.86	0.36	32.81	0.00	---	---	Peak	2	113.91	19.05	43.50	-24.45	33.48	17.18	1.05	32.66	0.00	---	---	Peak	3	173.80	24.54	43.50	-18.96	40.45	15.44	1.38	32.73	0.00	---	---	Peak	4	233.94	28.63	46.00	-17.37	43.23	16.65	1.60	32.85	0.00	---	---	Peak	5	493.90	28.16	46.00	-17.84	35.14	23.84	2.32	33.14	0.00	---	---	Peak	6	897.18	36.31	46.00	-9.69	36.58	28.96	3.12	32.35	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
	1	30.49	20.86	40.00	-19.14	28.45	24.86	0.36	32.81	0.00	---	---	Peak																																																																																																							
	2	113.91	19.05	43.50	-24.45	33.48	17.18	1.05	32.66	0.00	---	---	Peak																																																																																																							
	3	173.80	24.54	43.50	-18.96	40.45	15.44	1.38	32.73	0.00	---	---	Peak																																																																																																							
	4	233.94	28.63	46.00	-17.37	43.23	16.65	1.60	32.85	0.00	---	---	Peak																																																																																																							
	5	493.90	28.16	46.00	-17.84	35.14	23.84	2.32	33.14	0.00	---	---	Peak																																																																																																							
	6	897.18	36.31	46.00	-9.69	36.58	28.96	3.12	32.35	0.00	---	---	Peak																																																																																																							
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>32.18</td><td>22.63</td><td>40.00</td><td>-17.37</td><td>31.03</td><td>24.03</td><td>0.36</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>131.61</td><td>18.31</td><td>43.50</td><td>-25.19</td><td>32.31</td><td>17.53</td><td>1.16</td><td>32.69</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>233.94</td><td>20.24</td><td>46.00</td><td>-25.76</td><td>34.84</td><td>16.65</td><td>1.60</td><td>32.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>440.07</td><td>26.47</td><td>46.00</td><td>-19.53</td><td>34.53</td><td>22.76</td><td>2.23</td><td>33.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>707.06</td><td>25.84</td><td>46.00</td><td>-20.16</td><td>29.75</td><td>26.56</td><td>2.76</td><td>33.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>889.91</td><td>34.65</td><td>46.00</td><td>-11.35</td><td>34.98</td><td>28.97</td><td>3.09</td><td>32.39</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	32.18	22.63	40.00	-17.37	31.03	24.03	0.36	32.79	0.00	---	---	Peak	2	131.61	18.31	43.50	-25.19	32.31	17.53	1.16	32.69	0.00	---	---	Peak	3	233.94	20.24	46.00	-25.76	34.84	16.65	1.60	32.85	0.00	---	---	Peak	4	440.07	26.47	46.00	-19.53	34.53	22.76	2.23	33.05	0.00	---	---	Peak	5	707.06	25.84	46.00	-20.16	29.75	26.56	2.76	33.23	0.00	---	---	Peak	6	889.91	34.65	46.00	-11.35	34.98	28.97	3.09	32.39	0.00	---	---	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	32.18	22.63	40.00	-17.37	31.03	24.03	0.36	32.79	0.00	---	---	Peak																																																																																																								
2	131.61	18.31	43.50	-25.19	32.31	17.53	1.16	32.69	0.00	---	---	Peak																																																																																																								
3	233.94	20.24	46.00	-25.76	34.84	16.65	1.60	32.85	0.00	---	---	Peak																																																																																																								
4	440.07	26.47	46.00	-19.53	34.53	22.76	2.23	33.05	0.00	---	---	Peak																																																																																																								
5	707.06	25.84	46.00	-20.16	29.75	26.56	2.76	33.23	0.00	---	---	Peak																																																																																																								
6	889.91	34.65	46.00	-11.35	34.98	28.97	3.09	32.39	0.00	---	---	Peak																																																																																																								







Mode	12	
	18-25G	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	SISO	
Pol.	Horizontal	Vertical
Peak Avg		





		19																																																																																																					
Mode	Band Edge																																																																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																						
ANT	SISO																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>44.32</td><td>32.16</td><td>7.33</td><td>37.20</td><td>6.00</td><td>145</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.00	52.61	74.00	-21.39	44.32	32.16	7.33	37.20	6.00	145	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.07</td><td>-----</td><td>-----</td><td>98.35</td><td>32.30</td><td>7.62</td><td>37.20</td><td>6.00</td><td>145</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	107.07	-----	-----	98.35	32.30	7.62	37.20	6.00	145	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2486.00	52.61	74.00	-21.39	44.32	32.16	7.33	37.20	6.00	145	0 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2462.00	107.07	-----	-----	98.35	32.30	7.62	37.20	6.00	145	0 PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>32.57</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>145</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	40.85	54.00	-13.15	32.57	32.15	7.33	37.20	6.00	145	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.24</td><td>-----</td><td>-----</td><td>93.52</td><td>32.30</td><td>7.62</td><td>37.20</td><td>6.00</td><td>145</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	102.24	-----	-----	93.52	32.30	7.62	37.20	6.00	145	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2483.50	40.85	54.00	-13.15	32.57	32.15	7.33	37.20	6.00	145	0 AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2462.00	102.24	-----	-----	93.52	32.30	7.62	37.20	6.00	145	0 AVERAGE																																																																																												



Mode	19																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																			
ANT	SISO																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.24</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>42.13</td><td>32.16</td><td>7.33</td><td>37.20</td><td>6.00</td><td>284 262 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.24	50.42	74.00	-23.58	42.13	32.16	7.33	37.20	6.00	284 262 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.09</td><td>-----</td><td>-----</td><td>95.37</td><td>32.30</td><td>7.62</td><td>37.20</td><td>6.00</td><td>284 262 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.09	-----	-----	95.37	32.30	7.62	37.20	6.00	284 262 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.24	50.42	74.00	-23.58	42.13	32.16	7.33	37.20	6.00	284 262 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	104.09	-----	-----	95.37	32.30	7.62	37.20	6.00	284 262 PEAK																																																																																										
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>38.00</td><td>54.00</td><td>-15.20</td><td>30.52</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>284 262 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	38.00	54.00	-15.20	30.52	32.15	7.33	37.20	6.00	284 262 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.25</td><td>-----</td><td>-----</td><td>91.53</td><td>32.30</td><td>7.62</td><td>37.20</td><td>6.00</td><td>284 262 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.25	-----	-----	91.53	32.30	7.62	37.20	6.00	284 262 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	38.00	54.00	-15.20	30.52	32.15	7.33	37.20	6.00	284 262 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	100.25	-----	-----	91.53	32.30	7.62	37.20	6.00	284 262 AVERAGE																																																																																										




Mode	19																																																																																																																																																														
	Harmonic																																																																																																																																																														
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																														
ANT	SISO																																																																																																																																																														
Pol.	Horizontal										Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>51.28</td><td>74.00</td><td>-22.72</td><td>73.06</td><td>33.90</td><td>10.40</td><td>66.08</td><td>0.00</td><td>114</td><td>0 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>48.75</td><td>54.00</td><td>-5.25</td><td>70.53</td><td>33.90</td><td>10.40</td><td>66.08</td><td>0.00</td><td>114</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>59.67</td><td>35.51</td><td>12.88</td><td>67.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	51.28	74.00	-22.72	73.06	33.90	10.40	66.08	0.00	114	0 PEAK	2	4924.00	48.75	54.00	-5.25	70.53	33.90	10.40	66.08	0.00	114	0 AVERAGE	3	7386.00	40.45	74.00	-33.55	59.67	35.51	12.88	67.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>70.46</td><td>33.90</td><td>10.40</td><td>66.08</td><td>0.00</td><td>101</td><td>62</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>67.65</td><td>33.90</td><td>10.40</td><td>66.08</td><td>0.00</td><td>101</td><td>62</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>60.16</td><td>35.51</td><td>12.88</td><td>67.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	48.68	74.00	-25.32	70.46	33.90	10.40	66.08	0.00	101	62	PEAK	2	4924.00	45.87	54.00	-8.13	67.65	33.90	10.40	66.08	0.00	101	62	AVERAGE	3	7386.00	40.94	74.00	-33.06	60.16	35.51	12.88	67.61	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																					
1	4924.00	51.28	74.00	-22.72	73.06	33.90	10.40	66.08	0.00	114	0 PEAK																																																																																																																																																				
2	4924.00	48.75	54.00	-5.25	70.53	33.90	10.40	66.08	0.00	114	0 AVERAGE																																																																																																																																																				
3	7386.00	40.45	74.00	-33.55	59.67	35.51	12.88	67.61	0.00	---	---	PEAK																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																				
1	4924.00	48.68	74.00	-25.32	70.46	33.90	10.40	66.08	0.00	101	62	PEAK																																																																																																																																																			
2	4924.00	45.87	54.00	-8.13	67.65	33.90	10.40	66.08	0.00	101	62	AVERAGE																																																																																																																																																			
3	7386.00	40.94	74.00	-33.06	60.16	35.51	12.88	67.61	0.00	---	---	PEAK																																																																																																																																																			



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	96.67	1.390	0.719	0.75kHz
802.11n HT20	96.77	1.304	0.767	0.82kHz

802.11b





802.11g



802.11n HT20

