

SPECIFICATION FOR APPROVAL

CUSTOMER: 虹堡

CUSTOMER P/N : 311600203000

MODEL NAME: S1U2 WLAN ANT






AWAN P/N: ALF6P-100007

Date: 2022-11-23

Customer Approval

R&D Manager

AWAN Approved

					王四美
&D Manager / Dongyan.Jin	Mechanical Manager / Dongyan.Jin	Q&R Manager / Fish Tong	Project Engineer / Jake.Zhu	Product Manager/ Ally.zhang	Authorized Strength/ Simei.Wang



No.925, Hua-Yuan Road,Zhang- Pu Town,
Kun -Shan City, Jiang -Su Prov.,P.R.C.

TEL : 86-512-5744-6168

FAX : 86-512-5744-9168

Http : //www.awan-ant.com

1. Description-----	
1.1 Specifications-----	1
1.2 Antenna Picture-----	1
2. Electrical Specification-----	2
2.1.1 Test	
Equipment-----	2
2.1.2 General Information-----	2
2.2 Test Setup-----	2
2.2.1 Frequency Range-----	2
2.2.2 VSWR-----	2
2.2.3 Radiation Pattern & Gain-----	2
2.2.4 Efficiency-----	2
3. Performance Data-----	4
3.1 VSWR-----	4
3.2 Radiation pattern & Gain(WIFI Antenna)-----	8
3.2.1 Antenna pattern-----	8
4. Mechanical Specification-----	9
4.1 Assembly Drawing(WIFI Antenna)-----	9


1. Description

1.1 Specifications

Antennas Type	PIFA Antenna for WIFI application	
Impedance	50Ω	
Polarization	Linear	
Radiation pattern	Omni-directional	
Frequency	WIFI	2.40~2.50 GHz, 5.15~5.85 GHz
VSWR	WIFI	2.40~2.50 GHz 3.0 Max 5.15~5.85 GHz 4.0 Max

1.2 Antenna Picture

WIFI P/N: ALF6P-100007



2. Electrical Specification

2.1 Test Equipment

Equipment Description	Manufacturer	Identification no.	Current Calibration date	Next calibration date
Universal Radio Communication tester	Anritsu	MT8820C	2022/07/29	2022/12/29
Network Analyzer	Agilent	E5071C	2022/07/29	2022/12/29
Sleeve Dipole	MVG	SD740	2022/07/12	2022/12/12
Dual Ridge Horn	MVG	SH800	2022/07/12	2022/12/12
Dipole antenna	MVG	3126-700	2022/07/12	2022/12/12
Stargate-16-L probe array	MVG	Stargate-16-L	2022/07/12	2022/12/12
Measurement software	MVG	Wave Studio 22.1	N/A	N/A
Wireless protocol tester	R&S	CMW500	2022/07/29	2022/12/29

2.1.2 General Information

Description	Tester	Measured Date
Measured	Stanley. Sin	2022/10/19

2.2 Test Setup

2.2.1 Frequency Range

A.LTE: 2400~2500 MHz
 5150~5850 MHz

2.2.2 VSWR

Step 1: The antenna is arranged on the customer provided test fixture.

Step 2: The VSWR of the antenna is measured via Agilent 8720/8753 Network Analyzer (see figure. 1).



Figure.1

2.2.3 Radiation pattern and Gain

- A. The 3D chamber provides less than -40dB reflectivity from 699MHz to 3GHz and a 45cm diameter spherical quiet zone. The measurement results are calibrated using Stargate-16-L probe array (see figure. 2).
- B. The measured results of the radiation patterns and antenna gain are obtained from the control system and showed on the monitor (see figure. 3).
- C. The measured photo is shown in figure. 4




Figure.2




Figure.3





Figure.4

3. Performance Data


3.1 VSWR




3.2 Radiation pattern & Gain (WIFI Antenna)

3.2.1 Antenna pattern

2400-2450MH



5150-5850MH




Antenna Gain/Efficiency (WiFi Antenna)


Frequency (MHz)	3D		
	Efficiency	Avg. Gain	Peak Gain
2400	37.93	-4.21	1.87
2450	48.08	-3.18	2.92
2500	54.70	-2.62	4.18
5150	52.60	-2.79	4.57
5250	50.12	-3.00	2.93
5350	44.77	-3.49	2.83
5470	42.66	-3.70	2.61
5600	44.57	-3.51	3.22
5725	52.00	-2.84	4.51
5785	53.33	-2.73	5.04
5800	49.55	-3.05	4.78
5850	51.52	-2.88	5.15

4. Mechanical Specification

4.1 Assembly Drawing (WIFI Antenna)



1		2		3		4		5		6		7		8	
AWAN P/N	ALF6P-100007									Rev.	EC#	Description	Drawn/Date	Checked/Date	Approved/Date
虹堡 P/N	311600203000									X1		NEW RELEASE	Jerry 11/03/22'	Sam 11/03/22'	Sam 11/03/22'



印字內容
94V-0
S1U2 WLAN ANT
AWAN

HALOGEN FREE

This document and information contained herein are the property of AWAN, copies are issued in strict confidence and shall not be reproduced or copied, or used as the basic of manufacture or sale of apparatus without permission

HSF相關均質拆分及測試點選擇參照
<HSF均質物質拆分作業圖示表>

3	防護漆	1	I-U0036-1801603	tube
2	ø1.13 normal White cable(管)	1	CP7006-0070003	Cable
1	S1U2_FPC_HF	1	D-ALF6P-RPC200	FPC
Item	Name	Q'ty	Part #	Material / Finish
Tolerances Unless Otherwise Specified		 S1U2 WLAN ANT <Customer Drawing>		
General	Jerry 11/03/22'			
X _{XX} ±0.5	Design Date			
XX ±0.2	Jerry 11/03/22'			
XX ±0.1	Checked Date			
X _{XX} ±3.0'	Sam 11/03/22'			
X _{XX} ±2.0'	Approved Date			
XX ±1.0'	Sam 11/03/22'			
Scale	1 : 1			
Sheet	1 of 1	Dwg No. C-ALF6P-00-00 Rev. X1		
Unit	mm	Customer Drawing		
				

符合AWAN環境管理物質技術標準
All materials meet the AWAN's spec. Environment - related substances management technical standard.

1

2

3

4




5

6

7

8

Rev.	EC#	Description	Drawn/Date	Checked/Date	Approved/Date
X1		NEW RELEASE	Jerry 11/03/22'	Sam 11/03/22'	Sam 11/03/22'



1800 PCS/Cartron


最小包裝標籤80*50

虹堡採購單號	P/O	XXXXXXXX
虹堡料號	P/N	311600203000
虹堡訂單上的產品描述	Product name	XXXXXXXX
數量	Qty	80
年年周周	D/C	XXXX

二維碼內容:
虹堡採購單號,虹堡料
號,數量,生產周周掃描顯示
XXXXXXXXXXXXXXXXXXXXYYWW

① ② ③ ④

- ① .P/O:虹堡採購單號 (注意碼數)
② .P/N:表示虹堡料號
③ .Q'TY:表示數量
④ .D/C:YYWW(例2022年第一周為2201) (共四碼)



NOTES

1. PACKAGING P/N SEE TABLE A
2. PACKAGING QUANTITY & N.W & G.W REFER TABLE B
3. THERE ARE 2 LAYER IN A BOX

P-SE-CF300 :5層版,4插槽x6插槽_隔板組(327x491)

TABLE A :

PART NAME	P/N	PCS
OUTER BOX	P-B0-0895000	1
隔板 6插槽	P-B-060057516	8
隔板 4插槽	P-B-061057511	12
隔板	P-B-045053100	3
PE袋	P-PE-B0250090000	180
大PE袋	P-PE-B0140400000	30
Label	P-LA-W109	30

Table B :

Part Number	Pcs/Layer	Layer/Cartron	Pcs/Cartron	N.W(kgs)	G.W(kgs)
ALF6P-100007	900	2	1800		

Tolerances Unless Otherwise Specified		Drawn	Date	 ADVANCED WIRELESS & ANTENNA INC.
General		Jerry	11/03/22'	
Angles		Jerry	11/03/22'	
Scale		Sam	11/03/22'	
Sheet	1 of 1	Sam	11/03/22'	
Unit	mm	3D File		Title STU2 Wlan PACKAGE DRAWING
		Series	ALF6P	
		Series	P-ALF6P-00-00	
		Rev.	X1	

This document and information contained herein are the property of AWAN, copies are issued in strict confidence and shall not be reproduced or copied, or used as the basic of manufacture or sale of apparatus without permission

HSF相關均質拆分及測試點選擇參照
<HSF均質物質拆分作業圖示表>

符合AWAN環境管理物質技術標準

All materials meet the AWAN's spec. Environment - related substances management technical standard.

Revision

Revision	Date	Change Notification	Notes
Rev.1	2022-11-04		

昆山展腾电子科技有限公司
样品检验记录

品名规格:S1U2 WLAN ANT				图号（版本）：X1				第 次送样		□供货商:			
料 号：311600203000				/						■客户:虹堡			
量具	A. 游标卡尺 B. 投影机 C. 显微镜 D. 钢尺 E.量具 F.X-RA						检验项目	■ 外观 ■ 尺寸 □ 功能 □ 电镀					
	G.目视 H.益和测试机/8681/8687 I.工具显微镜							□ □ □ □					
	J 高度规 K. 网络分析仪 L.												
序号	检验项目			检验记录					工 具	檢驗結果	可否允收	备注	
		样品1	样品2	样品3	样品4	样品5							
1	功能检验			OK	OK	OK	OK	OK	K	OK			
2	电镀检验												
3	外观			OK	OK	OK	OK	OK	G	OK			
HSF检验（记录报告编号）													
其他													
序号	尺寸			检验记录						工 具	檢驗結果	可否允收	
	Nominal	+Tol	-Tol	样品1	样品2	样品3	样品4	样品5					
1	53.00	3.00	3.00	53.000	53.000	53.000	53.000	53.000	D	OK			
2	30.00	0.10	0.10	30.040	30.020	30.030	30.030	30.040	A	OK			
3	20.00	0.10	0.10	19.980	19.980	19.970	19.960	19.970	A	OK			
4	2.1(MAX)	/	/	1.470	1.520	1.550	1.620	1.570	A	OK			
5	0.25	0.05	0.05	0.230	0.230	0.220	0.220	0.230	A	OK			
备注说明:(或略图说明)													
检验者		刘婉婉		日期	2022.8.9		意见		OK				
品管主管		童政裕		日期	2022.8.9		意见		OK				
研发单位		丁小玲		日期	2022.8.9		意见		OK				

塑膠材料保證書
CERTIFICATE OF COMPLIANCE OF PLASTIC MATERIAL

供應商

VENDER DAI-ICHI SEIKO CO.,LTD

料號

PART NUMBER 20278-112R-13

品名

PART DESCRIPTION MHF PLUG ASSY

數量/訂單號碼

QUANTITY/P.O. NO. _____

出貨日期

SHIPPING DATE _____

原料製造商

MATERIAL SUPPLIER WINTECH POLYMER LTD

原料品名/規格

MATERIAL DESCRIPTION/SPEC XFR 4840 GF10 (w)(f1), 310NF (w)(f1)

原料 UL 號碼

MATERIAL UL FILE NUMBER

原料防火等級

MATERIAL FLAMMABILITY CLASS

E213445

V-0

供應商保證 VENDER GUARANTY

1. 本批產品使用之原料確實依上述規格供應，若有變更冒替，本公司願負賠償之責。
IF THERE IS ANY DEVIATION TO THE LIST ABOVE, WE WILL BE RESPONSIBLE FOR THE COST INCURRED.
2. ☒ 本批產品所使用的回收料(次料)不可超過 50% .
THE REPROCESSED MATERIAL USED IN THIS SHIPMENT DOES NOT EXCEED 50%.
☐ 本批產品不可使用回收料(次料)。
THE REPROCESSED MATERIAL USED IN THIS SHIPMENT DOES NOT ALLOW.

供應商簽章及蓋公司章

VENDER SIGNATURE & COMPANY SEAL

M. Tsulayashu



Document number : ULTW-FFUS-0001
Issued : 09-05-02
Revised : 02-03-05
Page : 1 of 1

UL International, L.L.C.,
Taiwan Branch





AVLV2.E318898
Appliance Wiring Material - Component

[Page Bottom](#)

Appliance Wiring Material - Component

[See General Information for Appliance Wiring Material - Component](#)

JIANGYIN SHENYU COMMUNICATION

E318898

NO 1-1 OF CHENGJIANG

XINYUAN RD

JIANGYIN, JIANGSU 214400 CHINA

Table of Recognized Styles	
Single-conductor, thermoplastic insulation.	
1354	11149

Marking: Company name, voltage rating, temperature rating, conductor size, conductor material if other than copper, and use.
[Last Updated](#) on 2009-02-03

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright ?2010 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.



CERTIFICATE OF COMPLIANCE

Certificate Number E523295
Report Reference E523295-20210810
Date 2021-August-11

Issued to: Dongguan Boyongkai Electronic Technology Co., Ltd
Fenghuang East Road, Shajiao Community, Humen Town
Dongguan Guangdong 523936 CN

This is to certify that
representative samples of

WIRING, PRINTED - FLEXIBLE MATERIAL
CONSTRUCTIONS - COMPONENT

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 796F - Standard for Safety for Flexible Materials Interconnect

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahesholtz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/contact>



CERTIFICATE OF COMPLIANCE

Certificate Number E523295
Report Reference E523295-20210810
Date 2021-August-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Product Designation:

Single layer Flexible Materials Interconnect Constructions with Flammability Classification Only.

Type - BYK-D.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

