



99% Bandwidth – 5MHz –16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 10MHz –16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 15MHz –16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – 16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 1.4MHz –64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 3MHz –64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 5MHz –64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 10MHz –64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 15MHz – 64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – 64QAM


Low Channel



Middle Channel



High Channel




Test Site	WZ-SR6	Test Engineer	Edith Yu
Test Date	2025-02-18 ~ 2025-02-27	Test Band	Band 12/17

Modulation	Bandwidth (MHz)	Frequency (MHz)	99% Bandwidth (MHz)
QPSK	1.4	699.7	1.0845
		707.5	1.0770
		715.3	1.0805
	3	700.5	2.6870
		707.5	2.6874
		714.5	2.6764
	5	701.5	4.4830
		707.5	4.4790
		713.5	4.4605
	10	704.0	8.9311
		707.5	8.9116
		711.0	8.9277
16QAM	1.4	699.7	1.0785
		707.5	1.0814
		715.3	1.0789
	3	700.5	2.6819
		707.5	2.6809
		714.5	2.6770
	5	701.5	4.4659
		707.5	4.4783
		713.5	4.4680
	10	704.0	8.9298
		707.5	8.9259
		711.0	8.9246
64QAM	1.4	699.7	1.0793
		707.5	1.0766
		715.3	1.0794
	3	700.5	2.6755
		707.5	2.6785
		714.5	2.6738
	5	701.5	4.4693
		707.5	4.4659
		713.5	4.4646


Modulation	Bandwidth (MHz)	Frequency (MHz)	99% Bandwidth (MHz)
	10	704.0	8.9359
		707.5	8.9149
		711.0	8.9057

99% Bandwidth – 1.4MHz – QPSK


Low Channel



Middle Channel




High Channel




99% Bandwidth – 3MHz – QPSK


Low Channel



Middle Channel




High Channel




99% Bandwidth – 5MHz – QPSK


Low Channel



Middle Channel




High Channel




99% Bandwidth – 10MHz – QPSK


Low Channel



Middle Channel




High Channel




99% Bandwidth – 1.4MHz –16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 3MHz –16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 5MHz –16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 10MHz –16QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 1.4MHz –64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 3MHz –64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 5MHz –64QAM


Low Channel



Middle Channel




High Channel




99% Bandwidth – 10MHz –64QAM


Low Channel



Middle Channel



High Channel



A.2 Frequency Stability Test Result

Test Site	WZ-TR3	Test Engineer	Edith Yu
Test Date	2025-02-26	Test Band	Band 2/25

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		1850	1915			
		f _L	f _H			
Normal	+ 20 (Ref)	1850.128	1914.862	0.0	0.0000	Pass
	+ 50	1850.128	1914.862	1.0	0.0005	Pass
	+ 40	1850.128	1914.862	-3.9	-0.0021	Pass
	+ 30	1850.128	1914.862	-0.8	-0.0004	Pass
	+ 10	1850.128	1914.862	0.4	0.0002	Pass
	0	1850.128	1914.862	0.8	0.0004	Pass
	- 10	1850.128	1914.862	0.6	0.0003	Pass
	- 20	1850.128	1914.862	-0.1	-0.0001	Pass
	- 30	1850.128	1914.862	0.3	0.0002	Pass
10.35Vdc	+ 20	1850.128	1914.862	1.0	0.0005	Pass
9Vdc	+ 20	1850.128	1914.862	0.0	0.0000	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Edith Yu
Test Date	2025-02-26	Test Band	Band 4/66

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		1710	1780			
		f _L	f _H			
Normal	+ 20 (Ref)	1710.126	1779.868	0.0	0.0000	Pass
	+ 50	1710.126	1779.868	0.4	0.0002	Pass
	+ 40	1710.126	1779.868	-0.3	-0.0002	Pass
	+ 30	1710.126	1779.868	-4.4	-0.0025	Pass
	+ 10	1710.126	1779.868	-1.7	-0.0010	Pass
	0	1710.126	1779.868	-2.5	-0.0014	Pass
	- 10	1710.126	1779.868	-1.9	-0.0011	Pass
	- 20	1710.126	1779.868	-1.4	-0.0008	Pass
	- 30	1710.126	1779.868	-0.4	-0.0002	Pass
10.35Vdc	+ 20	1710.126	1779.868	-0.1	-0.0001	Pass
9Vdc	+ 20	1710.126	1779.868	0.0	0.0000	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Edith Yu
Test Date	2025-02-26	Test Band	Band 12/17

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		699	716			
		f _L	f _H			
Normal	+ 20 (Ref)	699.108	715.904	0.0	0.0000	Pass
	+ 50	699.108	715.904	1.4	0.0020	Pass
	+ 40	699.108	715.904	2.0	0.0028	Pass
	+ 30	699.108	715.904	1.7	0.0024	Pass
	+ 10	699.108	715.904	1.2	0.0017	Pass
	0	699.108	715.904	-1.9	-0.0027	Pass
	- 10	699.108	715.904	0.5	0.0007	Pass
	- 20	699.108	715.904	0.7	0.0010	Pass
	- 30	699.108	715.904	2.5	0.0035	Pass
10.35Vdc	+ 20	699.108	715.904	2.1	0.0030	Pass
9Vdc	+ 20	699.108	715.904	0.0	0.0000	Pass

Note: The operating voltage is provided by the manufacturer.

A.3 Equivalent Isotropically Radited Power Test Result

Test Site	WZ-SR6	Test Engineer	Edith Yu
Test Date	2025-02-13 ~ 2025-02-19	Test Band	Band 2/25

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1.4	1850.7	1	0	23.06	25.59	< 33.01
	1882.5			23.17	25.70	< 33.01
	1914.3			23.19	25.72	< 33.01
1.4	1850.7	1	2	23.10	25.63	< 33.01
	1882.5			23.32	25.85	< 33.01
	1914.3			23.22	25.75	< 33.01
1.4	1850.7	1	6	22.95	25.48	< 33.01
	1882.5			23.29	25.82	< 33.01
	1914.3			23.17	25.70	< 33.01
1.4	1850.7	6	0	23.21	25.74	< 33.01
	1882.5			23.25	25.78	< 33.01
	1914.3			23.30	25.83	< 33.01
3	1851.5	1	0	23.12	25.65	< 33.01
	1882.5			23.35	25.88	< 33.01
	1913.5			23.02	25.55	< 33.01
3	1851.5	1	7	23.09	25.62	< 33.01
	1882.5			23.12	25.65	< 33.01
	1913.5			23.41	25.94	< 33.01
3	1851.5	1	14	22.96	25.49	< 33.01
	1882.5			22.98	25.51	< 33.01
	1913.5			23.51	26.04	< 33.01
3	1851.5	15	0	23.25	25.78	< 33.01
	1882.5			23.20	25.73	< 33.01
	1913.5			23.36	25.89	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	1852.5	1	0	23.11	25.64	< 33.01
	1882.5			23.08	25.61	< 33.01
	1912.5			23.05	25.58	< 33.01
5	1852.5	1	12	23.31	25.84	< 33.01
	1882.5			23.32	25.85	< 33.01
	1912.5			23.83	26.36	< 33.01
5	1852.5	1	24	23.00	25.53	< 33.01
	1882.5			23.09	25.62	< 33.01
	1912.5			23.39	25.92	< 33.01
5	1852.5	25	0	23.23	25.76	< 33.01
	1882.5			23.24	25.77	< 33.01
	1912.5			23.37	25.90	< 33.01
10	1855.0	1	0	23.17	25.70	< 33.01
	1882.5			22.96	25.49	< 33.01
	1910.0			23.20	25.73	< 33.01
10	1855.0	1	24	23.06	25.59	< 33.01
	1882.5			23.15	25.68	< 33.01
	1910.0			23.24	25.77	< 33.01
10	1855.0	1	49	23.07	25.60	< 33.01
	1882.5			23.26	25.79	< 33.01
	1910.0			23.58	26.11	< 33.01
10	1855.0	50	0	23.20	25.73	< 33.01
	1882.5			23.26	25.79	< 33.01
	1910.0			23.35	25.88	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	1857.5	1	0	23.21	25.74	< 33.01
	1882.5			23.29	25.82	< 33.01
	1907.5			23.15	25.68	< 33.01
15	1857.5	1	37	23.24	25.77	< 33.01
	1882.5			23.48	26.01	< 33.01
	1907.5			23.26	25.79	< 33.01
15	1857.5	1	74	23.33	25.86	< 33.01
	1882.5			23.25	25.78	< 33.01
	1907.5			23.16	25.69	< 33.01
15	1857.5	75	0	23.26	25.79	< 33.01
	1882.5			23.28	25.81	< 33.01
	1907.5			23.46	25.99	< 33.01
20	1860.0	1	0	23.19	25.72	< 33.01
	1882.5			23.10	25.63	< 33.01
	1905.0			22.95	25.48	< 33.01
20	1860.0	1	49	23.26	25.79	< 33.01
	1882.5			23.31	25.84	< 33.01
	1905.0			23.22	25.75	< 33.01
20	1860.0	1	99	23.05	25.58	< 33.01
	1882.5			23.21	25.74	< 33.01
	1905.0			23.32	25.85	< 33.01
20	1860.0	100	0	23.26	25.79	< 33.01
	1882.5			23.25	25.78	< 33.01
	1905.0			23.32	25.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1.4	1850.7	1	0	23.45	25.98	< 33.01
	1882.5			22.83	25.36	< 33.01
	1914.3			23.06	25.59	< 33.01
1.4	1850.7	1	2	22.61	25.14	< 33.01
	1882.5			22.80	25.33	< 33.01
	1914.3			22.90	25.43	< 33.01
1.4	1850.7	1	6	23.01	25.54	< 33.01
	1882.5			22.83	25.36	< 33.01
	1914.3			22.97	25.50	< 33.01
1.4	1850.7	6	0	22.15	24.68	< 33.01
	1882.5			22.01	24.54	< 33.01
	1914.3			22.28	24.81	< 33.01
3	1851.5	1	0	22.94	25.47	< 33.01
	1882.5			22.89	25.42	< 33.01
	1913.5			23.02	25.55	< 33.01
3	1851.5	1	7	23.12	25.65	< 33.01
	1882.5			22.80	25.33	< 33.01
	1913.5			23.55	26.08	< 33.01
3	1851.5	1	14	23.63	26.16	< 33.01
	1882.5			23.14	25.67	< 33.01
	1913.5			23.10	25.63	< 33.01
3	1851.5	15	0	22.22	24.75	< 33.01
	1882.5			22.26	24.79	< 33.01
	1913.5			22.46	24.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	1852.5	1	0	22.69	25.22	< 33.01
	1882.5			22.42	24.95	< 33.01
	1912.5			22.40	24.93	< 33.01
5	1852.5	1	12	22.77	25.30	< 33.01
	1882.5			22.43	24.96	< 33.01
	1912.5			23.39	25.92	< 33.01
5	1852.5	1	24	22.24	24.77	< 33.01
	1882.5			22.58	25.11	< 33.01
	1912.5			22.91	25.44	< 33.01
5	1852.5	25	0	22.22	24.75	< 33.01
	1882.5			22.17	24.70	< 33.01
	1912.5			22.24	24.77	< 33.01
10	1855.0	1	0	22.93	25.46	< 33.01
	1882.5			22.95	25.48	< 33.01
	1910.0			22.85	25.38	< 33.01
10	1855.0	1	24	22.94	25.47	< 33.01
	1882.5			22.63	25.16	< 33.01
	1910.0			22.92	25.45	< 33.01
10	1855.0	1	49	22.82	25.35	< 33.01
	1882.5			22.96	25.49	< 33.01
	1910.0			22.69	25.22	< 33.01
10	1855.0	50	0	22.13	24.66	< 33.01
	1882.5			22.30	24.83	< 33.01
	1910.0			22.37	24.90	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	1857.5	1	0	22.94	25.47	< 33.01
	1882.5			22.99	25.52	< 33.01
	1907.5			22.97	25.50	< 33.01
15	1857.5	1	37	23.31	25.84	< 33.01
	1882.5			23.46	25.99	< 33.01
	1907.5			23.52	26.05	< 33.01
15	1857.5	1	74	23.11	25.64	< 33.01
	1882.5			23.00	25.53	< 33.01
	1907.5			22.51	25.04	< 33.01
15	1857.5	75	0	22.23	24.76	< 33.01
	1882.5			22.25	24.78	< 33.01
	1907.5			22.25	24.78	< 33.01
20	1860.0	1	0	23.23	25.76	< 33.01
	1882.5			23.09	25.62	< 33.01
	1905.0			23.14	25.67	< 33.01
20	1860.0	1	49	23.36	25.89	< 33.01
	1882.5			22.62	25.15	< 33.01
	1905.0			23.17	25.70	< 33.01
20	1860.0	1	99	23.23	25.76	< 33.01
	1882.5			22.78	25.31	< 33.01
	1905.0			22.63	25.16	< 33.01
20	1860.0	100	0	22.24	24.77	< 33.01
	1882.5			22.24	24.77	< 33.01
	1905.0			22.24	24.77	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1.4	1850.7	1	0	22.41	24.94	< 33.01
	1882.5			22.31	24.84	< 33.01
	1914.3			22.51	25.04	< 33.01
1.4	1850.7	1	2	22.50	25.03	< 33.01
	1882.5			21.86	24.39	< 33.01
	1914.3			22.56	25.09	< 33.01
1.4	1850.7	1	6	22.38	24.91	< 33.01
	1882.5			22.38	24.91	< 33.01
	1914.3			22.48	25.01	< 33.01
1.4	1850.7	6	0	21.21	23.74	< 33.01
	1882.5			21.14	23.67	< 33.01
	1914.3			21.32	23.85	< 33.01
3	1851.5	1	0	21.94	24.47	< 33.01
	1882.5			22.51	25.04	< 33.01
	1913.5			22.56	25.09	< 33.01
3	1851.5	1	7	22.69	25.22	< 33.01
	1882.5			22.69	25.22	< 33.01
	1913.5			22.65	25.18	< 33.01
3	1851.5	1	14	22.34	24.87	< 33.01
	1882.5			22.44	24.97	< 33.01
	1913.5			22.13	24.66	< 33.01
3	1851.5	15	0	21.59	24.12	< 33.01
	1882.5			21.15	23.68	< 33.01
	1913.5			21.57	24.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	1852.5	1	0	22.28	24.81	< 33.01
	1882.5			22.27	24.80	< 33.01
	1912.5			22.50	25.03	< 33.01
5	1852.5	1	12	22.60	25.13	< 33.01
	1882.5			22.69	25.22	< 33.01
	1912.5			22.86	25.39	< 33.01
5	1852.5	1	24	22.18	24.71	< 33.01
	1882.5			22.39	24.92	< 33.01
	1912.5			22.02	24.55	< 33.01
5	1852.5	25	0	21.22	23.75	< 33.01
	1882.5			21.16	23.69	< 33.01
	1912.5			21.52	24.05	< 33.01
10	1855.0	1	0	22.49	25.02	< 33.01
	1882.5			22.48	25.01	< 33.01
	1910.0			22.05	24.58	< 33.01
10	1855.0	1	24	22.54	25.07	< 33.01
	1882.5			21.86	24.39	< 33.01
	1910.0			22.73	25.26	< 33.01
10	1855.0	1	49	22.47	25.00	< 33.01
	1882.5			22.53	25.06	< 33.01
	1910.0			21.93	24.46	< 33.01
10	1855.0	50	0	21.06	23.59	< 33.01
	1882.5			21.34	23.87	< 33.01
	1910.0			21.37	23.90	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	1857.5	1	0	22.45	24.98	< 33.01
	1882.5			22.29	24.82	< 33.01
	1907.5			22.29	24.82	< 33.01
15	1857.5	1	37	22.65	25.18	< 33.01
	1882.5			22.67	25.20	< 33.01
	1907.5			22.82	25.35	< 33.01
15	1857.5	1	74	22.41	24.94	< 33.01
	1882.5			22.46	24.99	< 33.01
	1907.5			21.61	24.14	< 33.01
15	1857.5	75	0	21.08	23.61	< 33.01
	1882.5			21.40	23.93	< 33.01
	1907.5			21.30	23.83	< 33.01
20	1860.0	1	0	22.38	24.91	< 33.01
	1882.5			22.19	24.72	< 33.01
	1905.0			21.82	24.35	< 33.01
20	1860.0	1	49	22.41	24.94	< 33.01
	1882.5			22.63	25.16	< 33.01
	1905.0			22.43	24.96	< 33.01
20	1860.0	1	99	22.28	24.81	< 33.01
	1882.5			22.29	24.82	< 33.01
	1905.0			21.67	24.20	< 33.01
20	1860.0	100	0	21.32	23.85	< 33.01
	1882.5			21.20	23.73	< 33.01
	1905.0			21.30	23.83	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Edith Yu
Test Date	2025-02-13 ~ 2025-02-17	Test Band	Band 4/66

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1.4	1710.7	1	0	22.83	25.36	< 30.00
	1745.0			23.31	25.84	< 30.00
	1779.3			23.12	25.65	< 30.00
1.4	1710.7	1	2	22.93	25.46	< 30.00
	1745.0			23.49	26.02	< 30.00
	1779.3			23.30	25.83	< 30.00
1.4	1710.7	1	6	22.88	25.41	< 30.00
	1745.0			23.44	25.97	< 30.00
	1779.3			23.21	25.74	< 30.00
1.4	1710.7	6	0	22.05	24.58	< 30.00
	1745.0			22.43	24.96	< 30.00
	1779.3			22.17	24.70	< 30.00
3	1711.5	1	0	22.87	25.40	< 30.00
	1745.0			23.43	25.96	< 30.00
	1778.5			23.32	25.85	< 30.00
3	1711.5	1	7	22.89	25.42	< 30.00
	1745.0			23.68	26.21	< 30.00
	1778.5			23.41	25.94	< 30.00
3	1711.5	1	14	22.83	25.36	< 30.00
	1745.0			23.49	26.02	< 30.00
	1778.5			23.09	25.62	< 30.00
3	1711.5	15	0	22.06	24.59	< 30.00
	1745.0			22.39	24.92	< 30.00
	1778.5			22.26	24.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	1712.5	1	0	22.65	25.18	< 30.00
	1745.0			23.24	25.77	< 30.00
	1777.5			23.11	25.64	< 30.00
5	1712.5	1	12	23.27	25.80	< 30.00
	1745.0			23.76	26.29	< 30.00
	1777.5			23.35	25.88	< 30.00
5	1712.5	1	24	22.89	25.42	< 30.00
	1745.0			23.38	25.91	< 30.00
	1777.5			23.20	25.73	< 30.00
5	1712.5	25	0	21.95	24.48	< 30.00
	1745.0			22.50	25.03	< 30.00
	1777.5			22.31	24.84	< 30.00
10	1715.0	1	0	22.90	25.43	< 30.00
	1745.0			23.50	26.03	< 30.00
	1775.0			23.23	25.76	< 30.00
10	1715.0	1	24	23.07	25.60	< 30.00
	1745.0			23.58	26.11	< 30.00
	1775.0			23.31	25.84	< 30.00
10	1715.0	1	49	23.04	25.57	< 30.00
	1745.0			23.49	26.02	< 30.00
	1775.0			23.14	25.67	< 30.00
10	1715.0	50	0	22.18	24.71	< 30.00
	1745.0			22.49	25.02	< 30.00
	1775.0			22.19	24.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	1717.5	1	0	22.68	25.21	< 30.00
	1745.0			23.39	25.92	< 30.00
	1772.5			23.31	25.84	< 30.00
15	1717.5	1	37	23.00	25.53	< 30.00
	1745.0			23.75	26.28	< 30.00
	1772.5			23.38	25.91	< 30.00
15	1717.5	1	74	23.06	25.59	< 30.00
	1745.0			23.27	25.80	< 30.00
	1772.5			23.22	25.75	< 30.00
15	1717.5	75	0	22.18	24.71	< 30.00
	1745.0			22.44	24.97	< 30.00
	1772.5			22.26	24.79	< 30.00
20	1720.0	1	0	22.79	25.32	< 30.00
	1745.0			23.21	25.74	< 30.00
	1770.0			23.23	25.76	< 30.00
20	1720.0	1	49	23.07	25.60	< 30.00
	1745.0			23.58	26.11	< 30.00
	1770.0			23.34	25.87	< 30.00
20	1720.0	1	99	23.27	25.80	< 30.00
	1745.0			23.40	25.93	< 30.00
	1770.0			23.23	25.76	< 30.00
20	1720.0	100	0	22.24	24.77	< 30.00
	1745.0			22.45	24.98	< 30.00
	1770.0			22.25	24.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1.4	1710.7	1	0	21.53	24.06	< 30.00
	1745.0			22.10	24.63	< 30.00
	1779.3			21.89	24.42	< 30.00
1.4	1710.7	1	2	21.60	24.13	< 30.00
	1745.0			22.25	24.78	< 30.00
	1779.3			21.89	24.42	< 30.00
1.4	1710.7	1	6	21.58	24.11	< 30.00
	1745.0			22.20	24.73	< 30.00
	1779.3			21.90	24.43	< 30.00
1.4	1710.7	6	0	21.13	23.66	< 30.00
	1745.0			21.44	23.97	< 30.00
	1779.3			21.30	23.83	< 30.00
3	1711.5	1	0	21.66	24.19	< 30.00
	1745.0			22.24	24.77	< 30.00
	1778.5			21.86	24.39	< 30.00
3	1711.5	1	7	21.88	24.41	< 30.00
	1745.0			22.52	25.05	< 30.00
	1778.5			22.09	24.62	< 30.00
3	1711.5	1	14	21.65	24.18	< 30.00
	1745.0			22.19	24.72	< 30.00
	1778.5			21.74	24.27	< 30.00
3	1711.5	15	0	21.17	23.70	< 30.00
	1745.0			21.56	24.09	< 30.00
	1778.5			21.26	23.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	1712.5	1	0	21.43	23.96	< 30.00
	1745.0			22.18	24.71	< 30.00
	1777.5			21.68	24.21	< 30.00
5	1712.5	1	12	21.66	24.19	< 30.00
	1745.0			22.69	25.22	< 30.00
	1777.5			21.58	24.11	< 30.00
5	1712.5	1	24	21.73	24.26	< 30.00
	1745.0			21.80	24.33	< 30.00
	1777.5			21.45	23.98	< 30.00
5	1712.5	25	0	20.99	23.52	< 30.00
	1745.0			21.51	24.04	< 30.00
	1777.5			21.27	23.80	< 30.00
10	1715.0	1	0	21.51	24.04	< 30.00
	1745.0			22.15	24.68	< 30.00
	1775.0			21.87	24.40	< 30.00
10	1715.0	1	24	21.46	23.99	< 30.00
	1745.0			22.15	24.68	< 30.00
	1775.0			22.03	24.56	< 30.00
10	1715.0	1	49	21.50	24.03	< 30.00
	1745.0			21.79	24.32	< 30.00
	1775.0			21.50	24.03	< 30.00
10	1715.0	50	0	21.28	23.81	< 30.00
	1745.0			21.45	23.98	< 30.00
	1775.0			21.35	23.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	1717.5	1	0	21.58	24.11	< 30.00
	1745.0			21.78	24.31	< 30.00
	1772.5			21.93	24.46	< 30.00
15	1717.5	1	37	22.24	24.77	< 30.00
	1745.0			22.60	25.13	< 30.00
	1772.5			22.41	24.94	< 30.00
15	1717.5	1	74	21.81	24.34	< 30.00
	1745.0			22.28	24.81	< 30.00
	1772.5			22.02	24.55	< 30.00
15	1717.5	75	0	21.22	23.75	< 30.00
	1745.0			21.55	24.08	< 30.00
	1772.5			21.26	23.79	< 30.00
20	1720.0	1	0	21.35	23.88	< 30.00
	1745.0			21.49	24.02	< 30.00
	1770.0			21.92	24.45	< 30.00
20	1720.0	1	49	21.82	24.35	< 30.00
	1745.0			22.68	25.21	< 30.00
	1770.0			21.99	24.52	< 30.00
20	1720.0	1	99	21.36	23.89	< 30.00
	1745.0			22.12	24.65	< 30.00
	1770.0			21.53	24.06	< 30.00
20	1720.0	100	0	21.28	23.81	< 30.00
	1745.0			21.52	24.05	< 30.00
	1770.0			21.18	23.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1.4	1710.7	1	0	21.24	23.77	< 30.00
	1745.0			21.70	24.23	< 30.00
	1779.3			21.30	23.83	< 30.00
1.4	1710.7	1	2	21.55	24.08	< 30.00
	1745.0			21.85	24.38	< 30.00
	1779.3			21.40	23.93	< 30.00
1.4	1710.7	1	6	21.30	23.83	< 30.00
	1745.0			21.66	24.19	< 30.00
	1779.3			21.44	23.97	< 30.00
1.4	1710.7	6	0	19.84	22.37	< 30.00
	1745.0			20.52	23.05	< 30.00
	1779.3			20.14	22.67	< 30.00
3	1711.5	1	0	21.16	23.69	< 30.00
	1745.0			21.69	24.22	< 30.00
	1778.5			21.59	24.12	< 30.00
3	1711.5	1	7	21.58	24.11	< 30.00
	1745.0			22.03	24.56	< 30.00
	1778.5			21.81	24.34	< 30.00
3	1711.5	1	14	21.25	23.78	< 30.00
	1745.0			21.62	24.15	< 30.00
	1778.5			21.45	23.98	< 30.00
3	1711.5	15	0	20.12	22.65	< 30.00
	1745.0			20.68	23.21	< 30.00
	1778.5			20.12	22.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	1712.5	1	0	21.22	23.75	< 30.00
	1745.0			21.80	24.33	< 30.00
	1777.5			21.33	23.86	< 30.00
5	1712.5	1	12	21.68	24.21	< 30.00
	1745.0			22.16	24.69	< 30.00
	1777.5			21.72	24.25	< 30.00
5	1712.5	1	24	21.29	23.82	< 30.00
	1745.0			21.49	24.02	< 30.00
	1777.5			20.83	23.36	< 30.00
5	1712.5	25	0	19.95	22.48	< 30.00
	1745.0			20.67	23.20	< 30.00
	1777.5			20.39	22.92	< 30.00
10	1715.0	1	0	21.07	23.60	< 30.00
	1745.0			21.60	24.13	< 30.00
	1775.0			21.33	23.86	< 30.00
10	1715.0	1	24	21.37	23.90	< 30.00
	1745.0			21.95	24.48	< 30.00
	1775.0			21.71	24.24	< 30.00
10	1715.0	1	49	21.43	23.96	< 30.00
	1745.0			21.71	24.24	< 30.00
	1775.0			20.85	23.38	< 30.00
10	1715.0	50	0	20.12	22.65	< 30.00
	1745.0			20.64	23.17	< 30.00
	1775.0			20.39	22.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	1717.5	1	0	21.19	23.72	< 30.00
	1745.0			21.58	24.11	< 30.00
	1772.5			21.46	23.99	< 30.00
15	1717.5	1	37	21.63	24.16	< 30.00
	1745.0			22.19	24.72	< 30.00
	1772.5			21.88	24.41	< 30.00
15	1717.5	1	74	21.63	24.16	< 30.00
	1745.0			21.75	24.28	< 30.00
	1772.5			20.96	23.49	< 30.00
15	1717.5	75	0	20.24	22.77	< 30.00
	1745.0			20.44	22.97	< 30.00
	1772.5			20.21	22.74	< 30.00
20	1720.0	1	0	21.18	23.71	< 30.00
	1745.0			21.65	24.18	< 30.00
	1770.0			21.03	23.56	< 30.00
20	1720.0	1	49	21.47	24.00	< 30.00
	1745.0			21.95	24.48	< 30.00
	1770.0			21.36	23.89	< 30.00
20	1720.0	1	99	21.51	24.04	< 30.00
	1745.0			21.74	24.27	< 30.00
	1770.0			21.38	23.91	< 30.00
20	1720.0	100	0	20.47	23.00	< 30.00
	1745.0			20.53	23.06	< 30.00
	1770.0			20.14	22.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Edith Yu
Test Date	2025-02-13 ~ 2025-02-17	Test Band	Band 12/17

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
1.4	699.7	1	0	24.05	25.79	< 44.77
	707.5			24.23	25.97	< 44.77
	715.3			24.14	25.88	< 44.77
1.4	699.7	1	2	24.15	25.89	< 44.77
	707.5			24.32	26.06	< 44.77
	715.3			24.10	25.84	< 44.77
1.4	699.7	1	6	24.02	25.76	< 44.77
	707.5			24.23	25.97	< 44.77
	715.3			23.69	25.43	< 44.77
1.4	699.7	6	0	23.09	24.83	< 44.77
	707.5			23.22	24.96	< 44.77
	715.3			22.95	24.69	< 44.77
3	700.5	1	0	24.01	25.75	< 44.77
	707.5			24.30	26.04	< 44.77
	714.5			24.23	25.97	< 44.77
3	700.5	1	7	24.27	26.01	< 44.77
	707.5			24.51	26.25	< 44.77
	714.5			24.15	25.89	< 44.77
3	700.5	1	14	24.06	25.80	< 44.77
	707.5			24.35	26.09	< 44.77
	714.5			23.70	25.44	< 44.77
3	700.5	15	0	23.12	24.86	< 44.77
	707.5			23.28	25.02	< 44.77
	714.5			23.33	25.07	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
5	701.5	1	0	23.99	25.73	< 44.77
	707.5			24.05	25.79	< 44.77
	713.5			23.85	25.59	< 44.77
5	701.5	1	12	24.45	26.19	< 44.77
	707.5			24.38	26.12	< 44.77
	713.5			24.34	26.08	< 44.77
5	701.5	1	24	24.03	25.77	< 44.77
	707.5			24.00	25.74	< 44.77
	713.5			23.97	25.71	< 44.77
5	701.5	25	0	23.15	24.89	< 44.77
	707.5			23.24	24.98	< 44.77
	713.5			23.33	25.07	< 44.77
10	704.0	1	0	23.90	25.64	< 44.77
	707.5			24.00	25.74	< 44.77
	711.0			24.26	26.00	< 44.77
10	704.0	1	24	24.27	26.01	< 44.77
	707.5			24.36	26.10	< 44.77
	711.0			24.19	25.93	< 44.77
10	704.0	1	49	24.07	25.81	< 44.77
	707.5			24.35	26.09	< 44.77
	711.0			23.89	25.63	< 44.77
10	704.0	50	0	23.14	24.88	< 44.77
	707.5			23.12	24.86	< 44.77
	711.0			23.47	25.21	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
1.4	699.7	1	0	22.84	24.58	< 44.77
	707.5			22.95	24.69	< 44.77
	715.3			22.58	24.32	< 44.77
1.4	699.7	1	2	22.74	24.48	< 44.77
	707.5			22.99	24.73	< 44.77
	715.3			22.50	24.24	< 44.77
1.4	699.7	1	6	22.52	24.26	< 44.77
	707.5			22.94	24.68	< 44.77
	715.3			22.34	24.08	< 44.77
1.4	699.7	6	0	22.16	23.90	< 44.77
	707.5			22.33	24.07	< 44.77
	715.3			22.26	24.00	< 44.77
3	700.5	1	0	22.77	24.51	< 44.77
	707.5			22.88	24.62	< 44.77
	714.5			22.97	24.71	< 44.77
3	700.5	1	7	23.02	24.76	< 44.77
	707.5			23.05	24.79	< 44.77
	714.5			23.16	24.90	< 44.77
3	700.5	1	14	22.84	24.58	< 44.77
	707.5			22.92	24.66	< 44.77
	714.5			22.81	24.55	< 44.77
3	700.5	15	0	22.12	23.86	< 44.77
	707.5			22.19	23.93	< 44.77
	714.5			22.32	24.06	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
5	701.5	1	0	22.50	24.24	< 44.77
	707.5			22.70	24.44	< 44.77
	713.5			22.47	24.21	< 44.77
5	701.5	1	12	23.09	24.83	< 44.77
	707.5			22.81	24.55	< 44.77
	713.5			22.65	24.39	< 44.77
5	701.5	1	24	22.15	23.89	< 44.77
	707.5			22.38	24.12	< 44.77
	713.5			22.15	23.89	< 44.77
5	701.5	25	0	22.02	23.76	< 44.77
	707.5			22.13	23.87	< 44.77
	713.5			22.08	23.82	< 44.77
10	704.0	1	0	22.95	24.69	< 44.77
	707.5			22.65	24.39	< 44.77
	711.0			22.59	24.33	< 44.77
10	704.0	1	24	22.95	24.69	< 44.77
	707.5			22.96	24.70	< 44.77
	711.0			22.53	24.27	< 44.77
10	704.0	1	49	22.93	24.67	< 44.77
	707.5			22.46	24.20	< 44.77
	711.0			22.66	24.40	< 44.77
10	704.0	50	0	22.28	24.02	< 44.77
	707.5			22.19	23.93	< 44.77
	711.0			22.26	24.00	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
1.4	699.7	1	0	22.02	23.76	< 44.77
	707.5			22.50	24.24	< 44.77
	715.3			22.31	24.05	< 44.77
1.4	699.7	1	2	22.21	23.95	< 44.77
	707.5			22.35	24.09	< 44.77
	715.3			22.41	24.15	< 44.77
1.4	699.7	1	6	22.17	23.91	< 44.77
	707.5			22.41	24.15	< 44.77
	715.3			22.18	23.92	< 44.77
1.4	699.7	6	0	20.82	22.56	< 44.77
	707.5			21.12	22.86	< 44.77
	715.3			21.00	22.74	< 44.77
3	700.5	1	0	22.36	24.10	< 44.77
	707.5			22.29	24.03	< 44.77
	714.5			22.65	24.39	< 44.77
3	700.5	1	7	22.52	24.26	< 44.77
	707.5			22.70	24.44	< 44.77
	714.5			22.65	24.39	< 44.77
3	700.5	1	14	22.15	23.89	< 44.77
	707.5			22.21	23.95	< 44.77
	714.5			22.13	23.87	< 44.77
3	700.5	15	0	21.11	22.85	< 44.77
	707.5			21.19	22.93	< 44.77
	714.5			21.28	23.02	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
5	701.5	1	0	22.44	24.18	< 44.77
	707.5			22.16	23.90	< 44.77
	713.5			22.07	23.81	< 44.77
5	701.5	1	12	22.54	24.28	< 44.77
	707.5			22.74	24.48	< 44.77
	713.5			22.75	24.49	< 44.77
5	701.5	1	24	22.10	23.84	< 44.77
	707.5			22.32	24.06	< 44.77
	713.5			22.06	23.80	< 44.77
5	701.5	25	0	20.98	22.72	< 44.77
	707.5			21.00	22.74	< 44.77
	713.5			20.94	22.68	< 44.77
10	704.0	1	0	22.43	24.17	< 44.77
	707.5			22.33	24.07	< 44.77
	711.0			21.79	23.53	< 44.77
10	704.0	1	24	22.61	24.35	< 44.77
	707.5			22.56	24.30	< 44.77
	711.0			22.29	24.03	< 44.77
10	704.0	1	49	22.46	24.20	< 44.77
	707.5			22.32	24.06	< 44.77
	711.0			21.56	23.30	< 44.77
10	704.0	50	0	21.23	22.97	< 44.77
	707.5			21.15	22.89	< 44.77
	711.0			21.24	22.98	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

A.4 Peak-to-Average Power Ratio Test Result


Test Site	WZ-SR6	Test Engineer	Edith Yu
Test Date	2025-02-27 ~ 2025-02-28	Test Band	Band 2/25

Channel Bandwidth (MHz)	Frequency (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
1.4	1850.7	5.69	≤ 13.00	Pass
	1882.5	5.67	≤ 13.00	Pass
	1914.3	5.94	≤ 13.00	Pass
3	1851.5	5.57	≤ 13.00	Pass
	1882.5	5.55	≤ 13.00	Pass
	1913.5	6.00	≤ 13.00	Pass
5	1852.5	5.48	≤ 13.00	Pass
	1882.5	5.42	≤ 13.00	Pass
	1912.5	5.97	≤ 13.00	Pass
10	1855.0	5.45	≤ 13.00	Pass
	1882.5	5.47	≤ 13.00	Pass
	1910.0	5.57	≤ 13.00	Pass
15	1857.5	5.41	≤ 13.00	Pass
	1882.5	5.46	≤ 13.00	Pass
	1907.5	5.45	≤ 13.00	Pass
20	1860.0	5.37	≤ 13.00	Pass
	1882.5	5.45	≤ 13.00	Pass
	1905.0	5.47	≤ 13.00	Pass
16QAM				
1.4	1850.7	6.35	≤ 13.00	Pass
	1882.5	6.38	≤ 13.00	Pass
	1914.3	6.41	≤ 13.00	Pass
3	1851.5	6.36	≤ 13.00	Pass
	1882.5	6.33	≤ 13.00	Pass
	1913.5	6.86	≤ 13.00	Pass
5	1852.5	6.16	≤ 13.00	Pass
	1882.5	6.11	≤ 13.00	Pass
	1912.5	6.56	≤ 13.00	Pass
10	1855.0	6.12	≤ 13.00	Pass
	1882.5	6.12	≤ 13.00	Pass


Channel Bandwidth (MHz)	Frequency (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
	1910.0	6.11	≤ 13.00	Pass
15	1857.5	6.08	≤ 13.00	Pass
	1882.5	6.14	≤ 13.00	Pass
	1907.5	6.13	≤ 13.00	Pass
20	1860.0	6.17	≤ 13.00	Pass
	1882.5	6.16	≤ 13.00	Pass
	1905.0	6.18	≤ 13.00	Pass
64QAM				
1.4	1850.7	6.45	≤ 13.00	Pass
	1882.5	6.45	≤ 13.00	Pass
	1914.3	6.54	≤ 13.00	Pass
3	1851.5	6.43	≤ 13.00	Pass
	1882.5	6.41	≤ 13.00	Pass
	1913.5	6.91	≤ 13.00	Pass
5	1852.5	6.47	≤ 13.00	Pass
	1882.5	6.37	≤ 13.00	Pass
	1912.5	6.66	≤ 13.00	Pass
10	1855.0	6.38	≤ 13.00	Pass
	1882.5	6.34	≤ 13.00	Pass
	1910.0	6.35	≤ 13.00	Pass
15	1857.5	6.06	≤ 13.00	Pass
	1882.5	6.34	≤ 13.00	Pass
	1907.5	6.36	≤ 13.00	Pass
20	1860.0	6.31	≤ 13.00	Pass
	1882.5	6.33	≤ 13.00	Pass
	1905.0	6.36	≤ 13.00	Pass

1.4MHz – QPSK


Low Channel



Middle Channel




High Channel




3MHz – QPSK


Low Channel



Middle Channel




High Channel




5MHz – QPSK


Low Channel



Middle Channel




High Channel




10MHz – QPSK


Low Channel



Middle Channel




High Channel




15MHz – QPSK


Low Channel



Middle Channel




High Channel




20MHz – QPSK

Low Channel



Middle Channel



High Channel

