

TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	+10°
16~63	0.1	0.2	0.4	0.6	+15°
63~150	0.15	0.25	0.5	0.8	+30°
150~250	0.2	0.3	0.6	1	+1°
250~500	0.4	0.6	0.8	1.5	±

69.85±0.5mm
(2.75±0.02")

38.1±0.5mm
(1.5±0.02")



1. IF TOLERANCE FOR EACH DIMENSION NOT SHOWN, REFER TO TABLE 1-6, TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. ☒ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ☒ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: NO
7. TEXTURE NUMBER: NO
8. ALL SUBSTANCE NEED TO MEET THE ROHS / REACH REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QM-P40-01".
9. WILL USE $\pm 0.05\text{MM}$ INNER DIAMETER FOR THE SCREW

FCC Label Artwork

Scale: Full Size
2.75" W x 1.5" H

E			
D			
C			
B			
A	PROTOTYPE-A4	28-JUN-2013	WangMeiyun
ISS	CHANGE RECORDS	DATE	REVISER

TITLE. IHT5000 COST DOWN FCC標籤	REV	SHEET	MODEL:TS-0000019AA		DATE: 28-JUN-2013
	A	1 / 1	UNIT: MM		SCALE: 1:1
MATERIAL.50#合成紙+霧面膜	NO. K1203-0005476		APPROVAL.	CHECKED.	DESIGN.
COLOR. 黑底白字	DRAWER.: WangMeiyun		S.J.DING	YONG WANG	WangMeiyun
Zylux Acoustic Corporation					

A

B

C

D

F