



80M	Ant1	5210	LV	NT	-21000.00	-3.623814	20	PASS
			HV	NT	-22000.00	-3.796376	20	PASS
			NV	NT	-11500.00	-2.207294	20	PASS
	Ant2	5210	LV	NT	-15000.00	-2.879079	20	PASS
			HV	NT	-16500.00	-3.166987	20	PASS
			NV	NT	-15500.00	-2.975048	20	PASS
	Ant1	5290	LV	NT	-18000.00	-3.454894	20	PASS
			HV	NT	-18500.00	-3.550864	20	PASS
			NV	NT	-13500.00	-2.551985	20	PASS
	Ant2	5290	LV	NT	-17500.00	-3.308129	20	PASS
			HV	NT	-19000.00	-3.591682	20	PASS
			NV	NT	-14000.00	-2.646503	20	PASS
	Ant1	5530	LV	NT	-17500.00	-3.308129	20	PASS
			HV	NT	-19000.00	-3.591682	20	PASS
			NV	NT	-9000.00	-1.627486	20	PASS
	Ant2	5530	LV	NT	-15500.00	-2.802893	20	PASS
			HV	NT	-18000.00	-3.254973	20	PASS
			NV	NT	-16500.00	-2.983725	20	PASS
	Ant1	5610	LV	NT	-20500.00	-3.707052	20	PASS
			HV	NT	-21500.00	-3.887884	20	PASS
			NV	NT	-17000.00	-3.030303	20	PASS
	Ant2	5610	LV	NT	-20000.00	-3.565062	20	PASS
			HV	NT	-21500.00	-3.832442	20	PASS
			NV	NT	-16000.00	-2.852050	20	PASS
	Ant1	5775	LV	NT	-20500.00	-3.654189	20	PASS
			HV	NT	-22000.00	-3.921569	20	PASS
			NV	NT	-9500.00	-1.645022	20	PASS
	Ant2	5775	LV	NT	-16000.00	-2.770563	20	PASS
			HV	NT	-18500.00	-3.203463	20	PASS
			NV	NT	-17500.00	-3.030303	20	PASS
160M	Ant1	5250	LV	NT	-21000.00	-3.636364	20	PASS
			HV	NT	-21500.00	-3.722944	20	PASS
			NV	NT	-10500.00	-2.000000	20	PASS
	Ant2	5250	LV	NT	-15500.00	-2.952381	20	PASS
			HV	NT	-17000.00	-3.238095	20	PASS
			NV	NT	-13500.00	-2.571429	20	PASS
	Ant1	5570	LV	NT	-16500.00	-3.142857	20	PASS
			HV	NT	-17000.00	-3.238095	20	PASS
			NV	NT	-8000.00	-1.436266	20	PASS
	Ant2	5570	LV	NT	-15500.00	-2.782765	20	PASS
			HV	NT	-18000.00	-3.231598	20	PASS
			NV	NT	-17500.00	-3.141831	20	PASS
	Ant1	5250	LV	NT	-21000.00	-3.770197	20	PASS
			HV	NT	-22000.00	-3.949731	20	PASS



Temperature								
TestMode	Antenna	Freq(MHz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20M	Ant1	5180	NV	0	-16000.00	-3.088803	20	PASS
			NV	10	-16000.00	-3.088803	20	PASS
			NV	20	-16000.00	-3.088803	20	PASS
			NV	30	-16000.00	-3.088803	20	PASS
			NV	40	-16000.00	-3.088803	20	PASS
			NV	45	-16000.00	-3.088803	20	PASS
	Ant2	5180	NV	0	-11500.00	-2.220077	20	PASS
			NV	10	-12000.00	-2.316602	20	PASS
			NV	20	-11500.00	-2.220077	20	PASS
			NV	30	-11000.00	-2.123552	20	PASS
			NV	40	-11000.00	-2.123552	20	PASS
			NV	45	-11500.00	-2.220077	20	PASS
	Ant1	5200	NV	0	-15500.00	-2.980769	20	PASS
			NV	10	-16000.00	-3.076923	20	PASS
			NV	20	-16000.00	-3.076923	20	PASS
			NV	30	-16000.00	-3.076923	20	PASS
			NV	40	-16000.00	-3.076923	20	PASS
			NV	45	-16000.00	-3.076923	20	PASS
	Ant2	5200	NV	0	-11500.00	-2.211538	20	PASS
			NV	10	-11500.00	-2.211538	20	PASS
			NV	20	-11500.00	-2.211538	20	PASS
			NV	30	-11000.00	-2.115385	20	PASS
			NV	40	-11000.00	-2.115385	20	PASS
			NV	45	-11000.00	-2.115385	20	PASS
	Ant1	5240	NV	0	-17500.00	-3.339695	20	PASS
			NV	10	-18500.00	-3.530534	20	PASS
			NV	20	-18500.00	-3.530534	20	PASS
			NV	30	-19000.00	-3.625954	20	PASS
			NV	40	-19000.00	-3.625954	20	PASS
			NV	45	-19000.00	-3.625954	20	PASS
	Ant2	5240	NV	0	-19000.00	-3.625954	20	PASS
			NV	10	-19500.00	-3.721374	20	PASS
			NV	20	-19500.00	-3.721374	20	PASS
			NV	30	-19500.00	-3.721374	20	PASS
			NV	40	-19000.00	-3.625954	20	PASS
			NV	45	-19500.00	-3.721374	20	PASS
	Ant1	5260	NV	0	-20000.00	-3.802281	20	PASS
			NV	10	-20500.00	-3.897338	20	PASS
			NV	20	-21000.00	-3.992395	20	PASS
			NV	30	-21500.00	-4.087452	20	PASS
			NV	40	-21000.00	-3.992395	20	PASS
			NV	45	-21500.00	-4.087452	20	PASS
	Ant2	5260	NV	0	-21000.00	-3.992395	20	PASS
			NV	10	-21000.00	-3.992395	20	PASS
			NV	20	-21000.00	-3.992395	20	PASS
			NV	30	-21000.00	-3.992395	20	PASS
			NV	40	-21000.00	-3.992395	20	PASS
			NV	45	-21000.00	-3.992395	20	PASS
	Ant1	5280	NV	0	-20000.00	-3.787879	20	PASS
			NV	10	-21000.00	-3.977273	20	PASS
			NV	20	-21000.00	-3.977273	20	PASS
			NV	30	-21000.00	-3.977273	20	PASS
			NV	40	-21500.00	-4.071970	20	PASS
			NV	45	-21500.00	-4.071970	20	PASS
	Ant2	5280	NV	0	-20500.00	-3.882576	20	PASS
			NV	10	-21000.00	-3.977273	20	PASS
			NV	20	-21000.00	-3.977273	20	PASS
			NV	30	-21000.00	-3.977273	20	PASS
			NV	40	-21000.00	-3.977273	20	PASS
			NV	45	-21000.00	-3.977273	20	PASS

CTC Laboratories, Inc.

Room 107, 108, 207, 208, 303 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of China Inspection And Testing Society : yz.cncaq.com

TRF No: CTC-TR-062_A2



	Ant1	5320	NV	0	-18500.00	-3.477444	20	PASS
			NV	10	-19000.00	-3.571429	20	PASS
			NV	20	-19000.00	-3.571429	20	PASS
			NV	30	-19000.00	-3.571429	20	PASS
			NV	40	-19500.00	-3.665414	20	PASS
	Ant2	5320	NV	45	-19500.00	-3.665414	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
			NV	10	-20500.00	-3.853383	20	PASS
			NV	20	-20500.00	-3.853383	20	PASS
			NV	30	-20500.00	-3.853383	20	PASS
	Ant1	5500	NV	40	-20500.00	-3.853383	20	PASS
			NV	45	-20500.00	-3.853383	20	PASS
			NV	0	-21000.00	-3.818182	20	PASS
			NV	10	-21000.00	-3.818182	20	PASS
			NV	20	-21500.00	-3.909091	20	PASS
	Ant2	5500	NV	30	-22000.00	-4.000000	20	PASS
			NV	40	-22000.00	-4.000000	20	PASS
			NV	45	-22000.00	-4.000000	20	PASS
			NV	0	-23500.00	-4.272727	20	PASS
			NV	10	-23500.00	-4.272727	20	PASS
	Ant1	5580	NV	20	-23500.00	-4.272727	20	PASS
			NV	30	-23500.00	-4.272727	20	PASS
			NV	40	-23500.00	-4.272727	20	PASS
			NV	45	-24000.00	-4.363636	20	PASS
			NV	0	-23000.00	-4.121864	20	PASS
	Ant2	5580	NV	10	-23000.00	-4.121864	20	PASS
			NV	20	-23000.00	-4.121864	20	PASS
			NV	30	-23500.00	-4.211470	20	PASS
			NV	40	-23000.00	-4.121864	20	PASS
			NV	45	-23000.00	-4.121864	20	PASS
	Ant1	5700	NV	0	-23500.00	-4.211470	20	PASS
			NV	10	-23500.00	-4.211470	20	PASS
			NV	20	-24000.00	-4.301075	20	PASS
			NV	30	-24000.00	-4.301075	20	PASS
			NV	40	-24000.00	-4.301075	20	PASS
	Ant2	5700	NV	45	-24000.00	-4.301075	20	PASS
			NV	0	-19500.00	-3.421053	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
	Ant1	5745	NV	40	-20500.00	-3.596491	20	PASS
			NV	45	-20000.00	-3.508772	20	PASS
			NV	0	-23500.00	-4.122807	20	PASS
			NV	10	-24000.00	-4.210526	20	PASS
			NV	20	-24500.00	-4.298246	20	PASS
	Ant2	5745	NV	30	-24500.00	-4.298246	20	PASS
			NV	40	-25000.00	-4.385965	20	PASS
			NV	45	-25000.00	-4.385965	20	PASS
			NV	0	-18000.00	-3.133159	20	PASS
			NV	10	-18000.00	-3.133159	20	PASS
	Ant1	5785	NV	20	-18000.00	-3.133159	20	PASS
			NV	30	-18000.00	-3.133159	20	PASS
			NV	40	-18000.00	-3.133159	20	PASS
			NV	45	-18000.00	-3.133159	20	PASS
			NV	0	-22500.00	-3.916449	20	PASS
	Ant2	5785	NV	10	-23000.00	-4.003481	20	PASS
			NV	20	-23000.00	-4.003481	20	PASS
			NV	30	-23000.00	-4.003481	20	PASS
			NV	40	-23000.00	-4.003481	20	PASS
			NV	45	-23500.00	-4.090513	20	PASS
	Ant1	5785	NV	0	-21500.00	-3.716508	20	PASS
			NV	10	-22000.00	-3.802939	20	PASS
			NV	20	-22000.00	-3.802939	20	PASS
			NV	30	-22000.00	-3.802939	20	PASS
			NV	40	-22000.00	-3.802939	20	PASS

CTC Laboratories, Inc.

Room 107, 108, 207, 208, 303 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of China Inspection And Testing

TRF No: CTC-TR-062_A2

Society : yz.cncaq.com



	Ant2	5785	NV	45	-22000.00	-3.802939	20	PASS
			NV	0	-22500.00	-3.889369	20	PASS
			NV	10	-22500.00	-3.889369	20	PASS
			NV	20	-22500.00	-3.889369	20	PASS
			NV	30	-22500.00	-3.889369	20	PASS
			NV	40	-23000.00	-3.975799	20	PASS
	Ant1	5825	NV	45	-23000.00	-3.975799	20	PASS
			NV	0	-20500.00	-3.519313	20	PASS
			NV	10	-20500.00	-3.519313	20	PASS
			NV	20	-20500.00	-3.519313	20	PASS
			NV	30	-21000.00	-3.605150	20	PASS
			NV	40	-21000.00	-3.605150	20	PASS
	Ant2	5825	NV	45	-21000.00	-3.605150	20	PASS
			NV	0	-23000.00	-3.948498	20	PASS
			NV	10	-23500.00	-4.034335	20	PASS
			NV	20	-23500.00	-4.034335	20	PASS
			NV	30	-24000.00	-4.120172	20	PASS
			NV	40	-24000.00	-4.120172	20	PASS
40M	Ant1	5190	NV	45	-24000.00	-4.120172	20	PASS
			NV	0	-18500.00	-3.564547	20	PASS
			NV	10	-19000.00	-3.660886	20	PASS
			NV	20	-19000.00	-3.660886	20	PASS
			NV	30	-19000.00	-3.660886	20	PASS
			NV	40	-19000.00	-3.660886	20	PASS
	Ant2	5190	NV	45	-19000.00	-3.660886	20	PASS
			NV	0	-19000.00	-3.660886	20	PASS
			NV	10	-19000.00	-3.660886	20	PASS
			NV	20	-19000.00	-3.660886	20	PASS
			NV	30	-19500.00	-3.757225	20	PASS
			NV	40	-19500.00	-3.757225	20	PASS
	Ant1	5230	NV	45	-19500.00	-3.757225	20	PASS
			NV	0	-18500.00	-3.537285	20	PASS
			NV	10	-19000.00	-3.632887	20	PASS
			NV	20	-19000.00	-3.632887	20	PASS
			NV	30	-19000.00	-3.632887	20	PASS
			NV	40	-19500.00	-3.728489	20	PASS
	Ant2	5230	NV	45	-19500.00	-3.728489	20	PASS
			NV	0	-18500.00	-3.537285	20	PASS
			NV	10	-18500.00	-3.537285	20	PASS
			NV	20	-18500.00	-3.537285	20	PASS
			NV	30	-18500.00	-3.537285	20	PASS
			NV	40	-18500.00	-3.537285	20	PASS
	Ant1	5270	NV	45	-19000.00	-3.632887	20	PASS
			NV	0	-19000.00	-3.605313	20	PASS
			NV	10	-19500.00	-3.700190	20	PASS
			NV	20	-20000.00	-3.795066	20	PASS
			NV	30	-20000.00	-3.795066	20	PASS
			NV	40	-20500.00	-3.889943	20	PASS
	Ant2	5270	NV	45	-20000.00	-3.795066	20	PASS
			NV	0	-20000.00	-3.795066	20	PASS
			NV	10	-20000.00	-3.795066	20	PASS
			NV	20	-20000.00	-3.795066	20	PASS
			NV	30	-20000.00	-3.795066	20	PASS
			NV	40	-20500.00	-3.889943	20	PASS
	Ant1	5310	NV	45	-20500.00	-3.889943	20	PASS
			NV	0	-19500.00	-3.672316	20	PASS
			NV	10	-20000.00	-3.766478	20	PASS
			NV	20	-20000.00	-3.766478	20	PASS
			NV	30	-20500.00	-3.860640	20	PASS
			NV	40	-20500.00	-3.860640	20	PASS
	Ant2	5310	NV	45	-21000.00	-3.954802	20	PASS
			NV	0	-20000.00	-3.766478	20	PASS
			NV	10	-20500.00	-3.860640	20	PASS
			NV	20	-20500.00	-3.860640	20	PASS
			NV	30	-20500.00	-3.860640	20	PASS
			NV	40	-20500.00	-3.860640	20	PASS
			NV	45	-20500.00	-3.860640	20	PASS

CTC Laboratories, Inc.

Room 107, 108, 207, 208, 303 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of China Inspection And Testing

Society : yz.cncaq.com

TRF No: CTC-TR-062_A2



			NV	40	-20500.00	-3.860640	20	PASS
			NV	45	-20500.00	-3.860640	20	PASS
	Ant1	5510	NV	0	-20000.00	-3.629764	20	PASS
			NV	10	-20500.00	-3.720508	20	PASS
			NV	20	-21000.00	-3.811252	20	PASS
			NV	30	-21000.00	-3.811252	20	PASS
			NV	40	-21500.00	-3.901996	20	PASS
			NV	45	-21500.00	-3.901996	20	PASS
	Ant2	5510	NV	0	-22000.00	-3.992740	20	PASS
			NV	10	-22500.00	-4.083485	20	PASS
			NV	20	-22500.00	-4.083485	20	PASS
			NV	30	-22500.00	-4.083485	20	PASS
			NV	40	-23000.00	-4.174229	20	PASS
			NV	45	-23000.00	-4.174229	20	PASS
	Ant1	5550	NV	0	-22500.00	-4.054054	20	PASS
			NV	10	-19000.00	-3.423423	20	PASS
			NV	20	-21000.00	-3.783784	20	PASS
			NV	30	-21500.00	-3.873874	20	PASS
			NV	40	-21500.00	-3.873874	20	PASS
			NV	45	-22000.00	-3.963964	20	PASS
	Ant2	5550	NV	0	-22500.00	-4.054054	20	PASS
			NV	10	-23000.00	-4.144144	20	PASS
			NV	20	-23000.00	-4.144144	20	PASS
			NV	30	-23000.00	-4.144144	20	PASS
			NV	40	-23000.00	-4.144144	20	PASS
			NV	45	-23500.00	-4.234234	20	PASS
	Ant1	5670	NV	0	-21500.00	-3.791887	20	PASS
			NV	10	-21500.00	-3.791887	20	PASS
			NV	20	-22000.00	-3.880071	20	PASS
			NV	30	-22500.00	-3.968254	20	PASS
			NV	40	-22500.00	-3.968254	20	PASS
			NV	45	-22500.00	-3.968254	20	PASS
	Ant2	5670	NV	0	-22500.00	-3.968254	20	PASS
			NV	10	-23000.00	-4.056437	20	PASS
			NV	20	-23000.00	-4.056437	20	PASS
			NV	30	-23500.00	-4.144621	20	PASS
			NV	40	-23500.00	-4.144621	20	PASS
			NV	45	-23500.00	-4.144621	20	PASS
	Ant1	5755	NV	0	-20500.00	-3.562120	20	PASS
			NV	10	-21000.00	-3.649001	20	PASS
			NV	20	-21000.00	-3.649001	20	PASS
			NV	30	-21000.00	-3.649001	20	PASS
			NV	40	-21000.00	-3.649001	20	PASS
			NV	45	-21000.00	-3.649001	20	PASS
	Ant2	5755	NV	0	-22000.00	-3.822763	20	PASS
			NV	10	-22000.00	-3.822763	20	PASS
			NV	20	-22000.00	-3.822763	20	PASS
			NV	30	-22500.00	-3.909644	20	PASS
			NV	40	-22500.00	-3.909644	20	PASS
			NV	45	-22500.00	-3.909644	20	PASS
	Ant1	5795	NV	0	-20500.00	-3.537532	20	PASS
			NV	10	-21000.00	-3.623814	20	PASS
			NV	20	-21000.00	-3.623814	20	PASS
			NV	30	-21000.00	-3.623814	20	PASS
			NV	40	-21000.00	-3.623814	20	PASS
			NV	45	-21500.00	-3.710095	20	PASS
	Ant2	5795	NV	0	-22500.00	-3.882657	20	PASS
			NV	10	-22500.00	-3.882657	20	PASS
			NV	20	-22500.00	-3.882657	20	PASS
			NV	30	-22500.00	-3.882657	20	PASS
			NV	40	-23000.00	-3.968939	20	PASS
			NV	45	-22500.00	-3.882657	20	PASS
80M	Ant1	5210	NV	0	-17500.00	-3.358925	20	PASS
			NV	10	-18000.00	-3.454894	20	PASS
			NV	20	-18500.00	-3.550864	20	PASS

CTC Laboratories, Inc.

Room 107, 108, 207, 208, 303 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of China Inspection And Testing

TRF No: CTC-TR-062_A2

Society : yz.cncaq.com



			NV	30	-18500.00	-3.550864	20	PASS
			NV	40	-19000.00	-3.646833	20	PASS
			NV	45	-19000.00	-3.646833	20	PASS
	Ant2	5210	NV	0	-18500.00	-3.550864	20	PASS
			NV	10	-18500.00	-3.550864	20	PASS
			NV	20	-18500.00	-3.550864	20	PASS
			NV	30	-18500.00	-3.550864	20	PASS
			NV	40	-18500.00	-3.550864	20	PASS
			NV	45	-19000.00	-3.646833	20	PASS
			NV	45	-19000.00	-3.646833	20	PASS
	Ant1	5290	NV	0	-19500.00	-3.686200	20	PASS
			NV	10	-20000.00	-3.780718	20	PASS
			NV	20	-20000.00	-3.780718	20	PASS
			NV	30	-20000.00	-3.780718	20	PASS
			NV	40	-20000.00	-3.780718	20	PASS
			NV	45	-20500.00	-3.875236	20	PASS
	Ant2	5290	NV	0	-19000.00	-3.591682	20	PASS
			NV	10	-19500.00	-3.686200	20	PASS
			NV	20	-19500.00	-3.686200	20	PASS
			NV	30	-19500.00	-3.686200	20	PASS
			NV	40	-20000.00	-3.780718	20	PASS
			NV	45	-20000.00	-3.780718	20	PASS
	Ant1	5530	NV	0	-19500.00	-3.526221	20	PASS
			NV	10	-20000.00	-3.616637	20	PASS
			NV	20	-20500.00	-3.707052	20	PASS
			NV	30	-21000.00	-3.797468	20	PASS
			NV	40	-21000.00	-3.797468	20	PASS
			NV	45	-21000.00	-3.797468	20	PASS
	Ant2	5530	NV	0	-22500.00	-4.068716	20	PASS
			NV	10	-22500.00	-4.068716	20	PASS
			NV	20	-22500.00	-4.068716	20	PASS
			NV	30	-23000.00	-4.159132	20	PASS
			NV	40	-22500.00	-4.068716	20	PASS
			NV	45	-23000.00	-4.159132	20	PASS
	Ant1	5610	NV	0	-21500.00	-3.832442	20	PASS
			NV	10	-22000.00	-3.921569	20	PASS
			NV	20	-22000.00	-3.921569	20	PASS
			NV	30	-22000.00	-3.921569	20	PASS
			NV	40	-22500.00	-4.010695	20	PASS
			NV	45	-22500.00	-4.010695	20	PASS
	Ant2	5610	NV	0	-22500.00	-4.010695	20	PASS
			NV	10	-23000.00	-4.099822	20	PASS
			NV	20	-23000.00	-4.099822	20	PASS
			NV	30	-23500.00	-4.188948	20	PASS
			NV	40	-23500.00	-4.188948	20	PASS
			NV	45	-23500.00	-4.188948	20	PASS
	Ant1	5775	NV	0	-19500.00	-3.376623	20	PASS
			NV	10	-20000.00	-3.463203	20	PASS
			NV	20	-20500.00	-3.549784	20	PASS
			NV	30	-20500.00	-3.549784	20	PASS
			NV	40	-20500.00	-3.549784	20	PASS
			NV	45	-21000.00	-3.636364	20	PASS
	Ant2	5775	NV	0	-22000.00	-3.809524	20	PASS
			NV	10	-22000.00	-3.809524	20	PASS
			NV	20	-22000.00	-3.809524	20	PASS
			NV	30	-22000.00	-3.809524	20	PASS
			NV	40	-22500.00	-3.896104	20	PASS
			NV	45	-22500.00	-3.896104	20	PASS
160M	Ant1	5250	NV	0	-17500.00	-3.333333	20	PASS
			NV	10	-18000.00	-3.428571	20	PASS
			NV	20	-18500.00	-3.523810	20	PASS
			NV	30	-18500.00	-3.523810	20	PASS
			NV	40	-18500.00	-3.523810	20	PASS
			NV	45	-19000.00	-3.619048	20	PASS
	Ant2	5250	NV	0	-17000.00	-3.238095	20	PASS
			NV	10	-17500.00	-3.333333	20	PASS

CTC Laboratories, Inc.

Room 107, 108, 207, 208, 303 of Building A, Room 101 of Building B, No.7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of China Inspection And Testing

TRF No: CTC-TR-062_A2

Society : yz.cncaq.com



			NV	20	-17500.00	-3.333333	20	PASS
			NV	30	-17500.00	-3.333333	20	PASS
			NV	40	-17500.00	-3.333333	20	PASS
			NV	45	-17500.00	-3.333333	20	PASS
	Ant1	5570	NV	0	-19500.00	-3.500898	20	PASS
			NV	10	-20000.00	-3.590664	20	PASS
			NV	20	-21000.00	-3.770197	20	PASS
			NV	30	-21500.00	-3.859964	20	PASS
			NV	40	-21500.00	-3.859964	20	PASS
			NV	45	-22000.00	-3.949731	20	PASS
	Ant2	5570	NV	0	-22000.00	-3.949731	20	PASS
			NV	10	-22500.00	-4.039497	20	PASS
			NV	20	-22500.00	-4.039497	20	PASS
			NV	30	-22500.00	-4.039497	20	PASS
			NV	40	-22500.00	-4.039497	20	PASS
			NV	45	-23000.00	-4.129264	20	PASS



3.8. Antenna Requirement

Requirement

FCC CFR Title 47 Part 15 Subpart C Section 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Test Result

Pass.