



Report No.: TW2202197E File reference No.: 2022-03-04

Applicant: Shenzhen SQT Electronics Co.,Ltd

Product: Wireless Keyboard

Model No.: SK-666AG, SK-678AG, RF108, 666, KM3300, 888

Trademark: N/A

Test Standards: FCC Part 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10 & FCC Part 15 Subpart C,

Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

Terry long

Terry Tang

Manager

Dated: March 04, 2022

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: TW2202197E Page 2 of 36

Date: 2022-03-04



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

4

5

Report No.: TW2202197E

Date: 2022-03-04

1.4

1.5



Test Report Conclusion

Content 1.0 General Details 1.1 Test Lab Details. 1.2 Applicant Details. 1.3 Description of EUT.

1.6	Test Uncertainty.	5
1.7	Test By	5

Submitted Sample....

Test Duration....

1.7	Test By	5
2.0	List of Measurement Equipment.	6
3.0	Technical Details	7

3.1	Summary of Test Results.	7
3.2	Test Standards	7
4.0	EUT Modification.	7

5.0	Power Line Conducted Emission Test.	8
5.1	Schematics of the Test	8
5.2	Test Method and Test Procedure.	8
5.3	Configuration of the EUT	8

5.4	EUT Operating Condition	9
5.5	Conducted Emission Limit	9
5.6	Test Result	9

6.0	Radiated Emission test	10
6.1	Test Method and Test Procedure	10
6.2	Configuration of the EUT	11
6.3	EUT Operation Condition	11

7.0	Band Edge	21
6.5	Test Result.	13
6.4	Radiated Emission Limit	11

7.1	Test Method and Test Procedure	21
7.2	Radiated Test Setup	21
7.3	Configuration of the EUT	21
7.4	EVER O CONTROL OF THE	0.1

7.4	EUT Operating Condition	2.
7.5	Band Edge Limit	21
7.6	Band Edge Test Result	22
8.0	Antenna Requirement	26

0.0	Antenna Requirement.	20
9.0	20dB bandwidth measurement	27
10.0	FCC ID Label	30
11.0	Photo of Test Setup and EUT View	31

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2202197E Page 4 of 36

Date: 2022-03-04



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 744189 For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: Shenzhen SQT Electronics Co.,Ltd

Address: ZhengChengFeng TechnologyZone Xinsha Road,ShaYi Village, Sha jing Town, Baoan Area,

Shenzhen, China

Telephone: 0755-27568078 Fax: 0755-27568223

1.3 Description of EUT

Product: Wireless Keyboard

Manufacturer: Shenzhen SQT Electronics Co.,Ltd

Address: ZhengChengFeng TechnologyZone Xinsha Road,ShaYi Village, Sha jing

Town, Baoan Area, Shenzhen, China

Trademark: N/A

Model Number: SK-666AG

Additional Model Name SK-678AG, RF108, 666, KM3300, 888

Rating: DC1.5V, 12mA

Battery 1pc 1.5V AAA Battery

Modulation Type: GFSK

Operation Frequency: 2408-2474MHz

Channel Number: 34
Channel Separation: 2MHz

Hardware Version: MA138W5-3

Software Version: MA138W5-3_K+M_V01test3_5.HEX CS:06DA

Serial No.: SMK666395211201309

Antenna Designation PCB antenna with gain -0.61dBi Max (Get from the antenna specification)

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2202197E Page 5 of 36

Date: 2022-03-04



1.4 Submitted Sample: 1 pc

1.5 Test Duration

2022-02-28 to 2022-03-04

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Conducted Emissions Uncertainty = 3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Page 6 of 36

Report No.: TW2202197E

Date: 2022-03-04



2.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2021-06-18	2022-06-17
LISN	R&S	EZH3-Z5	100294	2021-06-18	2022-06-17
LISN	R&S	EZH3-Z5	100253	2021-06-18	2022-06-17
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2021-06-18	2022-06-17
Loop Antenna	EMCO	6507	00078608	2021-06-18	2024-06-17
Spectrum	R&S	FSIQ26	100292	2021-06-18	2022-06-17
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2021-07-02	2024-07-01
Horn Antenna	R&S	BBHA 9120D	9120D-631	2021-07-02	2024-07-01
Power meter	Anritsu	ML2487A	6K00003613	2021-06-18	2022-06-17
Power sensor	Anritsu	MA2491A	32263	2021-06-18	2022-06-17
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2021-07-02	2024-07-01
9*6*6 Anechoic			N/A	2021-07-02	2022-07-01
EMI Test Receiver	RS	ESVB	826156/011	2021-06-18	2022-06-17
EMI Test Receiver	RS	ESH3	860904/006	2021-06-18	2022-06-17
Spectrum	HP/Agilent	ESA-L1500A	US37451154	2021-06-18	2022-06-17
Spectrum	HP/Agilent	E4407B	MY50441392	2021-06-18	2022-06-17
Spectrum	RS	FSP	1164.4391.38	2021-01-16	2022-01-15
RF Cable	Zhengdi	ZT26-NJ-NJ-8M/FA		2021-06-18	2022-06-17
RF Cable	Zhengdi	7m		2021-06-18	2022-06-17
RF Switch	EM	EMSW18	060391	2021-06-18	2022-06-17
Pre-Amplifier	Schwarebeck	BBV9743	#218	2021-06-18	2022-06-17
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2021-06-18	2022-06-17
LISN	SCHAFFNER	NNB42	00012	2022-01-05	2023-01-04

2.2 Automation Test Software

For Conducted Emission Test

Name	Version	
EZ-EMC	Ver.EMC-CON 3A1.1	

For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2202197E Page 7 of 36

Date: 2022-03-04



3.0 Technical Details

3.1 Summary of test results

The EUT has been tested according to the following specifications:

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.203	Antenna Requirement	Pass	Complies
FCC Part 15, Paragraph 15.207	Conducted Emission Test	N/A	N/A
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	Pass	Complies
FCC Part 15, Paragraph 15.209 and RSS-210	Radiated Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	Pass	Complies

3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

4.0 EUT Modification


No modification by SHENZHEN TIMEWAY TESTING LABORATORIES

Date: 2022-03-04



5. Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2014.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.4-2014. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

A. EUT

Device	Manufacturer	Model	FCC ID
Wireless Keyboard	Shenzhen SQT Electronics Co.,Ltd	SK-666AG, SK-678AG,	WOX-SK-666AG
Wifeless Reyboard	Shelizhen SQ1 Electronics Co.,Ltd	RF108, 666, KM3300, 888	WOA-SK-000AG

Report No.: TW2202197E Page 9 of 36

Date: 2022-03-04



B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

C. Peripherals

Device	Manufacturer	Model	Rating
N/A			

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2014

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

Frequency	Limits (dB µ V)			
(MHz)	Quasi-peak Level	Average Level		
$0.15 \sim 0.50$	66.0~56.0*	56.0~46.0*		
$0.50 \sim 5.00$	56.0	46.0		
5.00 ~ 0.00	60.0	50.0		

Notes: 1. *Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

N/A

Note: EUT powered by AAA battery, this test item not applicable.

Date: 2022-03-04




6 Radiated Emission Test


- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz (Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz



For radiated emissions from 30MHz to1GHz



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2022-03-04



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT

 Same as section 5.3 of this report
- 6.3 EUT Operating Condition
 Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Stre	ength of Fundame	ntal (3m)	Field S	trength of Harmo	onics (3m)
(MHz)	mV/m	dBu	V/m	uV/m	dBu	V/m
2400-2483.5	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)

Note:

- 1. RF Field Strength $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

Report No.: TW2202197E Page 12 of 36

Date: 2022-03-04



B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dB µ V/m)
0.009-0.049	3	20log(2400/F(kHz)) +40log (300/3)
0.490-1.705	3	20log(24000/F(kHz)) +40log (30/3)
1.705-30	3	69.5
30-80	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.
- 5. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 6. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.
- 7. New battery was used during tests.

Report No.: TW2202197E Page 13 of 36

Date: 2022-03-04




6.5 Test result

A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2408MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	Limit (dB)		(o)	(cm)		
1	2407.798	82.99	-3.57	114.0	-31.01	Peak	153.00	100	Horizontal	Pass

Report No.: TW2202197E Page 14 of 36

Date: 2022-03-04



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2407.798	77.41	-3.57	114.0	-36.59	Peak	3.00	100	Vertical	Pass


Report No.: TW2202197E Page 15 of 36

Date: 2022-03-04



Please refer to the following test plots for details: Middle Channel-2440MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2440.390	82.57	-3.57	114.0	-31.43	Peak	153.00	100	Horizontal	Pass
2	4879.280	47.04	3.20	74.0	-26.96	Peak	358.00	100	Horizontal	Pass

Report No.: TW2202197E Page 16 of 36

Date: 2022-03-04



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2440.390	76.86	-3.57	114.0	-37.14	Peak	0.00	100	Vertical	Pass


Report No.: TW2202197E Page 17 of 36

Date: 2022-03-04



Please refer to the following test plots for details: High Channel-2474MHz

Horizontal



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2474.381	82.58	-3.57	114.0	-31.42	Peak	317.00	100	Horizontal	Pass
2	4947.263	47.20	3.33	74.0	-26.80	Peak	1.00	100	Horizontal	Pass


Page 18 of 36

Report No.: TW2202197E

Date: 2022-03-04



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2474.381	74.35	-3.57	114.0	-39.65	Peak	252.00	100	Vertical	Pass
2	4947.263	49.59	3.33	74.0	-24.41	Peak	90.00	100	Vertical	Pass

Note: (2) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

- (3)Margin=Emission-Limits
- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise. No necessary to take down.
- (6) the measured PK value less than the AV limit.

Report No.: TW2202197E Page 19 of 36

Date: 2022-03-04




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	215.951	22.85	-13.60	43.5	-20.65	Peak	360.00	100	Horizontal	Pass
2	239.953	28.62	-12.33	46.0	-17.38	Peak	178.00	100	Horizontal	Pass
3	263.954	25.44	-11.79	46.0	-20.56	Peak	2.00	100	Horizontal	Pass
4	287.956	28.27	-11.27	46.0	-17.73	Peak	149.00	100	Horizontal	Pass
5	344.686	25.85	-9.53	46.0	-20.15	Peak	299.00	100	Horizontal	Pass
6	500.090	27.90	-6.91	46.0	-18.10	Peak	292.00	200	Horizontal	Pass

Report No.: TW2202197E Page 20 of 36

Date: 2022-03-04




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	211.345	17.77	-13.68	43.5	-25.73	Peak	304.00	200	Vertical	Pass
2	256.681	18.89	-11.98	46.0	-27.11	Peak	307.00	200	Vertical	Pass
3	338.868	23.00	-9.77	46.0	-23.00	Peak	360.00	200	Vertical	Pass
4	387.113	24.99	-9.01	46.0	-21.01	Peak	0.00	100	Vertical	Pass
5	500.090	30.18	-6.91	46.0	-15.82	Peak	345.00	100	Vertical	Pass
6	571.610	25.66	-5.82	46.0	-20.34	Peak	360.00	200	Vertical	Pass

Date: 2022-03-04




7. Band Edge

7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

7.3 Configuration of The EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.


Report No.: TW2202197E Page 22 of 36

Date: 2022-03-04



7.6 Test Result

Product:	Wireless Keyboard	Polarity	Horizontal
Mode	Keeping Transmitting	Test Voltage	DC1.5V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass		



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
2	2390.002	47.52	-3.53	74.0	-26.48	Peak	82.00	100	Horizontal	Pass
3	2399.110	40.06	-3.56	74.0	-33.94	Peak	272.00	100	Horizontal	Pass

Report No.: TW2202197E Page 23 of 36



	Product:	V	Vireless Ke	yboard	De	etector		Vertical		
	Mode	Ke	Keeping Transmitting Test Voltage 24 deg. C, Humidity		ping Transmitting Test Voltage			DC1	1.5V	
Te	mperature				midity 56% RH		RH			
Т	est Result:		Pass					_	-	
C Part :	15C Class B 1GHz-18GHz	-2								
ġ	90-									
8	30-									
7	70-									
6	50-							$-/-\lambda_{-}$		
	50-						$ \wedge$	/ \	11/M	
ill/and				. 🚜				/ \	$\Psi = V_{0}$	Inst.
	10 - at a support date of the black	وبالمار ويساولون ويروي ويوار والمراولة المروور ويراولون	holatedigen on the lettern of the letter April	hadroner and department	Mary Mary Land	hypothesis	week.	,	M.	La Print
(m/ngg) 4	CO- COLORDON CONTRACTOR CONTRACTO	and the state of t								
	SO-	- The state of the								
3	to and the second secon									
2	80-									
2	20-									
2	20 -			Fre	quency (MHz)					2420
1 0	20 -	Results	Factor	Fre	quency (MHz) Over Limit	Detector	Table	Height	ANT	1
2	20	Results (dBuV/m)	Factor (dB)	T	1	Detector	Table (o)	Height (cm)	ANT	2420 Verdid

No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
2	2400.422	38.28	-3.57	74.0	-35.72	Peak	324.00	100	Vertical	Pass
3	2389.820	46.82	-3.53	74.0	-27.18	Peak	338.00	100	Vertical	Pass

Report No.: TW2202197E Page 24 of 36



]	Product:		Wireless	Keyboard		Polari	ity]	Horizontal	
	Mode	I	Keeping Ti	ransmitting		Test Vol	tage		DC1.5V	
Te	mperature		24 de	eg. C,		Humidity		ity 56% RH		
Т	est Result:		Pa	ass						
CC Part 1	15C Class B 1GHz-18GHz	-2								
8	500-									
(w/\ngp) soal	00-				and the second second	March London Laboration of the Control of the Contr	معية فيطون سناجي فأحدث	for the should state the	useuskiid päyseest, santyvad kien fir	to the last
(iii/angn) isaas 4	50-			2483.5 F	requency (MHz)	Hamalin bis al phis	الإسلامة والمعارض وا	for do denied figels, de	narunksis pagamun aynapag dan f	2500
(III/Annon) 4 3 2 1	50-	Results	Factor			Detector	Table	Height	ANT	I
(W/Ango) iawai 3	00-2470	Results (dBuV/m)	Factor (dB)	F	requency (MHz)		Table (o)	Height (cm)	ANT	2500 Verdi

Report No.: TW2202197E Page 25 of 36

Date: 2022-03-04



I	Product: Wireless Keyboard					Dete	ector		Vertical	
	Mode	ŀ	Keeping Ti	ransmitting		Test V	oltage		DC1.5V	
Tei	mperature		24 de	eg. C,		Hum	idity			
Te	st Result:		Pa	ISS			-			
1.0E+2 90 80 77 60 (GA) Nn PD 40 30 20				2483.5	quency (MHz)	inada. Palanja inadeologiani	endelisen, paylis instalanop	kvoljek kvojski skojan kvolvek vez.	nedisyntat flav the half who when belle	2500
No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
2	2483.414	39.33	-3.57	74.0	-34.67	Peak	36.00	100	Vertical	Pass
				·						

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

2. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

Report No.: TW2202197E Page 26 of 36

Date: 2022-03-04



8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna. The antenna gain is -0.61dBi Max. It fulfills the requirement of this section. Test Result: Pass

Report No.: TW2202197E Page 27 of 36



Ref Lvl	Wireless Keyboard Keeping Transmitting 24 deg. C, Pass 1.287MHz Marker 1 [T1 ndB] ndB 20.00 dB BW 1.28657315 MHz	Test Mode: Test Voltage Humidity Detector RBW 100 k VBW 300 k SWT 5 n	DC1.5V 56% RH PK SHZ RF Att 20 dB SHZ
Temperature Test Result: 20dB Bandwidth Ref Lv1 10 dBm	24 deg. C, Pass 1.287MHz Marker 1 [T1 ndB] ndB 20.00 dB	Humidity Detector RBW 100 k VBW 300 k SWT 5 n	56% RH PK CHz RF Att 20 dB CHz INS Unit dBm [T1] -C.13 dBm
Test Result: 20dB Bandwidth Ref Lv1 10 dBm	Pass 1.287MHz Marker 1 [T1 ndB] ndB 20.00 dB	Detector RBW 100 k VBW 300 k SWT 5 n	PK cHz RF Att 20 dB cHz ns Unit dBm [T1] -C.13 dBm
20dB Bandwidth Ref Lvl 10 dBm	1.287MHz Marker 1 [T1 ndB] ndB 20.00 dB	 RBW 100 k VBW 300 k SWT 5 n	CHZ RF Att 20 dB CHZ ns Unit dBm [T1] -C.13 dBm
Ref Lvl 10 dBm	Marker 1 [T1 ndB] ndB 20.00 dB	RBW 100 k VBW 300 k SWT 5 n	KHZ RF Att 20 dB KHZ ms Unit dBm [T1] -C.13 dBm
Ref Lvl 10 dBm	ndB 20.00 dB	VBW 300 k	cHz ms Unit dBm [T1] -C.13 dBm
10 dBm		SWT 5 m	ms Unit dBm
	BW 1.28657315 MHz		[T1] -C.13 dBm
	1	▼1	A
	1		2 40777455 CH2
0			
	J' Warm		30.00 dB 1.28657315 MHz
-10	- MV		1.2803/313 MHZ
-10	Morror	VM	2.40738978 GHz
	Ţ,	$oldsymbol{ abla}_{ m T}$	7[2T1] -20.51 dBm
-20 1MAX	me of		2.40867635 GH2
-30			- Wall Jund
-40			
-50			
-60			
-70			
, 0			
-80			
-90 Center 2.408 GF	Hz 300	kHz/	Span 3 MHz
Date: 4.MAR.20	22 10:49:51		

Page 28 of 36

Report No.: TW2202197E



Product:	Wireless Keybo	ard	Test Mode:	Keep tra	nsmitting
Mode	Keeping Transmi	tting	Test Voltage	DC	1.5V
Temperature	24 deg. C,		Humidity	56%	6 RH
Test Result:	Pass		Detector	F	PK
20dB Bandwidth	1.311MHz				
KAN TENENT	Marker 1 [T1 r	ndB] F	RBW 100 kHz	z RF Att	20 dB
Ref Lvl	ndB 20.	00 dB V	7BW 300 kHz	z	
10 dBm	BW 1.310621	24 MHz S	SWT 5 ms	Unit	dBm
10			▼1 [T1] 0	.09 dBm
			<u> </u>	2.44029	760 GHz
0		my many	ndB	20	.00 dB
	M		BW ▼T1	1.31062	124 MHz
-10			~ \/	2.43936	
	T1		▽ _Т 2	[2r1] -19	.50 dBm
-20	<i>-</i>			2.44067	635 GHz 1MA
Male dust an	an work that I			Why May	
-30 -30 -30 -30 -30 -30 -30 -30 -30 -30	100				~~dhoral
-40					
-50					
-60					
-70					
-80					
-90					
Center 2	.44 GHz	300 kHz/		Spa	n 3 MHz
Date: 4.	MAR.2022 11:03:18				

Report No.: TW2202197E Page 29 of 36



Product:	Wireless Keyboard				Test Mode:		Keep transmitting		
Mode	Keeping Transmitting			Test Voltage			DC1.5V		
Temperature	24 deg. C,			Humidity			56% RH		
Test Result:	Pass				Detector		PK		
20dB Bandwidth	1.238MHz								
Marker 1 [T1 ndB]		I	RBW	100 kH	Iz R	F Att	20 dB		
Ref Lvl	ndB 20.00 dB			/BW	300 kH				
10 dBm	BW	L.23847695 M	Hz S	SWT	5 ms	s Ui	nit	dBm	l
10					v ₁	[T1]	-0	.80 dBm	A
				1			2.47427	355 GHz	
0		W	. 4 74. 4	74	ndB		20	.00 dB	
			Myn	V	BW	[17]	1.23847	695 MHz	
-10		W/M			~~~		2.47342	.74 dbm	
					\sqrt{1\mu_1}	r ^[T1]	-21	.22 dBm	
-20	/س	9				5	2.47466	433 GHz	1MA
	when h					\ I	lame 1	1	
-30 While	A-MA-					→ dV.	W V	الاسلال	
-40								**	
-50									
-60									
-70									
-80									
-90									
Center 2.474 GHz 300 kHz/ Span 3 MHz									
Date: 4.MAR.2022 11:00:22									

Report No.: TW2202197E Page 30 of 36

Date: 2022-03-04



10.0 FCC ID Label


FCC ID: WOX-SK-666AG

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Date: 2022-03-04



11.0 Photo of testing

11.1 Conducted test View-N/A

Radiated emission test view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.

Date: 2022-03-04



11.2 Photographs – EUT

Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2022-03-04



Photographs - EUT

Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 34 of 36

Report No.: TW2202197E

Date: 2022-03-04



Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 35 of 36

Report No.: TW2202197E

Date: 2022-03-04



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.

Report No.: TW2202197E Page 36 of 36



Inside view



-- End of the report--