


1 Annex A – Test setup

1.1 List of Pictures


Picture 1: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)	2
Picture 2: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)	2
Picture 3: SAC, radiated emission test 30 MHz - 1 GHz (front view)	3
Picture 4: SAC, radiated emission test 30 MHz - 1 GHz (rear view)	3
Picture 5: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)	4
Picture 6: SAC, radiated emission test 1 GHz – 12.75 GHz (rear view)	4
Picture 7: Test setup AC power line conducted emissions (front view)	5
Picture 8: Test setup AC power line conducted emissions (rear view)	5
Picture 9: Test setup for occupied bandwidth tests	6
Picture 10: Test setup for climate chamber tests	6
Picture 11: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)	7
Picture 12: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)	7
Picture 13: SAC, radiated emission test 30 MHz - 1 GHz (front view)	8
Picture 14: SAC, radiated emission test 30 MHz - 1 GHz (rear view)	8
Picture 15: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)	9
Picture 16: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)	9
Picture 17: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)	10
Picture 18: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)	10
Picture 19: SAC, radiated emission test 30 MHz - 1 GHz (front view)	11
Picture 20: SAC, radiated emission test 30 MHz - 1 GHz (rear view)	11
Picture 21: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)	12
Picture 22: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)	12
Picture 23: EUT position X	13
Picture 24: EUT position Y	13
Picture 25: USB cable	14
Picture 26: RS-485 adapter	14
Picture 27: Wiegand adapter	15
Picture 28: RFID tag	15

USB mode

Picture 1: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)




Picture 2: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)




Picture 3: SAC, radiated emission test 30 MHz - 1 GHz (front view)




Picture 4: SAC, radiated emission test 30 MHz - 1 GHz (rear view)




Picture 5: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)



Picture 6: SAC, radiated emission test 1 GHz – 12.75 GHz (rear view)




Picture 7: Test setup AC power line conducted emissions (front view)




Picture 8: Test setup AC power line conducted emissions (rear view)




Picture 9: Test setup for occupied bandwidth tests




Picture 10: Test setup for climate chamber tests

RS-485 mode


Picture 11: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)




Picture 12: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)




Picture 13: SAC, radiated emission test 30 MHz - 1 GHz (front view)




Picture 14: SAC, radiated emission test 30 MHz - 1 GHz (rear view)




Picture 15: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)




Picture 16: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)

Wiegand mode


Picture 17: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)




Picture 18: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)




Picture 19: SAC, radiated emission test 30 MHz - 1 GHz (front view)



Picture 20: SAC, radiated emission test 30 MHz - 1 GHz (rear view)



Picture 21: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)



Picture 22: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)

Note(s):

1. Position Y is the normal position of use.
2. Position X was only used for the radiated tests below 30 MHz, because the measurement antenna can only be polarized vertical.




Picture 23: EUT position X




Picture 24: EUT position Y




Picture 25: USB cable



Picture 26: RS-485 adapter



Picture 27: Wiegand adapter



Picture 28: RFID tag