



TEST REPORT

No.I21N02743-SAR

For

Doro AB

mobile phone

Model Name: DSB-0400

With

Hardware Version: 1011

Software Version:

NEMO01A-S10A_DSB0400_120_USERDEBUG_210915

FCC ID: WS5DSB0400

Issued Date: 2021-10-13

Designation Number: CN1210

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn www.saitc.ac.cn



Picture 1: Front side of the sample



Picture 2: Back side of the sample



Test positions for Head:



Picture 3: Left Cheek Position



Picture 4: Left Tilt 15° Position




Picture 5: Right Cheek Position




Picture 6: Right Tilt 15° Position



Test positions for body:



Picture 7: Front Side (10mm)




Picture 8: Rear Side (10mm)



Picture 9: Left Side (10mm)



Picture 10: Right Side (10mm)



Picture 11: Top Side (10mm)



Picture 12: Bottom Side (10mm)



Picture 13: Front Side (15mm)



Picture 14: Rear Side (19mm)



Picture 15: Bottom Side (19mm)