

Conducted test results

No.1-6634/23-01-15_Annex_MR

August 24, 2023

Test Standard(s) FCC 15.247, ISED RSS247 - NI

This document is electronically signed and valid without handwritten signature.
Public keys for verification of the electronic signatures can be requested at the testing laboratory.

Authorized

Michael Dorongovski

Lab Manager
Radio Labs

FCC 15.247, ISED RSS247 # Bandwidth 99PCT and 20dB ~ Generic 2G4

References

TC start	22.08.2023 15:26:40
Ambit temp [°C] humidity [rel%]	28.3 40
System version	4.6.1.0
Standard Version	FCC 15.247, ISED RSS247 NI
Method	
Description	FCC 15.247 Bandwidth 99PCT-20DB DTS - Generic 2G4
Information	

EUT Common settings 2G4

Hopping supported	No
Burst length [ms]	1
Nominal Bandwidth [MHz]	1.7568
User Interaction	Yes

Test Parameter

Technology to test	Generic 2G4
Antenna port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True Freq [MHz] 2404
Frequency mid to test	True Freq [MHz] 2442
Frequency high to test	True Freq [MHz] 2478
Auto control enabled power supply Climatic Box	No No
Additional path loss [dB]	0.7
Switched path	EUT - SignalingUnit - SpectrumAnalyzer

Equipment

Signal analyzer,Rohde&Schwarz,FSV-30,1321.3008K30/103809,3.70
Signaling unit,Rohde&Schwarz,CMW,1201.0002k75/102550,4.0.62
Switch matrix,CTCadvanced,RSM-1 NI DAQ,29655273,NI


Test at TX 2404 MHz


RESULT: Reference Power cond.

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Ref. Power 1MHz/1MHz cond.	---	---	-0.23	dBm	INFO
Ref. Frequency	---	---	2403.500	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	4.77 10.8 10
Start [MHz] Stop [MHz]	2402.243 2405.757
RBW [MHz] VBW [MHz]	0.030000 0.100000
Detector TraceMode	POS MAXH
Sweep: time [ms] count points per Section type	50 200 10001 SWE







BW within Band 99PCT

RESULT

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Bandwidth 99%	---	---	1715.000	kHz	INFO
T1 99%	2400.000000	---	2403.1519	MHz	PASS
T2 99%	---	2483.500000	2404.8667	MHz	PASS



BW 20dB



BW within Band 20dB

RESULT

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Bandwidth 20dB	---	---	1568	kHz	INFO
T1 20dB	2400.000000	---	2403.1863	MHz	PASS
T2 20dB	---	2483.500000	2404.7544	MHz	PASS


Test at TX 2442 MHz


RESULT: Reference Power cond.

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Ref. Power 1MHz/1MHz cond.	---	---	-1.72	dBm	INFO
Ref. Frequency	---	---	2442.500	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	3.28 10.8 10
Start [MHz] Stop [MHz]	2440.243 2443.757
RBW [MHz] VBW [MHz]	0.030000 0.100000
Detector TraceMode	POS MAXH
Sweep: time [ms] count points per Section type	50 200 10001 SWE







BW within Band 99PCT

RESULT

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Bandwidth 99%	---	---	1831.000	kHz	INFO
T1 99%	2400.000000	---	2441.1473	MHz	PASS
T2 99%	---	2483.500000	2442.9784	MHz	PASS



BW 20dB



BW within Band 20dB

RESULT

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Bandwidth 20dB	---	---	1630	kHz	INFO
T1 20dB	2400.000000	---	2441.1901	MHz	PASS
T2 20dB	---	2483.500000	2442.8197	MHz	PASS


Test at TX 2478 MHz


RESULT: Reference Power cond.

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Ref. Power 1MHz/1MHz cond.	---	---	-2.54	dBm	INFO
Ref. Frequency	---	---	2478.500	MHz	INFO

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	2.46 10.85 10
Start [MHz] Stop [MHz]	2476.243 2479.757
RBW [MHz] VBW [MHz]	0.030000 0.100000
Detector TraceMode	POS MAXH
Sweep: time [ms] count points per Section type	50 200 10001 SWE







BW within Band 99PCT

RESULT

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Bandwidth 99%	---	---	1873.000	kHz	INFO
T1 99%	2400.000000	---	2477.1681	MHz	PASS
T2 99%	---	2483.500000	2479.0410	MHz	PASS



BW 20dB



BW within Band 20dB

RESULT

DESCRIPTION	LOWER LIMIT	UPPER LIMIT	MEASURED	UNIT	VERDICT
Bandwidth 20dB	---	---	1532	kHz	INFO
T1 20dB	2400.000000	---	2477.2224	MHz	PASS
T2 20dB	---	2483.500000	2478.7547	MHz	PASS

Verdict

PASS

- END OF DOCUMENT -