



### 5.49. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB, all positions, f\_CW\_high



16:41:56 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.50. 98 GHz – 110 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



16:02:20 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.51. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



09:59:04 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.52. 110 GHz – 140 GHz, ANT HOR + VER, SigID LSB, all positions, f\_CW\_low




10:01:05 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.53. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB, all positions, f\_CW\_low



### 5.54. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center




### 5.55. 110 GHz – 140 GHz, ANT HOR + VER, SigID LSB, all positions, f\_CW\_center



10:26:46 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.56. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB, all positions, f\_CW\_center



10:26:02 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.57. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



10:31:21 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.58. 110 GHz – 140 GHz, ANT HOR + VER, SigID LSB, all positions, f\_CW\_high



10:31:57 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.59. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB, all positions, f\_CW\_high



10:31:36 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.60. 110 GHz – 122 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



20:09:00 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.61. 122 GHz – 138 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



21:48:11 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED). No real signal is above the limit.


## 5.62. 138 GHz – 140 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW




20:21:31 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.63. 140 GHz – 162 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



### 5.64. 140 GHz – 162 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center




### 5.65. 140 GHz – 162 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



13:21:23 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.66. 140 GHz – 154 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



12:33:59 17.05.2019

\* -20 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.67. 154 GHz – 162 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



12:43:56 17.05.2019

\* -20 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.68. 162 GHz – 200 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



16:17:41 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm.


### 5.69. 162 GHz – 200 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



16:29:48 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm.


### 5.70. 162 GHz – 200 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



16:43:10 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm.


### 5.71. 162 GHz – 170 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



15:12:42 17.05.2019

\* -20 dBm is only a reference line from the FSW67. Limit is -1.7 dBm.


### 5.72. 170 GHz – 200 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



15:47:35 17.05.2019

\* -20 dBm is only a reference line from the FSW67. Limit is -1.7 dBm.


### 5.73. 200 GHz – 220 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



16:26:37 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).


### 5.74. 200 GHz – 220 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



16:37:07 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).


## 5.75. 200 GHz – 220 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



16:41:43 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).


## 5.76. 200 GHz – 220 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



16:09:52 17.05.2019


\* -40 dB is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

### 5.77. 220 GHz – 243 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low




\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

### 5.78. 220 GHz – 243 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).


## 5.79. 220 GHz – 243 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



18:46:56 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

## 5.80. 220 GHz – 243 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



19:13:30 17.05.2019

\* -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

## EUT D

**5.81. 9 kHz – 30 MHz, EUT D, laying, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**  
 See diagram 5.1

**5.82. 9 kHz – 30 MHz, EUT D, standing, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**  
 See diagram 5.2

**5.83. 30 MHz – 1 GHz, EUT D, laying, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**  
 See diagram 5.3

**5.84. 30 MHz – 1 GHz, EUT D, standing, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**


See diagram 5.4

**5.85. 960 MHz – 1 GHz, EUT D, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**  
 See diagram 5.5

**5.86. 1 GHz – 7 GHz, EUT D, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**  
 See diagram 5.6

**5.87. 7 GHz – 18 GHz, EUT D, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**  
 See diagram 5.7


**5.88. 18 GHz – 40 GHz, EUT D, ANT VER, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high**



14:16:47 19.05.2019

\* -27 dBm is only a reference line from the FSW67. Limit is -41.23 dBm.


### 5.89. 18 GHz – 40 GHz, EUT D, ANT HOR, valid for f\_CW\_low + f\_CW\_center + f\_CW\_high



14:12:08 19.05.2019

\* -27 dBm is only a reference line from the FSW67. Limit is -41.23 dBm.


### 5.90. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, all positions, f\_CW\_low



14:59:27 18.05.2019

\* -27 dBm is only a reference line from the FSW67. Limit is -30 dBm and -1.7 dBm.


### 5.91. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, all positions, f\_CW\_center



15:00:22 18.05.2019

\* -27 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.92. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, all positions, f\_CW\_high




15:01:46 18.05.2019

\* -27 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.93. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW



### 5.94. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low




## 5.95. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_low



13:02:35 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.96. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_low



13:02:02 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.97. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



13:06:28 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.98. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_center



13:08:24 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.99. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_center



13:07:13 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.100. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



13:12:34 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.101. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_high



13:16:12 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -30 dBm and -1.7 dBm.


## 5.102. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_high



13:13:06 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.103. 55 GHz – 73.5 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



12:36:19 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.104. 73.5 GHz – 74.5 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



12:43:07 18.05.2019


\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and 0 dBm (ISED).

### 5.105. 74.5 GHz – 75 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW



\* -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and 0 dBm (ISED).


### 5.106. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



17:58:08 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.107. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_low



18:00:22 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.108. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_low



17:59:41 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.109. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



18:04:32 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.110. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_center



18:06:24 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.111. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_center



18:05:54 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.112. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



18:11:09 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.113. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_high



18:12:31 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.114. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_high



18:11:50 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.115. 75 GHz – 76 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW



12:58:59 16.05.2019

\*-4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and 0 dBm (ISED).


### 5.116. 77 GHz – 78.5 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW



13:01:35 16.05.2019

\* -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED). There is no real emission equal or above the limit.


### 5.117. 78.5 GHz – 79.5 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



13:07:39 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.118. 79.5 GHz – 81 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



13:16:22 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.119. 81 GHz – 90 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



13:39:37 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.120. 90 GHz – 98 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW




14:08:50 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.121. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low




### 5.122. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_low




### 5.123. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_low



### 5.124. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center




### 5.125. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_center



18:30:05 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.126. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_center



18:29:28 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.127. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



18:19:31 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.128. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_high




18:20:46 16.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


## 5.129. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_high



## 5.130. 98 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW




### 5.131. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



10:04:23 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.132. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_low



10:05:09 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.133. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_low



10:04:44 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.134. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



10:08:52 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.135. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_center



10:09:36 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.136. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_center



10:09:12 18.05.2019


\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).

### 5.137. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high




\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).

### 5.138. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f\_CW\_high



\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.139. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f\_CW\_high



10:13:57 18.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.140. 110 GHz – 122 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



19:24:09 16.05.2019


\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).

### 5.141. 122 GHz – 138 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW




\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limits are line H1 and H2. No real emission above the limit.

### 5.142. 138 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.143. 140 GHz – 162 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



13:41:42 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.144. 140 GHz – 162 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



13:44:50 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.145. 140 GHz – 162 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



13:47:09 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.146. 140 GHz – 154 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW




11:42:29 17.05.2019

\* -20 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


### 5.147. 154 GHz – 162 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW



### 5.148. 162 GHz – 200 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low




### 5.149. 162 GHz – 200 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



17:23:57 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm.


### 5.150. 162 GHz – 200 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high




17:44:07 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm.


### 5.151. 162 GHz – 170 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW



### 5.152. 170 GHz – 200 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW




### 5.153. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low



17:04:50 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).


### 5.154. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center



17:36:25 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).


### 5.155. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



17:42:18 17.05.2019

\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).


### 5.156. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW



15:00:58 17.05.2019


\* -40 dB is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

### 5.157. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_low




\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

### 5.158. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_center




\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

### 5.159. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f\_CW\_high



\* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

### 5.160. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW




\* -21 dBm is only a reference line from the FSW67. Limit is 0.5 dBm (see calculations in subsection 5.8.6).

## 6. Frequency stability

### EUT A, Mode 1


#### 6.1. T<sub>nom</sub>/V<sub>nom</sub>



15:33:55 13.05.2019

\* -4 dBm is only a reference line from the FSW67.


#### 6.2. T<sub>min</sub>/V<sub>nom</sub>



11:23:07 13.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.3. T<sub>max</sub>/V<sub>nom</sub>



13:55:43 15.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.4. T<sub>nom</sub>/V<sub>min</sub>



11:21:50 14.05.2019

\* -4 dBm is only a reference line from the FSW67.

## 6.5. $T_{nom}/V_{max}$




11:53:19 14.05.2019

\* -4 dBm is only a reference line from the FSW67.

## EUT B, Mode 1


### 6.6. T<sub>nom</sub>/V<sub>nom</sub>



12:47:24 14.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.7. T<sub>min</sub>/V<sub>nom</sub>



15:24:26 12.05.2019

\* -4 dBm is only a reference line from the FSW67.


## 6.8. T<sub>max</sub>/V<sub>nom</sub>



14:32:43 15.05.2019

\* -4 dBm is only a reference line from the FSW67.


## 6.9. T<sub>nom</sub>/V<sub>min</sub>



12:30:31 14.05.2019

\* -4 dBm is only a reference line from the FSW67.

## 6.10. $T_{nom}/V_{max}$




12:48:56 14.05.2019

\* -4 dBm is only a reference line from the FSW67.

## EUT C, Mode 1


### 6.11. T<sub>nom</sub>/V<sub>nom</sub>



12:53:03 13.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.12. T<sub>min</sub>/V<sub>nom</sub>



15:44:55 12.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.13. T<sub>max</sub>/V<sub>nom</sub>



13:37:06 15.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.14. T<sub>nom</sub>/V<sub>min</sub>



12:36:16 13.05.2019

\* -4 dBm is only a reference line from the FSW67.

### 6.15. $T_{nom}/V_{max}$




12:54:16 13.05.2019

\* -4 dBm is only a reference line from the FSW67.

## EUT D, Mode 1


### 6.16. T<sub>nom</sub>/V<sub>nom</sub>



18:23:17 14.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.17. T<sub>min</sub>/V<sub>nom</sub>



16:04:45 12.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.18. T<sub>max</sub>/V<sub>nom</sub>



14:12:44 15.05.2019

\* -4 dBm is only a reference line from the FSW67.


### 6.19. T<sub>nom</sub>/V<sub>min</sub>



18:21:58 14.05.2019

\* -4 dBm is only a reference line from the FSW67.

## 6.20. $T_{nom}/V_{max}$



18:39:18 14.05.2019

\* -4 dBm is only a reference line from the FSW67.