

June 3, 2020

Viavi Solutions
20250 Century Blvd.
Germantown, MD 20874

Dear Jaryk Kuzel,

Enclosed is the EMC Wireless test report for compliance testing of the Viavi Solutions OneAdvisor ONA-800A as tested to the requirements of Title 47 of the CFR, Ch. 1 (10-1-06 ed.), Title 47 of the CFR, Part 15.407, Subpart E (UNII 2).

Thank you for using the services of Eurofins E&E North America. If you have any questions regarding these results or if we can be of further service to you, please feel free to contact me.

Sincerely yours,
EUROFINS E&E NORTH AMERICA

A handwritten signature in cursive script that reads "Michelle Tawmging".

Michelle Tawmging
Documentation Department

Reference: (\Viavi Solutions \WIR106969-FCC407 UNII 2)

Certificates and reports shall not be reproduced except in full, without the written permission of Eurofins E&E North America. This letter of transmittal is not a part of the attached report.

Eurofins MET Laboratories Inc. (Eurofins E&E North America) is part of the Eurofins Electrical & Electronics (E&E) global compliance network.

Electromagnetic Compatibility Criteria Test Report

for the

**Viavi Solutions
Model OneAdvisor ONA-800A**

Tested under
the FCC Certification Rules
contained in
Title 47 of the CFR
15.407 Subpart E

Report: WIR106969-FCC407 UNII 2

June 3, 2020

Prepared For:

**Viavi Solutions
20250 Century Blvd.
Germantown, MD 20874**

Prepared By:
Eurofins E&E North America
914 West Patapsco Ave.,
Baltimore MD 21230

Electromagnetic Compatibility Criteria Test Report

for the

Viavi Solutions
Model OneAdvisor ONA-800A

Tested under
the FCC Certification Rules
contained in
Title 47 of the CFR
15.407 Subpart E



Donald Salguero
Electromagnetic Compatibility Lab



Michelle Tawmging
Documentation Department

Engineering Statement: The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of 15.407 of the FCC Rules under normal use and maintenance.



Deepak Giri,
Manager, Wireless Lab

Report Status Sheet

Revision	Report Date	Reason for Revision
Ø	June 3, 2020	Initial Issue.
1	June 29, 2020	TCB Comments

Table of Contents

I.	Executive Summary	1
	A. Purpose of Test.....	2
	B. Executive Summary	2
II.	Equipment Configuration.....	3
	A. Overview.....	4
	B. References.....	4
	C. Test Site.....	5
	D. Measurement Uncertainty	5
	E. Description of Test Sample.....	5
	F. Equipment Configuration.....	6
	G. Support Equipment.....	6
	H. Ports and Cabling Information	7
	I. Method of Monitoring EUT Operation	7
	J. Modifications	7
	a) Modifications to EUT	7
	b) Modifications to Test Standard.....	7
	K. Disposition of EUT	7
III.	Electromagnetic Compatibility Criteria for Intentional Radiators	8
	§15.407(b)(2 – 3) & (6 - 7) Undesirable Emissions	9
IV.	Test Equipment	85
V.	Certification & User’s Manual Information	87
	A. Certification Information.....	88
	B. Label and User’s Manual Information	92

List of Figures

Figure 1: Executive Summary of EMC Part 15.407 Compliance Testing	2
Figure 2: EUT Summary	4
Figure 3: References	4
Figure 4: Uncertainty Calculations Summary	5
Figure 5: Block Diagram of Test Configuration	6
Figure 6: Equipment Configuration	6
Figure 7: Support Equipment	6
Figure 8: Ports and Cabling Information	7
Figure 9: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 15.209 worst case - below 1GHz.	10
Figure 10: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Duty Cycle	10
Figure 11: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac20 Duty Cycle	11
Figure 12: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac40 Duty Cycle	11
Figure 13: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac80 Duty Cycle	12
Figure 14: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n20 Duty Cycle	12
Figure 15: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n40 Duty Cycle	13
Figure 16: VBW values for Average Radiated Emissions Measurements	13
Figure 17: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Radiated Emissions above 1GHz test setup	Error!
Bookmark not defined.	
Figure 18: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, REE Setup below 1GHz	Error! Bookmark not defined.
Figure 19: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5260M - 1-7GHz.	14
Figure 20: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5300M - 1-7GHz.	14
Figure 21: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5320M - 1-7GHz.	15
Figure 22: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5500M - 1-7GHz.	15
Figure 23: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5580M - 1-7GHz.	16
Figure 24: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5700M - 1-7GHz.	16
Figure 25: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5260M - 1-7GHz.	17
Figure 26: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5300M - 1-7GHz.	17
Figure 27: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5320M - 1-7GHz.	18
Figure 28: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5500M - 1-7GHz.	18
Figure 29: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5580M - 1-7GHz.	19
Figure 30: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5700M - 1-7GHz.	19
Figure 31: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5270M - 1-7GHz.	20
Figure 32: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5310M - 1-7GHz.	20
Figure 33: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5510M - 1-7GHz.	21

Figure 34: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5550M - 1-7GHz.....	21
Figure 35: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5670M - 1-7GHz.....	22
Figure 36: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 80M 5290M - 1-7GHz.....	22
Figure 37: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 80M 5530M - 1-7GHz.....	23
Figure 38: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 80M 5610M - 1-7GHz.....	23
Figure 39: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5260M - 1-7GHz.....	24
Figure 40: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5300M - 1-7GHz.....	24
Figure 41: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5320M - 1-7GHz.....	25
Figure 42: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5500M - 1-7GHz.....	25
Figure 43: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5580M - 1-7GHz.....	26
Figure 44: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5700M - 1-7GHz.....	26
Figure 45: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5270M - 1-7GHz.....	27
Figure 46: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5310M - 1-7GHz.....	27
Figure 47: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5510M - 1-7GHz.....	28
Figure 48: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5550M - 1-7GHz.....	28
Figure 49: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5670M - 1-7GHz.....	29
Figure 50: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27_15.407_worst case_Radiated Emissions_7-18GHz.....	29
Figure 51: §15.407(b)(1) & (6 – 7) Undesirable Emissions, -27dBm_15.407_worst case_Radiated Emissions_18-40GHz.....	30
Figure 52: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5260M - 1-7GHz.....	30
Figure 53: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5300M - 1-7GHz.....	31
Figure 54: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5320M - 1-7GHz.....	31
Figure 55: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5500M - 1-7GHz.....	32
Figure 56: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5580M - 1-7GHz.....	32
Figure 57: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5700M - 1-7GHz.....	33
Figure 58: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5260M - 1-7GHz.....	33
Figure 59: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5300M - 1-7GHz.....	34

Figure 60: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5320M - 1-7GHz.....	34
Figure 61: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5500M - 1-7GHz.....	35
Figure 62: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5580M - 1-7GHz.....	35
Figure 63: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5700M - 1-7GHz.....	36
Figure 64: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5270M - 1-7GHz.....	36
Figure 65: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5310M - 1-7GHz.....	37
Figure 66: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5510M - 1-7GHz.....	37
Figure 67: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5550M - 1-7GHz.....	38
Figure 68: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5670M - 1-7GHz.....	38
Figure 69: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 80M 5290M - 1-7GHz.....	39
Figure 70: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 80M 5530M - 1-7GHz.....	39
Figure 71: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 80M 5610M - 1-7GHz.....	40
Figure 72: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5260M - 1-7GHz.....	40
Figure 73: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5300M - 1-7GHz.....	41
Figure 74: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5320M - 1-7GHz.....	41
Figure 75: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5500M - 1-7GHz.....	42
Figure 76: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5580M - 1-7GHz.....	42
Figure 77: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5700M - 1-7GHz.....	43
Figure 78: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5270M - 1-7GHz.....	43
Figure 79: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5310M - 1-7GHz.....	44
Figure 80: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5510M - 1-7GHz.....	44
Figure 81: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5550M - 1-7GHz.....	45
Figure 82: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5670M - 1-7GHz.....	45
Figure 83: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, AVG_15.209_worst case_Radiated Emissions_7-18GHz.....	46
Figure 84: §15.407(b)(1) & (6 – 7) Undesirable Emissions, AVG_15.209_worst case_Radiated Emissions_18-30GHz.....	46
Figure 85: §15.407(b)(1) & (6 – 7) Undesirable Emissions, AVG_15.209_worst case_Radiated Emissions_30-40GHz.....	47

Figure 86: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5260M - 1-7GHz.....	47
Figure 87: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5300M - 1-7GHz.....	48
Figure 88: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5320M - 1-7GHz.....	48
Figure 89: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5500M - 1-7GHz.....	49
Figure 90: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5580M - 1-7GHz.....	49
Figure 91: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5700M - 1-7GHz.....	50
Figure 92: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5260M - 1-7GHz.....	50
Figure 93: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5300M - 1-7GHz.....	51
Figure 94: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5320M - 1-7GHz.....	51
Figure 95: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5500M - 1-7GHz.....	52
Figure 96: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5580M - 1-7GHz.....	52
Figure 97: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5700M - 1-7GHz.....	53
Figure 98: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5270M - 1-7GHz.....	53
Figure 99: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5310M - 1-7GHz.....	54
Figure 100: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5510M - 1-7GHz.....	54
Figure 101: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5550M - 1-7GHz.....	55
Figure 102: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5670M - 1-7GHz.....	55
Figure 103: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 80M 5290M - 1-7GHz.....	56
Figure 104: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 80M 5530M - 1-7GHz.....	56
Figure 105: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 80M 5610M - 1-7GHz.....	57
Figure 106: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5260M - 1-7GHz.....	57
Figure 107: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5300M - 1-7GHz.....	58
Figure 108: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5320M - 1-7GHz.....	58
Figure 109: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5500M - 1-7GHz.....	59
Figure 110: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5580M - 1-7GHz.....	59
Figure 111: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5700M - 1-7GHz.....	60

Figure 112: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5270M - 1-7GHz.	60
Figure 113: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5310M - 1-7GHz.	61
Figure 114: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5510M - 1-7GHz.	61
Figure 115: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5550M - 1-7GHz.	62
Figure 116: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5670M - 1-7GHz.	62
Figure 117: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, PK_15.209_worst case_Radiated Emissions_7-18GHz.....	63
Figure 118: §15.407(b)(1) & (6 – 7) Undesirable Emissions, PK_15.209_worst case_Radiated Emissions_18-40GHz.....	63
Figure 119: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a -27dBm Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	64
Figure 120: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a -27dBm Radiated Bandedge @5470MHz - 20MHz 5500MHz.....	64
Figure 121: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a -27dBm Radiated Bandedge @5725MHz - 20MHz 5700MHz.....	65
Figure 122: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Average Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	65
Figure 123: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Average Radiated Bandedge @5460MHz - 20MHz 5500MHz.....	66
Figure 124: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Peak Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	66
Figure 125: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Peak Radiated Bandedge @5460MHz - 20MHz 5500MHz.....	67
Figure 126: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	67
Figure 127: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5350MHz - 40MHz 5310MHz.....	68
Figure 128: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5350MHz - 80MHz 5290MHz.....	68
Figure 129: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5470MHz - 20MHz 5500MHz.....	69
Figure 130: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5470MHz - 40MHz 5510MHz.....	69
Figure 131: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5470MHz - 80MHz 5530MHz.....	70
Figure 132: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5725MHz - 20MHz 5700MHz.....	70
Figure 133: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5725MHz - 40MHz 5670MHz.....	71
Figure 134: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5725MHz - 80MHz 5610MHz.....	71
Figure 135: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	72
Figure 136: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5350MHz - 40MHz 5310MHz.....	72
Figure 137: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5350MHz - 80MHz 5290MHz.....	73

Figure 138: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5460MHz - 20MHz 5500MHz.....	73
Figure 139: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5460MHz - 40MHz 5510MHz.....	74
Figure 140: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5460MHz - 80MHz 5530MHz.....	74
Figure 141: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	75
Figure 142: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5350MHz - 40MHz 5310MHz.....	75
Figure 143: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5350MHz - 80MHz 5290MHz.....	76
Figure 144: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5460MHz - 20MHz 5500MHz.....	76
Figure 145: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5460MHz - 40MHz 5510MHz.....	77
Figure 146: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5460MHz - 80MHz 5530MHz.....	77
Figure 147: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	78
Figure 148: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5350MHz - 40MHz 5310MHz.....	78
Figure 149: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5470MHz - 20MHz 5500MHz.....	79
Figure 150: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5470MHz - 40MHz 5510MHz.....	79
Figure 151: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5725MHz - 20MHz 5700MHz.....	80
Figure 152: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5725MHz - 40MHz 5670MHz.....	80
Figure 153: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	81
Figure 154: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5350MHz - 40MHz 5310MHz.....	81
Figure 155: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5460MHz - 40MHz 5510MHz.....	82
Figure 156: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5460MHz - 20MHz 5500MHz.....	82
Figure 157: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5350MHz - 20MHz 5320MHz.....	83
Figure 158: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5350MHz - 40MHz 5310MHz.....	83
Figure 159: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5460MHz - 40MHz 5510MHz.....	84
Figure 160: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5460MHz - 20MHz 5500MHz.....	84
Figure 157: Test Equipment List	86

List of Terms and Abbreviations

AC	Alternating Current
ACF	Antenna Correction Factor
Cal	Calibration
d	Measurement Distance
dB	Decibels
dBμA	Decibels above one microamp
dBμV	Decibels above one microvolt
dBμA/m	Decibels above one microamp per meter
dBμV/m	Decibels above one microvolt per meter
DC	Direct Current
E	Electric Field
DSL	Digital Subscriber Line
ESD	Electrostatic Discharge
EUT	Equipment Under Test
f	Frequency
FCC	Federal Communications Commission
GRP	Ground Reference Plane
H	Magnetic Field
HCP	Horizontal Coupling Plane
Hz	Hertz
IEC	International Electrotechnical Commission
kHz	kilohertz
kPa	kilopascal
kV	kilovolt
LISN	Line Impedance Stabilization Network
MHz	Megahertz
μH	microhenry
μ	microfarad
μs	microseconds
PRF	Pulse Repetition Frequency
RF	Radio Frequency
RMS	Root-Mean-Square
TWT	Traveling Wave Tube
V/m	Volts per meter
VCP	Vertical Coupling Plane

Executive Summary

A. Purpose of Test

An EMC Wireless evaluation was performed to determine compliance of the Viavi Solutions OneAdvisor ONA-800A, with the requirements of Part 15, §15.407. All references are to the most current version of Title 47 of the Code of Federal Regulations in effect. In accordance with §2.1033, the following data is presented in support of the Certification of the OneAdvisor ONA-800A. Viavi Solutions should retain a copy of this document which should be kept on file for at least two years after the manufacturing of the OneAdvisor ONA-800A, has been **permanently** discontinued.

B. Executive Summary

The following tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with Part 15, §15.407, in accordance with Viavi Solutions , purchase order number 2941000132. All tests were conducted using measurement procedure ANSI C63.10-2013.

FCC Reference	Description	Results
§15.407 (b)(2 – 3)& (6 - 7)	Undesirable Emissions	Compliant

Figure 1: Executive Summary of EMC Part 15.407 Compliance Testing

Equipment Configuration

A. Overview

Eurofins MET Labs, Inc was contracted by Viavi Solutions to perform testing on the OneAdvisor ONA-800A, under Viavi Solutions 's purchase order number 9VIA0301R1.

This document describes the test setups, test methods, required test equipment, and the test limit criteria used to perform compliance testing of the Viavi Solutions OneAdvisor ONA-800A.

The results obtained relate only to the item(s) tested.

Model(s) Tested:	OneAdvisor ONA-800A	
Model(s) Covered:	OneAdvisor ONA-800A	
EUT Specifications:	Primary Power: 100-240VAC	
	FCC ID: WUW-SXPCEAC2	
	Type of Modulations:	OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)
	Equipment Code:	NII
	Peak RF Output Power:	0.0749W
	EUT Frequency Ranges:	5260-5320 MHz; 5500-5700 MHz 5270-5310 MHz; 5510-5670 MHz 5290MHz; 5530-5610 MHz
Analysis:	The results obtained relate only to the item(s) tested.	
Environmental Test Conditions:	Temperature: 15-35° C	
	Relative Humidity: 30-60%	
	Barometric Pressure: 860-1060 mbar	
Type of Filing:	Other	
Evaluated by:	Donald Salguero	
Report Date(s):	June 3, 2020	

Figure 2: EUT Summary

B. References

CFR 47, Part 15, Subpart E	Unlicensed National Information Infrastructure Devices (UNII)
ANSI C63.4:2014	Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical And Electronic Equipment in the Range of 9 kHz to 40 GHz
ISO/IEC 17025:2017	General Requirements for the Competence of Testing and Calibration Laboratories
ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices
789033 D02 General UNII Test Procedures New Rules v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
905462 DO2 UNII DFS Compliance Procedures New Rules v02	Compliance Measurement Procedures for Unlicensed-National Information Infrastructure Devices Operating in the 5250-5350 MHz and 5470-5725 MHz Bands Incorporating Dynamic Frequency Selection

Figure 3: References

C. Test Site

All testing was performed at Eurofins MET Labs, Inc, 914 W. Patapsco Avenue, Baltimore, MD 21230. All equipment used in making physical determinations is accurate and bears recent traceability to the National Institute of Standards and Technology.

Radiated Emissions measurements were performed in a 3 meter semi-anechoic chamber (equivalent to an Open Area Test Site). In accordance with §2.948(a)(3), a complete site description is contained at MET Laboratories.

Eurofins MET Laboratories Inc. (Eurofins E&E North America) is part of the Eurofins Electrical & Electronics (E&E) global compliance network.

D. Measurement Uncertainty

Test Method	Typical Expanded Uncertainty	K	Confidence Level
RF Frequencies	±4.52 Hz	2	95%
RF Power Conducted Emissions	±2.32 dB	2	95%
RF Power Conducted Spurious Emissions	±2.25 dB	2	95%
RF Power Radiated Emissions	±3.01 dB	2	95%

Figure 4: Uncertainty Calculations Summary

E. Description of Test Sample

The OneAdvisor ONA-800A, Equipment Under Test (EUT) for the remainder of this document, is a portable handheld test platform that is used to test wireless telecommunications infrastructure. Different test capabilities are added through the use of attached expansion modules. The platform consists of the product mainframe ONA-800A-MF and its display ONA-800-DISPL.

The expansion modules listed below, tested with the platform in this report, are considered representative of all modules from their respective families. This particular combination of modules is intended to be used by telecommunications network installation and maintenance technicians at cellular antenna and base station sites.

CAA06MA – Cable and Antenna Analyzer (CAA) module

E41DWDMC - Optical Time Domain Reflectometer (OTDR) module

The ONA-800 supports both wired and wireless network connections for remote control and transfer of saved results and configurations.

Power is supplied by either the internal battery or the external AC/DC adapter.




Figure 5: Block Diagram of Test Configuration

F. Equipment Configuration

The EUT was set up as outlined in Figure 5. All cards, racks, etc., incorporated as part of the EUT is included in the following list.

Ref. ID	Slot #	Name / Description	Model Number	Part Number	Serial Number	Rev. #
[A]	-	OneAdvisor ONA-800A Display	ONA-800A-DISPL	-	N/A	000
[B]	-	OneAdvisor ONA-800A Mainframe	ONA-800A-MF	-	WMSH0040300020	000
[C]	A	METRO-ACCESS/PON 1310/1550/1625 NM PC OTDR MODULE	E41DWDMC-PC	-	34193	000
[D]	B	6 GHz Cable and Antenna Analyzer Module	CAA06MA	22130016-001	JCFA0022	001
[E]	-	AC/DC Adapter	ATS160TP190	ATS160TP190Q15204	N/A	N/A

Figure 6: Equipment Configuration

G. Support Equipment

Support equipment necessary for the operation and testing of the EUT is included in the following list.

Ref. ID	Name / Description	Manufacturer	Model Number	*Customer Supplied Calibration Data
[F]	WiFi Router	Netgear	AC1200 / R6220	N/A
[G]	Laptop 2	Lenovo	Thinkpad X1 Carbon	N/A
[H]	Laptop 1	Dell	M4800	N/A
[I, J, K]	USB Flash	SanDisk	SDCZ60-016G	N/A
[L]	MicroSD Flash	ATP	AF1GUDI	N/A

Figure 7: Support Equipment

H. Ports and Cabling Information

Ref. ID	Port name on EUT	Cable Description or reason for no cable	Qty	Length as tested (m)	Max Length (m)	Shielded? (Y/N)	Termination Box ID & Port Name
1	[B] 19-27V DC	2 conductor, 16 AWG UL 2464	1	1.5	1.5	N	[E] DC OUTPUT
2	[E] AC INPUT	3 conductor, 18 AWG	1	2.5	2.5	N	AC MAINS
3	[B] LAN	CAT5/5e/6, UTP	1	3	100	N	[F] LAN2
4	[B] USB Host (left)	USB A/A, STP	1	3	5	Y	[I] USB Flash
5	[B] USB Host (right)	USB A/A, STP	1	3	5	Y	[J] USB Flash
6	[B] USB C	USB C/A + USB A/A, STP	1	3.15	5	Y	[K] USB Flash
7	[C] PC SM	Optical fiber	1	~3000	N/A	N/A	Unterminated
8	[D] +12 VDC TO +30 VDC	RG-58 (3m) + RG-316 (0.25m)	1	3.25	>3m	Y	400Ω Load
9	[D] REFLECTION / RF OUT 50Ω	Capped, no cable per IEC61326-2-1. Termination required for immunity measurement	1	0m	>3m	Y	50Ω Termination

Figure 8: Ports and Cabling Information

I. Method of Monitoring EUT Operation

The EUT will be running two simultaneous test applications during both emissions and immunity testing:

“Reflection Return Loss” test application running continuously on the CAA module
“OTDR EXPERT” test application in “Real Time” mode running continuously on the OTDR module

Additionally, the EUT will be running the following during immunity testing only:

Ethernet ping test running continuously between Laptop 2 and the EUT via the router
WiFi ping test running continuously between Laptop 2 and the EUT via the router

J. Modifications

a) Modifications to EUT

No modifications were made to the EUT.

b) Modifications to Test Standard

No modifications were made to the test standard.

K. Disposition of EUT

The test sample including all support equipment submitted to the Electro-Magnetic Compatibility Lab for testing was returned to Viavi Solutions upon completion of testing.

Electromagnetic Compatibility Criteria for Intentional Radiators

Electromagnetic Compatibility Criteria for Intentional Radiators

§15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions

Test Requirements:

§ 15.407(b)(2): For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

§ 15.407(b)(3): For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

§ 15.407(b)(6): Unwanted emissions below 1 GHz must comply with the general field strength limits set forth in Section 15.209. Further, any U-NII devices using an AC power line are required to comply also with the conducted limits set forth in Section 15.207.

§ 15.407(b)(7): The provisions of Section 15.205 of this part apply to intentional radiators operating under this section.

Test Procedure:

The EUT was placed on a non-conducting stand on a turntable in a chamber. To find the maximum emission the EUT was set to transmit on low, mid, and high channels. Additionally, the turntable was rotated 360 degrees, the EUT was oriented through its three orthogonal axes, and the receive antenna height was varied in order to maximize emissions.

For frequencies from 30 MHz to 1 GHz, measurements were first made using a peak detector with a 100 kHz resolution bandwidth. Emissions which exceeded the limits were re-measured using a quasi-peak detector with a 120 kHz resolution bandwidth.

Above 1 GHz, measurements were made pursuant the method described in FCC KDB 789033 D02 General UNII Test Procedure New Rules v01. The equation, $EIRP = E + 20 \log D - 104.8$ was used to convert field strength to EIRP (E = field strength (dBμV/m) and D = Reference measurement distance).

For emissions above 1 GHz and in restricted bands, measurements of the field strength were made with a peak detector and an average detector and compared with the limits of 15.209.

As an alternative, according to FCC KDB 789033 D02 General UNII Test Procedure New Rules v01, all emissions above 1 GHz that comply with the peak and average limits of 15.209 satisfy the requirements of unwanted emissions in 15.407.

Test Results:

For below 1 GHz, the EUT was **compliant** with the requirements of this section.

For above 1 GHz, the EUT was **compliant** with the requirements of this section. Only noise was observed above 18GHz, noise level was below applicable limits by at least 6dB.

EUT was setup for 2x2MIMO transmissions on all available modes.

Test Engineer: Donald Salguero

Test Date: May 1, 2020




Figure 9: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 15.209 worst case - below 1GHz.




Figure 10: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Duty Cycle




Figure 11: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac20 Duty Cycle




Figure 12: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac40 Duty Cycle




Figure 13: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac80 Duty Cycle




Figure 14: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n20 Duty Cycle




Figure 15: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n40 Duty Cycle

Mode	Period (ms)	1/T (Hz)	VBW (kHz)
802.11a	2.217	451	1
802.11ac 20	0.6409	1560	3
802.11ac 40	0.4053	2467	3
802.11ac 80	0.3117	3208	10
802.11n 20	1.15	870	1
802.11n 40	0.6433	1554	3

Figure 16: VBW values for Average Radiated Emissions Measurements




Figure 17: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5260M - 1-7GHz.




Figure 18: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5300M - 1-7GHz.




Figure 19: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5320M - 1-7GHz.




Figure 20: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5500M - 1-7GHz.




Figure 21: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5580M - 1-7GHz.




Figure 22: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11a 20M 5700M - 1-7GHz.




Figure 23: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5260M - 1-7GHz.




Figure 24: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5300M - 1-7GHz.




Figure 25: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5320M - 1-7GHz.




Figure 26: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5500M - 1-7GHz.




Figure 27: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5580M - 1-7GHz.




Figure 28: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 20M 5700M - 1-7GHz.




Figure 29: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5270M - 1-7GHz.




Figure 30: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5310M - 1-7GHz.




Figure 31: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5510M - 1-7GHz.




Figure 32: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5550M - 1-7GHz.




Figure 33: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 40M 5670M - 1-7GHz.




Figure 34: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 80M 5290M - 1-7GHz.




Figure 35: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 80M 5530M - 1-7GHz.




Figure 36: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11ac 80M 5610M - 1-7GHz.




Figure 37: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5260M - 1-7GHz.




Figure 38: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5300M - 1-7GHz.




Figure 39: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5320M - 1-7GHz.




Figure 40: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5500M - 1-7GHz.




Figure 41: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5580M - 1-7GHz.




Figure 42: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 20M 5700M - 1-7GHz.




Figure 43: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5270M - 1-7GHz.




Figure 44: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5310M - 1-7GHz.




Figure 45: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5510M - 1-7GHz.




Figure 46: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5550M - 1-7GHz.




Figure 47: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27dBm Radiated Emissions - 802.11n 40M 5670M - 1-7GHz.




Figure 48: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, -27_15.407_worst case_Radiated Emissions_7-18GHz.




Figure 49: §15.407(b)(1) & (6 – 7) Undesirable Emissions, -27dBm_15.407_worst case_Radiated Emissions_18-40GHz.




Figure 50: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5260M - 1-7GHz.




Figure 51: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5300M - 1-7GHz.




Figure 52: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5320M - 1-7GHz.




Figure 53: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5500M - 1-7GHz.




Figure 54: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5580M - 1-7GHz.




Figure 55: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11a 20M 5700M - 1-7GHz.




Figure 56: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5260M - 1-7GHz.




Figure 57: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5300M - 1-7GHz.




Figure 58: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5320M - 1-7GHz.




Figure 59: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5500M - 1-7GHz.




Figure 60: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5580M - 1-7GHz.




Figure 61: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 20M 5700M - 1-7GHz.




Figure 62: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5270M - 1-7GHz.




Figure 63: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5310M - 1-7GHz.




Figure 64: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5510M - 1-7GHz.




Figure 65: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5550M - 1-7GHz.




Figure 66: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 40M 5670M - 1-7GHz.




Figure 67: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 80M 5290M - 1-7GHz.




Figure 68: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 80M 5530M - 1-7GHz.




Figure 69: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11ac 80M 5610M - 1-7GHz.




Figure 70: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5260M - 1-7GHz.




Figure 71: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5300M - 1-7GHz.




Figure 72: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5320M - 1-7GHz.




Figure 73: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5500M - 1-7GHz.




Figure 74: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5580M - 1-7GHz.




Figure 75: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 20M 5700M - 1-7GHz.




Figure 76: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5270M - 1-7GHz.




Figure 77: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5310M - 1-7GHz.




Figure 78: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5510M - 1-7GHz.




Figure 79: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5550M - 1-7GHz.




Figure 80: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Average Radiated Emissions - 802.11n 40M 5670M - 1-7GHz.




Figure 81: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, AVG_15.209_worst case_Radiated Emissions_7-18GHz.




Figure 82: §15.407(b)(1) & (6 – 7) Undesirable Emissions, AVG_15.209_worst case_Radiated Emissions_18-30GHz.




Figure 83: §15.407(b)(1) & (6 – 7) Undesirable Emissions, AVG_15.209_worst case_Radiated Emissions_30-40GHz.




Figure 84: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5260M - 1-7GHz.




Figure 85: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5300M - 1-7GHz.




Figure 86: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5320M - 1-7GHz.




Figure 87: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5500M - 1-7GHz.




Figure 88: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5580M - 1-7GHz.




Figure 89: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11a 20M 5700M - 1-7GHz.




Figure 90: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5260M - 1-7GHz.




Figure 91: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5300M - 1-7GHz.




Figure 92: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5320M - 1-7GHz.




Figure 93: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5500M - 1-7GHz.




Figure 94: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5580M - 1-7GHz.




Figure 95: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 20M 5700M - 1-7GHz.




Figure 96: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5270M - 1-7GHz.




Figure 97: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5310M - 1-7GHz.




Figure 98: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5510M - 1-7GHz.




Figure 99: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5550M - 1-7GHz.




Figure 100: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 40M 5670M - 1-7GHz.




Figure 101: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 80M 5290M - 1-7GHz.




Figure 102: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 80M 5530M - 1-7GHz.




Figure 103: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11ac 80M 5610M - 1-7GHz.




Figure 104: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5260M - 1-7GHz.




Figure 105: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5300M - 1-7GHz.




Figure 106: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5320M - 1-7GHz.




Figure 107: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5500M - 1-7GHz.




Figure 108: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5580M - 1-7GHz.




Figure 109: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 20M 5700M - 1-7GHz.




Figure 110: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5270M - 1-7GHz.




Figure 111: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5310M - 1-7GHz.




Figure 112: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5510M - 1-7GHz.




Figure 113: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5550M - 1-7GHz.




Figure 114: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, Peak Radiated Emissions - 802.11n 40M 5670M - 1-7GHz.




Figure 115: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, PK_15.209_worst case_Radiated Emissions_7-18GHz.




Figure 116: §15.407(b)(1) & (6 – 7) Undesirable Emissions, PK_15.209_worst case_Radiated Emissions_18-40GHz.




Figure 117: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a -27dBm Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 118: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a -27dBm Radiated Bandedge @5470MHz - 20MHz 5500MHz.




Figure 119: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a -27dBm Radiated Bandedge @5725MHz - 20MHz 5700MHz.




Figure 120: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Average Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 121: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Average Radiated Bandedge @5460MHz - 20MHz 5500MHz.




Figure 122: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Peak Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 123: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11a Peak Radiated Bandedge @5460MHz - 20MHz 5500MHz.




Figure 124: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 125: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5350MHz - 40MHz 5310MHz.




Figure 126: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5350MHz - 80MHz 5290MHz.




Figure 127: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5470MHz - 20MHz 5500MHz.




Figure 128: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5470MHz - 40MHz 5510MHz.




Figure 129: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5470MHz - 80MHz 5530MHz.




Figure 130: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5725MHz - 20MHz 5700MHz.




Figure 131: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5725MHz - 40MHz 5670MHz.




Figure 132: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac -27dBm Radiated Bandedge @5725MHz - 80MHz 5610MHz.




Figure 133: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 134: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5350MHz - 40MHz 5310MHz.




Figure 135: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5350MHz - 80MHz 5290MHz.




Figure 136: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5460MHz - 20MHz 5500MHz.




Figure 137: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5460MHz - 40MHz 5510MHz.




Figure 138: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Average Radiated Bandedge @5460MHz - 80MHz 5530MHz.




Figure 139: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 140: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5350MHz - 40MHz 5310MHz.




Figure 141: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5350MHz - 80MHz 5290MHz.




Figure 142: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5460MHz - 20MHz 5500MHz.




Figure 143: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5460MHz - 40MHz 5510MHz.




Figure 144: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11ac Peak Radiated Bandedge @5460MHz - 80MHz 5530MHz.




Figure 145: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 146: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5350MHz - 40MHz 5310MHz.




Figure 147: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5470MHz - 20MHz 5500MHz.




Figure 148: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5470MHz - 40MHz 5510MHz.




Figure 149: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5725MHz - 20MHz 5700MHz.




Figure 150: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n -27dBm Radiated Bandedge @5725MHz - 40MHz 5670MHz.




Figure 151: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 152: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5350MHz - 40MHz 5310MHz.




Figure 153: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5460MHz - 40MHz 5510MHz.




Figure 154: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Average Radiated Bandedge @5460MHz - 20MHz 5500MHz.




Figure 155: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5350MHz - 20MHz 5320MHz.




Figure 156: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5350MHz - 40MHz 5310MHz.




Figure 157: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5460MHz - 40MHz 5510MHz.




Figure 158: §15.407(b)(2 – 3) & (6 – 7) Undesirable Emissions, 802.11n Peak Radiated Bandedge @5460MHz - 20MHz 5500MHz.

Test Equipment

Test Equipment

Calibrated test equipment utilized during testing was maintained in a current state of calibration per the requirements of ISO/IEC 17025:2017.

ASSET #	EQUIPMENT	MANUFACTURER	MODEL	LAST CAL	CAL DUE
1T4409	EMI RECEIVER	ROHDE & SCHWARZ	ESIB7	1/4/2019	1/4/2021
1T4751	ANTENNA - BILOG	SUNOL SCIENCES	JB6	5/2/2019	11/2/2020
1T4905	HORN ANTENNA	COM-POWER	AH-118	5/7/2019	11/7/2020
1T4771	PSA SPECTRUM ANALYZER	AGILENT TECHNOLOGIES	E4446A	2/26/2020	8/26/2021
1T4300B	SEMI-ANECHOIC 3M CHAMBER SVSWR	EMC TEST SYSTEMS	NONE	6/30/2019	12/30/2020
1T4300	SEMI-ANECHOIC CHAMBER (NSA)	EMC TEST SYSTEMS	NONE	6/30/2019	6/30/2020
1T8743	PREAMPLIFIER	A.H. SYSTEMS, INC.	PAM-0118P	NOT REQUIRED	NOT REQUIRED
1T4752	PRE-AMPLIFIER	MITEQ	JS44-18004000-35-8P	FUNC VERIFY	
1T4745	ANTENNA, HORN	ETS-LINDGREN	3116	11/27/2018	5/27/2020

Figure 159: Test Equipment List

Note: Functionally tested equipment is verified using calibrated instrumentation at the time of testing.

Certification & User's Manual Information

Certification & User's Manual Information

L. Certification Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart I — Marketing of Radio frequency devices:

§ 2.801 Radio-frequency device defined.

As used in this part, a radio-frequency device is any device which in its operation is capable of Emitting radio-frequency energy by radiation, conduction, or other means. Radio- frequency devices include, but are not limited to:

- (a) The various types of radio communication transmitting devices described throughout this chapter.
- (b) *The incidental, unintentional and intentional radiators defined in Part 15 of this chapter.*
- (c) The industrial, scientific, and medical equipment described in Part 18 of this chapter.
- (d) Any part or component thereof which in use emits radio-frequency energy by radiation, conduction, or other means.

§ 2.803 Marketing of radio frequency devices prior to equipment authorization.

- (a) Except as provided elsewhere in this chapter, no person shall sell or lease, or offer for sale or lease (including advertising for sale or lease), or import, ship or distribute for the purpose of selling or leasing or offering for sale or lease, any radio frequency device unless:
 - (1) In the case of a device subject to certification, such device has been authorized by the Commission in accordance with the rules in this chapter and is properly identified and labeled as required by §2.925 and other relevant sections in this chapter; or
 - (2) In the case of a device that is not required to have a grant of equipment authorization issued by the Commission, but which must comply with the specified technical standards prior to use, such device also complies with all applicable administrative (including verification of the equipment or authorization under a Declaration of Conformity, where required), technical, labeling and identification requirements specified in this chapter.
- (d) Notwithstanding the provisions of paragraph (a) of this section, the offer for sale solely to business, commercial, industrial, scientific or medical users (but not an offer for sale to other parties or to end users located in a residential environment) of a radio frequency device that is in the conceptual, developmental, design or pre-production stage is permitted prior to equipment authorization or, for devices not subject to the equipment authorization requirements, prior to a determination of compliance with the applicable technical requirements *provided* that the prospective buyer is advised in writing at the time of the offer for sale that the equipment is subject to the FCC rules and that the equipment will comply with the appropriate rules before delivery to the buyer or to centers of distribution.

- (e)(1) Notwithstanding the provisions of paragraph (a) of this section, prior to equipment authorization or determination of compliance with the applicable technical requirements any radio frequency device may be operated, but not marketed, for the following purposes and under the following conditions:
- (i) *Compliance testing;*
 - (ii) Demonstrations at a trade show provided the notice contained in paragraph (c) of this section is displayed in a conspicuous location on, or immediately adjacent to, the device;
 - (iii) Demonstrations at an exhibition conducted at a business, commercial, industrial, scientific or medical location, but excluding locations in a residential environment, provided the notice contained in paragraphs (c) or (d) of this section, as appropriate, is displayed in a conspicuous location on, or immediately adjacent to, the device;
 - (iv) Evaluation of product performance and determination of customer acceptability, provided such operation takes place at the manufacturer's facilities during developmental, design or pre-production states; or
 - (v) Evaluation of product performance and determination of customer acceptability where customer acceptability of a radio frequency device cannot be determined at the manufacturer's facilities because of size or unique capability of the device, provided the device is operated at a business, commercial, industrial, scientific or medical user's site, but not at a residential site, during the development, design or pre-production stages.
- (e)(2) For the purpose of paragraphs (e)(1)(iv) and (e)(1)(v) of this section, the term *manufacturer's facilities* includes the facilities of the party responsible for compliance with the regulations and the manufacturer's premises, as well as the facilities of other entities working under the authorization of the responsible party in connection with the development and manufacture, but not the marketing, of the equipment.
- (f) For radio frequency devices subject to verification and sold solely to business, commercial, industrial, scientific and medical users (excluding products sold to other parties or for operation in a residential environment), parties responsible for verification of the devices shall have the option of ensuring compliance with the applicable technical specifications of this chapter at each end user's location after installation, provided that the purchase or lease agreement includes a proviso that such a determination of compliance be made and is the responsibility of the party responsible for verification of the equipment.

Certification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart J — Equipment Authorization Procedures:

§ 2.901 Basis and Purpose

- (a) In order to carry out its responsibilities under the Communications Act and the various treaties and international regulations, and in order to promote efficient use of the radio spectrum, the Commission has developed technical standards for radio frequency equipment and parts or components thereof. The technical standards applicable to individual types of equipment are found in that part of the rules governing the service wherein the equipment is to be operated.¹ *In addition to the technical standards provided, the rules governing the service may require that such equipment be verified by the manufacturer or importer, be authorized under a Declaration of Conformity, or receive an equipment authorization from the Commission by one of the following procedures: certification or registration.*
- (b) The following sections describe the verification procedure, the procedure for a Declaration of Conformity, and the procedures to be followed in obtaining certification from the Commission and the conditions attendant to such a grant.

§ 2.907 Certification.

- (a) Certification is an equipment authorization issued by the Commission, based on representation and test data submitted by the applicant.
- (b) Certification attaches to all units subsequently marketed by the grantee which are identical (see Section 2.908) to the sample tested except for permissive changes or other variations authorized by the Commission pursuant to Section 2.1043.

¹ In this case, the equipment is subject to the rules of Part 15. More specifically, the equipment falls under Subpart B (of Part 15), which deals with unintentional radiators.

Certification & User's Manual Information

§ 2.948 Description of measurement facilities.

- (a) Each party making measurements of equipment that is subject to an equipment authorization under Part 15 or Part 18 of this chapter, regardless of whether the measurements are filed with the Commission or kept on file by the party responsible for compliance of equipment marketed within the U.S. or its possessions, shall compile a description of the measurement facilities employed.
 - (1) If the measured equipment is subject to the verification procedure, the description of the measurement facilities shall be retained by the party responsible for verification of the equipment.
 - (i) *If the equipment is verified through measurements performed by an independent laboratory, it is acceptable for the party responsible for verification of the equipment to rely upon the description of the measurement facilities retained by or placed on file with the Commission by that laboratory. In this situation, the party responsible for the verification of the equipment is not required to retain a duplicate copy of the description of the measurement facilities.*
 - (ii) If the equipment is verified based on measurements performed at the installation site of the equipment, no specific site calibration data is required. It is acceptable to retain the description of the measurement facilities at the site at which the measurements were performed.
 - (2) If the equipment is to be authorized by the Commission under the certification procedure, the description of the measurement facilities shall be filed with the Commission's Laboratory in Columbia, Maryland. The data describing the measurement facilities need only be filed once but must be updated as changes are made to the measurement facilities or as otherwise described in this section. At least every three years, the organization responsible for filing the data with the Commission shall certify that the data on file is current.

Certification & User's Manual Information

Label and User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart A — General:

§ 15.19 Labeling requirements.

(a) *In addition to the requirements in Part 2 of this chapter, a device subject to certification or verification shall be labeled as follows:*

- (1) Receivers associated with the operation of a licensed radio service, e.g., FM broadcast under Part 73 of this chapter, land mobile operation under Part 90, etc., shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

- (2) A stand-alone cable input selector switch, shall bear the following statement in a conspicuous location on the device:

This device is verified to comply with Part 15 of the FCC Rules for use with cable television service.

- (3) All other devices shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

- (4) Where a device is constructed in two or more sections connected by wires and marketed together, the statement specified under paragraph (a) of this section is required to be affixed only to the main control unit.
- (5) When the device is so small or for such use that it is not practicable to place the statement specified under paragraph (a) of this section on it, the information required by this paragraph shall be placed in a prominent location in the instruction manual or pamphlet supplied to the user or, alternatively, shall be placed on the container in which the device is marketed. However, the FCC identifier or the unique identifier, as appropriate, must be displayed on the device.

§ 15.21 Information to user.

The users manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Verification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart B — Unintentional Radiators:

§ 15.105 Information to the user.

- (a) For a Class A digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at own expense.

- (b) For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a residential environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.