

Operational Description of the equipment

PRODUCT	G-NETBOOK
MODEL NO.	G7LA-XX (X = 0~9 , A~Z)
POWER SUPPLY	DC power source from an external adapter Brand Name: QME Model No.: GFP151U-0916 Input: 100V~240V,50/60Hz, 0.3A Output: 9V , 1.6A
CABLE	1.85m unshielded DC cable with a core.
FREQUENCY BAND	2400MHz ~ 2483.5MHz
CARRIER FREQUENCY	2412MHz ~ 2462MHz
NUMBER OF CHANNEL	11
CHANNEL SPACING	5 MHz
RATED RF OUTPUT POWER	CCK : 4.53 dBm ; OFDM : 3.73 dBm
MODULATION TYPE	802.11b : CCK ; 802.11g : OFDM
MODE OF OPERATION	Simplex
BIT RATE OF TRANSMISSION	6,9,12,18,24,36,48,54Mbit/s(802.11g) 1,2,5,5,11Mbit/s(802.11b)
ANTENNA TYPE	PCB Print Antenna
ANTENNA GAIN	1 dBi
OPERATING TEMPERATURE RANGE	-10 ~ 70 °C
CHANNEL BANDWIDTH	5 MHz

NOTE :

For more detailed information, please refer to the EUT's specification or user's manual provided by manufacturer.