

Report No. : FA092824-01

# **RF Exposure Evaluation Report**

APPLICANT : Razer (Asia-Pacific) Pte Ltd.

**EQUIPMENT**: Charging Dock

**BRAND NAME**: Razer

MODEL NAME : RC30-004702

FCC ID : WX9RC30004702

FILING TYPE : Certification

STANDARD : OET Bulletin 65 Supplement C (Edition 01-01)

We, SPORTON INTERNATIONAL INC., would like to declare that the device has been evaluated in accordance with FCC OET Bulletin 65 Supplement C (Edition 01-01), and pass the limit. Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.

Reviewed by:

Roy Wu Manager

#### SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: WX9RC30004702 Page Number : 1 of 8
Report Issued Date : Dec. 17, 2010

#### Report No. : FA092824-01

# **Table of Contents**

RE	VISIO	N HISTORY	3
		KPOSURE INTRODUCTION	
		NISTRATION DATA	
	2.1	Testing Laboratory	6
	2.2	Applicant	6
	2.3	Manufacturer	6
3.	GENERAL INFORMATION		
	3.1	Description of Device Under Test (DUT)	7
4.	RF EX	KPOSURE EVALUATION	. 8
	4.1	Radio Frequency Radiation Exposure Evaluation	8

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: WX9RC30004702 Page Number : 2 of 8

Report Issued Date : Dec. 17, 2010



Report No. : FA092824-01

# **Revision History**

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FA092824-01	Rev. 01	Initial issue of report	Dec. 17, 2010

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: WX9RC30004702 Page Number : 3 of 8
Report Issued Date : Dec. 17, 2010



1. RF Exposure Introduction

Requirements

Three different categories of transmitters are defined by the FCC in OET Bulletin 65. These categories

are fixed installation, mobile and portable and are defined as follows:

Fixed installation:

Fixed location means that the device, including its antenna, is physically secured at a permanent location

and is not able to be easily moved to another location. Additionally, distance to humans form the antenna

is maintained to at least 2 meters.

Mobile Devices:

A mobile device is defined as a transmitting device designed to be used in other than fixed locations and

to be generally used in such a way that a separation distance of at least 20 centimeters is normally

maintained between the transmitter's radiating structures and the body of the user or nearby persons.

Transmitters designed to be used by consumers or workers that can be easily re-located, such as a

wireless modem operating in a laptop computer, are considered mobile devices if they meet the 20

centimeter separation requirement. The FCC rules for evaluating mobile devices for RF compliance are

found in 47 CFR 2.1091.

Portable Devices:

A portable device is defined as a transmitting device designed to be used so that the radiating structure(s)

of the device is/are within 20 centimeters of the body of the user. Portable device requirements are found

in Section 2.1093 of the FCC's Rules (47 CFR 2.1093)

Page Number : 4 of 8

Report Issued Date : Dec. 17, 2010

Report No.: FA092824-01



The FCC also categorizes the use of the device as based upon the user's awareness and ability to exercise control over his or her exposure. The two categories defined are Occupational/Controlled Exposure and General Population/Uncontrolled Exposure. These two categories are defined as follows:

#### Occupational/controlled Exposure:

In general, occupational/controlled exposure limits are applicable to situation in which persons are exposed as a consequence of their employment, who have been made fully aware of the potential for exposure. Awareness of the potential for RF exposure in a workplace or similar environment can be provided through specific training as part of a RF safety program. If appropriate, warning signs and labels can also be used to establish such awareness by providing prominent information on the risk of potential exposure and instructions on methods to minimize such exposure risks.

#### General Population/Uncontrolled Exposure:

The general population / uncontrolled exposure limits are applicable to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Members of the general public would come under this category when exposure is not employment-related; for example, in the case of a wireless transmitter that exposes persons in its vicinity. Warning labels placed on low-power consumer devices such as cellular telephones are not considered sufficient to allow the device to be considered under the occupational/controlled category, and the general population/uncontrolled exposure limits apply to these devices.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: WX9RC30004702 Page Number : 5 of 8
Report Issued Date : Dec. 17, 2010

Report No.: FA092824-01



# 2. Administration Data

## 2.1 Testing Laboratory

Test Site	SPORTON INTERNATIONAL INC.
	No. 52, Hwa Ya 1 <sup>st</sup> Rd., Hwa Ya Technology Park,
Test Site Location	Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C. TEL: +886-3-327-3456
	FAX: +886-3-328-4978

## 2.2 Applicant

Company Name	Razer (Asia-Pacific) Pte Ltd.
Address	514 Chai Chee Lane #07-01~06 Singapore 469029

## 2.3 Manufacturer

Company Name	Merry Electronics (Shenzhen) CO., LTD.
	No. 50, MeiBao Road, Dalang Street, BaoAn District, Shenzhen City, GuangDong Province, China

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: WX9RC30004702 Page Number : 6 of 8
Report Issued Date : Dec. 17, 2010

Report No. : FA092824-01



# 3. General Information

## 3.1 <u>Description of Device Under Test (DUT)</u>

Product Feature & Specification		
DUT Type	Charging Dock	
Brand Name	Razer	
Model Name	RC30-004702	
FCC ID	WX9RC30004702	
Tx Frequency	2400 MHz ~ 2483.5 MHz	
Rx Frequency	2400 MHz ~ 2483.5 MHz	
Antenna Type	PCB Antenna	
HW Version	R1	
SW Version	BBACHTX_1012_TF	
Type of Modulation	OFDM	
DUT Stage	Production Unit	

**Remark:** The above DUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: WX9RC30004702 Page Number : 7 of 8
Report Issued Date : Dec. 17, 2010
Report Version : Rev. 01

Report No. : FA092824-01



# 4. RF Exposure Evaluation

#### 4.1 Radio Frequency Radiation Exposure Evaluation

For this device, the calculation is as follows:

No evaluation required if power is below this power threshold:

Frequency	Power	Power
(GHz)	(mW)	(dBm)
2.48	24.19	13.84

Maximum measured transmitter power for the EUT:

Power	
(dBm)	
11.79	

Threshold for no RF exposure evaluation is 13.84 dBm.

Transmitter power of this device is 11.79 dBm.

**Conclusion:** No RF exposure evaluation required since transmitter output power is below the power threshold.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: WX9RC30004702 Page Number : 8 of 8
Report Issued Date : Dec. 17, 2010

: Rev. 01

Report Version

Report No.: FA092824-01