





**n260, Module 0, 100MHz, HIGH CH, CP-OFDM 16QAM (99% BW)****n260, Module 0, 100MHz, HIGH CH, CP-OFDM 64QAM (99% BW)**



n260, Module 0, SCS=120kHz, Beam ID: 14+142							
BW (MHz)	RB allocation	Modulation	Frequency (MHz)	99% BW(MHz)			
				Pi/2 BPSK	QPSK	16QAM	64QAM
50	Full RB	DFT-s-OFDM	37025.04	45.32	45.46	45.42	45.50
			38499.96	45.74	45.76	45.79	45.85
			39975	45.73	46.00	45.85	45.76
		CP-OFDM	37025.04	/	45.69	45.74	45.53
			38499.96	/	46.00	46.09	45.81
			39975	/	46.01	45.88	45.94
100	Full RB	DFT-s-OFDM	37050	90.81	90.96	90.77	90.81
			38499.96	90.17	90.12	90.51	89.99
			39949.92	91.82	92.34	92.41	92.09
		CP-OFDM	37050	/	94.43	94.20	93.99
			38499.96	/	94.10	93.99	93.84
			39949.92	/	93.48	93.27	93.38

**n260, Module 0, 50MHz, LOW CH, PUSCH DFT BPSK (99% BW)****n260, Module 0, 50MHz, LOW CH, PUSCH DFT QPSK (99% BW)**



n260, Module 0, 50MHz, LOW CH, PUSCH DFT 16QAM (99% BW)



n260, Module 0, 50MHz, LOW CH, PUSCH DFT 64QAM (99% BW)





n260, Module 0, 50MHz, LOW CH, CP-OFDM QPSK (99% BW)



n260, Module 0, 50MHz, LOW CH, CP-OFDM 16QAM (99% BW)






n260, Module 0, 50MHz, LOW CH, CP-OFDM 64QAM (99% BW)




n260, Module 0, 50MHz, MID CH, PUSCH DFT BPSK (99% BW)








n260, Module 0, 50MHz, MID CH, PUSCH DFT QPSK (99% BW)





n260, Module 0, 50MHz, MID CH, PUSCH DFT 16QAM (99% BW)




**n260, Module 0, 50MHz, MID CH, PUSCH DFT 64QAM (99% BW)****n260, Module 0, 50MHz, MID CH, CP-OFDM QPSK (99% BW)**

**n260, Module 0, 50MHz, MID CH, CP-OFDM 16QAM (99% BW)****n260, Module 0, 50MHz, MID CH, CP-OFDM 64QAM (99% BW)**

**n260, Module 0, 50MHz, HIGH CH, PUSCH DFT BPSK (99% BW)****n260, Module 0, 50MHz, HIGH CH, PUSCH DFT QPSK (99% BW)**



n260, Module 0, 50MHz, HIGH CH, PUSCH DFT 16QAM (99% BW)



n260, Module 0, 50MHz, HIGH CH, PUSCH DFT 64QAM (99% BW)

