






















In-Band Emissions

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20 MIMO	Ant7	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant6	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant7	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant6	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS




Test Graphs






11AX20MIMO_Ant7_5955_106Tone_RU53




11AX20MIMO_Ant6_5955_26Tone_RU0






11AX20MIMO_Ant6_5955_52Tone_RU37



Date: 9.NOV.2024 07:48:04


11AX20MIMO_Ant6_5955_106Tone_RU53



Date: 9.NOV.2024 07:51:00




11AX20MIMO_Ant7_6175_26Tone_RU0



Date: 9.NOV.2024 07:53:12


11AX20MIMO_Ant7_6175_52Tone_RU37



Date: 9.NOV.2024 07:56:10




11AX20MIMO_Ant7_6175_106Tone_RU53



Date: 9.NOV.2024 07:58:41


11AX20MIMO_Ant6_6175_26Tone_RU0



Date: 9.NOV.2024 07:54:12




11AX20MIMO_Ant6_6175_52Tone_RU37




Date: 9.NOV.2024 07:57:26

11AX20MIMO_Ant6_6175_106Tone_RU53




Date: 9.NOV.2024 07:59:34






11AX20MIMO_Ant7_6415_106Tone_RU54





Date: 9.NOV.2024 08:13:14

11AX20MIMO_Ant6_6415_26Tone_RU8




Date: 9.NOV.2024 08:05:11








11AX20MIMO_Ant7_6535_106Tone_RU53




11AX20MIMO_Ant6_6535_26Tone_RU0








11AX20MIMO_Ant6_6535_52Tone_RU37



11AX20MIMO_Ant6_6535_106Tone_RU53












11AX20MIMO_Ant6_6695_52Tone_RU37




11AX20MIMO_Ant6_6695_106Tone_RU53








11AX20MIMO_Ant7_6855_106Tone_RU54




Date: 9.NOV.2024 09:02:04

11AX20MIMO_Ant6_6855_26Tone_RU8



Date: 9.NOV.2024 08:57:56






Duty Cycle

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Verdict
11AX20MIMO	Ant7	5955	26Tone	RU0	20.00	20.00	100.00	---
			52Tone	RU37	20.00	20.00	100.00	---
			106Tone	RU53	20.00	20.00	100.00	---
	Ant6	5955	26Tone	RU0	20.00	20.00	100.00	---
			52Tone	RU37	20.00	20.00	100.00	---
			106Tone	RU53	20.00	20.00	100.00	---
	Ant7	6415	26Tone	RU8	20.00	20.00	100.00	---
			52Tone	RU40	20.00	20.00	100.00	---
			106Tone	RU54	20.00	20.00	100.00	---
	Ant6	6415	26Tone	RU8	20.00	20.00	100.00	---
			52Tone	RU40	20.00	20.00	100.00	---
			106Tone	RU54	20.00	20.00	100.00	---




Test Graphs






11AX20MIMO_Ant7_5955_106Tone_RU53





Date: 9.NOV.2024 07:48:46


11AX20MIMO_Ant6_5955_26Tone_RU0




Date: 9.NOV.2024 07:39:39












Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
1	0.162	48.13	-17.25	65.38	37.60	0.11	10.42	QP
2	0.162	34.13	-21.25	55.38	23.60	0.11	10.42	Average
3	0.182	41.71	-22.66	64.37	31.21	0.09	10.41	QP
4	0.182	22.71	-31.66	54.37	12.21	0.09	10.41	Average
5	0.471	42.35	-14.14	56.49	32.20	-0.09	10.24	QP
6	0.471	29.45	-17.04	46.49	19.30	-0.09	10.24	Average
7	0.579	36.26	-19.74	56.00	26.20	-0.13	10.19	QP
8	0.579	24.26	-21.74	46.00	14.20	-0.13	10.19	Average
9 *	5.961	46.07	-13.93	60.00	36.20	-0.22	10.09	QP
10	5.961	34.17	-15.83	50.00	24.30	-0.22	10.09	Average
11	7.566	33.92	-26.08	60.00	23.80	-0.22	10.34	QP
12	7.566	17.32	-32.68	50.00	7.20	-0.22	10.34	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.164	43.64	-21.61	65.25	33.10	0.12	10.42	QP
2	0.164	28.74	-26.51	55.25	18.20	0.12	10.42	Average
3 *	0.479	40.58	-15.78	56.36	30.50	-0.15	10.23	QP
4	0.479	28.68	-17.68	46.36	18.60	-0.15	10.23	Average
5	0.592	33.32	-22.68	56.00	23.30	-0.16	10.18	QP
6	0.592	21.22	-24.78	46.00	11.20	-0.16	10.18	Average
7	5.993	37.10	-22.90	60.00	27.20	-0.19	10.09	QP
8	5.993	25.50	-24.50	50.00	15.60	-0.19	10.09	Average
9	6.698	35.53	-24.47	60.00	25.50	-0.18	10.21	QP
10	6.698	21.53	-28.47	50.00	11.50	-0.18	10.21	Average
11	8.192	36.81	-23.19	60.00	26.60	-0.22	10.43	QP
12	8.192	20.71	-29.29	50.00	10.50	-0.22	10.43	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	50%
		Temperature :	20-24°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 7+6	802.11a	1	5955	6Mbps	Full	-
Mode 2	U-NII-5	5.925-6.425	CDD 7+6	802.11a	45	6175	6Mbps	Full	-
Mode 3	U-NII-5	5.925-6.425	CDD 7+6	802.11a	93	6415	6Mbps	Full	-
Mode 4	U-NII-7	6.525-6.875	CDD 7+6	802.11a	117	6535	6Mbps	Full	-
Mode 5	U-NII-7	6.525-6.875	CDD 7+6	802.11a	149	6695	6Mbps	Full	-
Mode 6	U-NII-5	5.925-6.425	CDD 7+6	802.11a	181	6855	6Mbps	Full	-
Mode 7	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE20	1	5955	MCS0	Full	-
Mode 8	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE20	45	6175	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE20	93	6415	MCS0	Full	-
Mode 10	U-NII-7	6.525-6.875	CDD 7+6	802.11ax HE20	117	6535	MCS0	Full	-
Mode 11	U-NII-7	6.525-6.875	CDD 7+6	802.11ax HE20	149	6695	MCS0	Full	-
Mode 12	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE20	181	6855	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE40	3	5965	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE40	43	6165	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE40	91	6405	MCS0	Full	-
Mode 16	U-NII-7	6.525-6.875	CDD 7+6	802.11ax HE40	123	6565	MCS0	Full	-
Mode 17	U-NII-7	6.525-6.875	CDD 7+6	802.11ax HE40	147	6685	MCS0	Full	-
Mode 18	U-NII-8	6.875-7.125	CDD 7+6	802.11ax HE40	179	6845	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE80	7	5985	MCS0	Full	-
Mode 20	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE80	39	6145	MCS0	Full	-
Mode 21	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE80	87	6385	MCS0	Full	-
Mode 22	U-NII-7	6.525-6.875	CDD 7+6	802.11ax HE80	135	6625	MCS0	Full	-
Mode 23	U-NII-7	6.525-6.875	CDD 7+6	802.11ax HE80	151	6705	MCS0	Full	-
Mode 24	U-NII-7	6.525-6.875	CDD 7+6	802.11ax HE80	167	6785	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE160	15	6025	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE160	47	6185	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE160	79	6345	MCS0	Full	-
Mode 28	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE160	143	6665	MCS0	Full	-
Mode 29	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE20	1	5955	MCS0	Single 26/0	-
Mode 30	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE20	181	6855	MCS0	Single 52/40	-
Mode 31	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE20	1	5955	MCS0	Small RU	-
Mode 32	U-NII-5	6.525-6.875	CDD 7+6	802.11ax HE20	181	6855	MCS0	Small RU	-



Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	2400-2483.5	2400-2483.5	CDD 7+6	802.11ax HE20	13	2472	MCS0	Full	-
	U-NII-5	5.925-6.425	CDD 7+6	802.11ax HE160	15	6025	MCS0	Full	-
	Part 96 LTE Band 48C BW 20M+20M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.58	35.61	68.20	-32.59	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.71	74.00	-28.29	V	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.09	74.00	-27.91	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.44	88.20	-40.76	V	PEAK	Pass	Harmonic
4	802.11a	117	-	-	-	-	-	-	-	Band Edge
4	802.11a	117	13070.00	47.26	88.20	-40.94	H	PEAK	Pass	Harmonic
5	802.11a	149	-	-	-	-	-	-	-	Band Edge
5	802.11a	149	13390.00	46.36	74.00	-27.64	V	PEAK	Pass	Harmonic
6	802.11a	181	7158.60	38.52	68.20	-29.68	V	AVERAGE	Pass	Band Edge
6	802.11a	181	13710.00	46.43	88.20	-41.77	H	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5924.84	35.66	68.20	-32.54	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	11910.00	45.66	74.00	-28.34	H	PEAK	Pass	Harmonic
8	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	45	12350.00	47.08	74.00	-26.92	H	PEAK	Pass	Harmonic
9	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
9	802.11ax HE20	93	12830.00	46.36	88.20	-41.84	H	PEAK	Pass	Harmonic
10	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
10	802.11ax HE20	117	13070.00	47.29	88.20	-40.91	H	PEAK	Pass	Harmonic
11	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	149	13390.00	45.94	74.00	-28.06	H	PEAK	Pass	Harmonic
12	802.11ax HE20	181	7164.84	38.73	68.20	-29.47	V	AVERAGE	Pass	Band Edge
12	802.11ax HE20	181	13710.00	45.27	88.20	-42.93	V	PEAK	Pass	Harmonic
13	802.11ax HE40	3	5924.96	38.57	68.20	-29.63	H	AVERAGE	Pass	Band Edge
13	802.11ax HE40	3	11930.00	46.24	74.00	-27.76	H	PEAK	Pass	Harmonic
14	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE40	43	12330.00	46.57	74.00	-27.43	H	PEAK	Pass	Harmonic
15	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE40	91	12810.00	46.36	88.20	-41.84	H	PEAK	Pass	Harmonic
16	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE40	123	13130.00	46.00	88.20	-42.20	H	PEAK	Pass	Harmonic
17	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE40	147	13370.00	46.72	74.00	-27.28	V	PEAK	Pass	Harmonic
18	802.11ax HE40	179	7218.28	38.45	68.20	-29.75	V	AVERAGE	Pass	Band Edge
18	802.11ax HE40	179	13690.00	45.29	88.20	-42.91	V	PEAK	Pass	Harmonic







19	802.11ax HE80	7	5917.80	40.61	68.20	-27.59	H	AVERAGE	Pass	Band Edge
19	802.11ax HE80	7	11970.00	45.12	74.00	-28.88	V	PEAK	Pass	Harmonic
20	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE80	39	12290.00	45.82	74.00	-28.18	H	PEAK	Pass	Harmonic
21	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE80	87	12770.00	46.48	88.20	-41.72	V	PEAK	Pass	Harmonic
22	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE80	135	13250.00	46.63	74.00	-27.37	V	PEAK	Pass	Harmonic
23	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE80	151	13410.00	46.07	88.20	-42.13	V	PEAK	Pass	Harmonic
24	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	167	13570.00	45.69	88.20	-42.51	H	PEAK	Pass	Harmonic
25	802.11ax HE160	15	5924.20	42.47	68.20	-25.73	H	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	12050.00	45.97	74.00	-28.03	H	PEAK	Pass	Harmonic
26	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE160	47	12370.00	46.57	74.00	-27.43	V	PEAK	Pass	Harmonic
27	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	79	12690.00	46.48	74.00	-27.52	H	PEAK	Pass	Harmonic
28	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE160	143	13330.00	46.28	74.00	-27.72	V	PEAK	Pass	Harmonic
29	802.11ax HE20	1	5923.80	35.43	68.20	-32.77	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	181	7169.00	38.49	68.20	-29.71	H	AVERAGE	Pass	Band Edge
30	802.11ax HE20	181	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	1	5900.01	35.52	68.20	-32.68	H	AVERAGE	Pass	Band Edge
31	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	181	7164.36	38.66	68.20	-29.54	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	181	-	-	-	-	-	-	-	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
34	802.11ax HE20	13	2483.50	52.87	54.00	-1.13	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	7416.00	44.58	74.00	-29.42	H	PEAK	Pass	Harmonic
	802.11ax HE160	15	5919.60	46.60	68.20	-21.60	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	15	12050.00	36.73	54.00	-17.27	V	AVERAGE	Pass	Harmonic





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																														
ANT	CDD 7+6																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>39.96</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>295</td><td>33</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	47.27	88.20	-40.93	39.96	35.13	11.40	39.22	0.00	295	33	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.55</td><td>-----</td><td>-----</td><td>96.11</td><td>35.17</td><td>11.43</td><td>39.16</td><td>0.00</td><td>295</td><td>33</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.55	-----	-----	96.11	35.17	11.43	39.16	0.00	295	33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.06	47.27	88.20	-40.93	39.96	35.13	11.40	39.22	0.00	295	33	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	103.55	-----	-----	96.11	35.17	11.43	39.16	0.00	295	33	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>35.61</td><td>68.20</td><td>-32.59</td><td>28.30</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>295</td><td>33</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	35.61	68.20	-32.59	28.30	35.13	11.40	39.22	0.00	295	33	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.35</td><td>-----</td><td>-----</td><td>87.93</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>295</td><td>33</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.35	-----	-----	87.93	35.16	11.43	39.17	0.00	295	33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.58	35.61	68.20	-32.59	28.30	35.13	11.40	39.22	0.00	295	33	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	95.35	-----	-----	87.93	35.16	11.43	39.17	0.00	295	33	AVERAGE																																																																																																			





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																														
ANT	CDD 7+6																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5876.61</td><td>47.06</td><td>88.20</td><td>-41.14</td><td>39.90</td><td>35.09</td><td>11.36</td><td>39.29</td><td>0.00</td><td>131</td><td>203</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5876.61	47.06	88.20	-41.14	39.90	35.09	11.36	39.29	0.00	131	203	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.22</td><td>-----</td><td>-----</td><td>92.78</td><td>35.17</td><td>11.43</td><td>39.16</td><td>0.00</td><td>131</td><td>203</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.22	-----	-----	92.78	35.17	11.43	39.16	0.00	131	203
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5876.61	47.06	88.20	-41.14	39.90	35.09	11.36	39.29	0.00	131	203	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	100.22	-----	-----	92.78	35.17	11.43	39.16	0.00	131	203	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>35.42</td><td>68.20</td><td>-32.78</td><td>28.11</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>131</td><td>203</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	35.42	68.20	-32.78	28.11	35.13	11.40	39.22	0.00	131	203	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.44</td><td>-----</td><td>-----</td><td>84.00</td><td>35.17</td><td>11.43</td><td>39.16</td><td>0.00</td><td>131</td><td>203</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.44	-----	-----	84.00	35.17	11.43	39.16	0.00	131	203
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.32	35.42	68.20	-32.78	28.11	35.13	11.40	39.22	0.00	131	203	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	91.44	-----	-----	84.00	35.17	11.43	39.16	0.00	131	203	AVERAGE																																																																																																			





Mode	1																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																							
ANT	CDD 7+6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11910.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>56.80</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11910.00	45.69	74.00	-28.31	56.80	38.60	16.62	66.33	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11910.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>56.82</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11910.00	45.71	74.00	-28.29	56.82	38.60	16.62	66.33	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 11910.00	45.69	74.00	-28.31	56.80	38.60	16.62	66.33	0.00	--	--	PEAK																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 11910.00	45.71	74.00	-28.29	56.82	38.60	16.62	66.33	0.00	--	--	PEAK																																																																																													





Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH45_Full_6175MHz																																																																																																								
ANT	CDD 7+6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12350.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>56.37</td><td>38.00</td><td>16.91</td><td>65.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12350.00	46.09	74.00	-27.91	56.37	38.00	16.91	65.99	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12350.00</td><td>45.65</td><td>74.00</td><td>-28.35</td><td>55.93</td><td>38.00</td><td>16.91</td><td>65.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12350.00	45.65	74.00	-28.35	55.93	38.00	16.91	65.99	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12350.00	46.09	74.00	-27.91	56.37	38.00	16.91	65.99	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12350.00	45.65	74.00	-28.35	55.93	38.00	16.91	65.99	0.00	--	--	PEAK																																																																																														





Mode	3																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH93_Full_6415MHz																																																																																																		
ANT	CDD 7+6																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>56.15</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.97	88.20	-41.23	56.15	39.13	17.22	65.53	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.44</td><td>88.20</td><td>-40.76</td><td>56.62</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	47.44	88.20	-40.76	56.62	39.13	17.22	65.53	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12830.00	46.97	88.20	-41.23	56.15	39.13	17.22	65.53	0.00	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	12830.00	47.44	88.20	-40.76	56.62	39.13	17.22	65.53	0.00	--	PEAK																																																																																								







Mode	4																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH117_Full_6535MHz																																																																																							
ANT	CDD 7+6																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13078.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>56.12</td><td>39.06</td><td>17.38</td><td>65.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13078.00	47.26	88.20	-40.94	56.12	39.06	17.38	65.30	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13078.00</td><td>46.57</td><td>88.20</td><td>-41.63</td><td>55.43</td><td>39.06</td><td>17.38</td><td>65.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13078.00	46.57	88.20	-41.63	55.43	39.06	17.38	65.30	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	13078.00	47.26	88.20	-40.94	56.12	39.06	17.38	65.30	0.00	--	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	13078.00	46.57	88.20	-41.63	55.43	39.06	17.38	65.30	0.00	--	PEAK																																																																													







Mode	5																																																																																																		
	Harmonic																																																																																																		
	U-NII-7_6.525-6.875_802.11a_CH149_Full_6695MHz																																																																																																		
ANT	CDD 7+6																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>53.66</td><td>38.90</td><td>17.61</td><td>64.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>54.84</td><td>38.90</td><td>17.61</td><td>64.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.18	74.00	-28.82	53.66	38.90	17.61	64.99	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.36	74.00	-27.64	54.84	38.90	17.61	64.99	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13390.00	45.18	74.00	-28.82	53.66	38.90	17.61	64.99	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13390.00	46.36	74.00	-27.64	54.84	38.90	17.61	64.99	0.00	--	--	PEAK																																																																																							





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH181_Full_6855MHz																																																																																																		
ANT	CDD 7+6																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7227.08</td><td>50.96</td><td>88.20</td><td>-37.24</td><td>40.27</td><td>35.70</td><td>12.71</td><td>37.72</td><td>0.00</td><td>300</td><td>43</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7227.08	50.96	88.20	-37.24	40.27	35.70	12.71	37.72	0.00	300	43	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6855.00</td><td>98.28</td><td>-----</td><td>-----</td><td>88.36</td><td>35.60</td><td>12.31</td><td>37.99</td><td>0.00</td><td>300</td><td>43</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6855.00	98.28	-----	-----	88.36	35.60	12.31	37.99	0.00	300	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7227.08	50.96	88.20	-37.24	40.27	35.70	12.71	37.72	0.00	300	43	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6855.00	98.28	-----	-----	88.36	35.60	12.31	37.99	0.00	300	43	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7212.04</td><td>38.46</td><td>68.20</td><td>-29.74</td><td>27.79</td><td>35.70</td><td>12.71</td><td>37.74</td><td>0.00</td><td>300</td><td>43</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7212.04	38.46	68.20	-29.74	27.79	35.70	12.71	37.74	0.00	300	43	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6855.00</td><td>89.52</td><td>-----</td><td>-----</td><td>79.60</td><td>35.60</td><td>12.31</td><td>37.99</td><td>0.00</td><td>300</td><td>43</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6855.00	89.52	-----	-----	79.60	35.60	12.31	37.99	0.00	300	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7212.04	38.46	68.20	-29.74	27.79	35.70	12.71	37.74	0.00	300	43	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6855.00	89.52	-----	-----	79.60	35.60	12.31	37.99	0.00	300	43	AVERAGE																																																																																							







Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH181_Full_6855MHz																																																																																																														
ANT	CDD 7+6																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7159.56</td><td>49.96</td><td>88.20</td><td>-38.24</td><td>39.41</td><td>35.70</td><td>12.66</td><td>37.81</td><td>0.00</td><td>114</td><td>173</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7159.56	49.96	88.20	-38.24	39.41	35.70	12.66	37.81	0.00	114	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>101.87</td><td>-----</td><td>-----</td><td>91.96</td><td>35.60</td><td>12.30</td><td>37.99</td><td>0.00</td><td>114</td><td>173</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	101.87	-----	-----	91.96	35.60	12.30	37.99	0.00	114	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7159.56	49.96	88.20	-38.24	39.41	35.70	12.66	37.81	0.00	114	173	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6855.00	101.87	-----	-----	91.96	35.60	12.30	37.99	0.00	114	173	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7158.60</td><td>38.52</td><td>68.20</td><td>-29.68</td><td>27.97</td><td>35.70</td><td>12.66</td><td>37.81</td><td>0.00</td><td>114</td><td>173</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7158.60	38.52	68.20	-29.68	27.97	35.70	12.66	37.81	0.00	114	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>93.51</td><td>-----</td><td>-----</td><td>83.60</td><td>35.60</td><td>12.30</td><td>37.99</td><td>0.00</td><td>114</td><td>173</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	93.51	-----	-----	83.60	35.60	12.30	37.99	0.00	114	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7158.60	38.52	68.20	-29.68	27.97	35.70	12.66	37.81	0.00	114	173	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6855.00	93.51	-----	-----	83.60	35.60	12.30	37.99	0.00	114	173	AVERAGE																																																																																																			







Mode	6																																																																																																				
	Harmonic																																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH181_Full_6855MHz																																																																																																				
ANT	CDD 7+6																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.43</td><td>88.20</td><td>-41.77</td><td>55.00</td><td>38.50</td><td>17.84</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	46.43	88.20	-41.77	55.00	38.50	17.84	64.91	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.33</td><td>88.20</td><td>-42.87</td><td>53.90</td><td>38.50</td><td>17.84</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	45.33	88.20	-42.87	53.90	38.50	17.84	64.91	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	13710.00	46.43	88.20	-41.77	55.00	38.50	17.84	64.91	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	13710.00	45.33	88.20	-42.87	53.90	38.50	17.84	64.91	0.00	--	--	PEAK																																																																																									



		7																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																							
ANT		CDD 7+6																																																																																																							
Pol.	Horizontal										Fundamental																																																																																														
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5880.64</td><td>46.99</td><td>88.20</td><td>-41.21</td><td>39.83</td><td>35.09</td><td>11.36</td><td>39.29</td><td>0.00</td><td>296</td><td>27 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5880.64	46.99	88.20	-41.21	39.83	35.09	11.36	39.29	0.00	296	27 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.14</td><td>-----</td><td>-----</td><td>97.72</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>296</td><td>27 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.14	-----	-----	97.72	35.16	11.43	39.17	0.00	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5880.64	46.99	88.20	-41.21	39.83	35.09	11.36	39.29	0.00	296	27 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5955.00	105.14	-----	-----	97.72	35.16	11.43	39.17	0.00	296	27 PEAK																																																																																														
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>35.66</td><td>68.20</td><td>-32.54</td><td>28.35</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>296</td><td>27 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	35.66	68.20	-32.54	28.35	35.13	11.40	39.22	0.00	296	27 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.96</td><td>-----</td><td>-----</td><td>87.52</td><td>35.17</td><td>11.43</td><td>39.16</td><td>0.00</td><td>296</td><td>27 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.96	-----	-----	87.52	35.17	11.43	39.16	0.00	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5924.84	35.66	68.20	-32.54	28.35	35.13	11.40	39.22	0.00	296	27 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5955.00	94.96	-----	-----	87.52	35.17	11.43	39.16	0.00	296	27 AVERAGE																																																																																														





		7																																																																																																										
Mode		Band Edge																																																																																																										
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																										
ANT		CDD 7+6																																																																																																										
Pol.		Vertical										Fundamental																																																																																																
Peak																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5849.05</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>39.66</td><td>35.06</td><td>11.33</td><td>39.24</td><td>0.00</td><td>131</td><td>205</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5849.05	46.81	88.20	-41.39	39.66	35.06	11.33	39.24	0.00	131	205	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.39</td><td>-----</td><td>-----</td><td>92.95</td><td>35.17</td><td>11.43</td><td>39.16</td><td>0.00</td><td>131</td><td>205</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.39	-----	-----	92.95	35.17	11.43	39.16	0.00	131	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5849.05	46.81	88.20	-41.39	39.66	35.06	11.33	39.24	0.00	131	205	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5955.00	100.39	-----	-----	92.95	35.17	11.43	39.16	0.00	131	205	PEAK																																																																																																
Avg																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>35.42</td><td>68.20</td><td>-32.78</td><td>28.11</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>131</td><td>205</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	35.42	68.20	-32.78	28.11	35.13	11.40	39.22	0.00	131	205	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.15</td><td>-----</td><td>-----</td><td>83.71</td><td>35.17</td><td>11.43</td><td>39.16</td><td>0.00</td><td>131</td><td>205</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.15	-----	-----	83.71	35.17	11.43	39.16	0.00	131	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5924.84	35.42	68.20	-32.78	28.11	35.13	11.40	39.22	0.00	131	205	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5955.00	91.15	-----	-----	83.71	35.17	11.43	39.16	0.00	131	205	AVERAGE																																																																																																





Mode	7																																																																																							
	Harmonic																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																							
ANT	CDD 7+6																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>56.77</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	56.77	38.60	16.62	66.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>56.70</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.59	74.00	-28.41	56.70	38.60	16.62	66.33	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	11910.00	45.66	74.00	-28.34	56.77	38.60	16.62	66.33	0.00	--	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	11910.00	45.59	74.00	-28.41	56.70	38.60	16.62	66.33	0.00	--	PEAK																																																																													





Mode	8																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_Full_6175MHz																																																																																																																		
ANT	CDD 7+6																																																																																																																		
Pol.	Horizontal												Vertical																																																																																																						
Peak Avg																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>57.36</td><td>38.80</td><td>16.91</td><td>65.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	12350.00	47.08	74.00	-26.92	57.36	38.80	16.91	65.99	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>56.27</td><td>38.80</td><td>16.91</td><td>65.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>				Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	12350.00	45.99	74.00	-28.01	56.27	38.80	16.91	65.99	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	12350.00	47.08	74.00	-26.92	57.36	38.80	16.91	65.99	0.00	--	--	PEAK																																																																																																							
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	12350.00	45.99	74.00	-28.01	56.27	38.80	16.91	65.99	0.00	--	--	PEAK																																																																																																							





Mode	9																																																							
	Harmonic																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full_6415MHz																																																							
ANT	CDD 7+6																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.36</td><td>88.20</td><td>-41.84</td><td>55.54</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.36	88.20	-41.84	55.54	39.13	17.22	65.53	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12830.00	46.36	88.20	-41.84	55.54	39.13	17.22	65.53	0.00	--	--	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.64</td><td>88.20</td><td>-42.56</td><td>54.82</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.64	88.20	-42.56	54.82	39.13	17.22	65.53	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12830.00	45.64	88.20	-42.56	54.82	39.13	17.22	65.53	0.00	--	--	PEAK																																												







Mode	10																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full_6535MHz																																																																																							
ANT	CDD 7+6																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>56.15</td><td>39.06</td><td>17.38</td><td>65.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.37</td><td>88.20</td><td>-41.83</td><td>55.23</td><td>39.06</td><td>17.38</td><td>65.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.29	88.20	-40.91	56.15	39.06	17.38	65.30	0.00	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	46.37	88.20	-41.83	55.23	39.06	17.38	65.30	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	13070.00	47.29	88.20	-40.91	56.15	39.06	17.38	65.30	0.00	--	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	13070.00	46.37	88.20	-41.83	55.23	39.06	17.38	65.30	0.00	--	PEAK																																																																													







Mode	11																																																																																										
	Harmonic																																																																																										
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full_6695MHz																																																																																										
ANT	CDD 7+6																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>54.42</td><td>38.90</td><td>17.61</td><td>64.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.94	74.00	-28.06	54.42	38.90	17.61	64.99	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>53.84</td><td>38.90</td><td>17.61</td><td>64.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	45.36	74.00	-28.64	53.84	38.90	17.61	64.99	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13390.00	45.94	74.00	-28.06	54.42	38.90	17.61	64.99	0.00	--	--	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	13390.00	45.36	74.00	-28.64	53.84	38.90	17.61	64.99	0.00	--	--	PEAK																																																																															





Mode	12																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH181_Full_6855MHz																																																																																					
ANT	CDD 7+6																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	 Level (dBuV/m) Frequency (MHz) Wifi 6E(Peak) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7227.40</td><td>49.49</td><td>88.20</td><td>-38.71</td><td>38.80</td><td>35.70</td><td>12.71</td><td>37.72</td><td>0.00</td><td>300 42 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7227.40	49.49	88.20	-38.71	38.80	35.70	12.71	37.72	0.00	300 42 PEAK	 Level (dBuV/m) Frequency (MHz) Wifi 6E(Peak) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6855.00</td><td>99.12</td><td>-----</td><td>-----</td><td>89.21</td><td>35.60</td><td>12.30</td><td>37.99</td><td>0.00</td><td>300 42 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6855.00	99.12	-----	-----	89.21	35.60	12.30	37.99	0.00	300 42 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 7227.40	49.49	88.20	-38.71	38.80	35.70	12.71	37.72	0.00	300 42 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 6855.00	99.12	-----	-----	89.21	35.60	12.30	37.99	0.00	300 42 PEAK																																																																													
Avg	 Level (dBuV/m) Frequency (MHz) Wifi-6E(AVG) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7204.84</td><td>38.44</td><td>68.20</td><td>-29.76</td><td>27.78</td><td>35.70</td><td>12.71</td><td>37.75</td><td>0.00</td><td>300 42 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7204.84	38.44	68.20	-29.76	27.78	35.70	12.71	37.75	0.00	300 42 AVERAGE	 Level (dBuV/m) Frequency (MHz) Wifi-6E(AVG) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6855.00</td><td>88.78</td><td>-----</td><td>-----</td><td>78.86</td><td>35.60</td><td>12.31</td><td>37.99</td><td>0.00</td><td>300 42 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6855.00	88.78	-----	-----	78.86	35.60	12.31	37.99	0.00	300 42 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 7204.84	38.44	68.20	-29.76	27.78	35.70	12.71	37.75	0.00	300 42 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 6855.00	88.78	-----	-----	78.86	35.60	12.31	37.99	0.00	300 42 AVERAGE																																																																													







Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH181_Full_6855MHz																																																																																																		
ANT	CDD 7+6																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7204.20</td><td>50.39</td><td>88.20</td><td>-37.81</td><td>39.73</td><td>35.70</td><td>12.71</td><td>37.75</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7204.20	50.39	88.20	-37.81	39.73	35.70	12.71	37.75	0.00	100	171	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>102.38</td><td>-----</td><td>-----</td><td>92.46</td><td>35.60</td><td>12.31</td><td>37.99</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	102.38	-----	-----	92.46	35.60	12.31	37.99	0.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7204.20	50.39	88.20	-37.81	39.73	35.70	12.71	37.75	0.00	100	171	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6855.00	102.38	-----	-----	92.46	35.60	12.31	37.99	0.00	100	171	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7164.04</td><td>38.73</td><td>68.20</td><td>-29.47</td><td>28.16</td><td>35.70</td><td>12.67</td><td>37.80</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7164.04	38.73	68.20	-29.47	28.16	35.70	12.67	37.80	0.00	100	171	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>92.26</td><td>-----</td><td>-----</td><td>82.34</td><td>35.60</td><td>12.31</td><td>37.99</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	92.26	-----	-----	82.34	35.60	12.31	37.99	0.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7164.04	38.73	68.20	-29.47	28.16	35.70	12.67	37.80	0.00	100	171	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6855.00	92.26	-----	-----	82.34	35.60	12.31	37.99	0.00	100	171	AVERAGE																																																																																							







Mode	12																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH181_Full_6855MHz																																																																																																			
ANT	CDD 7+6																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>44.70</td><td>88.20</td><td>-43.50</td><td>53.27</td><td>38.50</td><td>17.84</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	44.70	88.20	-43.50	53.27	38.50	17.84	64.91	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.27</td><td>88.20</td><td>-42.93</td><td>53.84</td><td>38.50</td><td>17.84</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.27	88.20	-42.93	53.84	38.50	17.84	64.91	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13710.00	44.70	88.20	-43.50	53.27	38.50	17.84	64.91	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13710.00	45.27	88.20	-42.93	53.84	38.50	17.84	64.91	0.00	--	--	PEAK																																																																																								





Mode	13																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																		
ANT	CDD 7+6																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.86</td><td>48.79</td><td>88.20</td><td>-39.41</td><td>41.48</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>296</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.86	48.79	88.20	-39.41	41.48	35.13	11.40	39.22	0.00	296	24	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.73</td><td>-----</td><td>-----</td><td>95.25</td><td>35.18</td><td>11.44</td><td>39.14</td><td>0.00</td><td>296</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.73	-----	-----	95.25	35.18	11.44	39.14	0.00	296	24
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.86	48.79	88.20	-39.41	41.48	35.13	11.40	39.22	0.00	296	24	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	102.73	-----	-----	95.25	35.18	11.44	39.14	0.00	296	24	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>38.57</td><td>68.20</td><td>-29.63</td><td>31.26</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>296</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	38.57	68.20	-29.63	31.26	35.13	11.40	39.22	0.00	296	24	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>91.93</td><td>-----</td><td>-----</td><td>84.45</td><td>35.18</td><td>11.44</td><td>39.14</td><td>0.00</td><td>296</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	91.93	-----	-----	84.45	35.18	11.44	39.14	0.00	296	24
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	38.57	68.20	-29.63	31.26	35.13	11.40	39.22	0.00	296	24	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	91.93	-----	-----	84.45	35.18	11.44	39.14	0.00	296	24	AVERAGE																																																																																							





Mode	13																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																		
ANT	CDD 7+6																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.38</td><td>47.71</td><td>88.20</td><td>-40.49</td><td>40.44</td><td>35.12</td><td>11.39</td><td>39.24</td><td>0.00</td><td>106</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.38	47.71	88.20	-40.49	40.44	35.12	11.39	39.24	0.00	106	205	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.46</td><td>-----</td><td>-----</td><td>88.96</td><td>35.18</td><td>11.45</td><td>39.13</td><td>0.00</td><td>106</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.46	-----	-----	88.96	35.18	11.45	39.13	0.00	106	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5911.38	47.71	88.20	-40.49	40.44	35.12	11.39	39.24	0.00	106	205	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	96.46	-----	-----	88.96	35.18	11.45	39.13	0.00	106	205	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>37.27</td><td>68.20</td><td>-30.93</td><td>29.96</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>106</td><td>205</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	37.27	68.20	-30.93	29.96	35.13	11.40	39.22	0.00	106	205	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.89</td><td>-----</td><td>-----</td><td>80.41</td><td>35.18</td><td>11.44</td><td>39.14</td><td>0.00</td><td>106</td><td>205</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.89	-----	-----	80.41	35.18	11.44	39.14	0.00	106	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	37.27	68.20	-30.93	29.96	35.13	11.40	39.22	0.00	106	205	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	87.89	-----	-----	80.41	35.18	11.44	39.14	0.00	106	205	AVERAGE																																																																																							







Mode	13																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																																			
ANT	CDD 7+6																																																																																																																			
Pol.	Horizontal												Vertical																																																																																																							
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>57.34</td><td>38.60</td><td>16.63</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	46.24	74.00	-27.76	57.34	38.60	16.63	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>56.39</td><td>38.60</td><td>16.63</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	45.29	74.00	-28.71	56.39	38.60	16.63	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11930.00	46.24	74.00	-27.76	57.34	38.60	16.63	66.33	0.00	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11930.00	45.29	74.00	-28.71	56.39	38.60	16.63	66.33	0.00	--	--	PEAK																																																																																																								





Mode	14																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full_6165MHz																																																																																																																			
ANT	CDD 7+6																																																																																																																			
Pol.	Horizontal												Vertical																																																																																																							
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>56.88</td><td>38.80</td><td>16.90</td><td>66.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	46.57	74.00	-27.43	56.88	38.80	16.90	66.01	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>56.48</td><td>38.80</td><td>16.90</td><td>66.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	46.17	74.00	-27.83	56.48	38.80	16.90	66.01	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12330.00	46.57	74.00	-27.43	56.88	38.80	16.90	66.01	0.00	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12330.00	46.17	74.00	-27.83	56.48	38.80	16.90	66.01	0.00	--	--	PEAK																																																																																																								





Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full_6405MHz	
ANT	CDD 7+6	
Pol.	Horizontal	Vertical
Peak		
Avg		







Mode	16																																																																																																							
	Harmonic																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full_6565MHz																																																																																																							
ANT	CDD 7+6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13130.00</td><td>46.00</td><td>88.20</td><td>-42.20</td><td>54.81</td><td>39.00</td><td>17.43</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13130.00	46.00	88.20	-42.20	54.81	39.00	17.43	65.24	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13130.00</td><td>45.94</td><td>88.20</td><td>-42.26</td><td>54.75</td><td>39.00</td><td>17.43</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13130.00	45.94	88.20	-42.26	54.75	39.00	17.43	65.24	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 13130.00	46.00	88.20	-42.20	54.81	39.00	17.43	65.24	0.00	--	--	PEAK																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 13130.00	45.94	88.20	-42.26	54.75	39.00	17.43	65.24	0.00	--	--	PEAK																																																																																													



Mode	17																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full_6685MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal												Vertical																																																																																																								
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13378.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>54.42</td><td>38.90</td><td>17.60</td><td>65.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13378.00	45.91	74.00	-28.09	54.42	38.90	17.60	65.01	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13378.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>55.23</td><td>38.90</td><td>17.60</td><td>65.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13378.00	46.72	74.00	-27.28	55.23	38.90	17.60	65.01	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	13378.00	45.91	74.00	-28.09	54.42	38.90	17.60	65.01	0.00	--	--	PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	13378.00	46.72	74.00	-27.28	55.23	38.90	17.60	65.01	0.00	--	--	PEAK																																																																																																									



Mode	18																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE40_CH179_Full_6845MHz																																																																																																														
ANT	CDD 7+6																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7140.20</td><td>49.90</td><td>88.20</td><td>-38.30</td><td>39.39</td><td>35.70</td><td>12.64</td><td>37.83</td><td>0.00</td><td>281</td><td>43</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.20	49.90	88.20	-38.30	39.39	35.70	12.64	37.83	0.00	281	43	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>94.77</td><td>-----</td><td>-----</td><td>84.86</td><td>35.60</td><td>12.30</td><td>37.99</td><td>0.00</td><td>281</td><td>43</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	94.77	-----	-----	84.86	35.60	12.30	37.99	0.00	281	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7140.20	49.90	88.20	-38.30	39.39	35.70	12.64	37.83	0.00	281	43	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6845.00	94.77	-----	-----	84.86	35.60	12.30	37.99	0.00	281	43	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7221.96</td><td>38.43</td><td>68.20</td><td>-29.77</td><td>27.75</td><td>35.70</td><td>12.71</td><td>37.73</td><td>0.00</td><td>281</td><td>43</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7221.96	38.43	68.20	-29.77	27.75	35.70	12.71	37.73	0.00	281	43	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>85.94</td><td>-----</td><td>-----</td><td>76.03</td><td>35.60</td><td>12.30</td><td>37.99</td><td>0.00</td><td>281</td><td>43</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	85.94	-----	-----	76.03	35.60	12.30	37.99	0.00	281	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7221.96	38.43	68.20	-29.77	27.75	35.70	12.71	37.73	0.00	281	43	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6845.00	85.94	-----	-----	76.03	35.60	12.30	37.99	0.00	281	43	AVERAGE																																																																																																			