





Mode	9																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																			
ANT	CDD 7+6																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>48.62</td><td>68.30</td><td>-19.68</td><td>47.73</td><td>38.12</td><td>14.19</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>42.09</td><td>40.60</td><td>16.92</td><td>52.39</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10420.00	48.62	68.30	-19.68	47.73	38.12	14.19	51.42	---	---	Peak	2	15630.00	47.22	74.00	-26.78	42.09	40.60	16.92	52.39	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>48.47</td><td>68.30</td><td>-19.83</td><td>47.58</td><td>38.12</td><td>14.19</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>42.72</td><td>40.60</td><td>16.92</td><td>52.39</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10420.00	48.47	68.30	-19.83	47.58	38.12	14.19	51.42	---	---	Peak	2	15630.00	47.85	74.00	-26.15	42.72	40.60	16.92	52.39	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10420.00	48.62	68.30	-19.68	47.73	38.12	14.19	51.42	---	---	Peak																																																																																																									
2	15630.00	47.22	74.00	-26.78	42.09	40.60	16.92	52.39	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10420.00	48.47	68.30	-19.83	47.58	38.12	14.19	51.42	---	---	Peak																																																																																																									
2	15630.00	47.85	74.00	-26.15	42.72	40.60	16.92	52.39	---	---	Peak																																																																																																									





Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																									
ANT	CDD 7+6																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5062.21</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>38.94</td><td>35.80</td><td>11.13</td><td>32.61</td><td>100</td><td>42</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5062.21	53.26	74.00	-20.74	38.94	35.80	11.13	32.61	100	42	PEAK	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.43</td><td>-----</td><td>-----</td><td>85.24</td><td>35.76</td><td>11.07</td><td>32.64</td><td>100</td><td>42</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.43	-----	-----	85.24	35.76	11.07	32.64	100	42	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5062.21	53.26	74.00	-20.74	38.94	35.80	11.13	32.61	100	42	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	99.43	-----	-----	85.24	35.76	11.07	32.64	100	42	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.99</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>28.63</td><td>35.75</td><td>11.10</td><td>32.63</td><td>100</td><td>42</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5126.99	42.85	54.00	-11.15	28.63	35.75	11.10	32.63	100	42	AVERAGE	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>91.95</td><td>-----</td><td>-----</td><td>77.76</td><td>35.76</td><td>11.07</td><td>32.64</td><td>100</td><td>42</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	91.95	-----	-----	77.76	35.76	11.07	32.64	100	42	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5126.99	42.85	54.00	-11.15	28.63	35.75	11.10	32.63	100	42	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	91.95	-----	-----	77.76	35.76	11.07	32.64	100	42	AVERAGE																																																																															





		10																																																																																										
Mode		Band Edge																																																																																										
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																										
ANT		CDD 7+6																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak		Level (dBuV/m) Date: 2025-03-26 500050365072510851445180 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5103.25</td><td>52.95</td><td>74.00</td><td>-21.05</td><td>38.67</td><td>35.79</td><td>11.11</td><td>32.62</td><td>249 159 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5103.25	52.95	74.00	-21.05	38.67	35.79	11.11	32.62	249 159 PEAK	Level (dBuV/m) Date: 2025-03-26 100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>104.22</td><td>-----</td><td>-----</td><td>90.03</td><td>35.76</td><td>11.07</td><td>32.64</td><td>249 159 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	104.22	-----	-----	90.03	35.76	11.07	32.64	249 159 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5103.25	52.95	74.00	-21.05	38.67	35.79	11.11	32.62	249 159 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5180.00	104.22	-----	-----	90.03	35.76	11.07	32.64	249 159 PEAK																																																																																			
Avg		Level (dBuV/m) Date: 2025-03-26 500050365072510851445180 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5124.47</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>28.83</td><td>35.75</td><td>11.10</td><td>32.62</td><td>249 159 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5124.47	43.06	54.00	-10.94	28.83	35.75	11.10	32.62	249 159 AVERAGE	Level (dBuV/m) Date: 2025-03-26 100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>95.50</td><td>-----</td><td>-----</td><td>81.31</td><td>35.75</td><td>11.07</td><td>32.63</td><td>249 159 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	95.50	-----	-----	81.31	35.75	11.07	32.63	249 159 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5124.47	43.06	54.00	-10.94	28.83	35.75	11.10	32.62	249 159 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5180.00	95.50	-----	-----	81.31	35.75	11.07	32.63	249 159 AVERAGE																																																																																			







Mode	10																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																																		
ANT	CDD 7+6																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.99</td><td>68.30</td><td>-20.31</td><td>47.17</td><td>38.10</td><td>14.15</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>40.44</td><td>40.60</td><td>16.85</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.99	68.30	-20.31	47.17	38.10	14.15	51.43	---	---	Peak	2	15540.00	45.70	74.00	-28.30	40.44	40.60	16.85	52.19	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>48.34</td><td>68.30</td><td>-19.96</td><td>47.52</td><td>38.10</td><td>14.15</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>42.46</td><td>40.60</td><td>16.85</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	48.34	68.30	-19.96	47.52	38.10	14.15	51.43	---	---	Peak	2	15540.00	47.72	74.00	-26.28	42.46	40.60	16.85	52.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	10360.00	47.99	68.30	-20.31	47.17	38.10	14.15	51.43	---	---	Peak																																																																																																								
2	15540.00	45.70	74.00	-28.30	40.44	40.60	16.85	52.19	---	---	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	10360.00	48.34	68.30	-19.96	47.52	38.10	14.15	51.43	---	---	Peak																																																																																																								
2	15540.00	47.72	74.00	-26.28	42.46	40.60	16.85	52.19	---	---	Peak																																																																																																								



Mode	11																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																																																																																			
ANT	CDD 7+6																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-03-31  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>47.81</td><td>68.30</td><td>-20.49</td><td>46.88</td><td>38.14</td><td>14.20</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>42.26</td><td>40.60</td><td>16.94</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-03-31  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>48.52</td><td>68.30</td><td>-19.78</td><td>47.59</td><td>38.14</td><td>14.20</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>42.80</td><td>40.60</td><td>16.94</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	47.81	68.30	-20.49	46.88	38.14	14.20	51.41	---	---	Peak	2	15660.00	47.35	74.00	-26.65	42.26	40.60	16.94	52.45	---	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	48.52	68.30	-19.78	47.59	38.14	14.20	51.41	---	---	Peak	2	15660.00	47.89	74.00	-26.11	42.80	40.60	16.94	52.45	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10440.00	47.81	68.30	-20.49	46.88	38.14	14.20	51.41	---	---	Peak																																																																																																									
2	15660.00	47.35	74.00	-26.65	42.26	40.60	16.94	52.45	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10440.00	48.52	68.30	-19.78	47.59	38.14	14.20	51.41	---	---	Peak																																																																																																									
2	15660.00	47.89	74.00	-26.11	42.80	40.60	16.94	52.45	---	---	Peak																																																																																																									







		12																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																							
ANT		CDD 7+6																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5037.10</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>38.70</td><td>35.80</td><td>11.15</td><td>32.61</td><td>100</td><td>35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5037.10	53.04	74.00	-20.96	38.70	35.80	11.15	32.61	100	35 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5240.00</td><td>100.27</td><td>-----</td><td>-----</td><td>86.09</td><td>35.80</td><td>11.03</td><td>32.65</td><td>100</td><td>35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5240.00	100.27	-----	-----	86.09	35.80	11.03	32.65	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5037.10	53.04	74.00	-20.96	38.70	35.80	11.15	32.61	100	35 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5240.00	100.27	-----	-----	86.09	35.80	11.03	32.65	100	35 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5061.34</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>28.65</td><td>35.80</td><td>11.13</td><td>32.61</td><td>100</td><td>35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5061.34	42.97	54.00	-11.03	28.65	35.80	11.13	32.61	100	35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5240.00</td><td>91.86</td><td>-----</td><td>-----</td><td>77.68</td><td>35.80</td><td>11.03</td><td>32.65</td><td>100</td><td>35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5240.00	91.86	-----	-----	77.68	35.80	11.03	32.65	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5061.34	42.97	54.00	-11.03	28.65	35.80	11.13	32.61	100	35 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5240.00	91.86	-----	-----	77.68	35.80	11.03	32.65	100	35 AVERAGE																																																																																



Mode	12																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																									
ANT	CDD 7+6																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.81</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>38.40</td><td>35.91</td><td>11.06</td><td>32.69</td><td>100</td><td>35</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5445.81	52.68	74.00	-21.32	38.40	35.91	11.06	32.69	100	35	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5445.81	52.68	74.00	-21.32	38.40	35.91	11.06	32.69	100	35	PEAK																															
Avg	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.17</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>28.40</td><td>35.91</td><td>11.05</td><td>32.69</td><td>100</td><td>35</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5443.17	42.67	54.00	-11.33	28.40	35.91	11.05	32.69	100	35	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5443.17	42.67	54.00	-11.33	28.40	35.91	11.05	32.69	100	35	AVERAGE																															





		12																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																							
ANT		CDD 7+6																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5052.68</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>38.93</td><td>35.80</td><td>11.14</td><td>32.61</td><td>259</td><td>155 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5052.68	53.26	74.00	-20.74	38.93	35.80	11.14	32.61	259	155 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5240.00</td><td>104.12</td><td>-----</td><td>-----</td><td>89.94</td><td>35.80</td><td>11.03</td><td>32.65</td><td>259</td><td>155 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5240.00	104.12	-----	-----	89.94	35.80	11.03	32.65	259
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5052.68	53.26	74.00	-20.74	38.93	35.80	11.14	32.61	259	155 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5240.00	104.12	-----	-----	89.94	35.80	11.03	32.65	259	155 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-26  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5049.34</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>28.55</td><td>35.80</td><td>11.14</td><td>32.61</td><td>259</td><td>155 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5049.34	42.88	54.00	-11.12	28.55	35.80	11.14	32.61	259	155 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5240.00</td><td>95.47</td><td>-----</td><td>-----</td><td>81.29</td><td>35.80</td><td>11.03</td><td>32.65</td><td>259</td><td>155 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5240.00	95.47	-----	-----	81.29	35.80	11.03	32.65	259
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5049.34	42.88	54.00	-11.12	28.55	35.80	11.14	32.61	259	155 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5240.00	95.47	-----	-----	81.29	35.80	11.03	32.65	259	155 AVERAGE																																																																																







Mode	12									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz									
ANT	CDD 7+6									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) </									



Mode	12																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																																																			
ANT	CDD 7+6																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>47.42</td><td>38.18</td><td>14.23</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>42.58</td><td>40.62</td><td>16.99</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	48.43	68.30	-19.87	47.42	38.18	14.23	51.40	---	---	Peak	2	15720.00	47.61	74.00	-26.39	42.58	40.62	16.99	52.58	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>48.78</td><td>68.30</td><td>-19.52</td><td>47.77</td><td>38.18</td><td>14.23</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.92</td><td>74.00</td><td>-27.08</td><td>41.89</td><td>40.62</td><td>16.99</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	48.78	68.30	-19.52	47.77	38.18	14.23	51.40	---	---	Peak	2	15720.00	46.92	74.00	-27.08	41.89	40.62	16.99	52.58	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10480.00	48.43	68.30	-19.87	47.42	38.18	14.23	51.40	---	---	Peak																																																																																																									
2	15720.00	47.61	74.00	-26.39	42.58	40.62	16.99	52.58	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10480.00	48.78	68.30	-19.52	47.77	38.18	14.23	51.40	---	---	Peak																																																																																																									
2	15720.00	46.92	74.00	-27.08	41.89	40.62	16.99	52.58	---	---	Peak																																																																																																									







Mode	13																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz																																																																																										
ANT	CDD 7+6																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.76</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>39.05</td><td>35.80</td><td>11.11</td><td>32.62</td><td>100</td><td>42 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5101.76	53.34	74.00	-20.66	39.05	35.80	11.11	32.62	100	42 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>98.00</td><td>-----</td><td>-----</td><td>83.80</td><td>35.77</td><td>11.07</td><td>32.64</td><td>100</td><td>42 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.00	-----	-----	83.80	35.77	11.07	32.64	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5101.76	53.34	74.00	-20.66	39.05	35.80	11.11	32.62	100	42 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5190.00	98.00	-----	-----	83.80	35.77	11.07	32.64	100	42 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.97</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>28.92</td><td>35.70</td><td>11.08</td><td>32.63</td><td>100</td><td>42 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.97	43.07	54.00	-10.93	28.92	35.70	11.08	32.63	100	42 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>89.17</td><td>-----</td><td>-----</td><td>74.97</td><td>35.78</td><td>11.06</td><td>32.64</td><td>100</td><td>42 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	89.17	-----	-----	74.97	35.78	11.06	32.64	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.97	43.07	54.00	-10.93	28.92	35.70	11.08	32.63	100	42 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5190.00	89.17	-----	-----	74.97	35.78	11.06	32.64	100	42 AVERAGE																																																																																	



Mode	13																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz																																									
ANT	CDD 7+6																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-03-26 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.89</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>38.32</td><td>35.94</td><td>11.12</td><td>32.69</td><td>100 42 PEAK</td></tr></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.89	52.69	74.00	-21.31	38.32	35.94	11.12	32.69	100 42 PEAK	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5459.89	52.69	74.00	-21.31	38.32	35.94	11.12	32.69	100 42 PEAK																																	
Avg	Date: 2025-03-26 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.31</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>28.46</td><td>35.91</td><td>11.09</td><td>32.69</td><td>100 42 AVERAGE</td></tr></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5452.31	42.77	54.00	-11.23	28.46	35.91	11.09	32.69	100 42 AVERAGE	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5452.31	42.77	54.00	-11.23	28.46	35.91	11.09	32.69	100 42 AVERAGE																																	







Mode	13																																																																																		
	Band Edge - L																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz																																																																																		
ANT	CDD 7+6																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.79</td><td>53.66</td><td>74.00</td><td>-20.34</td><td>39.49</td><td>35.71</td><td>11.09</td><td>32.63</td><td>235</td><td>155 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5146.79	53.66	74.00	-20.34	39.49	35.71	11.09	32.63	235	155 PEAK	Level (dBuV/m) Date: 2025-03-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>100.17</td><td>-----</td><td>85.96</td><td>35.80</td><td>11.05</td><td>32.64</td><td>235</td><td>155 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.17	-----	85.96	35.80	11.05	32.64	235	155 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5146.79	53.66	74.00	-20.34	39.49	35.71	11.09	32.63	235	155 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5190.00	100.17	-----	85.96	35.80	11.05	32.64	235	155 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.63</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>29.86</td><td>35.70</td><td>11.09</td><td>32.63</td><td>235</td><td>155 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.63	44.02	54.00	-9.98	29.86	35.70	11.09	32.63	235	155 AVERAGE	Level (dBuV/m) Date: 2025-03-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>92.49</td><td>-----</td><td>78.28</td><td>35.80</td><td>11.05</td><td>32.64</td><td>235</td><td>155 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.49	-----	78.28	35.80	11.05	32.64	235	155 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5149.63	44.02	54.00	-9.98	29.86	35.70	11.09	32.63	235	155 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5190.00	92.49	-----	78.28	35.80	11.05	32.64	235	155 AVERAGE																																																																										



Mode	13																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz																																									
ANT	CDD 7+6																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-03-26 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.63</td><td>52.62</td><td>74.00</td><td>-21.38</td><td>38.41</td><td>35.99</td><td>10.90</td><td>32.68</td><td>235 155 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5402.63	52.62	74.00	-21.38	38.41	35.99	10.90	32.68	235 155 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5402.63	52.62	74.00	-21.38	38.41	35.99	10.90	32.68	235 155 PEAK																																	
Avg	Date: 2025-03-26 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.47</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>28.43</td><td>35.92</td><td>11.10</td><td>32.69</td><td>235 155 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.47	42.76	54.00	-11.24	28.43	35.92	11.10	32.69	235 155 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5454.47	42.76	54.00	-11.24	28.43	35.92	11.10	32.69	235 155 AVERAGE																																	







		14																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz																																																																																								
ANT		CDD 7+6																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5058.10</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>38.41</td><td>35.80</td><td>11.14</td><td>32.61</td><td>99</td><td>98 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5058.10	52.74	74.00	-21.26	38.41	35.80	11.14	32.61	99	98 PEAK	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>96.23</td><td>-----</td><td>-----</td><td>82.05</td><td>35.80</td><td>11.03</td><td>32.65</td><td>99</td><td>98 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5230.00	96.23	-----	-----	82.05	35.80	11.03	32.65	99	98 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5058.10	52.74	74.00	-21.26	38.41	35.80	11.14	32.61	99	98 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5230.00	96.23	-----	-----	82.05	35.80	11.03	32.65	99	98 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5046.60</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>28.43</td><td>35.80</td><td>11.14</td><td>32.61</td><td>99</td><td>98 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5046.60	42.76	54.00	-11.24	28.43	35.80	11.14	32.61	99	98 AVERAGE	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>88.58</td><td>-----</td><td>-----</td><td>74.40</td><td>35.80</td><td>11.03</td><td>32.65</td><td>99</td><td>98 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5230.00	88.58	-----	-----	74.40	35.80	11.03	32.65	99	98 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5046.60	42.76	54.00	-11.24	28.43	35.80	11.14	32.61	99	98 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5230.00	88.58	-----	-----	74.40	35.80	11.03	32.65	99	98 AVERAGE																																																																																	



Mode	14									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz									
ANT	CDD 7+6									
Pol.	Horizontal					Fundamental				
Peak										



		14																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz																																																																																								
ANT		CDD 7+6																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5127.31</td><td>53.93</td><td>74.00</td><td>-20.07</td><td>39.71</td><td>35.75</td><td>11.10</td><td>32.63</td><td>235 63 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5127.31	53.93	74.00	-20.07	39.71	35.75	11.10	32.63	235 63 PEAK	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>99.86</td><td>-----</td><td>-----</td><td>85.65</td><td>35.80</td><td>11.05</td><td>32.64</td><td>235 63 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	99.86	-----	-----	85.65	35.80	11.05	32.64	235 63 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5127.31	53.93	74.00	-20.07	39.71	35.75	11.10	32.63	235 63 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5230.00	99.86	-----	-----	85.65	35.80	11.05	32.64	235 63 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.48</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>28.57</td><td>35.79</td><td>11.11</td><td>32.62</td><td>235 63 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5105.48	42.85	54.00	-11.15	28.57	35.79	11.11	32.62	235 63 AVERAGE	Level (dBuV/m) Date: 2025-03-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>91.57</td><td>-----</td><td>-----</td><td>77.36</td><td>35.80</td><td>11.05</td><td>32.64</td><td>235 63 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	91.57	-----	-----	77.36	35.80	11.05	32.64	235 63 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5105.48	42.85	54.00	-11.15	28.57	35.79	11.11	32.62	235 63 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5230.00	91.57	-----	-----	77.36	35.80	11.05	32.64	235 63 AVERAGE																																																																																	



Mode	14																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz																																										
ANT	CDD 7+6																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-03-26 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5403.77</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>38.34</td><td>35.99</td><td>10.90</td><td>32.68</td><td>235</td><td>63 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5403.77	52.55	74.00	-21.45	38.34	35.99	10.90	32.68	235	63 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5403.77	52.55	74.00	-21.45	38.34	35.99	10.90	32.68	235	63 PEAK																																	
Avg	Date: 2025-03-26 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.31</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>28.53</td><td>35.90</td><td>11.08</td><td>32.69</td><td>235</td><td>63 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5449.31	42.82	54.00	-11.18	28.53	35.90	11.08	32.69	235	63 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5449.31	42.82	54.00	-11.18	28.53	35.90	11.08	32.69	235	63 AVERAGE																																	



Mode	15																																																																																													
	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full RU_5210MHz																																																																																													
ANT	CDD 7+6																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Date: 2025-05-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5139.10</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>41.14</td><td>35.72</td><td>11.09</td><td>32.63</td><td>353</td><td>264</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5139.10	55.32	74.00	-18.68	41.14	35.72	11.09	32.63	353	264	Peak	Date: 2025-05-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>99.61</td><td>-----</td><td>-----</td><td>85.40</td><td>35.80</td><td>11.05</td><td>32.64</td><td>353</td><td>264</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>94.06</td><td>-----</td><td>-----</td><td>79.85</td><td>35.80</td><td>11.05</td><td>32.64</td><td>353</td><td>264</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	99.61	-----	-----	85.40	35.80	11.05	32.64	353	264	Peak	2	5210.00	94.06	-----	-----	79.85	35.80	11.05	32.64	353	264	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5139.10	55.32	74.00	-18.68	41.14	35.72	11.09	32.63	353	264	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5210.00	99.61	-----	-----	85.40	35.80	11.05	32.64	353	264	Peak																																																																																			
2	5210.00	94.06	-----	-----	79.85	35.80	11.05	32.64	353	264	Average																																																																																			
Avg	Date: 2025-05-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.54</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>30.91</td><td>35.72</td><td>11.09</td><td>32.63</td><td>353</td><td>264</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5137.54	45.09	54.00	-8.91	30.91	35.72	11.09	32.63	353	264	Average	Blank																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5137.54	45.09	54.00	-8.91	30.91	35.72	11.09	32.63	353	264	Average																																																																																			



Mode	15																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full RU_5210MHz																																																		
ANT	CDD 7+6																																																		
Pol.	Horizontal										Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-05-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.48</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>38.73</td><td>35.95</td><td>10.97</td><td>32.68</td><td>353</td><td>264</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5424.48	52.97	74.00	-21.03	38.73	35.95	10.97	32.68	353	264	Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5424.48	52.97	74.00	-21.03	38.73	35.95	10.97	32.68	353	264	Peak																																								
Avg	Level (dBuV/m) Date: 2025-05-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.16</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>27.20</td><td>36.09</td><td>10.94</td><td>32.67</td><td>353</td><td>264</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5354.16	41.56	54.00	-12.44	27.20	36.09	10.94	32.67	353	264	Average	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5354.16	41.56	54.00	-12.44	27.20	36.09	10.94	32.67	353	264	Average																																								



Mode	15																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full RU_5210MHz																																																																																									
ANT	CDD 7+6																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-05-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>42.49</td><td>35.70</td><td>11.08</td><td>32.63</td><td>104</td><td>269</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.99	56.64	74.00	-17.36	42.49	35.70	11.08	32.63	104	269	Peak	Level (dBuV/m) Date: 2025-05-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.32</td><td>86.11</td><td>35.80</td><td>11.05</td><td>32.64</td><td>104</td><td>269</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>94.30</td><td>80.09</td><td>35.80</td><td>11.05</td><td>32.64</td><td>104</td><td>269</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	100.32	86.11	35.80	11.05	32.64	104	269	Peak	2	5210.00	94.30	80.09	35.80	11.05	32.64	104	269	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5149.99	56.64	74.00	-17.36	42.49	35.70	11.08	32.63	104	269	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5210.00	100.32	86.11	35.80	11.05	32.64	104	269	Peak																																																																																	
2	5210.00	94.30	80.09	35.80	11.05	32.64	104	269	Average																																																																																	
Avg	Level (dBuV/m) Date: 2025-05-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>31.93</td><td>35.70</td><td>11.08</td><td>32.63</td><td>104</td><td>269</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.99	46.08	54.00	-7.92	31.93	35.70	11.08	32.63	104	269	Average	Blank																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5149.99	46.08	54.00	-7.92	31.93	35.70	11.08	32.63	104	269	Average																																																																															



Mode	16																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU_106/53_5180MHz																																																																																									
ANT	CDD 7+6																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5041.67</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>38.71</td><td>35.80</td><td>11.15</td><td>32.61</td><td>400</td><td>39</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5041.67	53.05	74.00	-20.95	38.71	35.80	11.15	32.61	400	39	PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.88</td><td>-----</td><td>-----</td><td>87.69</td><td>35.75</td><td>11.07</td><td>32.63</td><td>400</td><td>39</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.88	-----	-----	87.69	35.75	11.07	32.63	400	39	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5041.67	53.05	74.00	-20.95	38.71	35.80	11.15	32.61	400	39	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	101.88	-----	-----	87.69	35.75	11.07	32.63	400	39	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5041.85</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>28.32</td><td>35.80</td><td>11.15</td><td>32.61</td><td>400</td><td>39</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5041.85	42.66	54.00	-11.34	28.32	35.80	11.15	32.61	400	39	AVERAGE	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>94.68</td><td>-----</td><td>-----</td><td>80.49</td><td>35.74</td><td>11.08</td><td>32.63</td><td>400</td><td>39</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.68	-----	-----	80.49	35.74	11.08	32.63	400	39	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5041.85	42.66	54.00	-11.34	28.32	35.80	11.15	32.61	400	39	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	94.68	-----	-----	80.49	35.74	11.08	32.63	400	39	AVERAGE																																																																															



Mode	16																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU_106/53_5180MHz																																																																									
ANT	CDD 7+6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5135.81</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>39.38</td><td>35.73</td><td>11.09</td><td>32.63</td><td>363 69 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5135.81	53.57	74.00	-20.43	39.38	35.73	11.09	32.63	363 69 PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>107.90</td><td>-----</td><td>-----</td><td>93.71</td><td>35.74</td><td>11.08</td><td>32.63</td><td>363 69 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	107.90	-----	-----	93.71	35.74	11.08	32.63	363 69 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5135.81	53.57	74.00	-20.43	39.38	35.73	11.09	32.63	363 69 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	107.90	-----	-----	93.71	35.74	11.08	32.63	363 69 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5147.89</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>28.75</td><td>35.70</td><td>11.09</td><td>32.63</td><td>363 69 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5147.89	42.91	54.00	-11.09	28.75	35.70	11.09	32.63	363 69 AVERAGE	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>99.28</td><td>-----</td><td>-----</td><td>85.09</td><td>35.74</td><td>11.08</td><td>32.63</td><td>363 69 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	99.28	-----	-----	85.09	35.74	11.08	32.63	363 69 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5147.89	42.91	54.00	-11.09	28.75	35.70	11.09	32.63	363 69 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	99.28	-----	-----	85.09	35.74	11.08	32.63	363 69 AVERAGE																																																																		



Mode	17																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Single RU_106/54_5240MHz																																																																																			
ANT	CDD 7+6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.46</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>38.61</td><td>35.78</td><td>11.11</td><td>32.62</td><td>100</td><td>40 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5112.46	52.88	74.00	-21.12	38.61	35.78	11.11	32.62	100	40 PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>99.35</td><td>-----</td><td>-----</td><td>85.17</td><td>35.80</td><td>11.03</td><td>32.65</td><td>100</td><td>40 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	99.35	-----	-----	85.17	35.80	11.03	32.65	100	40 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5112.46	52.88	74.00	-21.12	38.61	35.78	11.11	32.62	100	40 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	99.35	-----	-----	85.17	35.80	11.03	32.65	100	40 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5051.50</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>28.41</td><td>35.80</td><td>11.14</td><td>32.61</td><td>100</td><td>40 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5051.50	42.74	54.00	-11.26	28.41	35.80	11.14	32.61	100	40 AVERAGE	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>90.88</td><td>-----</td><td>-----</td><td>76.70</td><td>35.80</td><td>11.03</td><td>32.65</td><td>100</td><td>40 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	90.88	-----	-----	76.70	35.80	11.03	32.65	100	40 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5051.50	42.74	54.00	-11.26	28.41	35.80	11.14	32.61	100	40 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	90.88	-----	-----	76.70	35.80	11.03	32.65	100	40 AVERAGE																																																																										







Mode	17	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Single RU_106/54_5240MHz	
ANT	CDD 7+6	
Pol.	Vertical	Fundamental
Peak	<	



Mode	17																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Single RU_106/54_5240MHz																																									
ANT	CDD 7+6																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5395.67</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>38.32</td><td>36.01</td><td>10.91</td><td>32.68</td><td>284</td><td>64 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5395.67	52.56	74.00	-21.44	38.32	36.01	10.91	32.68	284	64 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 5395.67	52.56	74.00	-21.44	38.32	36.01	10.91	32.68	284	64 PEAK																																	
Avg	Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5458.22</td><td>42.78</td><td>54.00</td><td>-11.22</td><td>28.43</td><td>35.93</td><td>11.11</td><td>32.69</td><td>284</td><td>64 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.22	42.78	54.00	-11.22	28.43	35.93	11.11	32.69	284	64 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 5458.22	42.78	54.00	-11.22	28.43	35.93	11.11	32.69	284	64 AVERAGE																																	







		18																																																																																									
Mode		Band Edge																																																																																									
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU_52+26_5180MHz																																																																																									
ANT		CDD 7+6																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5061.47</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>38.34</td><td>35.80</td><td>11.13</td><td>32.61</td><td>400</td><td>44 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5061.47	52.66	74.00	-21.34	38.34	35.80	11.13	32.61	400	44 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.76</td><td>-----</td><td>-----</td><td>85.57</td><td>35.74</td><td>11.08</td><td>32.63</td><td>400</td><td>44 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.76	-----	-----	85.57	35.74	11.08	32.63	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5061.47	52.66	74.00	-21.34	38.34	35.80	11.13	32.61	400	44 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	99.76	-----	-----	85.57	35.74	11.08	32.63	400	44 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5041.67</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>28.51</td><td>35.80</td><td>11.15</td><td>32.61</td><td>400</td><td>44 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5041.67	42.85	54.00	-11.15	28.51	35.80	11.15	32.61	400	44 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>92.07</td><td>-----</td><td>-----</td><td>77.88</td><td>35.74</td><td>11.08</td><td>32.63</td><td>400</td><td>44 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	92.07	-----	-----	77.88	35.74	11.08	32.63	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5041.67	42.85	54.00	-11.15	28.51	35.80	11.15	32.61	400	44 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	92.07	-----	-----	77.88	35.74	11.08	32.63	400	44 AVERAGE																																																																																	



		18									
Mode		Band Edge									
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU_52+26_5180MHz									
ANT		CDD 7+6									
Pol.		Vertical					Fundamental				
Peak		Level (dBuV/m) Date: 2025-03-27 </									



		19																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Small RU_52+26_5240MHz																																																																																							
ANT		CDD 7+6																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5059.88</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>38.77</td><td>35.80</td><td>11.14</td><td>32.61</td><td>100 35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5059.88	53.10	74.00	-20.90	38.77	35.80	11.14	32.61	100 35 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>101.72</td><td>-----</td><td>-----</td><td>87.54</td><td>35.80</td><td>11.03</td><td>32.65</td><td>100 35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5240.00	101.72	-----	-----	87.54	35.80	11.03	32.65
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5059.88	53.10	74.00	-20.90	38.77	35.80	11.14	32.61	100 35 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5240.00	101.72	-----	-----	87.54	35.80	11.03	32.65	100 35 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5063.70</td><td>42.71</td><td>54.00</td><td>-11.29</td><td>28.39</td><td>35.80</td><td>11.13</td><td>32.61</td><td>100 35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5063.70	42.71	54.00	-11.29	28.39	35.80	11.13	32.61	100 35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>92.21</td><td>-----</td><td>-----</td><td>78.03</td><td>35.80</td><td>11.03</td><td>32.65</td><td>100 35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5240.00	92.21	-----	-----	78.03	35.80	11.03	32.65
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5063.70	42.71	54.00	-11.29	28.39	35.80	11.13	32.61	100 35 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5240.00	92.21	-----	-----	78.03	35.80	11.03	32.65	100 35 AVERAGE																																																																																






Mode	19																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Small RU_52+26_5240MHz																																										
ANT	CDD 7+6																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5437.25</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>38.47</td><td>35.93</td><td>11.03</td><td>32.69</td><td>100</td><td>35 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5437.25	52.74	74.00	-21.26	38.47	35.93	11.03	32.69	100	35 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5437.25	52.74	74.00	-21.26	38.47	35.93	11.03	32.69	100	35 PEAK																																	
Avg	Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5435.05</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>28.54</td><td>35.93</td><td>11.02</td><td>32.69</td><td>100</td><td>35 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5435.05	42.80	54.00	-11.20	28.54	35.93	11.02	32.69	100	35 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5435.05	42.80	54.00	-11.20	28.54	35.93	11.02	32.69	100	35 AVERAGE																																	





		19																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Small RU_52+26_5240MHz																																																																																		
ANT		CDD 7+6																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5139.10</td><td>53.22</td><td>74.00</td><td>-20.78</td><td>39.04</td><td>35.72</td><td>11.09</td><td>32.63</td><td>283 64 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5139.10	53.22	74.00	-20.78	39.04	35.72	11.09	32.63	283 64 PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>108.46</td><td>-----</td><td>-----</td><td>94.29</td><td>35.80</td><td>11.02</td><td>32.65</td><td>283 64 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	108.46	-----	-----	94.29	35.80	11.02	32.65	283 64 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5139.10	53.22	74.00	-20.78	39.04	35.72	11.09	32.63	283 64 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5240.00	108.46	-----	-----	94.29	35.80	11.02	32.65	283 64 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5041.64</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>28.50</td><td>35.80</td><td>11.15</td><td>32.61</td><td>283 64 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5041.64	42.84	54.00	-11.16	28.50	35.80	11.15	32.61	283 64 AVERAGE	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>99.24</td><td>-----</td><td>-----</td><td>85.07</td><td>35.80</td><td>11.02</td><td>32.65</td><td>283 64 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	99.24	-----	-----	85.07	35.80	11.02	32.65	283 64 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5041.64	42.84	54.00	-11.16	28.50	35.80	11.15	32.61	283 64 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5240.00	99.24	-----	-----	85.07	35.80	11.02	32.65	283 64 AVERAGE																																																																											





Mode	20																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																												
ANT	CDD 7+6																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Date: 2025-03-27  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.65</td><td>54.36</td><td>68.30</td><td>-13.94</td><td>38.94</td><td>36.49</td><td>11.69</td><td>32.76</td><td>203</td><td>16 PEAK</td></tr><tr><td>2</td><td>5650.01</td><td>53.07</td><td>68.31</td><td>-15.24</td><td>37.64</td><td>36.50</td><td>11.69</td><td>32.76</td><td>203</td><td>16 PEAK</td></tr><tr><td>3</td><td>5704.04</td><td>55.15</td><td>106.33</td><td>-51.18</td><td>39.66</td><td>36.61</td><td>11.66</td><td>32.78</td><td>203</td><td>16 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>56.19</td><td>111.43</td><td>-55.24</td><td>40.68</td><td>36.64</td><td>11.66</td><td>32.79</td><td>203</td><td>16 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5648.65	54.36	68.30	-13.94	38.94	36.49	11.69	32.76	203	16 PEAK	2	5650.01	53.07	68.31	-15.24	37.64	36.50	11.69	32.76	203	16 PEAK	3	5704.04	55.15	106.33	-51.18	39.66	36.61	11.66	32.78	203	16 PEAK	4	5720.28	56.19	111.43	-55.24	40.68	36.64	11.66	32.79	203	16 PEAK	Date: 2025-03-27  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.51</td><td>-----</td><td>-----</td><td>93.98</td><td>36.67</td><td>11.65</td><td>32.79</td><td>203</td><td>16 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.51	-----	-----	93.98	36.67	11.65	32.79	203	16 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5648.65	54.36	68.30	-13.94	38.94	36.49	11.69	32.76	203	16 PEAK																																																																																																																			
2	5650.01	53.07	68.31	-15.24	37.64	36.50	11.69	32.76	203	16 PEAK																																																																																																																			
3	5704.04	55.15	106.33	-51.18	39.66	36.61	11.66	32.78	203	16 PEAK																																																																																																																			
4	5720.28	56.19	111.43	-55.24	40.68	36.64	11.66	32.79	203	16 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	109.51	-----	-----	93.98	36.67	11.65	32.79	203	16 PEAK																																																																																																																			
Avg	Blank					Date: 2025-03-27  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.19</td><td>-----</td><td>-----</td><td>86.66</td><td>36.67</td><td>11.65</td><td>32.79</td><td>203</td><td>16 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.19	-----	-----	86.66	36.67	11.65	32.79	203	16 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	102.19	-----	-----	86.66	36.67	11.65	32.79	203	16 AVERAGE																																																																																																																			



Mode	20																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11490.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>44.43</td><td>38.20</td><td>14.92</td><td>50.31</td></tr><tr><td>2 17235.00</td><td>46.79</td><td>68.30</td><td>-21.51</td><td>39.10</td><td>42.69</td><td>18.02</td><td>53.02</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	47.24	74.00	-26.76	44.43	38.20	14.92	50.31	2 17235.00	46.79	68.30	-21.51	39.10	42.69	18.02	53.02	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11490.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>44.82</td><td>38.20</td><td>14.92</td><td>50.31</td></tr><tr><td>2 17235.00</td><td>47.41</td><td>68.30</td><td>-20.89</td><td>39.72</td><td>42.69</td><td>18.02</td><td>53.02</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	47.63	74.00	-26.37	44.82	38.20	14.92	50.31	2 17235.00	47.41	68.30	-20.89	39.72	42.69	18.02	53.02
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11490.00	47.24	74.00	-26.76	44.43	38.20	14.92	50.31																																																																																									
2 17235.00	46.79	68.30	-21.51	39.10	42.69	18.02	53.02																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11490.00	47.63	74.00	-26.37	44.82	38.20	14.92	50.31																																																																																									
2 17235.00	47.41	68.30	-20.89	39.72	42.69	18.02	53.02																																																																																									



Mode	21																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11570.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>43.95</td><td>38.20</td><td>14.97</td><td>50.24</td></tr><tr><td>2 17355.00</td><td>45.34</td><td>68.30</td><td>-22.96</td><td>38.39</td><td>42.24</td><td>17.99</td><td>53.28</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	46.88	74.00	-27.12	43.95	38.20	14.97	50.24	2 17355.00	45.34	68.30	-22.96	38.39	42.24	17.99	53.28	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11570.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>44.87</td><td>38.20</td><td>14.97</td><td>50.24</td></tr><tr><td>2 17355.00</td><td>47.49</td><td>68.30</td><td>-20.81</td><td>40.54</td><td>42.24</td><td>17.99</td><td>53.28</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	47.80	74.00	-26.20	44.87	38.20	14.97	50.24	2 17355.00	47.49	68.30	-20.81	40.54	42.24	17.99	53.28
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	46.88	74.00	-27.12	43.95	38.20	14.97	50.24																																																																																									
2 17355.00	45.34	68.30	-22.96	38.39	42.24	17.99	53.28																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	47.80	74.00	-26.20	44.87	38.20	14.97	50.24																																																																																									
2 17355.00	47.49	68.30	-20.81	40.54	42.24	17.99	53.28																																																																																									





Mode	22																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.69</td><td>55.13</td><td>111.51</td><td>-56.38</td><td>39.94</td><td>36.51</td><td>11.52</td><td>32.84</td><td>190</td><td>15 PEAK</td></tr><tr><td>2</td><td>5872.69</td><td>53.91</td><td>105.85</td><td>-51.94</td><td>38.72</td><td>36.55</td><td>11.49</td><td>32.85</td><td>190</td><td>15 PEAK</td></tr><tr><td>3</td><td>5924.94</td><td>52.22</td><td>68.25</td><td>-16.03</td><td>37.04</td><td>36.65</td><td>11.40</td><td>32.87</td><td>190</td><td>15 PEAK</td></tr><tr><td>4</td><td>5925.83</td><td>54.46</td><td>68.30</td><td>-13.84</td><td>39.28</td><td>36.65</td><td>11.40</td><td>32.87</td><td>190</td><td>15 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.69	55.13	111.51	-56.38	39.94	36.51	11.52	32.84	190	15 PEAK	2	5872.69	53.91	105.85	-51.94	38.72	36.55	11.49	32.85	190	15 PEAK	3	5924.94	52.22	68.25	-16.03	37.04	36.65	11.40	32.87	190	15 PEAK	4	5925.83	54.46	68.30	-13.84	39.28	36.65	11.40	32.87	190	15 PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.67</td><td>-----</td><td>-----</td><td>92.36</td><td>36.56</td><td>11.58</td><td>32.83</td><td>190</td><td>15 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.67	-----	-----	92.36	36.56	11.58	32.83	190	15 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5854.69	55.13	111.51	-56.38	39.94	36.51	11.52	32.84	190	15 PEAK																																																																																																											
2	5872.69	53.91	105.85	-51.94	38.72	36.55	11.49	32.85	190	15 PEAK																																																																																																											
3	5924.94	52.22	68.25	-16.03	37.04	36.65	11.40	32.87	190	15 PEAK																																																																																																											
4	5925.83	54.46	68.30	-13.84	39.28	36.65	11.40	32.87	190	15 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	107.67	-----	-----	92.36	36.56	11.58	32.83	190	15 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.56</td><td>-----</td><td>-----</td><td>85.25</td><td>36.56</td><td>11.58</td><td>32.83</td><td>190</td><td>15 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.56	-----	-----	85.25	36.56	11.58	32.83	190	15 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	100.56	-----	-----	85.25	36.56	11.58	32.83	190	15 AVERAGE																																																																																																											



Mode	22																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
ANT	CDD 7+6																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.83</td><td>53.28</td><td>111.20</td><td>-57.92</td><td>38.09</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>333 PEAK</td></tr><tr><td>2 5874.83</td><td>52.84</td><td>105.25</td><td>-52.41</td><td>37.65</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>333 PEAK</td></tr><tr><td>3 5924.08</td><td>52.10</td><td>68.88</td><td>-16.78</td><td>36.92</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>333 PEAK</td></tr><tr><td>4 5929.58</td><td>53.52</td><td>68.30</td><td>-14.78</td><td>38.33</td><td>36.66</td><td>11.40</td><td>32.87</td><td>400</td><td>333 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.83	53.28	111.20	-57.92	38.09	36.51	11.52	32.84	400	333 PEAK	2 5874.83	52.84	105.25	-52.41	37.65	36.55	11.49	32.85	400	333 PEAK	3 5924.08	52.10	68.88	-16.78	36.92	36.65	11.40	32.87	400	333 PEAK	4 5929.58	53.52	68.30	-14.78	38.33	36.66	11.40	32.87	400	333 PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.15</td><td>-----</td><td>-----</td><td>90.82</td><td>36.57</td><td>11.59</td><td>32.83</td><td>400</td><td>333 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	106.15	-----	-----	90.82	36.57	11.59	32.83	400	333 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.83	53.28	111.20	-57.92	38.09	36.51	11.52	32.84	400	333 PEAK																																																																																																							
2 5874.83	52.84	105.25	-52.41	37.65	36.55	11.49	32.85	400	333 PEAK																																																																																																							
3 5924.08	52.10	68.88	-16.78	36.92	36.65	11.40	32.87	400	333 PEAK																																																																																																							
4 5929.58	53.52	68.30	-14.78	38.33	36.66	11.40	32.87	400	333 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	106.15	-----	-----	90.82	36.57	11.59	32.83	400	333 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.51</td><td>-----</td><td>-----</td><td>84.20</td><td>36.56</td><td>11.58</td><td>32.83</td><td>400</td><td>333 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	99.51	-----	-----	84.20	36.56	11.58	32.83	400	333 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	99.51	-----	-----	84.20	36.56	11.58	32.83	400	333 AVERAGE																																																																																																							



Mode	22																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																
ANT	CDD 7+6																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>44.87</td><td>38.20</td><td>15.02</td><td>50.18</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>46.40</td><td>68.30</td><td>-21.90</td><td>39.63</td><td>42.35</td><td>17.96</td><td>53.54</td><td>---</td><td>Peak</td></tr></table>						Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.91	74.00	-26.09	44.87	38.20	15.02	50.18	---	Peak	2	17475.00	46.40	68.30	-21.90	39.63	42.35	17.96	53.54	---	Peak	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>44.79</td><td>38.20</td><td>15.02</td><td>50.18</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.73</td><td>68.30</td><td>-20.57</td><td>40.96</td><td>42.35</td><td>17.96</td><td>53.54</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.83	74.00	-26.17	44.79	38.20	15.02	50.18	---	Peak	2	17475.00	47.73	68.30	-20.57	40.96	42.35	17.96	53.54	---	Peak
	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11650.00	47.91	74.00	-26.09	44.87	38.20	15.02	50.18	---	Peak																																																																																																							
2	17475.00	46.40	68.30	-21.90	39.63	42.35	17.96	53.54	---	Peak																																																																																																							
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11650.00	47.83	74.00	-26.17	44.79	38.20	15.02	50.18	---	Peak																																																																																																							
2	17475.00	47.73	68.30	-20.57	40.96	42.35	17.96	53.54	---	Peak																																																																																																							



Mode	23																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5644.89</td><td>53.95</td><td>68.30</td><td>-14.35</td><td>38.54</td><td>36.48</td><td>11.69</td><td>32.76</td><td>204</td><td>15 PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>53.25</td><td>68.81</td><td>-15.56</td><td>37.82</td><td>36.50</td><td>11.69</td><td>32.76</td><td>204</td><td>15 PEAK</td></tr><tr><td>3</td><td>5703.02</td><td>55.67</td><td>106.05</td><td>-50.38</td><td>40.18</td><td>36.61</td><td>11.66</td><td>32.78</td><td>204</td><td>15 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.91</td><td>110.80</td><td>-55.89</td><td>39.40</td><td>36.64</td><td>11.66</td><td>32.79</td><td>204</td><td>15 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5644.89	53.95	68.30	-14.35	38.54	36.48	11.69	32.76	204	15 PEAK	2	5650.69	53.25	68.81	-15.56	37.82	36.50	11.69	32.76	204	15 PEAK	3	5703.02	55.67	106.05	-50.38	40.18	36.61	11.66	32.78	204	15 PEAK	4	5720.00	54.91	110.80	-55.89	39.40	36.64	11.66	32.79	204	15 PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>108.01</td><td>-----</td><td>-----</td><td>92.48</td><td>36.67</td><td>11.65</td><td>32.79</td><td>204</td><td>15 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.01	-----	-----	92.48	36.67	11.65	32.79	204	15 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5644.89	53.95	68.30	-14.35	38.54	36.48	11.69	32.76	204	15 PEAK																																																																																																											
2	5650.69	53.25	68.81	-15.56	37.82	36.50	11.69	32.76	204	15 PEAK																																																																																																											
3	5703.02	55.67	106.05	-50.38	40.18	36.61	11.66	32.78	204	15 PEAK																																																																																																											
4	5720.00	54.91	110.80	-55.89	39.40	36.64	11.66	32.79	204	15 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	108.01	-----	-----	92.48	36.67	11.65	32.79	204	15 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.17</td><td>-----</td><td>-----</td><td>84.64</td><td>36.67</td><td>11.65</td><td>32.79</td><td>204</td><td>15 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.17	-----	-----	84.64	36.67	11.65	32.79	204	15 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	100.17	-----	-----	84.64	36.67	11.65	32.79	204	15 AVERAGE																																																																																																											





Mode	23																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																			
ANT	CDD 7+6																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.79</td><td>53.83</td><td>68.30</td><td>-14.47</td><td>38.44</td><td>36.46</td><td>11.69</td><td>32.76</td><td>336</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5650.11</td><td>54.15</td><td>68.38</td><td>-14.23</td><td>38.72</td><td>36.50</td><td>11.69</td><td>32.76</td><td>336</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5701.28</td><td>54.13</td><td>105.56</td><td>-51.43</td><td>38.65</td><td>36.60</td><td>11.66</td><td>32.78</td><td>336</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>54.30</td><td>111.80</td><td>-57.50</td><td>38.79</td><td>36.64</td><td>11.66</td><td>32.79</td><td>336</td><td>205</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5638.79	53.83	68.30	-14.47	38.44	36.46	11.69	32.76	336	205	PEAK	2	5650.11	54.15	68.38	-14.23	38.72	36.50	11.69	32.76	336	205	PEAK	3	5701.28	54.13	105.56	-51.43	38.65	36.60	11.66	32.78	336	205	PEAK	4	5720.44	54.30	111.80	-57.50	38.79	36.64	11.66	32.79	336	205	PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.50</td><td>-----</td><td>-----</td><td>89.97</td><td>36.67</td><td>11.65</td><td>32.79</td><td>336</td><td>205</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.50	-----	-----	89.97	36.67	11.65	32.79	336	205	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5638.79	53.83	68.30	-14.47	38.44	36.46	11.69	32.76	336	205	PEAK																																																																																																																									
2	5650.11	54.15	68.38	-14.23	38.72	36.50	11.69	32.76	336	205	PEAK																																																																																																																									
3	5701.28	54.13	105.56	-51.43	38.65	36.60	11.66	32.78	336	205	PEAK																																																																																																																									
4	5720.44	54.30	111.80	-57.50	38.79	36.64	11.66	32.79	336	205	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	105.50	-----	-----	89.97	36.67	11.65	32.79	336	205	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>98.73</td><td>-----</td><td>-----</td><td>83.20</td><td>36.67</td><td>11.65</td><td>32.79</td><td>336</td><td>205</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.73	-----	-----	83.20	36.67	11.65	32.79	336	205	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	98.73	-----	-----	83.20	36.67	11.65	32.79	336	205	AVERAGE																																																																																																																									



Mode	23																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																	
ANT	CDD 7+6																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>46.52</td><td>38.20</td><td>14.83 50.31 --- --- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.67</td><td>68.30</td><td>-20.63</td><td>40.43</td><td>42.69</td><td>17.57 53.02 --- --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11490.00	49.24	74.00	-24.76	46.52	38.20	14.83 50.31 --- --- Peak	2	17235.00	47.67	68.30	-20.63	40.43	42.69	17.57 53.02 --- --- Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>46.14</td><td>38.20</td><td>14.83 50.31 --- --- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.99</td><td>68.30</td><td>-20.31</td><td>40.75</td><td>42.69</td><td>17.57 53.02 --- --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11490.00	48.86	74.00	-25.14	46.14	38.20	14.83 50.31 --- --- Peak	2	17235.00	47.99	68.30	-20.31	40.75	42.69	17.57 53.02 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																										
1	11490.00	49.24	74.00	-24.76	46.52	38.20	14.83 50.31 --- --- Peak																																																											
2	17235.00	47.67	68.30	-20.63	40.43	42.69	17.57 53.02 --- --- Peak																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																											
1	11490.00	48.86	74.00	-25.14	46.14	38.20	14.83 50.31 --- --- Peak																																																											
2	17235.00	47.99	68.30	-20.31	40.75	42.69	17.57 53.02 --- --- Peak																																																											



Mode	24																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																															
ANT	CDD 7+6																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>49.13</td><td>74.00</td><td>-24.87</td><td>46.29</td><td>38.20</td><td>14.88</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.61</td><td>68.30</td><td>-19.69</td><td>42.05</td><td>42.24</td><td>17.60</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	49.13	74.00	-24.87	46.29	38.20	14.88	50.24	---	---	Peak	2	17355.00	48.61	68.30	-19.69	42.05	42.24	17.60	53.28	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>46.27</td><td>38.20</td><td>14.88</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.05</td><td>68.30</td><td>-20.25</td><td>41.49</td><td>42.24</td><td>17.60</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	49.11	74.00	-24.89	46.27	38.20	14.88	50.24	---	---	Peak	2	17355.00	48.05	68.30	-20.25	41.49	42.24	17.60	53.28	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11570.00	49.13	74.00	-24.87	46.29	38.20	14.88	50.24	---	---	Peak																																																																																																																					
2	17355.00	48.61	68.30	-19.69	42.05	42.24	17.60	53.28	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11570.00	49.11	74.00	-24.89	46.27	38.20	14.88	50.24	---	---	Peak																																																																																																																					
2	17355.00	48.05	68.30	-20.25	41.49	42.24	17.60	53.28	---	---	Peak																																																																																																																					





Mode	25																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																															
ANT	CDD 7+6																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.94</td><td>52.22</td><td>110.94</td><td>-58.72</td><td>37.03</td><td>36.51</td><td>11.52</td><td>32.84</td><td>262</td><td>84 PEAK</td></tr><tr><td>2 5874.94</td><td>51.87</td><td>105.22</td><td>-53.35</td><td>36.68</td><td>36.55</td><td>11.49</td><td>32.85</td><td>262</td><td>84 PEAK</td></tr><tr><td>3 5924.31</td><td>52.25</td><td>68.71</td><td>-16.46</td><td>37.07</td><td>36.65</td><td>11.40</td><td>32.87</td><td>262</td><td>84 PEAK</td></tr><tr><td>4 5944.69</td><td>52.84</td><td>68.30</td><td>-15.46</td><td>37.66</td><td>36.69</td><td>11.37</td><td>32.88</td><td>262</td><td>84 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.94	52.22	110.94	-58.72	37.03	36.51	11.52	32.84	262	84 PEAK	2 5874.94	51.87	105.22	-53.35	36.68	36.55	11.49	32.85	262	84 PEAK	3 5924.31	52.25	68.71	-16.46	37.07	36.65	11.40	32.87	262	84 PEAK	4 5944.69	52.84	68.30	-15.46	37.66	36.69	11.37	32.88	262	84 PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.04</td><td>-----</td><td>-----</td><td>91.73</td><td>36.56</td><td>11.58</td><td>32.83</td><td>262</td><td>84 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	107.04	-----	-----	91.73	36.56	11.58	32.83	262	84 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.94	52.22	110.94	-58.72	37.03	36.51	11.52	32.84	262	84 PEAK																																																																																																							
2 5874.94	51.87	105.22	-53.35	36.68	36.55	11.49	32.85	262	84 PEAK																																																																																																							
3 5924.31	52.25	68.71	-16.46	37.07	36.65	11.40	32.87	262	84 PEAK																																																																																																							
4 5944.69	52.84	68.30	-15.46	37.66	36.69	11.37	32.88	262	84 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	107.04	-----	-----	91.73	36.56	11.58	32.83	262	84 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.16</td><td>-----</td><td>-----</td><td>84.85</td><td>36.56</td><td>11.58</td><td>32.83</td><td>262</td><td>84 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.16	-----	-----	84.85	36.56	11.58	32.83	262	84 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	100.16	-----	-----	84.85	36.56	11.58	32.83	262	84 AVERAGE																																																																																																							



Mode	25																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																			
ANT	CDD 7+6																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>51.38</td><td>110.80</td><td>-59.42</td><td>36.19</td><td>36.51</td><td>11.52</td><td>32.84</td><td>344</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5873.19</td><td>53.37</td><td>105.71</td><td>-52.34</td><td>38.18</td><td>36.55</td><td>11.49</td><td>32.85</td><td>344</td><td>206</td><td>PEAK</td></tr><tr><td>3</td><td>5923.94</td><td>52.62</td><td>68.98</td><td>-16.36</td><td>37.43</td><td>36.65</td><td>11.41</td><td>32.87</td><td>344</td><td>206</td><td>PEAK</td></tr><tr><td>4</td><td>5942.19</td><td>53.51</td><td>68.30</td><td>-14.79</td><td>38.34</td><td>36.68</td><td>11.37</td><td>32.88</td><td>344</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	51.38	110.80	-59.42	36.19	36.51	11.52	32.84	344	206	PEAK	2	5873.19	53.37	105.71	-52.34	38.18	36.55	11.49	32.85	344	206	PEAK	3	5923.94	52.62	68.98	-16.36	37.43	36.65	11.41	32.87	344	206	PEAK	4	5942.19	53.51	68.30	-14.79	38.34	36.68	11.37	32.88	344	206	PEAK	Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.82</td><td>-----</td><td>-----</td><td>91.49</td><td>36.57</td><td>11.59</td><td>32.83</td><td>344</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.82	-----	-----	91.49	36.57	11.59	32.83	344	206	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5855.00	51.38	110.80	-59.42	36.19	36.51	11.52	32.84	344	206	PEAK																																																																																																																									
2	5873.19	53.37	105.71	-52.34	38.18	36.55	11.49	32.85	344	206	PEAK																																																																																																																									
3	5923.94	52.62	68.98	-16.36	37.43	36.65	11.41	32.87	344	206	PEAK																																																																																																																									
4	5942.19	53.51	68.30	-14.79	38.34	36.68	11.37	32.88	344	206	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	106.82	-----	-----	91.49	36.57	11.59	32.83	344	206	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.90</td><td>-----</td><td>-----</td><td>83.57</td><td>36.57</td><td>11.59</td><td>32.83</td><td>344</td><td>206</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.90	-----	-----	83.57	36.57	11.59	32.83	344	206	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	98.90	-----	-----	83.57	36.57	11.59	32.83	344	206	AVERAGE																																																																																																																									



Mode	25																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>46.17</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.97</td><td>68.30</td><td>-20.33</td><td>41.53</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	49.12	74.00	-24.88	46.17	38.20	14.93	2	17475.00	47.97	68.30	-20.33	41.53	42.35	17.63	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>45.74</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>48.36</td><td>68.30</td><td>-19.94</td><td>41.92</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	48.69	74.00	-25.31	45.74	38.20	14.93	2	17475.00	48.36	68.30	-19.94	41.92	42.35	17.63
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11650.00	49.12	74.00	-24.88	46.17	38.20	14.93																																																																																									
2	17475.00	47.97	68.30	-20.33	41.53	42.35	17.63																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11650.00	48.69	74.00	-25.31	45.74	38.20	14.93																																																																																									
2	17475.00	48.36	68.30	-19.94	41.92	42.35	17.63																																																																																									





Mode	26																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																													
ANT	CDD 7+6																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	Date: 2025-05-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5650.00</td><td>55.41</td><td>68.30</td><td>-12.89</td><td>39.98</td><td>36.50</td><td>11.69</td><td>32.76 100 58 Peak</td></tr><tr><td>2</td><td>5658.80</td><td>56.13</td><td>74.82</td><td>-18.69</td><td>40.69</td><td>36.52</td><td>11.68</td><td>32.76 100 58 Peak</td></tr><tr><td>3</td><td>5715.60</td><td>59.40</td><td>109.57</td><td>-50.17</td><td>43.90</td><td>36.63</td><td>11.66</td><td>32.79 100 58 Peak</td></tr><tr><td>4</td><td>5725.00</td><td>60.81</td><td>122.20</td><td>-61.39</td><td>45.30</td><td>36.65</td><td>11.65</td><td>32.79 100 58 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5650.00	55.41	68.30	-12.89	39.98	36.50	11.69	32.76 100 58 Peak	2	5658.80	56.13	74.82	-18.69	40.69	36.52	11.68	32.76 100 58 Peak	3	5715.60	59.40	109.57	-50.17	43.90	36.63	11.66	32.79 100 58 Peak	4	5725.00	60.81	122.20	-61.39	45.30	36.65	11.65	32.79 100 58 Peak	Date: 2025-05-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5755.00</td><td>106.02</td><td>-----</td><td>-----</td><td>90.49</td><td>36.69</td><td>11.64</td><td>32.80 100 58 Peak</td></tr><tr><td>2</td><td>5755.00</td><td>99.65</td><td>-----</td><td>-----</td><td>84.12</td><td>36.69</td><td>11.64</td><td>32.80 100 58 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5755.00	106.02	-----	-----	90.49	36.69	11.64	32.80 100 58 Peak	2	5755.00	99.65	-----	-----	84.12	36.69	11.64	32.80 100 58 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5650.00	55.41	68.30	-12.89	39.98	36.50	11.69	32.76 100 58 Peak																																																																																																						
2	5658.80	56.13	74.82	-18.69	40.69	36.52	11.68	32.76 100 58 Peak																																																																																																						
3	5715.60	59.40	109.57	-50.17	43.90	36.63	11.66	32.79 100 58 Peak																																																																																																						
4	5725.00	60.81	122.20	-61.39	45.30	36.65	11.65	32.79 100 58 Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5755.00	106.02	-----	-----	90.49	36.69	11.64	32.80 100 58 Peak																																																																																																						
2	5755.00	99.65	-----	-----	84.12	36.69	11.64	32.80 100 58 Average																																																																																																						



Mode	26																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																													
ANT	CDD 7+6																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	Date: 2025-05-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>5642.80</td><td>56.84</td><td>68.30</td><td>-11.46</td><td>41.44</td><td>36.47</td><td>11.69</td><td>32.76 295 293 Peak</td></tr><tr><td>2</td><td>5693.40</td><td>58.29</td><td>100.35</td><td>-42.06</td><td>42.81</td><td>36.59</td><td>11.67</td><td>32.78 295 293 Peak</td></tr><tr><td>3</td><td>5710.60</td><td>59.63</td><td>108.17</td><td>-48.54</td><td>44.13</td><td>36.62</td><td>11.66</td><td>32.78 295 293 Peak</td></tr><tr><td>4</td><td>5724.40</td><td>63.53</td><td>120.83</td><td>-57.30</td><td>48.02</td><td>36.65</td><td>11.65</td><td>32.79 295 293 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	5642.80	56.84	68.30	-11.46	41.44	36.47	11.69	32.76 295 293 Peak	2	5693.40	58.29	100.35	-42.06	42.81	36.59	11.67	32.78 295 293 Peak	3	5710.60	59.63	108.17	-48.54	44.13	36.62	11.66	32.78 295 293 Peak	4	5724.40	63.53	120.83	-57.30	48.02	36.65	11.65	32.79 295 293 Peak	Date: 2025-05-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>5755.00</td><td>108.59</td><td>-----</td><td>-----</td><td>93.06</td><td>36.69</td><td>11.64</td><td>32.80 295 293 Peak</td></tr><tr><td>2</td><td>5755.00</td><td>92.75</td><td>-----</td><td>-----</td><td>77.22</td><td>36.69</td><td>11.64</td><td>32.80 295 293 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	5755.00	108.59	-----	-----	93.06	36.69	11.64	32.80 295 293 Peak	2	5755.00	92.75	-----	-----	77.22	36.69	11.64	32.80 295 293 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																							
1	5642.80	56.84	68.30	-11.46	41.44	36.47	11.69	32.76 295 293 Peak																																																																																																						
2	5693.40	58.29	100.35	-42.06	42.81	36.59	11.67	32.78 295 293 Peak																																																																																																						
3	5710.60	59.63	108.17	-48.54	44.13	36.62	11.66	32.78 295 293 Peak																																																																																																						
4	5724.40	63.53	120.83	-57.30	48.02	36.65	11.65	32.79 295 293 Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																							
1	5755.00	108.59	-----	-----	93.06	36.69	11.64	32.80 295 293 Peak																																																																																																						
2	5755.00	92.75	-----	-----	77.22	36.69	11.64	32.80 295 293 Average																																																																																																						



Mode	26																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11510.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>45.20</td><td>38.20</td><td>14.85</td></tr><tr><td>2</td><td>17265.00</td><td>47.92</td><td>68.30</td><td>-20.38</td><td>40.91</td><td>42.51</td><td>17.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11510.00	47.96	74.00	-26.04	45.20	38.20	14.85	2	17265.00	47.92	68.30	-20.38	40.91	42.51	17.58	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11510.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>45.66</td><td>38.20</td><td>14.85</td></tr><tr><td>2</td><td>17265.00</td><td>47.70</td><td>68.30</td><td>-20.60</td><td>40.69</td><td>42.51</td><td>17.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11510.00	48.42	74.00	-25.58	45.66	38.20	14.85	2	17265.00	47.70	68.30	-20.60	40.69	42.51	17.58
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11510.00	47.96	74.00	-26.04	45.20	38.20	14.85																																																																																									
2	17265.00	47.92	68.30	-20.38	40.91	42.51	17.58																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11510.00	48.42	74.00	-25.58	45.66	38.20	14.85																																																																																									
2	17265.00	47.70	68.30	-20.60	40.69	42.51	17.58																																																																																									





Mode	27																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.15</td><td>54.84</td><td>68.30</td><td>-13.46</td><td>39.45</td><td>36.45</td><td>11.69</td><td>32.75</td><td>263</td><td>85 PEAK</td></tr><tr><td>2</td><td>5650.41</td><td>52.76</td><td>68.60</td><td>-15.84</td><td>37.33</td><td>36.50</td><td>11.69</td><td>32.76</td><td>263</td><td>85 PEAK</td></tr><tr><td>3</td><td>5700.33</td><td>52.56</td><td>105.29</td><td>-52.73</td><td>37.08</td><td>36.60</td><td>11.66</td><td>32.78</td><td>263</td><td>85 PEAK</td></tr><tr><td>4</td><td>5720.24</td><td>52.40</td><td>111.34</td><td>-58.94</td><td>36.89</td><td>36.64</td><td>11.66</td><td>32.79</td><td>263</td><td>85 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5637.15	54.84	68.30	-13.46	39.45	36.45	11.69	32.75	263	85 PEAK	2	5650.41	52.76	68.60	-15.84	37.33	36.50	11.69	32.76	263	85 PEAK	3	5700.33	52.56	105.29	-52.73	37.08	36.60	11.66	32.78	263	85 PEAK	4	5720.24	52.40	111.34	-58.94	36.89	36.64	11.66	32.79	263	85 PEAK	Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>104.91</td><td>-----</td><td>-----</td><td>89.49</td><td>36.62</td><td>11.62</td><td>32.82</td><td>263</td><td>85 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.91	-----	-----	89.49	36.62	11.62	32.82	263	85 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5637.15	54.84	68.30	-13.46	39.45	36.45	11.69	32.75	263	85 PEAK																																																																																																											
2	5650.41	52.76	68.60	-15.84	37.33	36.50	11.69	32.76	263	85 PEAK																																																																																																											
3	5700.33	52.56	105.29	-52.73	37.08	36.60	11.66	32.78	263	85 PEAK																																																																																																											
4	5720.24	52.40	111.34	-58.94	36.89	36.64	11.66	32.79	263	85 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	104.91	-----	-----	89.49	36.62	11.62	32.82	263	85 PEAK																																																																																																											
Avg	Blank	Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>97.98</td><td>-----</td><td>-----</td><td>82.56</td><td>36.62</td><td>11.62</td><td>32.82</td><td>263</td><td>85 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	97.98	-----	-----	82.56	36.62	11.62	32.82	263	85 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	97.98	-----	-----	82.56	36.62	11.62	32.82	263	85 AVERAGE																																																																																																											



Mode	27																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Date: 2025-03-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5619.03</td><td>54.86</td><td>68.30</td><td>-13.44</td><td>39.53</td><td>36.38</td><td>11.70</td><td>32.75</td><td>345</td><td>209 PEAK</td></tr><tr><td>2</td><td>5650.02</td><td>52.62</td><td>68.31</td><td>-15.69</td><td>37.19</td><td>36.50</td><td>11.69</td><td>32.76</td><td>345</td><td>209 PEAK</td></tr><tr><td>3</td><td>5700.74</td><td>52.91</td><td>105.41</td><td>-52.50</td><td>37.43</td><td>36.60</td><td>11.66</td><td>32.78</td><td>345</td><td>209 PEAK</td></tr><tr><td>4</td><td>5720.41</td><td>53.08</td><td>111.74</td><td>-58.66</td><td>37.57</td><td>36.64</td><td>11.66</td><td>32.79</td><td>345</td><td>209 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5619.03	54.86	68.30	-13.44	39.53	36.38	11.70	32.75	345	209 PEAK	2	5650.02	52.62	68.31	-15.69	37.19	36.50	11.69	32.76	345	209 PEAK	3	5700.74	52.91	105.41	-52.50	37.43	36.60	11.66	32.78	345	209 PEAK	4	5720.41	53.08	111.74	-58.66	37.57	36.64	11.66	32.79	345	209 PEAK	Date: 2025-03-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.27</td><td>-----</td><td>-----</td><td>88.82</td><td>36.63</td><td>11.63</td><td>32.81</td><td>345</td><td>209 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.27	-----	-----	88.82	36.63	11.63	32.81	345	209 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5619.03	54.86	68.30	-13.44	39.53	36.38	11.70	32.75	345	209 PEAK																																																																																																											
2	5650.02	52.62	68.31	-15.69	37.19	36.50	11.69	32.76	345	209 PEAK																																																																																																											
3	5700.74	52.91	105.41	-52.50	37.43	36.60	11.66	32.78	345	209 PEAK																																																																																																											
4	5720.41	53.08	111.74	-58.66	37.57	36.64	11.66	32.79	345	209 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	104.27	-----	-----	88.82	36.63	11.63	32.81	345	209 PEAK																																																																																																											
Avg	Blank	Date: 2025-03-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.35</td><td>-----</td><td>-----</td><td>81.90</td><td>36.63</td><td>11.63</td><td>32.81</td><td>345</td><td>209 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	97.35	-----	-----	81.90	36.63	11.63	32.81	345	209 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	97.35	-----	-----	81.90	36.63	11.63	32.81	345	209 AVERAGE																																																																																																											



Mode	27																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>45.75</td><td>38.20</td><td>14.89</td></tr><tr><td>2</td><td>17385.00</td><td>46.39</td><td>68.30</td><td>-21.91</td><td>39.91</td><td>42.22</td><td>17.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	48.61	74.00	-25.39	45.75	38.20	14.89	2	17385.00	46.39	68.30	-21.91	39.91	42.22	17.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>48.40</td><td>74.00</td><td>-25.60</td><td>45.54</td><td>38.20</td><td>14.89</td></tr><tr><td>2</td><td>17385.00</td><td>46.89</td><td>68.30</td><td>-21.41</td><td>40.41</td><td>42.22</td><td>17.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	48.40	74.00	-25.60	45.54	38.20	14.89	2	17385.00	46.89	68.30	-21.41	40.41	42.22	17.61
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11590.00	48.61	74.00	-25.39	45.75	38.20	14.89																																																																																									
2	17385.00	46.39	68.30	-21.91	39.91	42.22	17.61																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11590.00	48.40	74.00	-25.60	45.54	38.20	14.89																																																																																									
2	17385.00	46.89	68.30	-21.41	40.41	42.22	17.61																																																																																									



Mode	28																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5633.36</td><td>53.70</td><td>68.30</td><td>-14.60</td><td>38.32</td><td>36.43</td><td>11.70</td><td>32.75</td><td>265</td><td>86 PEAK</td></tr><tr><td>2</td><td>5651.03</td><td>52.91</td><td>69.06</td><td>-16.15</td><td>37.48</td><td>36.50</td><td>11.69</td><td>32.76</td><td>265</td><td>86 PEAK</td></tr><tr><td>3</td><td>5700.03</td><td>53.36</td><td>105.21</td><td>-51.85</td><td>37.88</td><td>36.60</td><td>11.66</td><td>32.78</td><td>265</td><td>86 PEAK</td></tr><tr><td>4</td><td>5720.02</td><td>56.98</td><td>110.83</td><td>-53.85</td><td>41.47</td><td>36.64</td><td>11.66</td><td>32.79</td><td>265</td><td>86 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5633.36	53.70	68.30	-14.60	38.32	36.43	11.70	32.75	265	86 PEAK	2	5651.03	52.91	69.06	-16.15	37.48	36.50	11.69	32.76	265	86 PEAK	3	5700.03	53.36	105.21	-51.85	37.88	36.60	11.66	32.78	265	86 PEAK	4	5720.02	56.98	110.83	-53.85	41.47	36.64	11.66	32.79	265	86 PEAK	Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.82</td><td>-----</td><td>-----</td><td>83.40</td><td>36.62</td><td>11.62</td><td>32.82</td><td>265</td><td>86 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	98.82	-----	-----	83.40	36.62	11.62	32.82	265	86 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5633.36	53.70	68.30	-14.60	38.32	36.43	11.70	32.75	265	86 PEAK																																																																																																											
2	5651.03	52.91	69.06	-16.15	37.48	36.50	11.69	32.76	265	86 PEAK																																																																																																											
3	5700.03	53.36	105.21	-51.85	37.88	36.60	11.66	32.78	265	86 PEAK																																																																																																											
4	5720.02	56.98	110.83	-53.85	41.47	36.64	11.66	32.79	265	86 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	98.82	-----	-----	83.40	36.62	11.62	32.82	265	86 PEAK																																																																																																											
Avg	Blank	Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>92.08</td><td>-----</td><td>-----</td><td>76.66</td><td>36.62</td><td>11.62</td><td>32.82</td><td>265</td><td>86 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.08	-----	-----	76.66	36.62	11.62	32.82	265	86 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	92.08	-----	-----	76.66	36.62	11.62	32.82	265	86 AVERAGE																																																																																																											



Mode	28																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																													
ANT	CDD 7+6																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) PEAK_BE(84)_16.24 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.91</td><td>53.08</td><td>111.02</td><td>-57.94</td><td>37.89</td><td>36.51</td><td>11.52</td><td>32.84</td><td>265</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5874.66</td><td>52.87</td><td>105.29</td><td>-52.42</td><td>37.68</td><td>36.55</td><td>11.49</td><td>32.85</td><td>265</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5924.36</td><td>52.59</td><td>68.67</td><td>-16.08</td><td>37.41</td><td>36.65</td><td>11.40</td><td>32.87</td><td>265</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5935.91</td><td>53.20</td><td>68.30</td><td>-15.10</td><td>38.02</td><td>36.67</td><td>11.38</td><td>32.87</td><td>265</td><td>86</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.91	53.08	111.02	-57.94	37.89	36.51	11.52	32.84	265	86	PEAK	2	5874.66	52.87	105.29	-52.42	37.68	36.55	11.49	32.85	265	86	PEAK	3	5924.36	52.59	68.67	-16.08	37.41	36.65	11.40	32.87	265	86	PEAK	4	5935.91	53.20	68.30	-15.10	38.02	36.67	11.38	32.87	265	86	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.91	53.08	111.02	-57.94	37.89	36.51	11.52	32.84	265	86	PEAK																																																																			
2	5874.66	52.87	105.29	-52.42	37.68	36.55	11.49	32.85	265	86	PEAK																																																																			
3	5924.36	52.59	68.67	-16.08	37.41	36.65	11.40	32.87	265	86	PEAK																																																																			
4	5935.91	53.20	68.30	-15.10	38.02	36.67	11.38	32.87	265	86	PEAK																																																																			



Mode	28									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz									
ANT	CDD 7+6									
Pol.	Vertical					Fundamental				
Peak										





Mode	28																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																												
ANT	CDD 7+6																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) PSAK_BE(B4)_16-24 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.91</td><td>54.90</td><td>111.02</td><td>-56.12</td><td>39.71</td><td>36.51</td><td>11.52</td><td>32.84</td><td>282</td><td>91 PEAK</td></tr><tr><td>2</td><td>5873.44</td><td>52.92</td><td>105.64</td><td>-52.72</td><td>37.73</td><td>36.55</td><td>11.49</td><td>32.85</td><td>282</td><td>91 PEAK</td></tr><tr><td>3</td><td>5924.87</td><td>52.16</td><td>68.30</td><td>-16.14</td><td>36.98</td><td>36.65</td><td>11.40</td><td>32.87</td><td>282</td><td>91 PEAK</td></tr><tr><td>4</td><td>5939.06</td><td>53.01</td><td>68.30</td><td>-15.29</td><td>37.83</td><td>36.68</td><td>11.38</td><td>32.88</td><td>282</td><td>91 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.91	54.90	111.02	-56.12	39.71	36.51	11.52	32.84	282	91 PEAK	2	5873.44	52.92	105.64	-52.72	37.73	36.55	11.49	32.85	282	91 PEAK	3	5924.87	52.16	68.30	-16.14	36.98	36.65	11.40	32.87	282	91 PEAK	4	5939.06	53.01	68.30	-15.29	37.83	36.68	11.38	32.88	282	91 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.91	54.90	111.02	-56.12	39.71	36.51	11.52	32.84	282	91 PEAK																																																																			
2	5873.44	52.92	105.64	-52.72	37.73	36.55	11.49	32.85	282	91 PEAK																																																																			
3	5924.87	52.16	68.30	-16.14	36.98	36.65	11.40	32.87	282	91 PEAK																																																																			
4	5939.06	53.01	68.30	-15.29	37.83	36.68	11.38	32.88	282	91 PEAK																																																																			





Mode	29																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																																													
ANT	CDD 7+6																																																																																																																													
Pol.	Vertical										Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-30 PEAK_BE[B4]_16-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.08</td><td>54.25</td><td>68.30</td><td>-14.05</td><td>38.94</td><td>36.36</td><td>11.70</td><td>32.75</td><td>205</td><td>17 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>53.06</td><td>68.64</td><td>-15.58</td><td>37.63</td><td>36.50</td><td>11.69</td><td>32.76</td><td>205</td><td>17 PEAK</td></tr><tr><td>3</td><td>5701.36</td><td>53.49</td><td>105.58</td><td>-52.09</td><td>38.01</td><td>36.60</td><td>11.66</td><td>32.78</td><td>205</td><td>17 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.84</td><td>110.94</td><td>-58.10</td><td>37.33</td><td>36.64</td><td>11.66</td><td>32.79</td><td>205</td><td>17 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5615.08	54.25	68.30	-14.05	38.94	36.36	11.70	32.75	205	17 PEAK	2	5650.46	53.06	68.64	-15.58	37.63	36.50	11.69	32.76	205	17 PEAK	3	5701.36	53.49	105.58	-52.09	38.01	36.60	11.66	32.78	205	17 PEAK	4	5720.06	52.84	110.94	-58.10	37.33	36.64	11.66	32.79	205	17 PEAK	Level (dBuV/m) Date: 2025-03-30 PART 15.407 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.07</td><td>-----</td><td>-----</td><td>87.53</td><td>36.70</td><td>11.64</td><td>32.80</td><td>205</td><td>17 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.07	-----	-----	87.53	36.70	11.64	32.80	205	17 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5615.08	54.25	68.30	-14.05	38.94	36.36	11.70	32.75	205	17 PEAK																																																																																																																				
2	5650.46	53.06	68.64	-15.58	37.63	36.50	11.69	32.76	205	17 PEAK																																																																																																																				
3	5701.36	53.49	105.58	-52.09	38.01	36.60	11.66	32.78	205	17 PEAK																																																																																																																				
4	5720.06	52.84	110.94	-58.10	37.33	36.64	11.66	32.79	205	17 PEAK																																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	103.07	-----	-----	87.53	36.70	11.64	32.80	205	17 PEAK																																																																																																																				
Avg	Blank										Level (dBuV/m) Date: 2025-03-30 PART 15.407 AVG Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>93.67</td><td>-----</td><td>-----</td><td>78.13</td><td>36.70</td><td>11.64</td><td>32.80</td><td>205</td><td>17 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	93.67	-----	-----	78.13	36.70	11.64	32.80	205	17 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	93.67	-----	-----	78.13	36.70	11.64	32.80	205	17 AVERAGE																																																																																																																				






Mode	29																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the limit (PART 15.407), a dashed red line for the average (PART 15.407 AVG), and a blue line for the measured signal. Two vertical blue lines mark the peak frequencies at 11490.00 MHz and 17235.00 MHz.								 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the limit (PART 15.407), a dashed red line for the average (PART 15.407 AVG), and a blue line for the measured signal. Two vertical blue lines mark the peak frequencies at 11490.00 MHz and 17235.00 MHz.																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>45.16</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>47.42</td><td>68.30</td><td>-20.88</td><td>40.18</td><td>42.69</td><td>17.57</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.88	74.00	-26.12	45.16	38.20	14.83	2	17235.00	47.42	68.30	-20.88	40.18	42.69	17.57	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>45.31</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>47.33</td><td>68.30</td><td>-20.97</td><td>40.09</td><td>42.69</td><td>17.57</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	48.03	74.00	-25.97	45.31	38.20	14.83	2	17235.00	47.33	68.30	-20.97	40.09	42.69	17.57
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11490.00	47.88	74.00	-26.12	45.16	38.20	14.83																																																																																									
2	17235.00	47.42	68.30	-20.88	40.18	42.69	17.57																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11490.00	48.03	74.00	-25.97	45.31	38.20	14.83																																																																																									
2	17235.00	47.33	68.30	-20.97	40.09	42.69	17.57																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>45.16</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>47.42</td><td>68.30</td><td>-20.88</td><td>40.18</td><td>42.69</td><td>17.57</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.88	74.00	-26.12	45.16	38.20	14.83	2	17235.00	47.42	68.30	-20.88	40.18	42.69	17.57	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>45.31</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>47.33</td><td>68.30</td><td>-20.97</td><td>40.09</td><td>42.69</td><td>17.57</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	48.03	74.00	-25.97	45.31	38.20	14.83	2	17235.00	47.33	68.30	-20.97	40.09	42.69	17.57	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11490.00	47.88	74.00	-26.12	45.16	38.20	14.83																																																																																									
2	17235.00	47.42	68.30	-20.88	40.18	42.69	17.57																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11490.00	48.03	74.00	-25.97	45.31	38.20	14.83																																																																																									
2	17235.00	47.33	68.30	-20.97	40.09	42.69	17.57																																																																																									



Mode	30																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full RU_5785MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>44.72</td><td>38.20</td><td>14.88</td></tr><tr><td>2</td><td>17355.00</td><td>47.04</td><td>68.30</td><td>-21.26</td><td>40.48</td><td>42.24</td><td>17.60</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	47.56	74.00	-26.44	44.72	38.20	14.88	2	17355.00	47.04	68.30	-21.26	40.48	42.24	17.60	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>45.81</td><td>38.20</td><td>14.88</td></tr><tr><td>2</td><td>17355.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>41.30</td><td>42.24</td><td>17.60</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	48.65	74.00	-25.35	45.81	38.20	14.88	2	17355.00	47.86	68.30	-20.44	41.30	42.24	17.60
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11570.00	47.56	74.00	-26.44	44.72	38.20	14.88																																																																																									
2	17355.00	47.04	68.30	-21.26	40.48	42.24	17.60																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11570.00	48.65	74.00	-25.35	45.81	38.20	14.88																																																																																									
2	17355.00	47.86	68.30	-20.44	41.30	42.24	17.60																																																																																									





Mode	31																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																							
ANT	CDD 7+6																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-30  PEAK_BE(B4)_16.24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.75</td><td>53.54</td><td>111.37</td><td>-57.83</td><td>38.35</td><td>36.51</td><td>11.52</td><td>32.84</td><td>225</td><td>56 PEAK</td></tr><tr><td>2 5875.00</td><td>53.37</td><td>105.20</td><td>-51.83</td><td>38.18</td><td>36.55</td><td>11.49</td><td>32.85</td><td>225</td><td>56 PEAK</td></tr><tr><td>3 5924.75</td><td>52.48</td><td>68.38</td><td>-15.90</td><td>37.30</td><td>36.65</td><td>11.40</td><td>32.87</td><td>225</td><td>56 PEAK</td></tr><tr><td>4 5946.88</td><td>53.48</td><td>68.30</td><td>-14.82</td><td>38.30</td><td>36.69</td><td>11.37</td><td>32.88</td><td>225</td><td>56 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.75	53.54	111.37	-57.83	38.35	36.51	11.52	32.84	225	56 PEAK	2 5875.00	53.37	105.20	-51.83	38.18	36.55	11.49	32.85	225	56 PEAK	3 5924.75	52.48	68.38	-15.90	37.30	36.65	11.40	32.87	225	56 PEAK	4 5946.88	53.48	68.30	-14.82	38.30	36.69	11.37	32.88	225	56 PEAK	Level (dBuV/m) Date: 2025-03-30  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.32</td><td>-----</td><td>-----</td><td>92.03</td><td>36.55</td><td>11.57</td><td>32.83</td><td>225</td><td>56 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	107.32	-----	-----	92.03	36.55	11.57	32.83	225	56 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.75	53.54	111.37	-57.83	38.35	36.51	11.52	32.84	225	56 PEAK																																																																																																															
2 5875.00	53.37	105.20	-51.83	38.18	36.55	11.49	32.85	225	56 PEAK																																																																																																															
3 5924.75	52.48	68.38	-15.90	37.30	36.65	11.40	32.87	225	56 PEAK																																																																																																															
4 5946.88	53.48	68.30	-14.82	38.30	36.69	11.37	32.88	225	56 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	107.32	-----	-----	92.03	36.55	11.57	32.83	225	56 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2025-03-30  PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.31</td><td>-----</td><td>-----</td><td>83.00</td><td>36.56</td><td>11.58</td><td>32.83</td><td>225</td><td>56 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	98.31	-----	-----	83.00	36.56	11.58	32.83	225	56 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	98.31	-----	-----	83.00	36.56	11.58	32.83	225	56 AVERAGE																																																																																																															



Mode	31																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																												
ANT	CDD 7+6																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.38</td><td>54.08</td><td>112.22</td><td>-58.14</td><td>38.89</td><td>36.51</td><td>11.52</td><td>32.84</td><td>205</td><td>16 PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>52.96</td><td>105.51</td><td>-52.55</td><td>37.77</td><td>36.55</td><td>11.49</td><td>32.85</td><td>205</td><td>16 PEAK</td></tr><tr><td>3</td><td>5924.13</td><td>52.90</td><td>68.84</td><td>-15.94</td><td>37.72</td><td>36.65</td><td>11.40</td><td>32.87</td><td>205</td><td>16 PEAK</td></tr><tr><td>4</td><td>5935.88</td><td>53.61</td><td>68.30</td><td>-14.69</td><td>38.43</td><td>36.67</td><td>11.38</td><td>32.87</td><td>205</td><td>16 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.38	54.08	112.22	-58.14	38.89	36.51	11.52	32.84	205	16 PEAK	2	5873.88	52.96	105.51	-52.55	37.77	36.55	11.49	32.85	205	16 PEAK	3	5924.13	52.90	68.84	-15.94	37.72	36.65	11.40	32.87	205	16 PEAK	4	5935.88	53.61	68.30	-14.69	38.43	36.67	11.38	32.87	205	16 PEAK	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.86</td><td>-----</td><td>-----</td><td>87.59</td><td>36.54</td><td>11.56</td><td>32.83</td><td>205</td><td>16 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.86	-----	-----	87.59	36.54	11.56	32.83	205	16 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.38	54.08	112.22	-58.14	38.89	36.51	11.52	32.84	205	16 PEAK																																																																																																																			
2	5873.88	52.96	105.51	-52.55	37.77	36.55	11.49	32.85	205	16 PEAK																																																																																																																			
3	5924.13	52.90	68.84	-15.94	37.72	36.65	11.40	32.87	205	16 PEAK																																																																																																																			
4	5935.88	53.61	68.30	-14.69	38.43	36.67	11.38	32.87	205	16 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	102.86	-----	-----	87.59	36.54	11.56	32.83	205	16 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>95.14</td><td>-----</td><td>-----</td><td>79.89</td><td>36.53</td><td>11.55</td><td>32.83</td><td>205</td><td>16 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.14	-----	-----	79.89	36.53	11.55	32.83	205	16 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	95.14	-----	-----	79.89	36.53	11.55	32.83	205	16 AVERAGE																																																																																																																			



Mode	31																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>45.03</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.12</td><td>68.30</td><td>-21.18</td><td>40.68</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.98	74.00	-26.02	45.03	38.20	14.93	2	17475.00	47.12	68.30	-21.18	40.68	42.35	17.63	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>45.51</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.75</td><td>68.30</td><td>-20.55</td><td>41.31</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	48.46	74.00	-25.54	45.51	38.20	14.93	2	17475.00	47.75	68.30	-20.55	41.31	42.35	17.63
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.98	74.00	-26.02	45.03	38.20	14.93																																																																																									
2	17475.00	47.12	68.30	-21.18	40.68	42.35	17.63																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	48.46	74.00	-25.54	45.51	38.20	14.93																																																																																									
2	17475.00	47.75	68.30	-20.55	41.31	42.35	17.63																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>45.03</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.12</td><td>68.30</td><td>-21.18</td><td>40.68</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.98	74.00	-26.02	45.03	38.20	14.93	2	17475.00	47.12	68.30	-21.18	40.68	42.35	17.63	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>45.51</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.75</td><td>68.30</td><td>-20.55</td><td>41.31</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	48.46	74.00	-25.54	45.51	38.20	14.93	2	17475.00	47.75	68.30	-20.55	41.31	42.35	17.63	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.98	74.00	-26.02	45.03	38.20	14.93																																																																																									
2	17475.00	47.12	68.30	-21.18	40.68	42.35	17.63																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	48.46	74.00	-25.54	45.51	38.20	14.93																																																																																									
2	17475.00	47.75	68.30	-20.55	41.31	42.35	17.63																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>45.03</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.12</td><td>68.30</td><td>-21.18</td><td>40.68</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.98	74.00	-26.02	45.03	38.20	14.93	2	17475.00	47.12	68.30	-21.18	40.68	42.35	17.63	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>45.51</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.75</td><td>68.30</td><td>-20.55</td><td>41.31</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	48.46	74.00	-25.54	45.51	38.20	14.93	2	17475.00	47.75	68.30	-20.55	41.31	42.35	17.63	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.98	74.00	-26.02	45.03	38.20	14.93																																																																																									
2	17475.00	47.12	68.30	-21.18	40.68	42.35	17.63																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	48.46	74.00	-25.54	45.51	38.20	14.93																																																																																									
2	17475.00	47.75	68.30	-20.55	41.31	42.35	17.63																																																																																									



Mode	32																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.59</td><td>55.12</td><td>68.30</td><td>-13.18</td><td>39.76</td><td>36.41</td><td>11.70</td><td>32.75</td><td>234</td><td>24 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>53.47</td><td>68.35</td><td>-14.88</td><td>38.04</td><td>36.50</td><td>11.69</td><td>32.76</td><td>234</td><td>24 PEAK</td></tr><tr><td>3</td><td>5703.08</td><td>55.08</td><td>106.06</td><td>-50.98</td><td>39.59</td><td>36.61</td><td>11.66</td><td>32.78</td><td>234</td><td>24 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>54.35</td><td>111.09</td><td>-56.74</td><td>38.84</td><td>36.64</td><td>11.66</td><td>32.79</td><td>234</td><td>24 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5627.59	55.12	68.30	-13.18	39.76	36.41	11.70	32.75	234	24 PEAK	2	5650.07	53.47	68.35	-14.88	38.04	36.50	11.69	32.76	234	24 PEAK	3	5703.08	55.08	106.06	-50.98	39.59	36.61	11.66	32.78	234	24 PEAK	4	5720.13	54.35	111.09	-56.74	38.84	36.64	11.66	32.79	234	24 PEAK	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.98</td><td>-----</td><td>-----</td><td>87.45</td><td>36.69</td><td>11.64</td><td>32.80</td><td>234</td><td>24 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.98	-----	-----	87.45	36.69	11.64	32.80	234	24 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5627.59	55.12	68.30	-13.18	39.76	36.41	11.70	32.75	234	24 PEAK																																																																																																											
2	5650.07	53.47	68.35	-14.88	38.04	36.50	11.69	32.76	234	24 PEAK																																																																																																											
3	5703.08	55.08	106.06	-50.98	39.59	36.61	11.66	32.78	234	24 PEAK																																																																																																											
4	5720.13	54.35	111.09	-56.74	38.84	36.64	11.66	32.79	234	24 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5755.00	102.98	-----	-----	87.45	36.69	11.64	32.80	234	24 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>93.59</td><td>-----</td><td>-----</td><td>78.06</td><td>36.69</td><td>11.64</td><td>32.80</td><td>234</td><td>24 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.59	-----	-----	78.06	36.69	11.64	32.80	234	24 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5755.00	93.59	-----	-----	78.06	36.69	11.64	32.80	234	24 AVERAGE																																																																																																											





Mode	32																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																			
ANT	CDD 7+6																																																																																			
Pol.	Horizontal					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.74</td><td>111.17</td><td>-59.43</td><td>36.55</td><td>36.51</td><td>11.52</td><td>32.84</td><td>234</td><td>24 PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>51.84</td><td>105.38</td><td>-53.54</td><td>36.65</td><td>36.55</td><td>11.49</td><td>32.85</td><td>234</td><td>24 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>52.29</td><td>68.60</td><td>-16.31</td><td>37.11</td><td>36.65</td><td>11.40</td><td>32.87</td><td>234</td><td>24 PEAK</td></tr><tr><td>4</td><td>5941.42</td><td>54.15</td><td>68.30</td><td>-14.15</td><td>38.97</td><td>36.68</td><td>11.38</td><td>32.88</td><td>234</td><td>24 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.74	111.17	-59.43	36.55	36.51	11.52	32.84	234	24 PEAK	2	5874.34	51.84	105.38	-53.54	36.65	36.55	11.49	32.85	234	24 PEAK	3	5924.46	52.29	68.60	-16.31	37.11	36.65	11.40	32.87	234	24 PEAK	4	5941.42	54.15	68.30	-14.15	38.97	36.68	11.38	32.88	234	24 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	51.74	111.17	-59.43	36.55	36.51	11.52	32.84	234	24 PEAK																																																																										
2	5874.34	51.84	105.38	-53.54	36.65	36.55	11.49	32.85	234	24 PEAK																																																																										
3	5924.46	52.29	68.60	-16.31	37.11	36.65	11.40	32.87	234	24 PEAK																																																																										
4	5941.42	54.15	68.30	-14.15	38.97	36.68	11.38	32.88	234	24 PEAK																																																																										



Mode	32																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																											
ANT	CDD 7+6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-03-30 PEAK BE(B4)_16-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.30</td><td>111.17</td><td>-59.87</td><td>36.11</td><td>36.51</td><td>11.52</td><td>32.84</td><td>180</td><td>14 PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>51.95</td><td>105.28</td><td>-53.33</td><td>36.76</td><td>36.55</td><td>11.49</td><td>32.85</td><td>180</td><td>14 PEAK</td></tr><tr><td>3</td><td>5923.48</td><td>52.46</td><td>69.32</td><td>-16.86</td><td>37.27</td><td>36.65</td><td>11.41</td><td>32.87</td><td>180</td><td>14 PEAK</td></tr><tr><td>4</td><td>5940.84</td><td>53.58</td><td>68.30</td><td>-14.72</td><td>38.40</td><td>36.68</td><td>11.38</td><td>32.88</td><td>180</td><td>14 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.30	111.17	-59.87	36.11	36.51	11.52	32.84	180	14 PEAK	2	5874.73	51.95	105.28	-53.33	36.76	36.55	11.49	32.85	180	14 PEAK	3	5923.48	52.46	69.32	-16.86	37.27	36.65	11.41	32.87	180	14 PEAK	4	5940.84	53.58	68.30	-14.72	38.40	36.68	11.38	32.88	180	14 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.84	51.30	111.17	-59.87	36.11	36.51	11.52	32.84	180	14 PEAK																																																																		
2	5874.73	51.95	105.28	-53.33	36.76	36.55	11.49	32.85	180	14 PEAK																																																																		
3	5923.48	52.46	69.32	-16.86	37.27	36.65	11.41	32.87	180	14 PEAK																																																																		
4	5940.84	53.58	68.30	-14.72	38.40	36.68	11.38	32.88	180	14 PEAK																																																																		



Mode	32																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																																																																	
ANT	CDD 7+6																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>44.96</td><td>38.20</td><td>14.85</td><td>50.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>41.14</td><td>42.51</td><td>17.58</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11510.00	47.72	74.00	-26.28	44.96	38.20	14.85	50.29	---	---	Peak	2	17265.00	48.15	68.30	-20.15	41.14	42.51	17.58	53.08	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>48.16</td><td>74.00</td><td>-25.84</td><td>45.40</td><td>38.20</td><td>14.85</td><td>50.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>47.99</td><td>68.30</td><td>-20.31</td><td>40.98</td><td>42.51</td><td>17.58</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11510.00	48.16	74.00	-25.84	45.40	38.20	14.85	50.29	---	---	Peak	2	17265.00	47.99	68.30	-20.31	40.98	42.51	17.58	53.08	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11510.00	47.72	74.00	-26.28	44.96	38.20	14.85	50.29	---	---	Peak																																																																																																																							
2	17265.00	48.15	68.30	-20.15	41.14	42.51	17.58	53.08	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11510.00	48.16	74.00	-25.84	45.40	38.20	14.85	50.29	---	---	Peak																																																																																																																							
2	17265.00	47.99	68.30	-20.31	40.98	42.51	17.58	53.08	---	---	Peak																																																																																																																							



Mode	33																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.97</td><td>54.09</td><td>68.30</td><td>-14.21</td><td>38.67</td><td>36.49</td><td>11.69</td><td>32.76</td><td>234</td><td>24 PEAK</td></tr><tr><td>2</td><td>5651.87</td><td>54.61</td><td>69.69</td><td>-15.08</td><td>39.18</td><td>36.50</td><td>11.69</td><td>32.76</td><td>234</td><td>24 PEAK</td></tr><tr><td>3</td><td>5700.82</td><td>53.47</td><td>105.43</td><td>-51.96</td><td>37.99</td><td>36.60</td><td>11.66</td><td>32.78</td><td>234</td><td>24 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>52.68</td><td>111.07</td><td>-58.39</td><td>37.17</td><td>36.64</td><td>11.66</td><td>32.79</td><td>234</td><td>24 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5647.97	54.09	68.30	-14.21	38.67	36.49	11.69	32.76	234	24 PEAK	2	5651.87	54.61	69.69	-15.08	39.18	36.50	11.69	32.76	234	24 PEAK	3	5700.82	53.47	105.43	-51.96	37.99	36.60	11.66	32.78	234	24 PEAK	4	5720.12	52.68	111.07	-58.39	37.17	36.64	11.66	32.79	234	24 PEAK	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>101.82</td><td>-----</td><td>-----</td><td>86.40</td><td>36.62</td><td>11.62</td><td>32.82</td><td>234</td><td>24 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.82	-----	-----	86.40	36.62	11.62	32.82	234	24 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5647.97	54.09	68.30	-14.21	38.67	36.49	11.69	32.76	234	24 PEAK																																																																																																											
2	5651.87	54.61	69.69	-15.08	39.18	36.50	11.69	32.76	234	24 PEAK																																																																																																											
3	5700.82	53.47	105.43	-51.96	37.99	36.60	11.66	32.78	234	24 PEAK																																																																																																											
4	5720.12	52.68	111.07	-58.39	37.17	36.64	11.66	32.79	234	24 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	101.82	-----	-----	86.40	36.62	11.62	32.82	234	24 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>93.83</td><td>-----</td><td>-----</td><td>78.41</td><td>36.62</td><td>11.62</td><td>32.82</td><td>234</td><td>24 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.83	-----	-----	78.41	36.62	11.62	32.82	234	24 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	93.83	-----	-----	78.41	36.62	11.62	32.82	234	24 AVERAGE																																																																																																											





Mode	33																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5639.98</td><td>53.85</td><td>68.30</td><td>-14.45</td><td>38.46</td><td>36.46</td><td>11.69</td><td>32.76</td><td>178</td><td>13 PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>52.72</td><td>68.82</td><td>-16.10</td><td>37.29</td><td>36.50</td><td>11.69</td><td>32.76</td><td>178</td><td>13 PEAK</td></tr><tr><td>3</td><td>5705.50</td><td>54.50</td><td>106.74</td><td>-52.24</td><td>39.01</td><td>36.61</td><td>11.66</td><td>32.78</td><td>178</td><td>13 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>51.46</td><td>111.07</td><td>-59.61</td><td>35.95</td><td>36.64</td><td>11.66</td><td>32.79</td><td>178</td><td>13 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5639.98	53.85	68.30	-14.45	38.46	36.46	11.69	32.76	178	13 PEAK	2	5650.70	52.72	68.82	-16.10	37.29	36.50	11.69	32.76	178	13 PEAK	3	5705.50	54.50	106.74	-52.24	39.01	36.61	11.66	32.78	178	13 PEAK	4	5720.12	51.46	111.07	-59.61	35.95	36.64	11.66	32.79	178	13 PEAK	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>98.21</td><td>-----</td><td>-----</td><td>82.84</td><td>36.59</td><td>11.60</td><td>32.82</td><td>178</td><td>13 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	98.21	-----	-----	82.84	36.59	11.60	32.82	178	13 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5639.98	53.85	68.30	-14.45	38.46	36.46	11.69	32.76	178	13 PEAK																																																																																																											
2	5650.70	52.72	68.82	-16.10	37.29	36.50	11.69	32.76	178	13 PEAK																																																																																																											
3	5705.50	54.50	106.74	-52.24	39.01	36.61	11.66	32.78	178	13 PEAK																																																																																																											
4	5720.12	51.46	111.07	-59.61	35.95	36.64	11.66	32.79	178	13 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	98.21	-----	-----	82.84	36.59	11.60	32.82	178	13 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>89.16</td><td>-----</td><td>-----</td><td>73.74</td><td>36.62</td><td>11.62</td><td>32.82</td><td>178</td><td>13 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	89.16	-----	-----	73.74	36.62	11.62	32.82	178	13 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	89.16	-----	-----	73.74	36.62	11.62	32.82	178	13 AVERAGE																																																																																																											



Mode	33																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 7+6																																																																																				
Pol.	Vertical						Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>52.49</td><td>110.83</td><td>-58.34</td><td>37.30</td><td>36.51</td><td>11.52</td><td>32.84</td><td>178</td><td>13 PEAK</td></tr><tr><td>2</td><td>5871.11</td><td>52.83</td><td>106.29</td><td>-53.46</td><td>37.65</td><td>36.54</td><td>11.49</td><td>32.85</td><td>178</td><td>13 PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>52.96</td><td>68.28</td><td>-15.32</td><td>37.78</td><td>36.65</td><td>11.40</td><td>32.87</td><td>178</td><td>13 PEAK</td></tr><tr><td>4</td><td>5946.44</td><td>54.07</td><td>68.30</td><td>-14.23</td><td>38.89</td><td>36.69</td><td>11.37</td><td>32.88</td><td>178</td><td>13 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.99	52.49	110.83	-58.34	37.30	36.51	11.52	32.84	178	13 PEAK	2	5871.11	52.83	106.29	-53.46	37.65	36.54	11.49	32.85	178	13 PEAK	3	5924.89	52.96	68.28	-15.32	37.78	36.65	11.40	32.87	178	13 PEAK	4	5946.44	54.07	68.30	-14.23	38.89	36.69	11.37	32.88	178	13 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5854.99	52.49	110.83	-58.34	37.30	36.51	11.52	32.84	178	13 PEAK																																																																											
2	5871.11	52.83	106.29	-53.46	37.65	36.54	11.49	32.85	178	13 PEAK																																																																											
3	5924.89	52.96	68.28	-15.32	37.78	36.65	11.40	32.87	178	13 PEAK																																																																											
4	5946.44	54.07	68.30	-14.23	38.89	36.69	11.37	32.88	178	13 PEAK																																																																											



Mode	33																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																															
ANT	CDD 7+6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>45.49</td><td>38.20</td><td>14.89</td></tr><tr><td>2</td><td>17385.00</td><td>47.49</td><td>68.30</td><td>-20.81</td><td>41.01</td><td>42.22</td><td>17.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	48.35	74.00	-25.65	45.49	38.20	14.89	2	17385.00	47.49	68.30	-20.81	41.01	42.22	17.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>45.24</td><td>38.20</td><td>14.89</td></tr><tr><td>2</td><td>17385.00</td><td>47.03</td><td>68.30</td><td>-21.27</td><td>40.55</td><td>42.22</td><td>17.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	48.10	74.00	-25.90	45.24	38.20	14.89	2	17385.00	47.03	68.30	-21.27	40.55	42.22	17.61
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11590.00	48.35	74.00	-25.65	45.49	38.20	14.89																																																																																									
2	17385.00	47.49	68.30	-20.81	41.01	42.22	17.61																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11590.00	48.10	74.00	-25.90	45.24	38.20	14.89																																																																																									
2	17385.00	47.03	68.30	-21.27	40.55	42.22	17.61																																																																																									





Mode	34																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																												
ANT	CDD 7+6																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5643.75</td><td>54.13</td><td>68.30</td><td>-14.17</td><td>38.73</td><td>36.47</td><td>11.69</td><td>32.76</td><td>231</td><td>107 PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>52.95</td><td>68.86</td><td>-15.91</td><td>37.52</td><td>36.50</td><td>11.69</td><td>32.76</td><td>231</td><td>107 PEAK</td></tr><tr><td>3</td><td>5703.78</td><td>54.29</td><td>106.26</td><td>-51.97</td><td>38.80</td><td>36.61</td><td>11.66</td><td>32.78</td><td>231</td><td>107 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>54.08</td><td>110.91</td><td>-56.83</td><td>38.57</td><td>36.64</td><td>11.66</td><td>32.79</td><td>231</td><td>107 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5643.75	54.13	68.30	-14.17	38.73	36.47	11.69	32.76	231	107 PEAK	2	5650.75	52.95	68.86	-15.91	37.52	36.50	11.69	32.76	231	107 PEAK	3	5703.78	54.29	106.26	-51.97	38.80	36.61	11.66	32.78	231	107 PEAK	4	5720.05	54.08	110.91	-56.83	38.57	36.64	11.66	32.79	231	107 PEAK	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.76</td><td>-----</td><td>-----</td><td>83.23</td><td>36.69</td><td>11.64</td><td>32.80</td><td>231</td><td>107 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	98.76	-----	-----	83.23	36.69	11.64	32.80	231	107 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5643.75	54.13	68.30	-14.17	38.73	36.47	11.69	32.76	231	107 PEAK																																																																																																																			
2	5650.75	52.95	68.86	-15.91	37.52	36.50	11.69	32.76	231	107 PEAK																																																																																																																			
3	5703.78	54.29	106.26	-51.97	38.80	36.61	11.66	32.78	231	107 PEAK																																																																																																																			
4	5720.05	54.08	110.91	-56.83	38.57	36.64	11.66	32.79	231	107 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	98.76	-----	-----	83.23	36.69	11.64	32.80	231	107 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>89.40</td><td>-----</td><td>-----</td><td>73.92</td><td>36.66</td><td>11.63</td><td>32.81</td><td>231</td><td>107 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	89.40	-----	-----	73.92	36.66	11.63	32.81	231	107 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	89.40	-----	-----	73.92	36.66	11.63	32.81	231	107 AVERAGE																																																																																																																			



Mode	34																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																			
ANT	CDD 7+6																																																																																			
Pol.	Vertical					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-03-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.11</td><td>111.26</td><td>-58.15</td><td>37.92</td><td>36.51</td><td>11.52</td><td>32.84</td><td>231</td><td>107 PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>52.03</td><td>105.27</td><td>-53.24</td><td>36.84</td><td>36.55</td><td>11.49</td><td>32.85</td><td>231</td><td>107 PEAK</td></tr><tr><td>3</td><td>5923.93</td><td>52.32</td><td>68.99</td><td>-16.67</td><td>37.13</td><td>36.65</td><td>11.41</td><td>32.87</td><td>231</td><td>107 PEAK</td></tr><tr><td>4</td><td>5930.23</td><td>52.74</td><td>68.30</td><td>-15.56</td><td>37.56</td><td>36.66</td><td>11.39</td><td>32.87</td><td>231</td><td>107 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.80	53.11	111.26	-58.15	37.92	36.51	11.52	32.84	231	107 PEAK	2	5874.75	52.03	105.27	-53.24	36.84	36.55	11.49	32.85	231	107 PEAK	3	5923.93	52.32	68.99	-16.67	37.13	36.65	11.41	32.87	231	107 PEAK	4	5930.23	52.74	68.30	-15.56	37.56	36.66	11.39	32.87	231	107 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	53.11	111.26	-58.15	37.92	36.51	11.52	32.84	231	107 PEAK																																																																										
2	5874.75	52.03	105.27	-53.24	36.84	36.55	11.49	32.85	231	107 PEAK																																																																										
3	5923.93	52.32	68.99	-16.67	37.13	36.65	11.41	32.87	231	107 PEAK																																																																										
4	5930.23	52.74	68.30	-15.56	37.56	36.66	11.39	32.87	231	107 PEAK																																																																										



Mode	34																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																			
ANT	CDD 7+6																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-04-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>45.16</td><td>38.20</td><td>14.87</td><td>50.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.53</td><td>68.30</td><td>-20.77</td><td>40.88</td><td>42.28</td><td>17.59</td><td>53.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11550.00	47.97	74.00	-26.03	45.16	38.20	14.87	50.26	---	---	Peak	2	17325.00	47.53	68.30	-20.77	40.88	42.28	17.59	53.22	---	---	Peak	Level (dBuV/m) Date: 2025-04-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>44.80</td><td>38.20</td><td>14.87</td><td>50.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.21</td><td>68.30</td><td>-21.09</td><td>40.56</td><td>42.28</td><td>17.59</td><td>53.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11550.00	47.61	74.00	-26.39	44.80	38.20	14.87	50.26	---	---	Peak	2	17325.00	47.21	68.30	-21.09	40.56	42.28	17.59	53.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11550.00	47.97	74.00	-26.03	45.16	38.20	14.87	50.26	---	---	Peak																																																																																																									
2	17325.00	47.53	68.30	-20.77	40.88	42.28	17.59	53.22	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11550.00	47.61	74.00	-26.39	44.80	38.20	14.87	50.26	---	---	Peak																																																																																																									
2	17325.00	47.21	68.30	-21.09	40.56	42.28	17.59	53.22	---	---	Peak																																																																																																									



Mode	35																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU_106/53_5745MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-31 PEAK_BE[B4]_10-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.53</td><td>53.55</td><td>68.30</td><td>-14.75</td><td>38.17</td><td>36.44</td><td>11.69</td><td>32.75</td><td>218</td><td>22 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.30</td><td>68.32</td><td>-16.02</td><td>36.87</td><td>36.50</td><td>11.69</td><td>32.76</td><td>218</td><td>22 PEAK</td></tr><tr><td>3</td><td>5700.20</td><td>53.09</td><td>105.25</td><td>-52.16</td><td>37.61</td><td>36.60</td><td>11.66</td><td>32.78</td><td>218</td><td>22 PEAK</td></tr><tr><td>4</td><td>5720.64</td><td>54.27</td><td>112.26</td><td>-57.99</td><td>38.76</td><td>36.64</td><td>11.66</td><td>32.79</td><td>218</td><td>22 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5635.53	53.55	68.30	-14.75	38.17	36.44	11.69	32.75	218	22 PEAK	2	5650.03	52.30	68.32	-16.02	36.87	36.50	11.69	32.76	218	22 PEAK	3	5700.20	53.09	105.25	-52.16	37.61	36.60	11.66	32.78	218	22 PEAK	4	5720.64	54.27	112.26	-57.99	38.76	36.64	11.66	32.79	218	22 PEAK	Level (dBuV/m) Date: 2025-03-31 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.66</td><td>-----</td><td>-----</td><td>87.13</td><td>36.68</td><td>11.65</td><td>32.80</td><td>218</td><td>22 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.66	-----	-----	87.13	36.68	11.65	32.80	218	22 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5635.53	53.55	68.30	-14.75	38.17	36.44	11.69	32.75	218	22 PEAK																																																																																																											
2	5650.03	52.30	68.32	-16.02	36.87	36.50	11.69	32.76	218	22 PEAK																																																																																																											
3	5700.20	53.09	105.25	-52.16	37.61	36.60	11.66	32.78	218	22 PEAK																																																																																																											
4	5720.64	54.27	112.26	-57.99	38.76	36.64	11.66	32.79	218	22 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	102.66	-----	-----	87.13	36.68	11.65	32.80	218	22 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-31 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.57</td><td>-----</td><td>-----</td><td>79.04</td><td>36.68</td><td>11.65</td><td>32.80</td><td>218</td><td>22 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.57	-----	-----	79.04	36.68	11.65	32.80	218	22 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	94.57	-----	-----	79.04	36.68	11.65	32.80	218	22 AVERAGE																																																																																																											



Mode	36																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU_106/54_5825MHz																																																																																																																											
ANT	CDD 7+6																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>51.54</td><td>110.80</td><td>-59.26</td><td>36.35</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>52.61</td><td>105.27</td><td>-52.66</td><td>37.42</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>52.13</td><td>68.48</td><td>-16.35</td><td>36.95</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5948.38</td><td>53.39</td><td>68.30</td><td>-14.91</td><td>38.21</td><td>36.70</td><td>11.36</td><td>32.88</td><td>400</td><td>359</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	51.54	110.80	-59.26	36.35	36.51	11.52	32.84	400	359	PEAK	2	5874.75	52.61	105.27	-52.66	37.42	36.55	11.49	32.85	400	359	PEAK	3	5924.63	52.13	68.48	-16.35	36.95	36.65	11.40	32.87	400	359	PEAK	4	5948.38	53.39	68.30	-14.91	38.21	36.70	11.36	32.88	400	359	PEAK	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.54</td><td>-----</td><td>-----</td><td>87.27</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>359</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.54	-----	-----	87.27	36.54	11.56	32.83	400	359	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5855.00	51.54	110.80	-59.26	36.35	36.51	11.52	32.84	400	359	PEAK																																																																																																																	
2	5874.75	52.61	105.27	-52.66	37.42	36.55	11.49	32.85	400	359	PEAK																																																																																																																	
3	5924.63	52.13	68.48	-16.35	36.95	36.65	11.40	32.87	400	359	PEAK																																																																																																																	
4	5948.38	53.39	68.30	-14.91	38.21	36.70	11.36	32.88	400	359	PEAK																																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	102.54	-----	-----	87.27	36.54	11.56	32.83	400	359	PEAK																																																																																																																	
Avg	Blank	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>94.01</td><td>-----</td><td>-----</td><td>78.74</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>359</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	94.01	-----	-----	78.74	36.54	11.56	32.83	400	359	AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	94.01	-----	-----	78.74	36.54	11.56	32.83	400	359	AVERAGE																																																																																																																	



Mode	36																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU_106/54_5825MHz																																																																																																																																			
ANT	CDD 7+6																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>52.24</td><td>111.37</td><td>-59.13</td><td>37.05</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>5873.38</td><td>52.49</td><td>105.65</td><td>-53.16</td><td>37.30</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>80</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>52.73</td><td>68.48</td><td>-15.75</td><td>37.55</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>80</td><td>PEAK</td></tr><tr><td>4</td><td>5944.50</td><td>54.40</td><td>68.30</td><td>-13.90</td><td>39.22</td><td>36.69</td><td>11.37</td><td>32.88</td><td>400</td><td>80</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.75	52.24	111.37	-59.13	37.05	36.51	11.52	32.84	400	80	PEAK	2	5873.38	52.49	105.65	-53.16	37.30	36.55	11.49	32.85	400	80	PEAK	3	5924.63	52.73	68.48	-15.75	37.55	36.65	11.40	32.87	400	80	PEAK	4	5944.50	54.40	68.30	-13.90	39.22	36.69	11.37	32.88	400	80	PEAK	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.84</td><td>-----</td><td>-----</td><td>84.57</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>80</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.84	-----	-----	84.57	36.54	11.56	32.83	400	80	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5854.75	52.24	111.37	-59.13	37.05	36.51	11.52	32.84	400	80	PEAK																																																																																																																									
2	5873.38	52.49	105.65	-53.16	37.30	36.55	11.49	32.85	400	80	PEAK																																																																																																																									
3	5924.63	52.73	68.48	-15.75	37.55	36.65	11.40	32.87	400	80	PEAK																																																																																																																									
4	5944.50	54.40	68.30	-13.90	39.22	36.69	11.37	32.88	400	80	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	99.84	-----	-----	84.57	36.54	11.56	32.83	400	80	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>91.17</td><td>-----</td><td>-----</td><td>75.90</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>80</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	91.17	-----	-----	75.90	36.54	11.56	32.83	400	80	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	91.17	-----	-----	75.90	36.54	11.56	32.83	400	80	AVERAGE																																																																																																																									



Mode	37																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU_52+26_5745MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.84</td><td>53.84</td><td>68.30</td><td>-14.46</td><td>38.42</td><td>36.49</td><td>11.69</td><td>32.76</td><td>217</td><td>22 PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>52.38</td><td>68.43</td><td>-16.05</td><td>36.95</td><td>36.50</td><td>11.69</td><td>32.76</td><td>217</td><td>22 PEAK</td></tr><tr><td>3</td><td>5701.50</td><td>53.59</td><td>105.62</td><td>-52.03</td><td>38.11</td><td>36.60</td><td>11.66</td><td>32.78</td><td>217</td><td>22 PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>53.11</td><td>111.60</td><td>-58.49</td><td>37.60</td><td>36.64</td><td>11.66</td><td>32.79</td><td>217</td><td>22 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5646.84	53.84	68.30	-14.46	38.42	36.49	11.69	32.76	217	22 PEAK	2	5650.17	52.38	68.43	-16.05	36.95	36.50	11.69	32.76	217	22 PEAK	3	5701.50	53.59	105.62	-52.03	38.11	36.60	11.66	32.78	217	22 PEAK	4	5720.35	53.11	111.60	-58.49	37.60	36.64	11.66	32.79	217	22 PEAK	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.56</td><td>-----</td><td>-----</td><td>87.03</td><td>36.68</td><td>11.65</td><td>32.80</td><td>217</td><td>22 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.56	-----	-----	87.03	36.68	11.65	32.80	217	22 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5646.84	53.84	68.30	-14.46	38.42	36.49	11.69	32.76	217	22 PEAK																																																																																																											
2	5650.17	52.38	68.43	-16.05	36.95	36.50	11.69	32.76	217	22 PEAK																																																																																																											
3	5701.50	53.59	105.62	-52.03	38.11	36.60	11.66	32.78	217	22 PEAK																																																																																																											
4	5720.35	53.11	111.60	-58.49	37.60	36.64	11.66	32.79	217	22 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	102.56	-----	-----	87.03	36.68	11.65	32.80	217	22 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.12</td><td>-----</td><td>-----</td><td>78.59</td><td>36.68</td><td>11.65</td><td>32.80</td><td>217</td><td>22 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.12	-----	-----	78.59	36.68	11.65	32.80	217	22 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	94.12	-----	-----	78.59	36.68	11.65	32.80	217	22 AVERAGE																																																																																																											



Mode	37																																																																																																																																																																																			
	Band Edge																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU_52+26_5745MHz																																																																																																																																																																																			
ANT	CDD 7+6																																																																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-31 PEAK_BE[B4]_16-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.68</td><td>54.56</td><td>68.30</td><td>-13.74</td><td>39.15</td><td>36.48</td><td>11.69</td><td>32.76</td><td>105</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.56</td><td>68.32</td><td>-15.76</td><td>37.13</td><td>36.50</td><td>11.69</td><td>32.76</td><td>105</td><td>249</td><td>PEAK</td></tr><tr><td>3</td><td>5700.49</td><td>53.69</td><td>105.34</td><td>-51.65</td><td>38.21</td><td>36.60</td><td>11.66</td><td>32.78</td><td>105</td><td>249</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>51.75</td><td>110.94</td><td>-59.19</td><td>36.24</td><td>36.64</td><td>11.66</td><td>32.79</td><td>105</td><td>249</td><td>PEAK</td></tr></table> Level (dBuV/m) Date: 2025-03-31 PART 15.407 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.67</td><td>-----</td><td>-----</td><td>84.14</td><td>36.68</td><td>11.65</td><td>32.80</td><td>105</td><td>249</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5645.68	54.56	68.30	-13.74	39.15	36.48	11.69	32.76	105	249	PEAK	2	5650.03	52.56	68.32	-15.76	37.13	36.50	11.69	32.76	105	249	PEAK	3	5700.49	53.69	105.34	-51.65	38.21	36.60	11.66	32.78	105	249	PEAK	4	5720.06	51.75	110.94	-59.19	36.24	36.64	11.66	32.79	105	249	PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.67	-----	-----	84.14	36.68	11.65	32.80	105	249	PEAK	Avg	Blank						Level (dBuV/m) Date: 2025-03-31 PART 15.407 AVG Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>91.33</td><td>-----</td><td>-----</td><td>75.80</td><td>36.68</td><td>11.65</td><td>32.80</td><td>105</td><td>249</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	91.33	-----	-----	75.80	36.68	11.65	32.80	105	249	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	5645.68	54.56	68.30	-13.74	39.15	36.48	11.69	32.76	105	249	PEAK																																																																																																																																																																									
2	5650.03	52.56	68.32	-15.76	37.13	36.50	11.69	32.76	105	249	PEAK																																																																																																																																																																									
3	5700.49	53.69	105.34	-51.65	38.21	36.60	11.66	32.78	105	249	PEAK																																																																																																																																																																									
4	5720.06	51.75	110.94	-59.19	36.24	36.64	11.66	32.79	105	249	PEAK																																																																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	5745.00	99.67	-----	-----	84.14	36.68	11.65	32.80	105	249	PEAK																																																																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	5745.00	91.33	-----	-----	75.80	36.68	11.65	32.80	105	249	AVERAGE																																																																																																																																																																									







Mode	38																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU_106+26_5825MHz																																																																																																																																			
ANT	CDD 7+6																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.50</td><td>52.43</td><td>111.94</td><td>-59.51</td><td>37.24</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>52.64</td><td>105.48</td><td>-52.84</td><td>37.45</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5923.88</td><td>52.59</td><td>69.03</td><td>-16.44</td><td>37.40</td><td>36.65</td><td>11.41</td><td>32.87</td><td>400</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5941.38</td><td>53.35</td><td>68.30</td><td>-14.95</td><td>38.17</td><td>36.68</td><td>11.38</td><td>32.88</td><td>400</td><td>359</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.50	52.43	111.94	-59.51	37.24	36.51	11.52	32.84	400	359	PEAK	2	5874.00	52.64	105.48	-52.84	37.45	36.55	11.49	32.85	400	359	PEAK	3	5923.88	52.59	69.03	-16.44	37.40	36.65	11.41	32.87	400	359	PEAK	4	5941.38	53.35	68.30	-14.95	38.17	36.68	11.38	32.88	400	359	PEAK	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.63</td><td>-----</td><td>-----</td><td>87.36</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>359</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.63	-----	-----	87.36	36.54	11.56	32.83	400	359	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5854.50	52.43	111.94	-59.51	37.24	36.51	11.52	32.84	400	359	PEAK																																																																																																																									
2	5874.00	52.64	105.48	-52.84	37.45	36.55	11.49	32.85	400	359	PEAK																																																																																																																									
3	5923.88	52.59	69.03	-16.44	37.40	36.65	11.41	32.87	400	359	PEAK																																																																																																																									
4	5941.38	53.35	68.30	-14.95	38.17	36.68	11.38	32.88	400	359	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	102.63	-----	-----	87.36	36.54	11.56	32.83	400	359	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>94.13</td><td>-----</td><td>-----</td><td>78.86</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	94.13	-----	-----	78.86	36.54	11.56	32.83	400	359	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	94.13	-----	-----	78.86	36.54	11.56	32.83	400	359	AVERAGE																																																																																																																									



Mode	38																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU_106+26_5825MHz																																																																																																															
ANT	CDD 7+6																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>51.78</td><td>110.80</td><td>-59.02</td><td>36.59</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>80 PEAK</td></tr><tr><td>2 5874.75</td><td>53.08</td><td>105.27</td><td>-52.19</td><td>37.89</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>80 PEAK</td></tr><tr><td>3 5923.38</td><td>53.42</td><td>69.40</td><td>-15.98</td><td>38.23</td><td>36.65</td><td>11.41</td><td>32.87</td><td>400</td><td>80 PEAK</td></tr><tr><td>4 5938.25</td><td>53.80</td><td>68.30</td><td>-14.50</td><td>38.62</td><td>36.68</td><td>11.38</td><td>32.88</td><td>400</td><td>80 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5855.00	51.78	110.80	-59.02	36.59	36.51	11.52	32.84	400	80 PEAK	2 5874.75	53.08	105.27	-52.19	37.89	36.55	11.49	32.85	400	80 PEAK	3 5923.38	53.42	69.40	-15.98	38.23	36.65	11.41	32.87	400	80 PEAK	4 5938.25	53.80	68.30	-14.50	38.62	36.68	11.38	32.88	400	80 PEAK	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.95</td><td>-----</td><td>-----</td><td>84.68</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>80 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	99.95	-----	-----	84.68	36.54	11.56	32.83	400	80 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5855.00	51.78	110.80	-59.02	36.59	36.51	11.52	32.84	400	80 PEAK																																																																																																							
2 5874.75	53.08	105.27	-52.19	37.89	36.55	11.49	32.85	400	80 PEAK																																																																																																							
3 5923.38	53.42	69.40	-15.98	38.23	36.65	11.41	32.87	400	80 PEAK																																																																																																							
4 5938.25	53.80	68.30	-14.50	38.62	36.68	11.38	32.88	400	80 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	99.95	-----	-----	84.68	36.54	11.56	32.83	400	80 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>91.58</td><td>-----</td><td>-----</td><td>76.31</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>80 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	91.58	-----	-----	76.31	36.54	11.56	32.83	400	80 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	91.58	-----	-----	76.31	36.54	11.56	32.83	400	80 AVERAGE																																																																																																							



		39																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_4_5210MHz																																																																																		
ANT		CDD 7+6																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	 Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.14</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>39.19</td><td>35.73</td><td>11.09</td><td>32.63</td><td>394 63 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5135.14	53.38	74.00	-20.62	39.19	35.73	11.09	32.63	394 63 PEAK	 Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>96.12</td><td>-----</td><td>-----</td><td>81.93</td><td>35.75</td><td>11.07</td><td>32.63</td><td>394 63 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.12	-----	-----	81.93	35.75	11.07	32.63	394 63 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5135.14	53.38	74.00	-20.62	39.19	35.73	11.09	32.63	394 63 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5210.00	96.12	-----	-----	81.93	35.75	11.07	32.63	394 63 PEAK																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.84</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>29.99</td><td>35.70</td><td>11.09</td><td>32.63</td><td>394 63 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.84	44.15	54.00	-9.85	29.99	35.70	11.09	32.63	394 63 AVERAGE	 Level (dBuV/m) Date: 2025-03-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>87.77</td><td>-----</td><td>-----</td><td>73.58</td><td>35.74</td><td>11.08</td><td>32.63</td><td>394 63 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.77	-----	-----	73.58	35.74	11.08	32.63	394 63 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5149.84	44.15	54.00	-9.85	29.99	35.70	11.09	32.63	394 63 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5210.00	87.77	-----	-----	73.58	35.74	11.08	32.63	394 63 AVERAGE																																																																											



		39																																																																																			
Mode	Band Edge - L																																																																																				
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_4_5210MHz																																																																																				
ANT	CDD 7+6																																																																																				
Pol.	Vertical						Fundamental																																																																														
Peak	Date: 2025-03-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5065.02</td><td>53.22</td><td>74.00</td><td>-20.78</td><td>38.90</td><td>35.80</td><td>11.13</td><td>32.61</td><td>356 69 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5065.02	53.22	74.00	-20.78	38.90	35.80	11.13	32.61	356 69 PEAK	Date: 2025-03-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>102.77</td><td>-----</td><td>-----</td><td>88.56</td><td>35.79</td><td>11.06</td><td>32.64</td><td>356 69 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.77	-----	-----	88.56	35.79	11.06	32.64	356 69 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5065.02	53.22	74.00	-20.78	38.90	35.80	11.13	32.61	356 69 PEAK																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5210.00	102.77	-----	-----	88.56	35.79	11.06	32.64	356 69 PEAK																																																																												
Avg	Date: 2025-03-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.27</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>29.82</td><td>35.71</td><td>11.09</td><td>32.63</td><td>356 69 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5146.27	43.99	54.00	-10.01	29.82	35.71	11.09	32.63	356 69 AVERAGE	Date: 2025-03-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>92.86</td><td>-----</td><td>-----</td><td>78.65</td><td>35.80</td><td>11.05</td><td>32.64</td><td>356 69 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.86	-----	-----	78.65	35.80	11.05	32.64	356 69 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5146.27	43.99	54.00	-10.01	29.82	35.71	11.09	32.63	356 69 AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5210.00	92.86	-----	-----	78.65	35.80	11.05	32.64	356 69 AVERAGE																																																																												



Mode	39									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_4_5210MHz									
ANT	CDD 7+6									
Pol.	Vertical					Fundamental				
Peak										



Mode	40																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2025-03-31 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.18</td><td>54.08</td><td>68.30</td><td>-14.22</td><td>38.65</td><td>36.50</td><td>11.69</td><td>32.76</td><td>394</td><td>25 PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>53.79</td><td>69.12</td><td>-15.33</td><td>38.36</td><td>36.50</td><td>11.69</td><td>32.76</td><td>394</td><td>25 PEAK</td></tr><tr><td>3</td><td>5700.63</td><td>52.94</td><td>105.38</td><td>-52.44</td><td>37.46</td><td>36.60</td><td>11.66</td><td>32.78</td><td>394</td><td>25 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>53.31</td><td>110.91</td><td>-57.60</td><td>37.80</td><td>36.64</td><td>11.66</td><td>32.79</td><td>394</td><td>25 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5649.18	54.08	68.30	-14.22	38.65	36.50	11.69	32.76	394	25 PEAK	2	5651.10	53.79	69.12	-15.33	38.36	36.50	11.69	32.76	394	25 PEAK	3	5700.63	52.94	105.38	-52.44	37.46	36.60	11.66	32.78	394	25 PEAK	4	5720.05	53.31	110.91	-57.60	37.80	36.64	11.66	32.79	394	25 PEAK	Date: 2025-03-31 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.11</td><td>-----</td><td>-----</td><td>82.70</td><td>36.61</td><td>11.62</td><td>32.82</td><td>394</td><td>25 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	98.11	-----	-----	82.70	36.61	11.62	32.82	394	25 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5649.18	54.08	68.30	-14.22	38.65	36.50	11.69	32.76	394	25 PEAK																																																																																																											
2	5651.10	53.79	69.12	-15.33	38.36	36.50	11.69	32.76	394	25 PEAK																																																																																																											
3	5700.63	52.94	105.38	-52.44	37.46	36.60	11.66	32.78	394	25 PEAK																																																																																																											
4	5720.05	53.31	110.91	-57.60	37.80	36.64	11.66	32.79	394	25 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	98.11	-----	-----	82.70	36.61	11.62	32.82	394	25 PEAK																																																																																																											
Avg	Blank	Date: 2025-03-31 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>88.57</td><td>-----</td><td>-----</td><td>73.16</td><td>36.61</td><td>11.62</td><td>32.82</td><td>394</td><td>25 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	88.57	-----	-----	73.16	36.61	11.62	32.82	394	25 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	88.57	-----	-----	73.16	36.61	11.62	32.82	394	25 AVERAGE																																																																																																											



Mode	40																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																																										
ANT	CDD 7+6																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	Date: 2025-03-31 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>52.87</td><td>110.86</td><td>-57.99</td><td>37.68</td><td>36.51</td><td>11.52</td><td>32.84</td><td>394</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>53.23</td><td>106.15</td><td>-52.92</td><td>38.05</td><td>36.54</td><td>11.49</td><td>32.85</td><td>394</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>5924.10</td><td>52.28</td><td>68.86</td><td>-16.58</td><td>37.10</td><td>36.65</td><td>11.40</td><td>32.87</td><td>394</td><td>25</td><td>PEAK</td></tr><tr><td>4</td><td>5944.93</td><td>53.34</td><td>68.30</td><td>-14.96</td><td>38.16</td><td>36.69</td><td>11.37</td><td>32.88</td><td>394</td><td>25</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	52.87	110.86	-57.99	37.68	36.51	11.52	32.84	394	25	PEAK	2	5871.60	53.23	106.15	-52.92	38.05	36.54	11.49	32.85	394	25	PEAK	3	5924.10	52.28	68.86	-16.58	37.10	36.65	11.40	32.87	394	25	PEAK	4	5944.93	53.34	68.30	-14.96	38.16	36.69	11.37	32.88	394	25	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.98	52.87	110.86	-57.99	37.68	36.51	11.52	32.84	394	25	PEAK																																																																
2	5871.60	53.23	106.15	-52.92	38.05	36.54	11.49	32.85	394	25	PEAK																																																																
3	5924.10	52.28	68.86	-16.58	37.10	36.65	11.40	32.87	394	25	PEAK																																																																
4	5944.93	53.34	68.30	-14.96	38.16	36.69	11.37	32.88	394	25	PEAK																																																																







Mode	40																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																																																																																																		
ANT	CDD 7+6																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.00</td><td>53.99</td><td>68.30</td><td>-14.31</td><td>38.59</td><td>36.47</td><td>11.69</td><td>32.76</td><td>400</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.55</td><td>68.60</td><td>-16.05</td><td>37.12</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>331</td><td>PEAK</td></tr><tr><td>3</td><td>5705.00</td><td>53.84</td><td>106.60</td><td>-52.76</td><td>38.35</td><td>36.61</td><td>11.66</td><td>32.78</td><td>400</td><td>331</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>52.46</td><td>111.31</td><td>-58.85</td><td>36.95</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>331</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5642.00	53.99	68.30	-14.31	38.59	36.47	11.69	32.76	400	331	PEAK	2	5650.40	52.55	68.60	-16.05	37.12	36.50	11.69	32.76	400	331	PEAK	3	5705.00	53.84	106.60	-52.76	38.35	36.61	11.66	32.78	400	331	PEAK	4	5720.23	52.46	111.31	-58.85	36.95	36.64	11.66	32.79	400	331	PEAK	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>95.96</td><td>-----</td><td>-----</td><td>80.42</td><td>36.70</td><td>11.64</td><td>32.80</td><td>400</td><td>331</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	95.96	-----	-----	80.42	36.70	11.64	32.80	400	331	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5642.00	53.99	68.30	-14.31	38.59	36.47	11.69	32.76	400	331	PEAK																																																																																																																								
2	5650.40	52.55	68.60	-16.05	37.12	36.50	11.69	32.76	400	331	PEAK																																																																																																																								
3	5705.00	53.84	106.60	-52.76	38.35	36.61	11.66	32.78	400	331	PEAK																																																																																																																								
4	5720.23	52.46	111.31	-58.85	36.95	36.64	11.66	32.79	400	331	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	95.96	-----	-----	80.42	36.70	11.64	32.80	400	331	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>88.12</td><td>-----</td><td>-----</td><td>72.58</td><td>36.70</td><td>11.64</td><td>32.80</td><td>400</td><td>331</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	88.12	-----	-----	72.58	36.70	11.64	32.80	400	331	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	88.12	-----	-----	72.58	36.70	11.64	32.80	400	331	AVERAGE																																																																																																																								







Mode	40																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_4_5775MHz																																																																										
ANT	CDD 7+6																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	Date: 2025-03-31 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>52.03</td><td>111.26</td><td>-59.23</td><td>36.84</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>52.21</td><td>105.27</td><td>-53.06</td><td>37.02</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>331</td><td>PEAK</td></tr><tr><td>3</td><td>5924.28</td><td>52.12</td><td>68.73</td><td>-16.61</td><td>36.94</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>331</td><td>PEAK</td></tr><tr><td>4</td><td>5925.68</td><td>53.40</td><td>68.30</td><td>-14.90</td><td>38.22</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>331</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	52.03	111.26	-59.23	36.84	36.51	11.52	32.84	400	331	PEAK	2	5874.75	52.21	105.27	-53.06	37.02	36.55	11.49	32.85	400	331	PEAK	3	5924.28	52.12	68.73	-16.61	36.94	36.65	11.40	32.87	400	331	PEAK	4	5925.68	53.40	68.30	-14.90	38.22	36.65	11.40	32.87	400	331	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.80	52.03	111.26	-59.23	36.84	36.51	11.52	32.84	400	331	PEAK																																																																
2	5874.75	52.21	105.27	-53.06	37.02	36.55	11.49	32.85	400	331	PEAK																																																																
3	5924.28	52.12	68.73	-16.61	36.94	36.65	11.40	32.87	400	331	PEAK																																																																
4	5925.68	53.40	68.30	-14.90	38.22	36.65	11.40	32.87	400	331	PEAK																																																																



		41																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M_4_5210MHz																																																																																							
ANT		CDD 7+6																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5067.31</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>38.38</td><td>35.80</td><td>11.13</td><td>32.61</td><td>400</td><td>55 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5067.31	52.70	74.00	-21.30	38.38	35.80	11.13	32.61	400	55 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>95.04</td><td>-----</td><td>-----</td><td>80.85</td><td>35.75</td><td>11.07</td><td>32.63</td><td>400</td><td>55 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	95.04	-----	-----	80.85	35.75	11.07	32.63	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5067.31	52.70	74.00	-21.30	38.38	35.80	11.13	32.61	400	55 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5210.00	95.04	-----	-----	80.85	35.75	11.07	32.63	400	55 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.44</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>28.78</td><td>35.70</td><td>11.09</td><td>32.63</td><td>400</td><td>55 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.44	42.94	54.00	-11.06	28.78	35.70	11.09	32.63	400	55 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>86.48</td><td>-----</td><td>-----</td><td>72.29</td><td>35.75</td><td>11.07</td><td>32.63</td><td>400</td><td>55 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	86.48	-----	-----	72.29	35.75	11.07	32.63	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5149.44	42.94	54.00	-11.06	28.78	35.70	11.09	32.63	400	55 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5210.00	86.48	-----	-----	72.29	35.75	11.07	32.63	400	55 AVERAGE																																																																																



		41																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M_4_5210MHz																																																																																							
ANT		CDD 7+6																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5144.77</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>38.68</td><td>35.71</td><td>11.09</td><td>32.63</td><td>356</td><td>69 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5144.77	52.85	74.00	-21.15	38.68	35.71	11.09	32.63	356	69 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>102.71</td><td>-----</td><td>-----</td><td>88.50</td><td>35.80</td><td>11.05</td><td>32.64</td><td>356</td><td>69 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	102.71	-----	-----	88.50	35.80	11.05	32.64	356
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5144.77	52.85	74.00	-21.15	38.68	35.71	11.09	32.63	356	69 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5210.00	102.71	-----	-----	88.50	35.80	11.05	32.64	356	69 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-27  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5146.69</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>28.90</td><td>35.71</td><td>11.09</td><td>32.63</td><td>356</td><td>69 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5146.69	43.07	54.00	-10.93	28.90	35.71	11.09	32.63	356	69 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>92.88</td><td>-----</td><td>-----</td><td>78.67</td><td>35.80</td><td>11.05</td><td>32.64</td><td>356</td><td>69 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	92.88	-----	-----	78.67	35.80	11.05	32.64	356
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5146.69	43.07	54.00	-10.93	28.90	35.71	11.09	32.63	356	69 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5210.00	92.88	-----	-----	78.67	35.80	11.05	32.64	356	69 AVERAGE																																																																																



Mode	41																																		
	Band Edge - R																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M_4_5210MHz																																		
ANT	CDD 7+6																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2025-03-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5447.65</td><td>52.83</td><td>74.00</td><td>-21.17</td><td>38.55</td><td>35.90</td><td>11.07</td><td>32.69</td><td>356</td><td>69</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5447.65	52.83	74.00	-21.17	38.55	35.90	11.07	32.69	356	69	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5447.65	52.83	74.00	-21.17	38.55	35.90	11.07	32.69	356	69	PEAK																									
Avg	Date: 2025-03-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5458.15</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>28.22</td><td>35.93</td><td>11.11</td><td>32.69</td><td>356</td><td>69</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5458.15	42.57	54.00	-11.43	28.22	35.93	11.11	32.69	356	69	AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5458.15	42.57	54.00	-11.43	28.22	35.93	11.11	32.69	356	69	AVERAGE																									



Mode	42																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_4_5775MHz																																																																																																																				
ANT	CDD 7+6																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.48</td><td>54.58</td><td>68.30</td><td>-13.72</td><td>39.19</td><td>36.44</td><td>11.70</td><td>32.75</td><td>396</td><td>25 PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>52.68</td><td>68.34</td><td>-15.66</td><td>37.25</td><td>36.50</td><td>11.69</td><td>32.76</td><td>396</td><td>25 PEAK</td></tr><tr><td>3</td><td>5700.10</td><td>54.21</td><td>105.23</td><td>-51.02</td><td>38.73</td><td>36.60</td><td>11.66</td><td>32.78</td><td>396</td><td>25 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>52.58</td><td>110.91</td><td>-58.33</td><td>37.07</td><td>36.64</td><td>11.66</td><td>32.79</td><td>396</td><td>25 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5634.48	54.58	68.30	-13.72	39.19	36.44	11.70	32.75	396	25 PEAK	2	5650.05	52.68	68.34	-15.66	37.25	36.50	11.69	32.76	396	25 PEAK	3	5700.10	54.21	105.23	-51.02	38.73	36.60	11.66	32.78	396	25 PEAK	4	5720.05	52.58	110.91	-58.33	37.07	36.64	11.66	32.79	396	25 PEAK	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.72</td><td>-----</td><td>-----</td><td>83.24</td><td>36.66</td><td>11.63</td><td>32.81</td><td>396</td><td>25 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	98.72	-----	-----	83.24	36.66	11.63	32.81	396	25 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5634.48	54.58	68.30	-13.72	39.19	36.44	11.70	32.75	396	25 PEAK																																																																																																											
2	5650.05	52.68	68.34	-15.66	37.25	36.50	11.69	32.76	396	25 PEAK																																																																																																											
3	5700.10	54.21	105.23	-51.02	38.73	36.60	11.66	32.78	396	25 PEAK																																																																																																											
4	5720.05	52.58	110.91	-58.33	37.07	36.64	11.66	32.79	396	25 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	98.72	-----	-----	83.24	36.66	11.63	32.81	396	25 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-03-31 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>88.88</td><td>-----</td><td>-----</td><td>73.40</td><td>36.66</td><td>11.63</td><td>32.81</td><td>396</td><td>25 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	88.88	-----	-----	73.40	36.66	11.63	32.81	396	25 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	88.88	-----	-----	73.40	36.66	11.63	32.81	396	25 AVERAGE																																																																																																											





Mode	42									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_4_5775MHz									
ANT	CDD 7+6									
Pol.	Vertical					Fundamental				
Peak										





Mode	42																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_4_5775MHz																																																																											
ANT	CDD 7+6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-03-31 PEAK_BE(B4)_16-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.98</td><td>50.55</td><td>110.86</td><td>-60.31</td><td>35.36</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>335 PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>51.62</td><td>105.22</td><td>-53.60</td><td>36.43</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>335 PEAK</td></tr><tr><td>3</td><td>5924.28</td><td>52.44</td><td>68.73</td><td>-16.29</td><td>37.26</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>335 PEAK</td></tr><tr><td>4</td><td>5938.63</td><td>53.86</td><td>68.30</td><td>-14.44</td><td>38.68</td><td>36.68</td><td>11.38</td><td>32.88</td><td>400</td><td>335 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.98	50.55	110.86	-60.31	35.36	36.51	11.52	32.84	400	335 PEAK	2	5874.93	51.62	105.22	-53.60	36.43	36.55	11.49	32.85	400	335 PEAK	3	5924.28	52.44	68.73	-16.29	37.26	36.65	11.40	32.87	400	335 PEAK	4	5938.63	53.86	68.30	-14.44	38.68	36.68	11.38	32.88	400	335 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.98	50.55	110.86	-60.31	35.36	36.51	11.52	32.84	400	335 PEAK																																																																		
2	5874.93	51.62	105.22	-53.60	36.43	36.55	11.49	32.85	400	335 PEAK																																																																		
3	5924.28	52.44	68.73	-16.29	37.26	36.65	11.40	32.87	400	335 PEAK																																																																		
4	5938.63	53.86	68.30	-14.44	38.68	36.68	11.38	32.88	400	335 PEAK																																																																		







Mode	43																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																																																																																																																											
ANT	CDD 7+6																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
Peak																																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>46.49</td><td>19.20</td><td>40.00</td><td>-20.80</td><td></td><td>37.62</td><td>20.25</td><td>1.25</td><td>39.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>133.79</td><td>18.33</td><td>43.50</td><td>-25.17</td><td></td><td>37.79</td><td>18.48</td><td>2.10</td><td>40.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>209.45</td><td>20.32</td><td>43.50</td><td>-23.18</td><td></td><td>41.06</td><td>16.62</td><td>2.63</td><td>39.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>498.51</td><td>25.74</td><td>46.00</td><td>-20.26</td><td></td><td>37.62</td><td>23.80</td><td>4.02</td><td>39.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>579.02</td><td>26.36</td><td>46.00</td><td>-19.64</td><td></td><td>36.30</td><td>25.37</td><td>4.34</td><td>39.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>829.28</td><td>30.62</td><td>46.00</td><td>-15.38</td><td></td><td>36.48</td><td>28.42</td><td>5.17</td><td>39.45</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	46.49	19.20	40.00	-20.80		37.62	20.25	1.25	39.92	---	---	Peak	2	133.79	18.33	43.50	-25.17		37.79	18.48	2.10	40.04	---	---	Peak	3	209.45	20.32	43.50	-23.18		41.06	16.62	2.63	39.99	---	---	Peak	4	498.51	25.74	46.00	-20.26		37.62	23.80	4.02	39.70	---	---	Peak	5	579.02	26.36	46.00	-19.64		36.30	25.37	4.34	39.65	---	---	Peak	6	829.28	30.62	46.00	-15.38		36.48	28.42	5.17	39.45	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>45.52</td><td>21.52</td><td>40.00</td><td>-18.48</td><td></td><td>39.97</td><td>20.23</td><td>1.24</td><td>39.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>134.76</td><td>22.00</td><td>43.50</td><td>-21.50</td><td></td><td>41.34</td><td>18.60</td><td>2.10</td><td>40.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>209.45</td><td>22.81</td><td>43.50</td><td>-20.69</td><td></td><td>43.55</td><td>16.62</td><td>2.63</td><td>39.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>392.78</td><td>23.06</td><td>46.00</td><td>-22.94</td><td></td><td>37.27</td><td>21.98</td><td>3.57</td><td>39.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>579.02</td><td>26.76</td><td>46.00</td><td>-19.24</td><td></td><td>36.70</td><td>25.37</td><td>4.34</td><td>39.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>715.79</td><td>29.52</td><td>46.00</td><td>-16.48</td><td></td><td>37.16</td><td>27.11</td><td>4.80</td><td>39.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	45.52	21.52	40.00	-18.48		39.97	20.23	1.24	39.92	---	---	Peak	2	134.76	22.00	43.50	-21.50		41.34	18.60	2.10	40.04	---	---	Peak	3	209.45	22.81	43.50	-20.69		43.55	16.62	2.63	39.99	---	---	Peak	4	392.78	23.06	46.00	-22.94		37.27	21.98	3.57	39.76	---	---	Peak	5	579.02	26.76	46.00	-19.24		36.70	25.37	4.34	39.65	---	---	Peak	6	715.79	29.52	46.00	-16.48		37.16	27.11	4.80	39.55	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																
	1	46.49	19.20	40.00	-20.80		37.62	20.25	1.25	39.92	---	---	Peak																																																																																																																																																																																																															
	2	133.79	18.33	43.50	-25.17		37.79	18.48	2.10	40.04	---	---	Peak																																																																																																																																																																																																															
	3	209.45	20.32	43.50	-23.18		41.06	16.62	2.63	39.99	---	---	Peak																																																																																																																																																																																																															
	4	498.51	25.74	46.00	-20.26		37.62	23.80	4.02	39.70	---	---	Peak																																																																																																																																																																																																															
	5	579.02	26.36	46.00	-19.64		36.30	25.37	4.34	39.65	---	---	Peak																																																																																																																																																																																																															
	6	829.28	30.62	46.00	-15.38		36.48	28.42	5.17	39.45	---	---	Peak																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	45.52	21.52	40.00	-18.48		39.97	20.23	1.24	39.92	---	---	Peak																																																																																																																																																																																																																
2	134.76	22.00	43.50	-21.50		41.34	18.60	2.10	40.04	---	---	Peak																																																																																																																																																																																																																
3	209.45	22.81	43.50	-20.69		43.55	16.62	2.63	39.99	---	---	Peak																																																																																																																																																																																																																
4	392.78	23.06	46.00	-22.94		37.27	21.98	3.57	39.76	---	---	Peak																																																																																																																																																																																																																
5	579.02	26.76	46.00	-19.24		36.70	25.37	4.34	39.65	---	---	Peak																																																																																																																																																																																																																
6	715.79	29.52	46.00	-16.48		37.16	27.11	4.80	39.55	---	---	Peak																																																																																																																																																																																																																







Mode	44																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																																																																																																											
ANT	CDD 7+6																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
Peak																																																																																																																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>45.52</td><td>18.69</td><td>40.00</td><td>-21.31</td><td></td><td>37.14</td><td>20.23</td><td>1.24</td><td>39.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>165.80</td><td>19.59</td><td>43.50</td><td>-23.91</td><td></td><td>37.98</td><td>19.29</td><td>2.34</td><td>40.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>208.48</td><td>21.81</td><td>43.50</td><td>-21.69</td><td></td><td>42.60</td><td>16.58</td><td>2.62</td><td>39.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>319.06</td><td>20.87</td><td>46.00</td><td>-25.13</td><td></td><td>37.35</td><td>20.20</td><td>3.22</td><td>39.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>385.02</td><td>22.58</td><td>46.00</td><td>-23.42</td><td></td><td>37.03</td><td>21.80</td><td>3.53</td><td>39.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>579.02</td><td>26.78</td><td>46.00</td><td>-19.22</td><td></td><td>36.72</td><td>25.37</td><td>4.34</td><td>39.65</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	45.52	18.69	40.00	-21.31		37.14	20.23	1.24	39.92	---	---	Peak	2	165.80	19.59	43.50	-23.91		37.98	19.29	2.34	40.02	---	---	Peak	3	208.48	21.81	43.50	-21.69		42.60	16.58	2.62	39.99	---	---	Peak	4	319.06	20.87	46.00	-25.13		37.35	20.20	3.22	39.90	---	---	Peak	5	385.02	22.58	46.00	-23.42		37.03	21.80	3.53	39.78	---	---	Peak	6	579.02	26.78	46.00	-19.22		36.72	25.37	4.34	39.65	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>44.55</td><td>21.91</td><td>40.00</td><td>-18.09</td><td></td><td>40.36</td><td>20.24</td><td>1.23</td><td>39.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>160.95</td><td>21.73</td><td>43.50</td><td>-21.77</td><td></td><td>40.12</td><td>19.32</td><td>2.31</td><td>40.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>204.60</td><td>23.05</td><td>43.50</td><td>-20.45</td><td></td><td>43.95</td><td>16.49</td><td>2.60</td><td>39.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>256.98</td><td>20.52</td><td>46.00</td><td>-25.48</td><td></td><td>39.19</td><td>18.39</td><td>2.90</td><td>39.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>442.25</td><td>24.32</td><td>46.00</td><td>-21.68</td><td></td><td>37.24</td><td>23.02</td><td>3.79</td><td>39.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>578.05</td><td>26.97</td><td>46.00</td><td>-19.03</td><td></td><td>36.93</td><td>25.35</td><td>4.34</td><td>39.65</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	44.55	21.91	40.00	-18.09		40.36	20.24	1.23	39.92	---	---	Peak	2	160.95	21.73	43.50	-21.77		40.12	19.32	2.31	40.02	---	---	Peak	3	204.60	23.05	43.50	-20.45		43.95	16.49	2.60	39.99	---	---	Peak	4	256.98	20.52	46.00	-25.48		39.19	18.39	2.90	39.96	---	---	Peak	5	442.25	24.32	46.00	-21.68		37.24	23.02	3.79	39.73	---	---	Peak	6	578.05	26.97	46.00	-19.03		36.93	25.35	4.34	39.65	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	45.52	18.69	40.00	-21.31		37.14	20.23	1.24	39.92	---	---	Peak																																																																																																																																																																																																																
2	165.80	19.59	43.50	-23.91		37.98	19.29	2.34	40.02	---	---	Peak																																																																																																																																																																																																																
3	208.48	21.81	43.50	-21.69		42.60	16.58	2.62	39.99	---	---	Peak																																																																																																																																																																																																																
4	319.06	20.87	46.00	-25.13		37.35	20.20	3.22	39.90	---	---	Peak																																																																																																																																																																																																																
5	385.02	22.58	46.00	-23.42		37.03	21.80	3.53	39.78	---	---	Peak																																																																																																																																																																																																																
6	579.02	26.78	46.00	-19.22		36.72	25.37	4.34	39.65	---	---	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	44.55	21.91	40.00	-18.09		40.36	20.24	1.23	39.92	---	---	Peak																																																																																																																																																																																																																
2	160.95	21.73	43.50	-21.77		40.12	19.32	2.31	40.02	---	---	Peak																																																																																																																																																																																																																
3	204.60	23.05	43.50	-20.45		43.95	16.49	2.60	39.99	---	---	Peak																																																																																																																																																																																																																
4	256.98	20.52	46.00	-25.48		39.19	18.39	2.90	39.96	---	---	Peak																																																																																																																																																																																																																
5	442.25	24.32	46.00	-21.68		37.24	23.02	3.79	39.73	---	---	Peak																																																																																																																																																																																																																
6	578.05	26.97	46.00	-19.03		36.93	25.35	4.34	39.65	---	---	Peak																																																																																																																																																																																																																







Co-location mode:

		45																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11b_CH01_2412MHz+ U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz +Band14																																																																																							
ANT		CDD 7+6+4																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2360.31</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>43.20</td><td>30.60</td><td>6.83</td><td>32.66</td><td>391</td><td>131 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2360.31	47.97	74.00	-26.03	43.20	30.60	6.83	32.66	391	131 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2412.00</td><td>103.78</td><td>-----</td><td>-----</td><td>98.91</td><td>30.62</td><td>6.89</td><td>32.64</td><td>391</td><td>131 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	103.78	-----	-----	98.91	30.62	6.89	32.64	391
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2360.31	47.97	74.00	-26.03	43.20	30.60	6.83	32.66	391	131 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2412.00	103.78	-----	-----	98.91	30.62	6.89	32.64	391	131 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2386.96</td><td>37.74</td><td>54.00</td><td>-16.26</td><td>32.93</td><td>30.60</td><td>6.86</td><td>32.65</td><td>391</td><td>131 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2386.96	37.74	54.00	-16.26	32.93	30.60	6.86	32.65	391	131 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2412.00</td><td>100.62</td><td>-----</td><td>-----</td><td>95.75</td><td>30.62</td><td>6.89</td><td>32.64</td><td>391</td><td>131 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	100.62	-----	-----	95.75	30.62	6.89	32.64	391
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2386.96	37.74	54.00	-16.26	32.93	30.60	6.86	32.65	391	131 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2412.00	100.62	-----	-----	95.75	30.62	6.89	32.64	391	131 AVERAGE																																																																																



		45																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11b_CH01_2412MHz+ U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz +Band14_10M																																																																																							
ANT		CDD 7+6+4																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2384.75</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>43.31</td><td>30.60</td><td>6.86</td><td>32.65</td><td>359</td><td>173 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2384.75	48.12	74.00	-25.88	43.31	30.60	6.86	32.65	359	173 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2412.00</td><td>100.80</td><td>-----</td><td>-----</td><td>95.93</td><td>30.62</td><td>6.89</td><td>32.64</td><td>359</td><td>173 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	100.80	-----	-----	95.93	30.62	6.89	32.64	359
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2384.75	48.12	74.00	-25.88	43.31	30.60	6.86	32.65	359	173 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2412.00	100.80	-----	-----	95.93	30.62	6.89	32.64	359	173 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2386.44</td><td>37.74</td><td>54.00</td><td>-16.26</td><td>32.93</td><td>30.60</td><td>6.86</td><td>32.65</td><td>359</td><td>173 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2386.44	37.74	54.00	-16.26	32.93	30.60	6.86	32.65	359	173 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2412.00</td><td>97.77</td><td>-----</td><td>-----</td><td>92.90</td><td>30.62</td><td>6.89</td><td>32.64</td><td>359</td><td>173 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	97.77	-----	-----	92.90	30.62	6.89	32.64	359
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2386.44	37.74	54.00	-16.26	32.93	30.60	6.86	32.65	359	173 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2412.00	97.77	-----	-----	92.90	30.62	6.89	32.64	359	173 AVERAGE																																																																																



		45																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11b_CH01_2412MHz+ U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz +Band14_10M																																																																																							
ANT		CDD 7+6+4																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5132.72</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>42.34</td><td>35.73</td><td>10.55</td><td>32.63</td><td>227 319 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5132.72	55.99	74.00	-18.01	42.34	35.73	10.55	32.63	227 319 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.04</td><td>-----</td><td>-----</td><td>93.17</td><td>30.62</td><td>6.89</td><td>32.64</td><td>227 319 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.04	-----	-----	93.17	30.62	6.89	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5132.72	55.99	74.00	-18.01	42.34	35.73	10.55	32.63	227 319 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	98.04	-----	-----	93.17	30.62	6.89	32.64	227 319 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.79</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>31.69</td><td>35.71</td><td>10.52</td><td>32.63</td><td>227 319 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5146.79	45.29	54.00	-8.71	31.69	35.71	10.52	32.63	227 319 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>94.67</td><td>-----</td><td>-----</td><td>89.80</td><td>30.62</td><td>6.89</td><td>32.64</td><td>227 319 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.67	-----	-----	89.80	30.62	6.89	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5146.79	45.29	54.00	-8.71	31.69	35.71	10.52	32.63	227 319 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	94.67	-----	-----	89.80	30.62	6.89	32.64	227 319 AVERAGE																																																																																



Mode	45									
	Band Edge									
	2400-2483.5_802.11b_CH01_2412MHz+ U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz +Band14_10M									
ANT	CDD 7+6+4									
Pol.	Horizontal					Fundamental				
Peak										