





		45									
Mode		Band Edge									
		2400-2483.5_802.11b_CH01_2412MHz+ U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz +Band14_10M									
ANT		CDD 7+6+4									
Pol.		Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-05-15										



Mode	45																																		
	Band Edge																																		
	2400-2483.5_802.11b_CH01_2412MHz+ U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz +Band14_10M																																		
ANT	CDD 7+6+4																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2025-05-15 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5364.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>39.05</td><td>36.07</td><td>10.54</td><td>32.67</td><td>212</td><td>254</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	1 5364.00	52.99	74.00	-21.01	39.05	36.07	10.54	32.67	212	254	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																									
1 5364.00	52.99	74.00	-21.01	39.05	36.07	10.54	32.67	212	254	PEAK																									
Avg	Date: 2025-05-15 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5361.50</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>29.50</td><td>36.08</td><td>10.54</td><td>32.67</td><td>212</td><td>254</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	1 5361.50	43.45	54.00	-10.55	29.50	36.08	10.54	32.67	212	254	AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																									
1 5361.50	43.45	54.00	-10.55	29.50	36.08	10.54	32.67	212	254	AVERAGE																									



Mode	45																																																																																																																																									
	Band Edge																																																																																																																																									
	2400-2483.5_802.11b_CH01_2412MHz+ U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz +Band14_10M																																																																																																																																									
ANT	CDD 7+6+4																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>52.02</td><td>74.00</td><td>-21.98</td><td>58.23</td><td>35.30</td><td>11.08</td><td>52.59 400 52 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>55.45</td><td>35.30</td><td>11.08</td><td>52.59 400 52 Average</td></tr><tr><td>3</td><td>10420.00</td><td>51.15</td><td>68.30</td><td>-17.15</td><td>50.26</td><td>38.12</td><td>14.19</td><td>51.42 221 300 Peak</td></tr><tr><td>4</td><td>15630.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>42.47</td><td>40.60</td><td>16.92</td><td>52.39 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	4824.00	52.02	74.00	-21.98	58.23	35.30	11.08	52.59 400 52 Peak	2	4824.00	49.24	54.00	-4.76	55.45	35.30	11.08	52.59 400 52 Average	3	10420.00	51.15	68.30	-17.15	50.26	38.12	14.19	51.42 221 300 Peak	4	15630.00	47.60	74.00	-26.40	42.47	40.60	16.92	52.39 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>52.04</td><td>74.00</td><td>-21.96</td><td>58.25</td><td>35.30</td><td>11.08</td><td>52.59 221 138 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>55.55</td><td>35.30</td><td>11.08</td><td>52.59 221 138 Average</td></tr><tr><td>3</td><td>10420.00</td><td>51.53</td><td>68.30</td><td>-16.77</td><td>50.64</td><td>38.12</td><td>14.19</td><td>51.42 185 158 Peak</td></tr><tr><td>4</td><td>15630.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>42.22</td><td>40.60</td><td>16.92</td><td>52.39 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	4824.00	52.04	74.00	-21.96	58.25	35.30	11.08	52.59 221 138 Peak	2	4824.00	49.34	54.00	-4.66	55.55	35.30	11.08	52.59 221 138 Average	3	10420.00	51.53	68.30	-16.77	50.64	38.12	14.19	51.42 185 158 Peak	4	15630.00	47.35	74.00	-26.65	42.22	40.60	16.92	52.39 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																		
1	4824.00	52.02	74.00	-21.98	58.23	35.30	11.08	52.59 400 52 Peak																																																																																																																																		
2	4824.00	49.24	54.00	-4.76	55.45	35.30	11.08	52.59 400 52 Average																																																																																																																																		
3	10420.00	51.15	68.30	-17.15	50.26	38.12	14.19	51.42 221 300 Peak																																																																																																																																		
4	15630.00	47.60	74.00	-26.40	42.47	40.60	16.92	52.39 --- --- Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																			
1	4824.00	52.04	74.00	-21.96	58.25	35.30	11.08	52.59 221 138 Peak																																																																																																																																		
2	4824.00	49.34	54.00	-4.66	55.55	35.30	11.08	52.59 221 138 Average																																																																																																																																		
3	10420.00	51.53	68.30	-16.77	50.64	38.12	14.19	51.42 185 158 Peak																																																																																																																																		
4	15630.00	47.35	74.00	-26.65	42.22	40.60	16.92	52.39 --- --- Peak																																																																																																																																		


Note: For all the above plots, the frequency points over limit line are fundamental signals, which can be ignored.

Appendix D. Duty Cycle Plots


Ant	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Ant6	802.11a	99.05	-	-	10Hz
Ant6	802.11n HT20	100	-	-	10Hz
Ant6	802.11n HT40	100	-	-	10Hz
Ant6	802.11ac VHT80	100	-	-	10Hz
Ant6	802.11be EHT20	100	-	-	10Hz
Ant6	802.11be EHT40	100	-	-	10Hz
Ant6	802.11be EHT80	100	-	-	10Hz
Ant6-Small RU	802.11be EHT20	99.56	-	-	10Hz
Ant6-Large RU	802.11be EHT80	97.59	0.81	1.235	3KHz
Ant6-Puncturing	802.11be EHT80	99.63	-	-	10Hz
Ant7	802.11a	99.05	-	-	10Hz
Ant7	802.11n HT20	100	-	-	10Hz
Ant7	802.11n HT40	100	-	-	10Hz
Ant7	802.11ac VHT80	100	-	-	10Hz
Ant7	802.11be EHT20	100	-	-	10Hz
Ant7	802.11be EHT40	100	-	-	10Hz
Ant7	802.11be EHT80	100	-	-	10Hz
Ant7-Small RU	802.11be EHT20	99.56	-	-	10Hz
Ant7-Large RU	802.11be EHT80	97.59	0.81	1.235	3KHz
Ant7-Puncturing	802.11be EHT80	99.45	-	-	10Hz

<Ant 6>


802.11a




802.11n HT20



802.11n HT40




802.11ac VHT80






802.11be EHT20




802.11be EHT40







802.11be EHT80




802.11be EHT20-Small RU



802.11be EHT80-Large RU




802.11be EHT80-Puncturing




<Ant 7>

802.11a




802.11n HT20







802.11n HT40




802.11ac VHT80



802.11be EHT20




802.11be EHT40






802.11be EHT80




802.11be EHT20-Small RU





802.11be EHT80-Large RU



802.11be EHT80-Puncturing

