

Annex A. Peak to Average Ratio

1. WCDMA_Band2


1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.4	0.1	3.24	13	Pass




1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.25	13	Pass



1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.6	0.1	3.14	13	Pass



2. WCDMA_Band4


2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.4	0.1	2.69	13	Pass




2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.4	0.1	3.26	13	Pass



2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.6	0.1	2.41	13	Pass




END

3. WCDMA_Band5

3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.4	0.1	3.19	13	Pass




3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.4	0.1	3.12	13	Pass



3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.6	0.1	3.11	13	Pass




4. LTE_Band2

4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	3.67	13	Pass




4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)



4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	5.56	13	Pass



4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




5. LTE_Band4

5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	3.96	13	Pass




5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)



5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.96	13	Pass




5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)



5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.74	13	Pass




6. LTE_Band5

6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	3.8	13	Pass




6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation: QPSK, RB Number: 50, RB Position: LOW)




6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position: LOW)




6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position: LOW)




6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation: QPSK, RB Number: 1, RB Position: LOW)




6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation: QPSK, RB Number: 50, RB Position: LOW)




6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position: LOW)




6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position: LOW)



6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation: QPSK, RB Number: 1, RB Position: LOW)




6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation: QPSK, RB Number: 50, RB Position: LOW)




6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.64	13	Pass



6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	6.15	13	Pass




7. LTE_Band7

7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	3.12	13	Pass




7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)



7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	2.88	13	Pass




7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.87	13	Pass



7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




8. LTE_Band12

8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	3.36	13	Pass




8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation: QPSK, RB Number: 50, RB Position: LOW)




8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position: LOW)



8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position: LOW)




8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation: QPSK, RB Number: 1, RB Position: LOW)




8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation: QPSK, RB Number: 50, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.06	13	Pass




8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position: LOW)




8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position: LOW)



8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation: QPSK, RB Number: 1, RB Position: LOW)




8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation: QPSK, RB Number: 50, RB Position: LOW)




8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.63	13	Pass



8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.65	13	Pass




9. LTE_Band13

9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	4.21	13	Pass




9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation: QPSK, RB Number: 50, RB Position: LOW)



9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position: LOW)




9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position: LOW)




10. LTE_Band25

10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26140, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	4.38	13	Pass




10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26140, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)



10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26365, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26365, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5.49	13	Pass




10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5.77	13	Pass



10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26590, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26590, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	5.46	13	Pass



10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	5.74	13	Pass




11. LTE_Band41 full

11.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	9.1	13	Pass




11.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




11.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	8.29	13	Pass




11.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




11.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




11.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




11.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




11.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)



11.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




11.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




11.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	7.82	13	Pass




11.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




12. LTE_Band66

12.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	3.39	13	Pass




12.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




12.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)




12.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)



12.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)




12.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)




12.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.24	13	Pass




12.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)




12.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation: QPSK, RB Number: 1, RB Position: LOW)



12.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation: QPSK, RB Number: 100, RB Position: LOW)



12.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position: LOW)



12.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position: LOW)

