

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B43d_5MHz_EIRP

Band: 43d / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3702.5	1	0	24.04	-0.70	23.34	/	Pass
			13	22.16	-0.70	21.46	/	Pass
			24	21.89	-0.70	21.19	/	Pass
		12	0	21.57	-0.70	20.87	/	Pass
			6	21.73	-0.70	21.03	/	Pass
			13	21.73	-0.70	21.03	/	Pass
		25	0	21.50	-0.70	20.80	/	Pass
	3750	1	0	23.14	-0.70	22.44	/	Pass
			13	22.05	-0.70	21.35	/	Pass
			24	22.09	-0.70	21.39	/	Pass
		12	0	21.49	-0.70	20.79	/	Pass
			6	21.53	-0.70	20.83	/	Pass
			13	21.50	-0.70	20.80	/	Pass
		25	0	21.41	-0.70	20.71	/	Pass
	3797.5	1	0	22.92	-0.70	22.22	/	Pass
			13	21.79	-0.70	21.09	/	Pass
			24	21.80	-0.70	21.10	/	Pass
		12	0	21.24	-0.70	20.54	/	Pass
			6	21.29	-0.70	20.59	/	Pass
			13	21.11	-0.70	20.41	/	Pass
		25	0	21.12	-0.70	20.42	/	Pass
16QAM	3702.5	1	0	20.79	-0.70	20.09	/	Pass
			13	21.39	-0.70	20.69	/	Pass
			24	21.04	-0.70	20.34	/	Pass
		12	0	20.82	-0.70	20.12	/	Pass
			6	20.81	-0.70	20.11	/	Pass
			13	20.76	-0.70	20.06	/	Pass
		25	0	20.89	-0.70	20.19	/	Pass
	3750	1	0	21.07	-0.70	20.37	/	Pass
			13	21.46	-0.70	20.76	/	Pass
			24	21.03	-0.70	20.33	/	Pass
		12	0	20.95	-0.70	20.25	/	Pass
			6	20.89	-0.70	20.19	/	Pass
			13	20.98	-0.70	20.28	/	Pass
		25	0	20.74	-0.70	20.04	/	Pass
	3797.5	1	0	21.21	-0.70	20.51	/	Pass
			13	21.24	-0.70	20.54	/	Pass
			24	21.11	-0.70	20.41	/	Pass
		12	0	20.65	-0.70	19.95	/	Pass
			6	20.64	-0.70	19.94	/	Pass
			13	20.72	-0.70	20.02	/	Pass
		25	0	20.68	-0.70	19.98	/	Pass
64QAM	3702.5	1	0	20.70	-0.70	20.00	/	Pass
			13	21.08	-0.70	20.38	/	Pass
			24	21.14	-0.70	20.44	/	Pass
		12	0	20.47	-0.70	19.77	/	Pass

			6	20.92	-0.70	20.22	/	Pass	
			13	20.92	-0.70	20.22	/	Pass	
		25	0	21.02	-0.70	20.32	/	Pass	
	3750	1	0	20.91	-0.70	20.21	/	Pass	
			13	21.24	-0.70	20.54	/	Pass	
			24	21.32	-0.70	20.62	/	Pass	
		12	0	20.85	-0.70	20.15	/	Pass	
			6	21.01	-0.70	20.31	/	Pass	
			13	20.84	-0.70	20.14	/	Pass	
		25	0	20.74	-0.70	20.04	/	Pass	
	3797.5	1	0	20.91	-0.70	20.21	/	Pass	
			13	21.25	-0.70	20.55	/	Pass	
			24	20.59	-0.70	19.89	/	Pass	
		12	0	20.66	-0.70	19.96	/	Pass	
			6	20.72	-0.70	20.02	/	Pass	
			13	20.78	-0.70	20.08	/	Pass	
		25	0	20.66	-0.70	19.96	/	Pass	
	256QAM	3702.5	1	0	18.65	-0.70	17.95	/	Pass
13				18.90	-0.70	18.20	/	Pass	
24				18.96	-0.70	18.26	/	Pass	
12			0	18.81	-0.70	18.11	/	Pass	
			6	18.95	-0.70	18.25	/	Pass	
			13	18.97	-0.70	18.27	/	Pass	
25			0	19.06	-0.70	18.36	/	Pass	
3750		1	0	18.67	-0.70	17.97	/	Pass	
			13	18.88	-0.70	18.18	/	Pass	
			24	18.60	-0.70	17.90	/	Pass	
		12	0	19.04	-0.70	18.34	/	Pass	
			6	19.03	-0.70	18.33	/	Pass	
			13	18.94	-0.70	18.24	/	Pass	
		25	0	19.01	-0.70	18.31	/	Pass	
3797.5		1	0	18.41	-0.70	17.71	/	Pass	
			13	18.64	-0.70	17.94	/	Pass	
			24	18.59	-0.70	17.89	/	Pass	
		12	0	18.80	-0.70	18.10	/	Pass	
			6	18.83	-0.70	18.13	/	Pass	
			13	18.79	-0.70	18.09	/	Pass	
		25	0	18.73	-0.70	18.03	/	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.2 B43d_10MHz_EIRP

Band: 43d / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3705	1	0	24.16	-0.70	23.46	/	Pass
			25	24.49	-0.70	23.79	/	Pass
			49	24.23	-0.70	23.53	/	Pass
		25	0	23.50	-0.70	22.80	/	Pass
			13	23.44	-0.70	22.74	/	Pass
			25	22.56	-0.70	21.86	/	Pass
		50	0	22.60	-0.70	21.90	/	Pass
	3750	1	0	24.40	-0.70	23.70	/	Pass
			25	23.23	-0.70	22.53	/	Pass
			49	23.19	-0.70	22.49	/	Pass

		25	0	22.35	-0.70	21.65	/	Pass
			13	22.67	-0.70	21.97	/	Pass
			25	22.63	-0.70	21.93	/	Pass
		50	0	22.36	-0.70	21.66	/	Pass
	3795	1	0	24.15	-0.70	23.45	/	Pass
			25	21.60	-0.70	20.90	/	Pass
			49	22.03	-0.70	21.33	/	Pass
		25	0	21.38	-0.70	20.68	/	Pass
			13	21.28	-0.70	20.58	/	Pass
			25	21.42	-0.70	20.72	/	Pass
		50	0	21.40	-0.70	20.70	/	Pass
16QAM	3705	1	0	22.49	-0.70	21.79	/	Pass
			25	22.59	-0.70	21.89	/	Pass
			49	22.61	-0.70	21.91	/	Pass
		25	0	21.80	-0.70	21.10	/	Pass
			13	21.75	-0.70	21.05	/	Pass
			25	21.90	-0.70	21.20	/	Pass
		50	0	21.88	-0.70	21.18	/	Pass
	3750	1	0	21.36	-0.70	20.66	/	Pass
			25	21.41	-0.70	20.71	/	Pass
			49	21.49	-0.70	20.79	/	Pass
		25	0	20.97	-0.70	20.27	/	Pass
			13	21.02	-0.70	20.32	/	Pass
			25	20.80	-0.70	20.10	/	Pass
		50	0	20.80	-0.70	20.10	/	Pass
	3795	1	0	20.86	-0.70	20.16	/	Pass
			25	21.32	-0.70	20.62	/	Pass
			49	20.87	-0.70	20.17	/	Pass
		25	0	20.68	-0.70	19.98	/	Pass
			13	20.59	-0.70	19.89	/	Pass
			25	20.58	-0.70	19.88	/	Pass
		50	0	20.66	-0.70	19.96	/	Pass
64QAM	3705	1	0	22.14	-0.70	21.44	/	Pass
			25	22.61	-0.70	21.91	/	Pass
			49	22.34	-0.70	21.64	/	Pass
		25	0	21.96	-0.70	21.26	/	Pass
			13	21.88	-0.70	21.18	/	Pass
			25	21.88	-0.70	21.18	/	Pass
		50	0	22.01	-0.70	21.31	/	Pass
	3750	1	0	21.55	-0.70	20.85	/	Pass
			25	21.39	-0.70	20.69	/	Pass
			49	21.45	-0.70	20.75	/	Pass
		25	0	20.94	-0.70	20.24	/	Pass
			13	20.93	-0.70	20.23	/	Pass
			25	20.79	-0.70	20.09	/	Pass
		50	0	20.67	-0.70	19.97	/	Pass
	3795	1	0	20.69	-0.70	19.99	/	Pass
			25	20.93	-0.70	20.23	/	Pass
			49	21.04	-0.70	20.34	/	Pass
		25	0	20.62	-0.70	19.92	/	Pass
			13	20.56	-0.70	19.86	/	Pass
			25	20.70	-0.70	20.00	/	Pass
		50	0	20.62	-0.70	19.92	/	Pass
256QAM	3705	1	0	19.16	-0.70	18.46	/	Pass
			25	19.54	-0.70	18.84	/	Pass
			49	19.25	-0.70	18.55	/	Pass
		25	0	19.55	-0.70	18.85	/	Pass

		50	13	19.55	-0.70	18.85	/	Pass
			25	19.50	-0.70	18.80	/	Pass
			0	19.47	-0.70	18.77	/	Pass
	3750	1	0	18.86	-0.70	18.16	/	Pass
			25	18.82	-0.70	18.12	/	Pass
			49	18.96	-0.70	18.26	/	Pass
		25	0	19.05	-0.70	18.35	/	Pass
			13	19.10	-0.70	18.40	/	Pass
			25	19.08	-0.70	18.38	/	Pass
		50	0	19.06	-0.70	18.36	/	Pass
	3795	1	0	18.73	-0.70	18.03	/	Pass
			25	18.56	-0.70	17.86	/	Pass
			49	18.53	-0.70	17.83	/	Pass
		25	0	18.79	-0.70	18.09	/	Pass
			13	18.79	-0.70	18.09	/	Pass
			25	18.83	-0.70	18.13	/	Pass
		50	0	18.82	-0.70	18.12	/	Pass
			0	18.82	-0.70	18.12	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B43d_15MHz_EIRP

Band: 43d / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3707.5	1	0	22.96	-0.70	22.26	/	Pass
			38	22.18	-0.70	21.48	/	Pass
			74	22.24	-0.70	21.54	/	Pass
		36	0	21.47	-0.70	20.77	/	Pass
			18	21.50	-0.70	20.80	/	Pass
			39	21.59	-0.70	20.89	/	Pass
		75	0	21.53	-0.70	20.83	/	Pass
	3750	1	0	22.92	-0.70	22.22	/	Pass
			38	22.93	-0.70	22.23	/	Pass
			74	22.19	-0.70	21.49	/	Pass
		36	0	21.54	-0.70	20.84	/	Pass
			18	21.53	-0.70	20.83	/	Pass
			39	21.54	-0.70	20.84	/	Pass
		75	0	21.39	-0.70	20.69	/	Pass
	3792.5	1	0	23.89	-0.70	23.19	/	Pass
			38	21.21	-0.70	20.51	/	Pass
			74	21.63	-0.70	20.93	/	Pass
		36	0	21.17	-0.70	20.47	/	Pass
			18	21.02	-0.70	20.32	/	Pass
			39	20.99	-0.70	20.29	/	Pass
		75	0	20.99	-0.70	20.29	/	Pass
16QAM	3707.5	1	0	21.32	-0.70	20.62	/	Pass
			38	21.51	-0.70	20.81	/	Pass
			74	21.24	-0.70	20.54	/	Pass
		36	0	20.79	-0.70	20.09	/	Pass
			18	20.71	-0.70	20.01	/	Pass
			39	20.85	-0.70	20.15	/	Pass
		75	0	20.81	-0.70	20.11	/	Pass
	3750	1	0	20.94	-0.70	20.24	/	Pass
			38	21.11	-0.70	20.41	/	Pass
			74	21.20	-0.70	20.50	/	Pass

		36	0	20.82	-0.70	20.12	/	Pass
			18	20.81	-0.70	20.11	/	Pass
			39	20.87	-0.70	20.17	/	Pass
		75	0	20.84	-0.70	20.14	/	Pass
	3792.5	1	0	20.95	-0.70	20.25	/	Pass
			38	20.69	-0.70	19.99	/	Pass
			74	20.77	-0.70	20.07	/	Pass
		36	0	20.60	-0.70	19.90	/	Pass
			18	20.50	-0.70	19.80	/	Pass
			39	20.54	-0.70	19.84	/	Pass
		75	0	20.58	-0.70	19.88	/	Pass
64QAM		3707.5	1	0	20.98	-0.70	20.28	/
	38			21.14	-0.70	20.44	/	Pass
	74			21.43	-0.70	20.73	/	Pass
	36		0	20.74	-0.70	20.04	/	Pass
			18	20.77	-0.70	20.07	/	Pass
			39	20.84	-0.70	20.14	/	Pass
	75		0	20.81	-0.70	20.11	/	Pass
	3750	1	0	21.13	-0.70	20.43	/	Pass
			38	20.72	-0.70	20.02	/	Pass
			74	21.21	-0.70	20.51	/	Pass
		36	0	20.72	-0.70	20.02	/	Pass
			18	20.66	-0.70	19.96	/	Pass
			39	20.68	-0.70	19.98	/	Pass
		75	0	20.59	-0.70	19.89	/	Pass
	3792.5	1	0	20.72	-0.70	20.02	/	Pass
			38	20.88	-0.70	20.18	/	Pass
			74	20.97	-0.70	20.27	/	Pass
		36	0	20.53	-0.70	19.83	/	Pass
			18	20.58	-0.70	19.88	/	Pass
			39	20.56	-0.70	19.86	/	Pass
		75	0	20.53	-0.70	19.83	/	Pass
256QAM	3707.5	1	0	18.73	-0.70	18.03	/	Pass
			38	18.67	-0.70	17.97	/	Pass
			74	18.88	-0.70	18.18	/	Pass
		36	0	18.88	-0.70	18.18	/	Pass
			18	18.91	-0.70	18.21	/	Pass
			39	18.99	-0.70	18.29	/	Pass
		75	0	18.91	-0.70	18.21	/	Pass
	3750	1	0	18.49	-0.70	17.79	/	Pass
			38	18.64	-0.70	17.94	/	Pass
			74	18.57	-0.70	17.87	/	Pass
		36	0	18.87	-0.70	18.17	/	Pass
			18	18.91	-0.70	18.21	/	Pass
			39	18.94	-0.70	18.24	/	Pass
		75	0	18.88	-0.70	18.18	/	Pass
	3792.5	1	0	18.12	-0.70	17.42	/	Pass
			38	18.66	-0.70	17.96	/	Pass
			74	18.50	-0.70	17.80	/	Pass
		36	0	18.61	-0.70	17.91	/	Pass
			18	18.60	-0.70	17.90	/	Pass
			39	18.68	-0.70	17.98	/	Pass
		75	0	18.71	-0.70	18.01	/	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B43d_20MHz_EIRP

Band: 43d / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3710	1	0	22.58	-0.70	21.88	/	Pass
			50	22.29	-0.70	21.59	/	Pass
			99	22.39	-0.70	21.69	/	Pass
		50	0	21.51	-0.70	20.81	/	Pass
			25	21.56	-0.70	20.86	/	Pass
			50	21.60	-0.70	20.90	/	Pass
		100	0	21.49	-0.70	20.79	/	Pass
	3750	1	0	22.91	-0.70	22.21	/	Pass
			50	22.12	-0.70	21.42	/	Pass
			99	22.19	-0.70	21.49	/	Pass
		50	0	21.46	-0.70	20.76	/	Pass
			25	21.49	-0.70	20.79	/	Pass
			50	21.55	-0.70	20.85	/	Pass
		100	0	21.53	-0.70	20.83	/	Pass
	3790	1	0	22.66	-0.70	21.96	/	Pass
			50	22.57	-0.70	21.87	/	Pass
			99	21.65	-0.70	20.95	/	Pass
		50	0	21.20	-0.70	20.50	/	Pass
			25	21.17	-0.70	20.47	/	Pass
			50	21.26	-0.70	20.56	/	Pass
		100	0	21.02	-0.70	20.32	/	Pass
16QAM	3710	1	0	21.36	-0.70	20.66	/	Pass
			50	21.41	-0.70	20.71	/	Pass
			99	21.17	-0.70	20.47	/	Pass
		50	0	20.74	-0.70	20.04	/	Pass
			25	20.87	-0.70	20.17	/	Pass
			50	20.74	-0.70	20.04	/	Pass
		100	0	20.83	-0.70	20.13	/	Pass
	3750	1	0	21.01	-0.70	20.31	/	Pass
			50	21.47	-0.70	20.77	/	Pass
			99	21.10	-0.70	20.40	/	Pass
		50	0	20.79	-0.70	20.09	/	Pass
			25	20.65	-0.70	19.95	/	Pass
			50	20.70	-0.70	20.00	/	Pass
		100	0	20.65	-0.70	19.95	/	Pass
	3790	1	0	20.84	-0.70	20.14	/	Pass
			50	20.74	-0.70	20.04	/	Pass
			99	21.19	-0.70	20.49	/	Pass
		50	0	20.55	-0.70	19.85	/	Pass
			25	20.59	-0.70	19.89	/	Pass
			50	20.58	-0.70	19.88	/	Pass
		100	0	20.57	-0.70	19.87	/	Pass
64QAM	3710	1	0	20.71	-0.70	20.01	/	Pass
			50	21.25	-0.70	20.55	/	Pass
			99	20.97	-0.70	20.27	/	Pass
		50	0	20.83	-0.70	20.13	/	Pass
			25	20.75	-0.70	20.05	/	Pass
			50	20.82	-0.70	20.12	/	Pass
		100	0	20.83	-0.70	20.13	/	Pass
	3750	1	0	21.02	-0.70	20.32	/	Pass
			50	21.12	-0.70	20.42	/	Pass

		50	99	21.15	-0.70	20.45	/	Pass	
			0	20.84	-0.70	20.14	/	Pass	
			25	20.79	-0.70	20.09	/	Pass	
			50	20.63	-0.70	19.93	/	Pass	
		100	0	20.65	-0.70	19.95	/	Pass	
	3790	1	0	20.73	-0.70	20.03	/	Pass	
			50	20.99	-0.70	20.29	/	Pass	
			99	20.60	-0.70	19.90	/	Pass	
		50	0	20.46	-0.70	19.76	/	Pass	
			25	20.22	-0.70	19.52	/	Pass	
			50	20.33	-0.70	19.63	/	Pass	
		100	0	20.55	-0.70	19.85	/	Pass	
256QAM		3710	1	0	18.73	-0.70	18.03	/	Pass
				50	18.78	-0.70	18.08	/	Pass
	99			18.85	-0.70	18.15	/	Pass	
	50		0	18.86	-0.70	18.16	/	Pass	
			25	18.99	-0.70	18.29	/	Pass	
			50	18.84	-0.70	18.14	/	Pass	
	100	0	18.94	-0.70	18.24	/	Pass		
	3750	1	0	18.39	-0.70	17.69	/	Pass	
			50	18.31	-0.70	17.61	/	Pass	
			99	18.85	-0.70	18.15	/	Pass	
		50	0	18.89	-0.70	18.19	/	Pass	
			25	18.90	-0.70	18.20	/	Pass	
50			18.95	-0.70	18.25	/	Pass		
100	0	18.95	-0.70	18.25	/	Pass			
3790	1	0	18.64	-0.70	17.94	/	Pass		
		50	18.48	-0.70	17.78	/	Pass		
		99	18.44	-0.70	17.74	/	Pass		
	50	0	18.74	-0.70	18.04	/	Pass		
		25	18.63	-0.70	17.93	/	Pass		
		50	18.66	-0.70	17.96	/	Pass		
100	0	18.58	-0.70	17.88	/	Pass			
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B43d_5MHz

Band: 43d / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3702.5	25	0	20	3.65	-2.100	-0.0006	-2.5 to 2.5	Pass
					3.87	0.400	0.0001	-2.5 to 2.5	Pass
					4.45	1.200	0.0003	-2.5 to 2.5	Pass
				-30	3.87	4.300	0.0012	-2.5 to 2.5	Pass
				-20	3.87	-2.300	-0.0006	-2.5 to 2.5	Pass
				-10	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				0	3.87	-1.800	-0.0005	-2.5 to 2.5	Pass
				10	3.87	0.600	0.0002	-2.5 to 2.5	Pass
				30	3.87	1.500	0.0004	-2.5 to 2.5	Pass
				40	3.87	-2.300	-0.0006	-2.5 to 2.5	Pass

	3750	25	0	50	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				20	3.65	-2.300	-0.0006	-2.5 to 2.5	Pass
					3.87	-1.400	-0.0004	-2.5 to 2.5	Pass
					4.45	-1.900	-0.0005	-2.5 to 2.5	Pass
				-30	3.87	4.500	0.0012	-2.5 to 2.5	Pass
				-20	3.87	2.500	0.0007	-2.5 to 2.5	Pass
				-10	3.87	1.000	0.0003	-2.5 to 2.5	Pass
				0	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				10	3.87	3.000	0.0008	-2.5 to 2.5	Pass
				30	3.87	-1.800	-0.0005	-2.5 to 2.5	Pass
				40	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				50	3.87	0.000	0.0000	-2.5 to 2.5	Pass
	3797.5	25	0	20	3.65	2.000	0.0005	-2.5 to 2.5	Pass
					3.87	0.000	0.0000	-2.5 to 2.5	Pass
					4.45	-2.700	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	4.700	0.0012	-2.5 to 2.5	Pass
				-20	3.87	1.800	0.0005	-2.5 to 2.5	Pass
				-10	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				0	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				10	3.87	-1.300	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-3.300	-0.0009	-2.5 to 2.5	Pass
				40	3.87	-1.700	-0.0004	-2.5 to 2.5	Pass
				50	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
16QAM	3702.5	25	0	20	3.65	-0.900	-0.0002	-2.5 to 2.5	Pass
					3.87	-4.400	-0.0012	-2.5 to 2.5	Pass
					4.45	-2.300	-0.0006	-2.5 to 2.5	Pass
				-30	3.87	1.300	0.0004	-2.5 to 2.5	Pass
				-20	3.87	-1.600	-0.0004	-2.5 to 2.5	Pass
				-10	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				0	3.87	-2.800	-0.0008	-2.5 to 2.5	Pass
				10	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				30	3.87	1.900	0.0005	-2.5 to 2.5	Pass
				40	3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
				50	3.87	-2.600	-0.0007	-2.5 to 2.5	Pass
	3750	25	0	20	3.65	0.400	0.0001	-2.5 to 2.5	Pass
					3.87	-3.500	-0.0009	-2.5 to 2.5	Pass
					4.45	-0.500	-0.0001	-2.5 to 2.5	Pass
				-30	3.87	1.800	0.0005	-2.5 to 2.5	Pass
				-20	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				-10	3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
				0	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				10	3.87	3.000	0.0008	-2.5 to 2.5	Pass
				30	3.87	1.900	0.0005	-2.5 to 2.5	Pass
				40	3.87	-4.300	-0.0011	-2.5 to 2.5	Pass
				50	3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
	3797.5	25	0	20	3.65	-0.800	-0.0002	-2.5 to 2.5	Pass
					3.87	-5.300	-0.0014	-2.5 to 2.5	Pass
					4.45	-1.500	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	2.100	0.0006	-2.5 to 2.5	Pass
				-20	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				-10	3.87	-1.600	-0.0004	-2.5 to 2.5	Pass
				0	3.87	-2.700	-0.0007	-2.5 to 2.5	Pass
				10	3.87	2.300	0.0006	-2.5 to 2.5	Pass
				30	3.87	2.200	0.0006	-2.5 to 2.5	Pass
				40	3.87	-1.600	-0.0004	-2.5 to 2.5	Pass
				50	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
64QAM	3702.5	25	0	20	3.65	-3.100	-0.0008	-2.5 to 2.5	Pass

					3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
					4.45	-1.100	-0.0003	-2.5 to 2.5	Pass
				-30	3.87	2.700	0.0007	-2.5 to 2.5	Pass
				-20	3.87	1.900	0.0005	-2.5 to 2.5	Pass
				-10	3.87	2.700	0.0007	-2.5 to 2.5	Pass
				0	3.87	2.800	0.0008	-2.5 to 2.5	Pass
				10	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				30	3.87	1.900	0.0005	-2.5 to 2.5	Pass
				40	3.87	2.900	0.0008	-2.5 to 2.5	Pass
				50	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
	3750	25	0	20	3.65	-3.000	-0.0008	-2.5 to 2.5	Pass
					3.87	0.900	0.0002	-2.5 to 2.5	Pass
				4.45	3.100	0.0008	-2.5 to 2.5	Pass	
				-30	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				-20	3.87	-3.800	-0.0010	-2.5 to 2.5	Pass
				-10	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				0	3.87	0.800	0.0002	-2.5 to 2.5	Pass
				10	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				40	3.87	0.400	0.0001	-2.5 to 2.5	Pass
	50	3.87	-34.000	-0.0091	-2.5 to 2.5	Pass			
	3797.5	25	0	20	3.65	-24.200	-0.0064	-2.5 to 2.5	Pass
					3.87	0.700	0.0002	-2.5 to 2.5	Pass
				4.45	2.600	0.0007	-2.5 to 2.5	Pass	
				-30	3.87	1.700	0.0004	-2.5 to 2.5	Pass
				-20	3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
				-10	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				0	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				10	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				30	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				40	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
50	3.87	8.500	0.0022	-2.5 to 2.5	Pass				
256QAM	3702.5	25	0	20	3.65	3.700	0.0010	-2.5 to 2.5	Pass
					3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
				4.45	0.500	0.0001	-2.5 to 2.5	Pass	
				-30	3.87	1.700	0.0005	-2.5 to 2.5	Pass
				-20	3.87	8.400	0.0023	-2.5 to 2.5	Pass
				-10	3.87	1.700	0.0005	-2.5 to 2.5	Pass
				0	3.87	1.100	0.0003	-2.5 to 2.5	Pass
				10	3.87	0.500	0.0001	-2.5 to 2.5	Pass
				30	3.87	1.800	0.0005	-2.5 to 2.5	Pass
				40	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
	50	3.87	1.100	0.0003	-2.5 to 2.5	Pass			
	3750	25	0	20	3.65	1.500	0.0004	-2.5 to 2.5	Pass
					3.87	1.700	0.0005	-2.5 to 2.5	Pass
				4.45	-1.100	-0.0003	-2.5 to 2.5	Pass	
				-30	3.87	2.300	0.0006	-2.5 to 2.5	Pass
				-20	3.87	6.300	0.0017	-2.5 to 2.5	Pass
				-10	3.87	1.400	0.0004	-2.5 to 2.5	Pass
				0	3.87	5.200	0.0014	-2.5 to 2.5	Pass
				10	3.87	-0.700	-0.0002	-2.5 to 2.5	Pass
				30	3.87	1.800	0.0005	-2.5 to 2.5	Pass
				40	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
	50	3.87	-4.000	-0.0011	-2.5 to 2.5	Pass			
	3797.5	25	0	20	3.65	-1.100	-0.0003	-2.5 to 2.5	Pass
					3.87	0.500	0.0001	-2.5 to 2.5	Pass
				4.45	1.200	0.0003	-2.5 to 2.5	Pass	

				-30	3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
				-20	3.87	-2.200	-0.0006	-2.5 to 2.5	Pass
				-10	3.87	2.500	0.0007	-2.5 to 2.5	Pass
				0	3.87	0.700	0.0002	-2.5 to 2.5	Pass
				10	3.87	3.400	0.0009	-2.5 to 2.5	Pass
				30	3.87	-4.100	-0.0011	-2.5 to 2.5	Pass
				40	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
				50	3.87	-0.900	-0.0002	-2.5 to 2.5	Pass

2.1.2 B43d_10MHz

Band: 43d / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3705	50	0	20	3.65	1.300	0.0004	-2.5 to 2.5	Pass
					3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
					4.45	2.600	0.0007	-2.5 to 2.5	Pass
				-30	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				-20	3.87	3.400	0.0009	-2.5 to 2.5	Pass
				-10	3.87	-3.900	-0.0011	-2.5 to 2.5	Pass
				0	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				10	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				30	3.87	-1.800	-0.0005	-2.5 to 2.5	Pass
				40	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				50	3.87	3.200	0.0009	-2.5 to 2.5	Pass
	3750	50	0	20	3.65	-0.700	-0.0002	-2.5 to 2.5	Pass
					3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
					4.45	-2.200	-0.0006	-2.5 to 2.5	Pass
				-30	3.87	-2.100	-0.0006	-2.5 to 2.5	Pass
				-20	3.87	-1.600	-0.0004	-2.5 to 2.5	Pass
				-10	3.87	1.900	0.0005	-2.5 to 2.5	Pass
				0	3.87	-2.400	-0.0006	-2.5 to 2.5	Pass
				10	3.87	1.600	0.0004	-2.5 to 2.5	Pass
				30	3.87	2.400	0.0006	-2.5 to 2.5	Pass
				40	3.87	-0.700	-0.0002	-2.5 to 2.5	Pass
				50	3.87	1.500	0.0004	-2.5 to 2.5	Pass
	3795	50	0	20	3.65	-0.300	-0.0001	-2.5 to 2.5	Pass
					3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
					4.45	-2.700	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				-20	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				-10	3.87	-2.800	-0.0007	-2.5 to 2.5	Pass
				0	3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
				10	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				30	3.87	1.500	0.0004	-2.5 to 2.5	Pass
				40	3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
				50	3.87	2.300	0.0006	-2.5 to 2.5	Pass
16QAM	3705	50	0	20	3.65	1.600	0.0004	-2.5 to 2.5	Pass
					3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
					4.45	-2.500	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	4.800	0.0013	-2.5 to 2.5	Pass
				-20	3.87	-3.100	-0.0008	-2.5 to 2.5	Pass
				-10	3.87	0.500	0.0001	-2.5 to 2.5	Pass
				0	3.87	1.500	0.0004	-2.5 to 2.5	Pass
				10	3.87	-3.200	-0.0009	-2.5 to 2.5	Pass

				30	3.87	-3.000	-0.0008	-2.5 to 2.5	Pass
				40	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				50	3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
	3750	50	0	20	3.65	1.000	0.0003	-2.5 to 2.5	Pass
					3.87	-0.100	0.0000	-2.5 to 2.5	Pass
					4.45	-2.500	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				-20	3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
				-10	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				0	3.87	0.800	0.0002	-2.5 to 2.5	Pass
				10	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				30	3.87	-5.200	-0.0014	-2.5 to 2.5	Pass
				40	3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
				50	3.87	4.100	0.0011	-2.5 to 2.5	Pass
	3795	50	0	20	3.65	0.700	0.0002	-2.5 to 2.5	Pass
					3.87	1.200	0.0003	-2.5 to 2.5	Pass
					4.45	-5.100	-0.0013	-2.5 to 2.5	Pass
				-30	3.87	-1.800	-0.0005	-2.5 to 2.5	Pass
				-20	3.87	-2.700	-0.0007	-2.5 to 2.5	Pass
				-10	3.87	-4.200	-0.0011	-2.5 to 2.5	Pass
				0	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				10	3.87	-1.700	-0.0004	-2.5 to 2.5	Pass
				30	3.87	1.000	0.0003	-2.5 to 2.5	Pass
				40	3.87	0.600	0.0002	-2.5 to 2.5	Pass
				50	3.87	-3.200	-0.0008	-2.5 to 2.5	Pass
64QAM	3705	50	0	20	3.65	5.900	0.0016	-2.5 to 2.5	Pass
					3.87	2.200	0.0006	-2.5 to 2.5	Pass
					4.45	-9.200	-0.0025	-2.5 to 2.5	Pass
				-30	3.87	9.000	0.0024	-2.5 to 2.5	Pass
				-20	3.87	-22.200	-0.0060	-2.5 to 2.5	Pass
				-10	3.87	-16.900	-0.0046	-2.5 to 2.5	Pass
				0	3.87	-38.400	-0.0104	-2.5 to 2.5	Pass
				10	3.87	-6.600	-0.0018	-2.5 to 2.5	Pass
				30	3.87	5.900	0.0016	-2.5 to 2.5	Pass
				40	3.87	22.000	0.0059	-2.5 to 2.5	Pass
				50	3.87	-16.400	-0.0044	-2.5 to 2.5	Pass
	3750	50	0	20	3.65	-0.600	-0.0002	-2.5 to 2.5	Pass
					3.87	-4.400	-0.0012	-2.5 to 2.5	Pass
					4.45	1.200	0.0003	-2.5 to 2.5	Pass
				-30	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				-20	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				-10	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				0	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				10	3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
				30	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				40	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				50	3.87	-4.600	-0.0012	-2.5 to 2.5	Pass
	3795	50	0	20	3.65	4.300	0.0011	-2.5 to 2.5	Pass
					3.87	-2.900	-0.0008	-2.5 to 2.5	Pass
					4.45	2.800	0.0007	-2.5 to 2.5	Pass
				-30	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				-20	3.87	4.000	0.0011	-2.5 to 2.5	Pass
				-10	3.87	0.700	0.0002	-2.5 to 2.5	Pass
				0	3.87	1.600	0.0004	-2.5 to 2.5	Pass
				10	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				30	3.87	1.500	0.0004	-2.5 to 2.5	Pass
				40	3.87	-0.800	-0.0002	-2.5 to 2.5	Pass

				50	3.87	0.500	0.0001	-2.5 to 2.5	Pass
256QAM	3705	50	0	20	3.65	-0.100	0.0000	-2.5 to 2.5	Pass
					3.87	-1.500	-0.0004	-2.5 to 2.5	Pass
					4.45	-2.700	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.87	2.600	0.0007	-2.5 to 2.5	Pass
				-10	3.87	-4.400	-0.0012	-2.5 to 2.5	Pass
				0	3.87	-2.800	-0.0008	-2.5 to 2.5	Pass
				10	3.87	-4.400	-0.0012	-2.5 to 2.5	Pass
				30	3.87	-1.700	-0.0005	-2.5 to 2.5	Pass
				40	3.87	-1.600	-0.0004	-2.5 to 2.5	Pass
	3750	50	0	50	3.87	-2.200	-0.0006	-2.5 to 2.5	Pass
				20	3.65	-1.200	-0.0003	-2.5 to 2.5	Pass
					3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
					4.45	-0.500	-0.0001	-2.5 to 2.5	Pass
				-30	3.87	-1.000	-0.0003	-2.5 to 2.5	Pass
				-20	3.87	-5.600	-0.0015	-2.5 to 2.5	Pass
				-10	3.87	-3.100	-0.0008	-2.5 to 2.5	Pass
				0	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				10	3.87	-1.300	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-1.800	-0.0005	-2.5 to 2.5	Pass
	3795	50	0	40	3.87	-4.600	-0.0012	-2.5 to 2.5	Pass
				50	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				20	3.65	-0.500	-0.0001	-2.5 to 2.5	Pass
					3.87	-2.300	-0.0006	-2.5 to 2.5	Pass
					4.45	-1.000	-0.0003	-2.5 to 2.5	Pass
				-30	3.87	0.700	0.0002	-2.5 to 2.5	Pass
				-20	3.87	3.700	0.0010	-2.5 to 2.5	Pass
				-10	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				0	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				10	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-1.500	-0.0004	-2.5 to 2.5	Pass
				40	3.87	-1.700	-0.0004	-2.5 to 2.5	Pass
				50	3.87	0.800	0.0002	-2.5 to 2.5	Pass

2.1.3 B43d_15MHz

Band: 43d / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3707.5	75	0	20	3.65	-1.900	-0.0005	-2.5 to 2.5	Pass
					3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
					4.45	-0.400	-0.0001	-2.5 to 2.5	Pass
				-30	3.87	-2.900	-0.0008	-2.5 to 2.5	Pass
				-20	3.87	1.700	0.0005	-2.5 to 2.5	Pass
				-10	3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
				0	3.87	-3.500	-0.0009	-2.5 to 2.5	Pass
				10	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				30	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				40	3.87	-0.800	-0.0002	-2.5 to 2.5	Pass
				50	3.87	-3.700	-0.0010	-2.5 to 2.5	Pass
	3750	75	0	20	3.65	0.000	0.0000	-2.5 to 2.5	Pass
					3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
					4.45	1.100	0.0003	-2.5 to 2.5	Pass
				-30	3.87	1.100	0.0003	-2.5 to 2.5	Pass

				-20	3.87	-1.000	-0.0003	-2.5 to 2.5	Pass
				-10	3.87	1.200	0.0003	-2.5 to 2.5	Pass
				0	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				10	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				30	3.87	0.600	0.0002	-2.5 to 2.5	Pass
				40	3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
				50	3.87	1.000	0.0003	-2.5 to 2.5	Pass
	3792.5	75	0	20	3.65	-1.500	-0.0004	-2.5 to 2.5	Pass
					3.87	-6.700	-0.0018	-2.5 to 2.5	Pass
					4.45	-0.900	-0.0002	-2.5 to 2.5	Pass
				-30	3.87	-3.300	-0.0009	-2.5 to 2.5	Pass
				-20	3.87	-4.200	-0.0011	-2.5 to 2.5	Pass
				-10	3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
				0	3.87	-3.200	-0.0008	-2.5 to 2.5	Pass
				10	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				30	3.87	-1.600	-0.0004	-2.5 to 2.5	Pass
				40	3.87	2.500	0.0007	-2.5 to 2.5	Pass
				50	3.87	0.900	0.0002	-2.5 to 2.5	Pass
16QAM	3707.5	75	0	20	3.65	-2.400	-0.0006	-2.5 to 2.5	Pass
					3.87	-4.100	-0.0011	-2.5 to 2.5	Pass
					4.45	-4.600	-0.0012	-2.5 to 2.5	Pass
				-30	3.87	-3.900	-0.0011	-2.5 to 2.5	Pass
				-20	3.87	-5.000	-0.0013	-2.5 to 2.5	Pass
				-10	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
				0	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				10	3.87	-3.100	-0.0008	-2.5 to 2.5	Pass
				30	3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
				40	3.87	2.800	0.0008	-2.5 to 2.5	Pass
				50	3.87	-1.800	-0.0005	-2.5 to 2.5	Pass
	3750	75	0	20	3.65	-3.300	-0.0009	-2.5 to 2.5	Pass
					3.87	2.500	0.0007	-2.5 to 2.5	Pass
					4.45	-1.900	-0.0005	-2.5 to 2.5	Pass
				-30	3.87	-4.100	-0.0011	-2.5 to 2.5	Pass
				-20	3.87	-1.700	-0.0005	-2.5 to 2.5	Pass
				-10	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				0	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				10	3.87	2.800	0.0007	-2.5 to 2.5	Pass
				30	3.87	-2.700	-0.0007	-2.5 to 2.5	Pass
				40	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				50	3.87	-3.500	-0.0009	-2.5 to 2.5	Pass
	3792.5	75	0	20	3.65	-2.700	-0.0007	-2.5 to 2.5	Pass
					3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
					4.45	2.400	0.0006	-2.5 to 2.5	Pass
				-30	3.87	-4.100	-0.0011	-2.5 to 2.5	Pass
				-20	3.87	-1.400	-0.0004	-2.5 to 2.5	Pass
				-10	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				0	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				10	3.87	-4.000	-0.0011	-2.5 to 2.5	Pass
				30	3.87	-2.400	-0.0006	-2.5 to 2.5	Pass
				40	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				50	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
64QAM	3707.5	75	0	20	3.65	-1.100	-0.0003	-2.5 to 2.5	Pass
					3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
					4.45	-0.200	-0.0001	-2.5 to 2.5	Pass
				-30	3.87	-1.500	-0.0004	-2.5 to 2.5	Pass
				-20	3.87	-3.600	-0.0010	-2.5 to 2.5	Pass
				-10	3.87	-4.600	-0.0012	-2.5 to 2.5	Pass

				0	3.87	-1.600	-0.0004	-2.5 to 2.5	Pass
				10	3.87	-0.700	-0.0002	-2.5 to 2.5	Pass
				30	3.87	-3.700	-0.0010	-2.5 to 2.5	Pass
				40	3.87	-2.200	-0.0006	-2.5 to 2.5	Pass
				50	3.87	0.200	0.0001	-2.5 to 2.5	Pass
	3750	75	0	20	3.65	-0.400	-0.0001	-2.5 to 2.5	Pass
					3.87	-2.700	-0.0007	-2.5 to 2.5	Pass
					4.45	-0.600	-0.0002	-2.5 to 2.5	Pass
				-30	3.87	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				-10	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				0	3.87	0.500	0.0001	-2.5 to 2.5	Pass
				10	3.87	-1.000	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				40	3.87	-2.500	-0.0007	-2.5 to 2.5	Pass
				50	3.87	-12.600	-0.0034	-2.5 to 2.5	Pass
	3792.5	75	0	20	3.65	-1.500	-0.0004	-2.5 to 2.5	Pass
					3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
					4.45	-5.300	-0.0014	-2.5 to 2.5	Pass
				-30	3.87	-2.500	-0.0007	-2.5 to 2.5	Pass
				-20	3.87	-4.100	-0.0011	-2.5 to 2.5	Pass
				-10	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				0	3.87	-2.900	-0.0008	-2.5 to 2.5	Pass
				10	3.87	-0.700	-0.0002	-2.5 to 2.5	Pass
				30	3.87	-4.900	-0.0013	-2.5 to 2.5	Pass
				40	3.87	-5.100	-0.0013	-2.5 to 2.5	Pass
				50	3.87	-0.800	-0.0002	-2.5 to 2.5	Pass
256QAM	3707.5	75	0	20	3.65	-1.200	-0.0003	-2.5 to 2.5	Pass
					3.87	-3.900	-0.0011	-2.5 to 2.5	Pass
					4.45	-0.600	-0.0002	-2.5 to 2.5	Pass
				-30	3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
				-20	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				-10	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				0	3.87	-5.300	-0.0014	-2.5 to 2.5	Pass
				10	3.87	0.700	0.0002	-2.5 to 2.5	Pass
				30	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				40	3.87	-5.100	-0.0014	-2.5 to 2.5	Pass
				50	3.87	-4.000	-0.0011	-2.5 to 2.5	Pass
	3750	75	0	20	3.65	0.100	0.0000	-2.5 to 2.5	Pass
					3.87	-3.900	-0.0010	-2.5 to 2.5	Pass
					4.45	-0.200	-0.0001	-2.5 to 2.5	Pass
				-30	3.87	-2.700	-0.0007	-2.5 to 2.5	Pass
				-20	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.87	0.000	0.0000	-2.5 to 2.5	Pass
				0	3.87	0.600	0.0002	-2.5 to 2.5	Pass
				10	3.87	-4.000	-0.0011	-2.5 to 2.5	Pass
				30	3.87	-4.300	-0.0011	-2.5 to 2.5	Pass
				40	3.87	-2.800	-0.0007	-2.5 to 2.5	Pass
				50	3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
	3792.5	75	0	20	3.65	0.300	0.0001	-2.5 to 2.5	Pass
					3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
					4.45	1.500	0.0004	-2.5 to 2.5	Pass
				-30	3.87	-2.800	-0.0007	-2.5 to 2.5	Pass
				-20	3.87	-3.300	-0.0009	-2.5 to 2.5	Pass
				-10	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				0	3.87	0.500	0.0001	-2.5 to 2.5	Pass
				10	3.87	-2.300	-0.0006	-2.5 to 2.5	Pass

				30	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				40	3.87	-4.000	-0.0011	-2.5 to 2.5	Pass
				50	3.87	-4.500	-0.0012	-2.5 to 2.5	Pass

2.1.4 B43d_20MHz

Band: 43d / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3710	100	0	20	3.65	-1.100	-0.0003	-2.5 to 2.5	Pass
					3.87	-0.100	0.0000	-2.5 to 2.5	Pass
					4.45	-1.000	-0.0003	-2.5 to 2.5	Pass
				-30	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				-20	3.87	1.100	0.0003	-2.5 to 2.5	Pass
				-10	3.87	0.000	0.0000	-2.5 to 2.5	Pass
				0	3.87	2.700	0.0007	-2.5 to 2.5	Pass
				10	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-5.000	-0.0013	-2.5 to 2.5	Pass
				40	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				50	3.87	-3.600	-0.0010	-2.5 to 2.5	Pass
	3750	100	0	20	3.65	1.100	0.0003	-2.5 to 2.5	Pass
					3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
					4.45	1.100	0.0003	-2.5 to 2.5	Pass
				-30	3.87	-3.200	-0.0009	-2.5 to 2.5	Pass
				-20	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				-10	3.87	-3.700	-0.0010	-2.5 to 2.5	Pass
				0	3.87	-2.100	-0.0006	-2.5 to 2.5	Pass
				10	3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
				30	3.87	-1.800	-0.0005	-2.5 to 2.5	Pass
				40	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				50	3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
	3790	100	0	20	3.65	2.500	0.0007	-2.5 to 2.5	Pass
					3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
					4.45	-3.500	-0.0009	-2.5 to 2.5	Pass
				-30	3.87	-4.600	-0.0012	-2.5 to 2.5	Pass
				-20	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				-10	3.87	3.600	0.0009	-2.5 to 2.5	Pass
				0	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				10	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				30	3.87	0.500	0.0001	-2.5 to 2.5	Pass
				40	3.87	-2.400	-0.0006	-2.5 to 2.5	Pass
				50	3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
16QAM	3710	100	0	20	3.65	-4.000	-0.0011	-2.5 to 2.5	Pass
					3.87	-4.100	-0.0011	-2.5 to 2.5	Pass
					4.45	-1.400	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	-1.500	-0.0004	-2.5 to 2.5	Pass
				-20	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				-10	3.87	-1.700	-0.0005	-2.5 to 2.5	Pass
				0	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				10	3.87	3.300	0.0009	-2.5 to 2.5	Pass
				30	3.87	-2.800	-0.0008	-2.5 to 2.5	Pass
				40	3.87	-6.700	-0.0018	-2.5 to 2.5	Pass
				50	3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
	3750	100	0	20	3.65	-2.300	-0.0006	-2.5 to 2.5	Pass
					3.87	-3.700	-0.0010	-2.5 to 2.5	Pass

					4.45	-5.700	-0.0015	-2.5 to 2.5	Pass
				-30	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
				-20	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
				-10	3.87	-5.100	-0.0014	-2.5 to 2.5	Pass
				0	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				10	3.87	2.200	0.0006	-2.5 to 2.5	Pass
				30	3.87	-1.200	-0.0003	-2.5 to 2.5	Pass
				40	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				50	3.87	0.800	0.0002	-2.5 to 2.5	Pass
	3790	100	0	20	3.65	-2.500	-0.0007	-2.5 to 2.5	Pass
					3.87	-3.800	-0.0010	-2.5 to 2.5	Pass
					4.45	-1.200	-0.0003	-2.5 to 2.5	Pass
				-30	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				-20	3.87	-2.500	-0.0007	-2.5 to 2.5	Pass
				-10	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
				0	3.87	-2.300	-0.0006	-2.5 to 2.5	Pass
				10	3.87	-5.200	-0.0014	-2.5 to 2.5	Pass
				30	3.87	-2.100	-0.0006	-2.5 to 2.5	Pass
				40	3.87	-4.500	-0.0012	-2.5 to 2.5	Pass
				50	3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
64QAM	3710	100	0	20	3.65	1.500	0.0004	-2.5 to 2.5	Pass
					3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
					4.45	-4.000	-0.0011	-2.5 to 2.5	Pass
				-30	3.87	1.500	0.0004	-2.5 to 2.5	Pass
				-20	3.87	1.700	0.0005	-2.5 to 2.5	Pass
				-10	3.87	-3.200	-0.0009	-2.5 to 2.5	Pass
				0	3.87	-1.300	-0.0004	-2.5 to 2.5	Pass
				10	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				30	3.87	-2.600	-0.0007	-2.5 to 2.5	Pass
				40	3.87	-2.000	-0.0005	-2.5 to 2.5	Pass
				50	3.87	-1.100	-0.0003	-2.5 to 2.5	Pass
	3750	100	0	20	3.65	-16.800	-0.0045	-2.5 to 2.5	Pass
					3.87	-2.700	-0.0007	-2.5 to 2.5	Pass
					4.45	-3.200	-0.0009	-2.5 to 2.5	Pass
				-30	3.87	-3.000	-0.0008	-2.5 to 2.5	Pass
				-20	3.87	2.300	0.0006	-2.5 to 2.5	Pass
				-10	3.87	1.500	0.0004	-2.5 to 2.5	Pass
				0	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				10	3.87	-2.500	-0.0007	-2.5 to 2.5	Pass
				30	3.87	1.700	0.0005	-2.5 to 2.5	Pass
				40	3.87	-8.400	-0.0022	-2.5 to 2.5	Pass
				50	3.87	10.500	0.0028	-2.5 to 2.5	Pass
	3790	100	0	20	3.65	-5.500	-0.0015	-2.5 to 2.5	Pass
					3.87	-1.000	-0.0003	-2.5 to 2.5	Pass
					4.45	-0.500	-0.0001	-2.5 to 2.5	Pass
				-30	3.87	-4.300	-0.0011	-2.5 to 2.5	Pass
				-20	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				-10	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				0	3.87	-3.500	-0.0009	-2.5 to 2.5	Pass
				10	3.87	-0.700	-0.0002	-2.5 to 2.5	Pass
				30	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				40	3.87	-5.700	-0.0015	-2.5 to 2.5	Pass
				50	3.87	9.100	0.0024	-2.5 to 2.5	Pass
256QAM	3710	100	0	20	3.65	-2.000	-0.0005	-2.5 to 2.5	Pass
					3.87	-2.700	-0.0007	-2.5 to 2.5	Pass
					4.45	-4.800	-0.0013	-2.5 to 2.5	Pass
				-30	3.87	-3.500	-0.0009	-2.5 to 2.5	Pass

				-20	3.87	-0.900	-0.0002	-2.5 to 2.5	Pass
				-10	3.87	-0.500	-0.0001	-2.5 to 2.5	Pass
				0	3.87	1.100	0.0003	-2.5 to 2.5	Pass
				10	3.87	0.600	0.0002	-2.5 to 2.5	Pass
				30	3.87	-3.300	-0.0009	-2.5 to 2.5	Pass
				40	3.87	-2.800	-0.0008	-2.5 to 2.5	Pass
				50	3.87	-1.300	-0.0004	-2.5 to 2.5	Pass
	3750	100	0	20	3.65	-2.400	-0.0006	-2.5 to 2.5	Pass
					3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
					4.45	-2.800	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	1.400	0.0004	-2.5 to 2.5	Pass
				-20	3.87	0.800	0.0002	-2.5 to 2.5	Pass
				-10	3.87	0.000	0.0000	-2.5 to 2.5	Pass
				0	3.87	-3.400	-0.0009	-2.5 to 2.5	Pass
				10	3.87	2.600	0.0007	-2.5 to 2.5	Pass
				30	3.87	1.400	0.0004	-2.5 to 2.5	Pass
				40	3.87	-2.800	-0.0007	-2.5 to 2.5	Pass
				50	3.87	1.600	0.0004	-2.5 to 2.5	Pass
	3790	100	0	20	3.65	1.000	0.0003	-2.5 to 2.5	Pass
					3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
					4.45	-1.600	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	-1.900	-0.0005	-2.5 to 2.5	Pass
				-20	3.87	0.900	0.0002	-2.5 to 2.5	Pass
				-10	3.87	-2.900	-0.0008	-2.5 to 2.5	Pass
				0	3.87	-3.200	-0.0008	-2.5 to 2.5	Pass
				10	3.87	-4.300	-0.0011	-2.5 to 2.5	Pass
				30	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				40	3.87	-4.500	-0.0012	-2.5 to 2.5	Pass
				50	3.87	-2.700	-0.0007	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band43d_OBW

Band: 43d / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3702.5	25	0	4.526	/	Pass
		3750	25	0	4.545	/	Pass
		3797.5	25	0	4.545	/	Pass
	16QAM	3702.5	25	0	4.531	/	Pass
		3750	25	0	4.500	/	Pass
		3797.5	25	0	4.547	/	Pass
	64QAM	3702.5	25	0	4.563	/	Pass
		3750	25	0	4.557	/	Pass
		3797.5	25	0	4.517	/	Pass
	256QAM	3702.5	25	0	4.567	/	Pass
3750		25	0	4.559	/	Pass	
3797.5		25	0	4.529	/	Pass	
10	QPSK	3705	50	0	9.067	/	Pass
		3750	50	0	9.017	/	Pass
		3795	50	0	9.061	/	Pass

	16QAM	3705	50	0	9.051	/	Pass
		3750	50	0	9.087	/	Pass
		3795	50	0	9.060	/	Pass
	64QAM	3705	50	0	8.998	/	Pass
		3750	50	0	9.028	/	Pass
		3795	50	0	9.033	/	Pass
	256QAM	3705	50	0	1.302	/	Pass
		3750	50	0	9.045	/	Pass
		3795	50	0	8.993	/	Pass
15	QPSK	3707.5	75	0	13.515	/	Pass
		3750	75	0	13.463	/	Pass
		3792.5	75	0	13.578	/	Pass
	16QAM	3707.5	75	0	13.576	/	Pass
		3750	75	0	13.544	/	Pass
		3792.5	75	0	13.557	/	Pass
	64QAM	3707.5	75	0	13.548	/	Pass
		3750	75	0	13.571	/	Pass
		3792.5	75	0	13.477	/	Pass
20	QPSK	3707.5	75	0	2.108	/	Pass
		3750	75	0	13.547	/	Pass
		3792.5	75	0	13.486	/	Pass
	16QAM	3710	100	0	18.092	/	Pass
		3750	100	0	18.086	/	Pass
		3790	100	0	18.059	/	Pass
	64QAM	3710	100	0	18.030	/	Pass
		3750	100	0	18.041	/	Pass
		3790	100	0	18.025	/	Pass
	QPSK	3710	100	0	2.521	/	Pass
		3750	100	0	17.994	/	Pass
		3790	100	0	18.070	/	Pass
	16QAM	3710	100	0	18.051	/	Pass
		3750	100	0	2.128	/	Pass
		3790	100	0	13.697	/	Pass
	64QAM	3710	100	0	18.092	/	Pass
		3750	100	0	18.086	/	Pass
		3790	100	0	18.059	/	Pass


3.1.2 Band43d_XDB

Band: 43d / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3702.5	25	0	4.836	/	Pass
		3750	25	0	5.102	/	Pass
		3797.5	25	0	5.081	/	Pass
	16QAM	3702.5	25	0	5.049	/	Pass
		3750	25	0	4.995	/	Pass
		3797.5	25	0	4.922	/	Pass
	64QAM	3702.5	25	0	5.104	/	Pass
		3750	25	0	4.961	/	Pass
		3797.5	25	0	5.016	/	Pass
10	QPSK	3702.5	25	0	4.954	/	Pass
		3750	25	0	5.001	/	Pass
		3797.5	25	0	4.845	/	Pass
	16QAM	3705	50	0	9.843	/	Pass
		3750	50	0	9.961	/	Pass
		3795	50	0	10.019	/	Pass
	64QAM	3705	50	0	9.908	/	Pass
		3750	50	0	9.908	/	Pass
		3795	50	0	9.908	/	Pass


	64QAM	3750	50	0	9.888	/	Pass
		3795	50	0	9.964	/	Pass
		3705	50	0	9.901	/	Pass
		3750	50	0	9.639	/	Pass
		3795	50	0	9.932	/	Pass
	256QAM	3705	50	0	1.613	/	Pass
		3750	50	0	9.720	/	Pass
		3795	50	0	9.710	/	Pass
15	QPSK	3707.5	75	0	14.552	/	Pass
		3750	75	0	14.479	/	Pass
		3792.5	75	0	14.800	/	Pass
	16QAM	3707.5	75	0	14.643	/	Pass
		3750	75	0	14.864	/	Pass
		3792.5	75	0	14.615	/	Pass
	64QAM	3707.5	75	0	14.649	/	Pass
		3750	75	0	14.952	/	Pass
		3792.5	75	0	14.883	/	Pass
	256QAM	3707.5	75	0	2.565	/	Pass
		3750	75	0	14.649	/	Pass
		3792.5	75	0	14.753	/	Pass
20	QPSK	3710	100	0	19.365	/	Pass
		3750	100	0	19.665	/	Pass
		3790	100	0	19.810	/	Pass
	16QAM	3710	100	0	19.257	/	Pass
		3750	100	0	19.398	/	Pass
		3790	100	0	19.392	/	Pass
	64QAM	3710	100	0	3.259	/	Pass
		3750	100	0	19.402	/	Pass
		3790	100	0	19.722	/	Pass
	256QAM	3710	100	0	19.444	/	Pass
		3750	100	0	5.435	/	Pass
		3790	100	0	14.450	/	Pass

3.2 Test Graph


3.2.1 Band43d_OBW




Band43d_5MHz_QPSK_HCH_3797.5MHz_RB_25_0_NTNV




Band43d_5MHz_16QAM_LCH_3702.5MHz_RB_25_0_NTNV




Band43d 5MHz 16QAM MCH 3750MHz RB 25 0 NTN




Band43d 5MHz 16QAM HCH 3797.5MHz RB 25 0 NTN




Band43d 5MHz 64QAM LCH 3702.5MHz RB 25 0 NTN




Band43d 5MHz 64QAM MCH 3750MHz RB 25 0 NTN




Band43d 5MHz 64QAM HCH 3797.5MHz RB 25 0 NTV




Band43d 5MHz 256QAM LCH 3702.5MHz RB 25 0 NTV




Band43d 5MHz 256QAM MCH 3750MHz RB 25 0 NTV




Band43d 5MHz 256QAM HCH 3797.5MHz RB 25 0 NTV




Band43d 10MHz QPSK LCH 3705MHz RB 50 0 NTN




Band43d 10MHz QPSK MCH 3750MHz RB 50 0 NTN




Band43d_10MHz_QPSK_HCH_3795MHz_RB_50_0_NTNV




Band43d_10MHz_16QAM_LCH_3705MHz_RB_50_0_NTNV




Band43d_10MHz_16QAM_MCH_3750MHz_RB_50_0_NTNV




Band43d_10MHz_16QAM_HCH_3795MHz_RB_50_0_NTNV




Band43d_10MHz_64QAM_LCH_3705MHz_RB_50_0_NTNV




Band43d_10MHz_64QAM_MCH_3750MHz_RB_50_0_NTNV




Band43d_10MHz_64QAM_HCH_3795MHz_RB_50_0_NTNV




Band43d_10MHz_256QAM_LCH_3705MHz_RB_50_0_NTNV




Band43d_10MHz_256QAM_MCH_3750MHz_RB_50_0_NTNV




Band43d_10MHz_256QAM_HCH_3795MHz_RB_50_0_NTNV




Band43d_15MHz_QPSK_LCH_3707.5MHz_RB_75_0_NTNV




Band43d_15MHz_QPSK_MCH_3750MHz_RB_75_0_NTNV




Band43d_15MHz_QPSK_HCH_3792.5MHz_RB_75_0_NTNV




Band43d_15MHz_16QAM_LCH_3707.5MHz_RB_75_0_NTNV




Band43d_15MHz_16QAM_MCH_3750MHz_RB_75_0_NTNV




Band43d_15MHz_16QAM_HCH_3792.5MHz_RB_75_0_NTNV




Band43d 15MHz 64QAM LCH 3707.5MHz RB 75 0 NTN




Band43d 15MHz 64QAM MCH 3750MHz RB 75 0 NTN




Band43d_15MHz_64QAM_HCH_3792.5MHz_RB_75_0_NTNV




Band43d_15MHz_256QAM_LCH_3707.5MHz_RB_75_0_NTNV




Band43d_15MHz_256QAM_MCH_3750MHz_RB_75_0_NTNV




Band43d_15MHz_256QAM_HCH_3792.5MHz_RB_75_0_NTNV




Band43d 20MHz QPSK LCH 3710MHz RB 100_0 NTN




Band43d 20MHz QPSK MCH 3750MHz RB 100_0 NTN




Band43d_20MHz_QPSK_HCH_3790MHz_RB_100_0_NTNV




Band43d_20MHz_16QAM_LCH_3710MHz_RB_100_0_NTNV




Band43d 20MHz 16QAM MCH 3750MHz RB 100 0 NTN




Band43d 20MHz 16QAM HCH 3790MHz RB 100 0 NTN




Band43d 20MHz 64QAM LCH 3710MHz RB 100 0 NTN




Band43d 20MHz 64QAM MCH 3750MHz RB 100 0 NTN




Band43d 20MHz 64QAM HCH 3790MHz RB 100 0 NTN




Band43d 20MHz 256QAM LCH 3710MHz RB 100 0 NTN




Band43d_20MHz_256QAM_MCH_3750MHz_RB_100_0_NTNV




Band43d_20MHz_256QAM_HCH_3790MHz_RB_100_0_NTNV




3.2.2 Band43d_XDB




Band43d_5MHz_QPSK_HCH_3797.5MHz_RB_25_0_NTNV




Band43d_5MHz_16QAM_LCH_3702.5MHz_RB_25_0_NTNV




Band43d 5MHz 16QAM MCH 3750MHz RB 25 0 NTN




Band43d 5MHz 16QAM HCH 3797.5MHz RB 25 0 NTN




Band43d 5MHz 64QAM LCH 3702.5MHz RB 25 0 NTN



Band43d 5MHz 64QAM MCH 3750MHz RB 25 0 NTN



Band43d 5MHz 64QAM HCH 3797.5MHz RB 25 0 NTV



Band43d 5MHz 256QAM LCH 3702.5MHz RB 25 0 NTV

