



n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2661.000	-55.51	-40	Pass
3530	3540	1	/	2	3540.000	-51.25	-25	Pass
3540	3549.02	1	/	3	3544.000	-48.85	-13	Pass
3549.02	3585.02	1	/	/	/	/	/	/
3585.02	3610.02	1	/	4	3602.000	-52.97	-13	Pass
3610.02	3720	1	/	5	3714.000	-50.38	-25	Pass
3720	37000	1	/	6	36940.500	-40.38	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.395	-52.30	-40	Pass
3530	3540	1	CHP	2	3538.360	-52.51	-25	Pass
3540	3549.02	1	CHP	3	3547.825	-51.70	-13	Pass
3549.02	3550.02	0.03	/	4	3549.760	-64.39	-13	Pass
3550.02	3580.02	0.03	/	/	/	/	/	/
3580.02	3581.02	0.03	/	5	3580.030	-35.03	-13	Pass
3581.02	3610.02	1	CHP	6	3581.530	-41.14	-13	Pass
3610.02	3720	1	CHP	7	3716.425	-51.12	-25	Pass
3720	3730	1	CHP	8	3722.845	-51.13	-40	Pass

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM QPSK 3565.02MHz Outer Full Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.600	-40.63	-40	Pass
3530	3540	1	CHP	2	3539.150	-36.67	-25	Pass
3540	3549.02	1	CHP	3	3548.400	-30.68	-13	Pass
3549.02	3550.02	0.28966	CHP	4	3550.000	-32.02	-13	Pass
3550.02	3580.02	0.28966	CHP	/	/	/	/	/
3580.02	3581.02	0.28966	CHP	5	3580.350	-36.92	-13	Pass
3581.02	3610.02	1	CHP	6	3581.550	-31.75	-13	Pass
3610.02	3720	1	CHP	7	3715.550	-50.82	-25	Pass
3720	3730	1	CHP	8	3729.350	-50.76	-40	Pass

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM QPSK 3565.02MHz Inner 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.620	-51.28	-40	Pass
3530	3540	1	CHP	2	3537.805	-49.47	-25	Pass
3540	3549.02	1	CHP	3	3548.500	-38.90	-13	Pass
3549.02	3550.02	0.03	/	4	3550.015	-32.76	-13	Pass
3550.02	3580.02	0.03	/	/	/	/	/	/
3580.02	3581.02	0.03	/	5	3580.225	-64.04	-13	Pass
3581.02	3610.02	1	CHP	6	3605.440	-52.05	-13	Pass
3610.02	3720	1	CHP	7	3711.910	-51.23	-25	Pass
3720	3730	1	CHP	8	3726.910	-51.27	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3565.02MHz Inner 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.395	-51.00	-40	Pass
3530	3540	1	CHP	2	3538.195	-52.41	-25	Pass
3540	3549.02	1	CHP	3	3547.555	-52.00	-13	Pass
3549.02	3550.02	0.03	/	4	3549.460	-64.39	-13	Pass
3550.02	3580.02	0.03	/	/	/	/	/	/
3580.02	3581.02	0.03	/	5	3580.030	-34.75	-13	Pass
3581.02	3610.02	1	CHP	6	3581.530	-37.71	-13	Pass
3610.02	3720	1	CHP	7	3713.875	-51.36	-25	Pass
3720	3730	1	CHP	8	3727.420	-51.22	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	881.500	-60.65	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3304.000	-54.34	-40	Pass
3530	3579.99	1	/	2	3572.000	-53.66	-25	Pass
3579.99	3608.99	1	/	3	3603.500	-46.78	-13	Pass
3608.99	3644.99	1	/	/	/	/	/	/
3644.99	3669.99	1	/	4	3668.500	-51.52	-13	Pass
3669.99	3720	1	/	5	3705.500	-49.80	-25	Pass
3720	37000	1	/	6	35505.000	-40.47	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.880	-50.98	-40	Pass
3530	3639.99	1	CHP	2	3543.775	-50.91	-25	Pass
3639.99	3668.99	1	CHP	3	3668.335	-39.11	-13	Pass
3668.99	3669.99	0.03	/	4	3669.985	-31.50	-13	Pass
3669.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.705	-62.66	-13	Pass
3700.99	3710	1	CHP	6	3704.860	-49.68	-13	Pass
3710	3720	1	CHP	7	3717.340	-49.50	-25	Pass
3720	3730	1	CHP	8	3726.610	-48.67	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.570	-50.87	-40	Pass
3530	3639.99	1	CHP	2	3545.065	-50.80	-25	Pass
3639.99	3668.99	1	CHP	3	3668.470	-49.15	-13	Pass
3668.99	3669.99	0.03	/	4	3669.070	-60.93	-13	Pass
3669.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.885	-45.62	-13	Pass
3700.99	3710	1	CHP	6	3701.500	-36.71	-13	Pass
3710	3720	1	CHP	7	3712.540	-44.55	-25	Pass
3720	3730	1	CHP	8	3726.580	-48.87	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	904.050	-58.03	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.500	-55.72	-40	Pass
3530	3639.99	1	/	2	3623.000	-51.92	-25	Pass
3639.99	3668.99	1	/	3	3653.500	-51.92	-13	Pass
3668.99	3704.99	1	/	/	/	/	/	/
3704.99	3710	1	/	4	3705.500	-48.37	-13	Pass
3710	3720	1	/	5	3713.500	-49.55	-25	Pass
3720	37000	1	/	6	36836.500	-41.55	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Outer Full Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.450	-50.61	-40	Pass
3530	3639.99	1	CHP	2	3639.950	-49.10	-25	Pass
3639.99	3668.99	1	CHP	3	3668.450	-33.17	-13	Pass
3668.99	3669.99	0.29151	CHP	4	3669.950	-32.93	-13	Pass
3669.99	3699.99	0.29151	CHP	/	/	/	/	/
3699.99	3700.99	0.29151	CHP	5	3700.000	-36.90	-13	Pass
3700.99	3710	1	CHP	6	3701.500	-34.01	-13	Pass
3710	3720	1	CHP	7	3710.350	-36.34	-25	Pass
3720	3730	1	CHP	8	3720.350	-40.48	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Inner 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.905	-50.85	-40	Pass
3530	3639.99	1	CHP	2	3538.825	-50.96	-25	Pass
3639.99	3668.99	1	CHP	3	3668.485	-36.48	-13	Pass
3668.99	3669.99	0.03	/	4	3669.895	-35.81	-13	Pass
3669.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.225	-60.46	-13	Pass
3700.99	3710	1	CHP	6	3705.235	-49.48	-13	Pass
3710	3720	1	CHP	7	3712.090	-49.33	-25	Pass
3720	3730	1	CHP	8	3725.500	-49.51	-40	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Inner 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.930	-51.04	-40	Pass
3530	3639.99	1	CHP	2	3545.410	-50.88	-25	Pass
3639.99	3668.99	1	CHP	3	3644.530	-50.25	-13	Pass
3668.99	3669.99	0.03	/	4	3669.355	-63.92	-13	Pass
3669.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.030	-31.81	-13	Pass
3700.99	3710	1	CHP	6	3701.500	-39.02	-13	Pass
3710	3720	1	CHP	7	3711.715	-47.54	-25	Pass
3720	3730	1	CHP	8	3725.410	-48.83	-40	Pass

5.2.3 30k_SISO_40MHz_NTNV




n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3221.000	-55.70	-40	Pass
3530	3540	1	/	2	3537.500	-56.72	-25	Pass
3540	3549	1	/	3	3544.500	-53.87	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3623.000	-51.61	-13	Pass
3630	3720	1	/	5	3708.000	-50.19	-25	Pass
3720	37000	1	/	6	36857.000	-42.03	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.740	-50.84	-40	Pass
3530	3540	1	CHP	2	3539.965	-50.86	-25	Pass
3540	3549	1	CHP	3	3546.700	-50.68	-13	Pass
3549	3550	0.03	/	4	3549.625	-62.96	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.005	-32.62	-13	Pass
3591	3630	1	CHP	6	3591.505	-40.99	-13	Pass
3630	3720	1	CHP	7	3714.205	-49.64	-25	Pass
3720	3730	1	CHP	8	3726.985	-49.39	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Outer_Full_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.700	-45.31	-40	Pass
3530	3540	1	CHP	2	3536.050	-41.68	-25	Pass
3540	3549	1	CHP	3	3547.750	-35.88	-13	Pass
3549	3550	0.38602	CHP	4	3549.700	-41.17	-13	Pass
3550	3590	0.38602	CHP	/	/	/	/	/
3590	3591	0.38602	CHP	5	3590.350	-35.20	-13	Pass
3591	3630	1	CHP	6	3592.600	-31.46	-13	Pass
3630	3720	1	CHP	7	3715.000	-48.45	-25	Pass
3720	3730	1	CHP	8	3727.900	-49.10	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Inner_1RB_Left_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.685	-50.53	-40	Pass
3530	3540	1	CHP	2	3539.410	-49.86	-25	Pass
3540	3549	1	CHP	3	3548.500	-42.03	-13	Pass
3549	3550	0.03	/	4	3549.985	-31.80	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.170	-63.68	-13	Pass
3591	3630	1	CHP	6	3597.625	-51.21	-13	Pass
3630	3720	1	CHP	7	3719.140	-49.44	-25	Pass
3720	3730	1	CHP	8	3725.440	-49.62	-40	Pass

n48 30kHz SISO NTNv 40MHz DFT-s-OFDM QPSK 3570MHz Inner 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.850	-50.83	-40	Pass
3530	3540	1	CHP	2	3534.220	-50.91	-25	Pass
3540	3549	1	CHP	3	3542.140	-50.76	-13	Pass
3549	3550	0.03	/	4	3549.235	-63.11	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.035	-30.93	-13	Pass
3591	3630	1	CHP	6	3591.505	-39.45	-13	Pass
3630	3720	1	CHP	7	3704.095	-49.64	-25	Pass
3720	3730	1	CHP	8	3724.555	-49.52	-40	Pass

n48 30kHz SISO NTNv 40MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	846.100	-58.25	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3321.000	-55.50	-40	Pass
3530	3564.99	1	/	2	3559.500	-55.41	-25	Pass
3564.99	3603.99	1	/	3	3599.500	-49.41	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3673.500	-51.44	-13	Pass
3684.99	3720	1	/	5	3709.000	-50.41	-25	Pass
3720	37000	1	/	6	36818.500	-41.68	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Left Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.925	-50.78	-40	Pass
3530	3619.98	1	CHP	2	3540.355	-50.77	-25	Pass
3619.98	3658.98	1	CHP	3	3657.415	-43.00	-13	Pass
3658.98	3659.98	0.03	/	4	3659.950	-28.25	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.210	-62.27	-13	Pass
3700.98	3710	1	CHP	6	3701.800	-49.56	-13	Pass
3710	3720	1	CHP	7	3712.105	-49.64	-25	Pass
3720	3730	1	CHP	8	3722.440	-49.58	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.380	-50.98	-40	Pass
3530	3619.98	1	CHP	2	3540.070	-50.63	-25	Pass
3619.98	3658.98	1	CHP	3	3623.395	-49.83	-13	Pass
3658.98	3659.98	0.03	/	4	3659.410	-62.58	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.030	-30.40	-13	Pass
3700.98	3710	1	CHP	6	3701.485	-40.45	-13	Pass
3710	3720	1	CHP	7	3717.745	-46.53	-25	Pass
3720	3730	1	CHP	8	3722.440	-49.41	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	839.600	-58.18	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	1784.000	-54.34	-40	Pass
3530	3619.98	1	/	2	3605.500	-53.30	-25	Pass
3619.98	3658.98	1	/	3	3647.500	-52.36	-13	Pass
3658.98	3704.98	1	/	/	/	/	/	/
3704.98	3710	1	/	4	3706.500	-48.68	-13	Pass
3710	3720	1	/	5	3711.500	-49.23	-25	Pass
3720	37000	1	/	6	35610.500	-41.25	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Outer Full Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.750	-50.69	-40	Pass
3530	3619.98	1	CHP	2	3536.950	-51.11	-25	Pass
3619.98	3658.98	1	CHP	3	3658.150	-31.83	-13	Pass
3658.98	3659.98	0.38528	CHP	4	3659.950	-29.76	-13	Pass
3659.98	3699.98	0.38528	CHP	/	/	/	/	/
3699.98	3700.98	0.38528	CHP	5	3700.150	-40.12	-13	Pass
3700.98	3710	1	CHP	6	3703.300	-36.42	-13	Pass
3710	3720	1	CHP	7	3713.950	-38.14	-25	Pass
3720	3730	1	CHP	8	3721.000	-40.91	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Inner 1RB Left Ant3



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.535	-51.03	-40	Pass
3530	3619.98	1	CHP	2	3540.730	-50.90	-25	Pass
3619.98	3658.98	1	CHP	3	3658.435	-39.08	-13	Pass
3658.98	3659.98	0.03	/	4	3659.905	-30.32	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.165	-62.58	-13	Pass
3700.98	3710	1	CHP	6	3707.830	-49.59	-13	Pass
3710	3720	1	CHP	7	3716.140	-49.52	-25	Pass
3720	3730	1	CHP	8	3725.710	-49.55	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Inner 1RB Right Ant3



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.855	-50.93	-40	Pass
3530	3619.98	1	CHP	2	3544.720	-50.87	-25	Pass
3619.98	3658.98	1	CHP	3	3655.450	-50.64	-13	Pass
3658.98	3659.98	0.03	/	4	3659.830	-63.36	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.030	-31.23	-13	Pass
3700.98	3710	1	CHP	6	3701.485	-38.60	-13	Pass
3710	3720	1	CHP	7	3717.235	-46.41	-25	Pass
3720	3730	1	CHP	8	3721.060	-49.24	-40	Pass

6. Adjacent Channel Leakage Ratio

6.1 Test Result

6.1.1 30k_SISO_20MHz_NTNV

5G NR n48 SCS=30kHz SISO 20MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

6.1.2 30k_SISO_30MHz_NTNV


5G NR n48 SCS=30kHz SISO 30MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

6.1.3 30k_SISO_40MHz_NTNV


5G NR n48 SCS=30kHz SISO 40MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

6.2 Test Graph

6.2.1 30k_SISO_20MHz_NTNV




n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	14.40	/	/	/	/
Adjacent	-20	20.00	-41.03	-55.43	-30	25.43	Pass
Adjacent	20	20.00	-30.75	-45.15	-30	15.15	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.62	/	/	/	/
Adjacent	-20	20.00	-29.43	-45.05	-30	15.05	Pass
Adjacent	20	20.00	-30.15	-45.77	-30	15.77	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.16	/	/	/	/
Adjacent	-20	20.00	-25.41	-41.57	-30	11.57	Pass
Adjacent	20	20.00	-41.72	-57.88	-30	27.88	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.47	/	/	/	/
Adjacent	-20	20.00	-42.10	-57.57	-30	27.57	Pass
Adjacent	20	20.00	-28.32	-43.79	-30	13.79	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.47	/	/	/	/
Adjacent	-20	20.00	-30.99	-46.46	-30	16.46	Pass
Adjacent	20	20.00	-31.23	-46.70	-30	16.70	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.57	/	/	/	/
Adjacent	-20	20.00	-27.09	-43.66	-30	13.66	Pass
Adjacent	20	20.00	-39.86	-56.43	-30	26.43	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.48	/	/	/	/
Adjacent	-20	20.00	-40.74	-57.22	-30	27.22	Pass
Adjacent	20	20.00	-27.90	-44.38	-30	14.38	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3560.01MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.71	/	/	/	/
Adjacent	-20	20.00	-25.26	-40.97	-30	10.97	Pass
Adjacent	20	20.00	-26.09	-41.80	-30	11.80	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.11	/	/	/	/
Adjacent	-20	20.00	-28.54	-43.65	-30	13.65	Pass
Adjacent	20	20.00	-41.81	-56.92	-30	26.92	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.67	/	/	/	/
Adjacent	-20	20.00	-41.28	-56.95	-30	26.95	Pass
Adjacent	20	20.00	-28.99	-44.66	-30	14.66	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3624.99MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.60	/	/	/	/
Adjacent	-20	20.00	-27.09	-42.69	-30	12.69	Pass
Adjacent	20	20.00	-27.24	-42.84	-30	12.84	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.57	/	/	/	/
Adjacent	-20	20.00	-27.76	-43.33	-30	13.33	Pass
Adjacent	20	20.00	-41.65	-57.22	-30	27.22	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	14.85	/	/	/	/
Adjacent	-20	20.00	-41.75	-56.60	-30	26.60	Pass
Adjacent	20	20.00	-28.40	-43.25	-30	13.25	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3690MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.79	/	/	/	/
Adjacent	-20	20.00	-28.97	-44.76	-30	14.76	Pass
Adjacent	20	20.00	-29.09	-44.88	-30	14.88	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.71	/	/	/	/
Adjacent	-20	20.00	-26.04	-41.75	-30	11.75	Pass
Adjacent	20	20.00	-39.70	-55.41	-30	25.41	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	14.10	/	/	/	/
Adjacent	-20	20.00	-40.69	-54.79	-30	24.79	Pass
Adjacent	20	20.00	-28.34	-42.44	-30	12.44	Pass

6.2.2 30k_SISO_30MHz_NTNV




n48 30kHz SISO NTNv 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.18	/	/	/	/
Adjacent	-30	30.00	-45.76	-61.94	-30	31.94	Pass
Adjacent	30	30.00	-32.43	-48.61	-30	18.61	Pass

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.64	/	/	/	/
Adjacent	-30	30.00	-29.45	-45.09	-30	15.09	Pass
Adjacent	30	30.00	-30.15	-45.79	-30	15.79	Pass

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	14.50	/	/	/	/
Adjacent	-30	30.00	-30.88	-45.38	-30	15.38	Pass
Adjacent	30	30.00	-39.52	-54.02	-30	24.02	Pass

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	13.80	/	/	/	/
Adjacent	-30	30.00	-40.06	-53.86	-30	23.86	Pass
Adjacent	30	30.00	-34.54	-48.34	-30	18.34	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.70	/	/	/	/
Adjacent	-30	30.00	-31.97	-47.67	-30	17.67	Pass
Adjacent	30	30.00	-32.15	-47.85	-30	17.85	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.99	/	/	/	/
Adjacent	-30	30.00	-30.34	-46.33	-30	16.33	Pass
Adjacent	30	30.00	-32.31	-48.30	-30	18.30	Pass

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.85	/	/	/	/
Adjacent	-30	30.00	-33.60	-49.45	-30	19.45	Pass
Adjacent	30	30.00	-28.99	-44.84	-30	14.84	Pass

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM QPSK 3565.02MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.00	/	/	/	/
Adjacent	-30	30.00	-24.51	-40.51	-30	10.51	Pass
Adjacent	30	30.00	-24.88	-40.88	-30	10.88	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.05	/	/	/	/
Adjacent	-30	30.00	-31.13	-47.18	-30	17.18	Pass
Adjacent	30	30.00	-42.62	-58.67	-30	28.67	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.21	/	/	/	/
Adjacent	-30	30.00	-45.79	-62.00	-30	32.00	Pass
Adjacent	30	30.00	-32.82	-49.03	-30	19.03	Pass


n48 30kHz SISO NTNv 30MHz DFT-s-OFDM QPSK 3624.99MHz Outer Full Ant3



n48 30kHz SISO NTNv 30MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant3




n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.17	/	/	/	/
Adjacent	-30	30.00	-40.13	-56.30	-30	26.30	Pass
Adjacent	30	30.00	-31.32	-47.49	-30	17.49	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.02	/	/	/	/
Adjacent	-30	30.00	-29.32	-45.34	-30	15.34	Pass
Adjacent	30	30.00	-29.05	-45.07	-30	15.07	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.50	/	/	/	/
Adjacent	-30	30.00	-30.11	-45.61	-30	15.61	Pass
Adjacent	30	30.00	-32.37	-47.87	-30	17.87	Pass

n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.05	/	/	/	/
Adjacent	-30	30.00	-33.61	-48.66	-30	18.66	Pass
Adjacent	30	30.00	-29.95	-45.00	-30	15.00	Pass

6.2.3 30k_SISO_40MHz_NTNV




n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	16.74	/	/	/	/
Adjacent	-40	40.00	-44.70	-61.44	-30	31.44	Pass
Adjacent	40	40.00	-31.30	-48.04	-30	18.04	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	15.77	/	/	/	/
Adjacent	-40	40.00	-29.06	-44.83	-30	14.83	Pass
Adjacent	40	40.00	-29.68	-45.45	-30	15.45	Pass

n48 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	15.44	/	/	/	/
Adjacent	-40	40.00	-31.07	-46.51	-30	16.51	Pass
Adjacent	40	40.00	-37.96	-53.40	-30	23.40	Pass

n48 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Right Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	14.96	/	/	/	/
Adjacent	-40	40.00	-38.64	-53.60	-30	23.60	Pass
Adjacent	40	40.00	-31.91	-46.87	-30	16.87	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Outer Full Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	16.05	/	/	/	/
Adjacent	-40	40.00	-30.45	-46.50	-30	16.50	Pass
Adjacent	40	40.00	-29.84	-45.89	-30	15.89	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Left Ant3




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	16.46	/	/	/	/
Adjacent	-40	40.00	-28.92	-45.38	-30	15.38	Pass
Adjacent	40	40.00	-31.02	-47.48	-30	17.48	Pass

n48 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Right Ant3



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	16.17	/	/	/	/
Adjacent	-40	40.00	-32.69	-48.86	-30	18.86	Pass
Adjacent	40	40.00	-28.19	-44.36	-30	14.36	Pass

n48 30kHz SISO NTNv 40MHz DFT-s-OFDM QPSK 3570MHz Outer Full Ant3



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	16.07	/	/	/	/
Adjacent	-40	40.00	-24.52	-40.59	-30	10.59	Pass
Adjacent	40	40.00	-25.96	-42.03	-30	12.03	Pass