

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26c_15MHz_ERP

Band: 26c / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	821.5	1	0	23.87	-3.00	18.72	<=38.45	Pass
			38	24.11	-3.00	18.96	<=38.45	Pass
			74	23.90	-3.00	18.75	<=38.45	Pass
		36	0	23.11	-3.00	17.96	<=38.45	Pass
			18	23.20	-3.00	18.05	<=38.45	Pass
			39	23.17	-3.00	18.02	<=38.45	Pass
		75	0	23.20	-3.00	18.05	<=38.45	Pass
	831.5	1	0	24.07	-3.00	18.92	<=38.45	Pass
			38	24.02	-3.00	18.87	<=38.45	Pass
			74	23.67	-3.00	18.52	<=38.45	Pass
		36	0	23.18	-3.00	18.03	<=38.45	Pass
			18	23.04	-3.00	17.89	<=38.45	Pass
			39	23.14	-3.00	17.99	<=38.45	Pass
		75	0	23.15	-3.00	18.00	<=38.45	Pass
	841.5	1	0	24.19	-3.00	19.04	<=38.45	Pass
			38	24.34	-3.00	19.19	<=38.45	Pass
			74	23.69	-3.00	18.54	<=38.45	Pass
		36	0	23.31	-3.00	18.16	<=38.45	Pass
			18	23.28	-3.00	18.13	<=38.45	Pass
			39	23.37	-3.00	18.22	<=38.45	Pass
		75	0	23.29	-3.00	18.14	<=38.45	Pass
16QAM	821.5	1	0	23.08	-3.00	17.93	<=38.45	Pass
			38	23.10	-3.00	17.95	<=38.45	Pass
			74	22.99	-3.00	17.84	<=38.45	Pass
		36	0	22.13	-3.00	16.98	<=38.45	Pass
			18	22.15	-3.00	17.00	<=38.45	Pass
			39	22.13	-3.00	16.98	<=38.45	Pass
		75	0	22.22	-3.00	17.07	<=38.45	Pass
	831.5	1	0	23.26	-3.00	18.11	<=38.45	Pass
			38	23.15	-3.00	18.00	<=38.45	Pass
			74	22.82	-3.00	17.67	<=38.45	Pass
		36	0	22.12	-3.00	16.97	<=38.45	Pass
			18	22.12	-3.00	16.97	<=38.45	Pass
			39	22.14	-3.00	16.99	<=38.45	Pass
		75	0	22.13	-3.00	16.98	<=38.45	Pass
	841.5	1	0	23.48	-3.00	18.33	<=38.45	Pass
			38	23.12	-3.00	17.97	<=38.45	Pass
			74	23.34	-3.00	18.19	<=38.45	Pass
		36	0	22.39	-3.00	17.24	<=38.45	Pass
			18	22.27	-3.00	17.12	<=38.45	Pass
			39	22.30	-3.00	17.15	<=38.45	Pass
		75	0	22.17	-3.00	17.02	<=38.45	Pass
64QAM	821.5	1	0	22.72	-3.00	17.57	<=38.45	Pass
			38	23.07	-3.00	17.92	<=38.45	Pass
			74	22.74	-3.00	17.59	<=38.45	Pass
		36	0	22.18	-3.00	17.03	<=38.45	Pass

		75	18	22.24	-3.00	17.09	<=38.45	Pass
			39	22.24	-3.00	17.09	<=38.45	Pass
			0	22.21	-3.00	17.06	<=38.45	Pass
	831.5	1	0	22.00	-3.00	16.85	<=38.45	Pass
			38	22.30	-3.00	17.15	<=38.45	Pass
			74	21.98	-3.00	16.83	<=38.45	Pass
		36	0	21.16	-3.00	16.01	<=38.45	Pass
			18	21.15	-3.00	16.00	<=38.45	Pass
			39	21.18	-3.00	16.03	<=38.45	Pass
		75	0	21.19	-3.00	16.04	<=38.45	Pass
	841.5	1	0	23.07	-3.00	17.92	<=38.45	Pass
			38	22.94	-3.00	17.79	<=38.45	Pass
			74	23.20	-3.00	18.05	<=38.45	Pass
		36	0	22.36	-3.00	17.21	<=38.45	Pass
			18	22.23	-3.00	17.08	<=38.45	Pass
			39	22.24	-3.00	17.09	<=38.45	Pass
		75	0	22.37	-3.00	17.22	<=38.45	Pass

256QAM	821.5	1	0	19.04	-3.00	13.89	<=38.45	Pass
			38	18.91	-3.00	13.76	<=38.45	Pass
			74	18.86	-3.00	13.71	<=38.45	Pass
		36	0	19.13	-3.00	13.98	<=38.45	Pass
			18	19.22	-3.00	14.07	<=38.45	Pass
			39	19.21	-3.00	14.06	<=38.45	Pass
		75	0	19.23	-3.00	14.08	<=38.45	Pass
	831.5	1	0	19.03	-3.00	13.88	<=38.45	Pass
			38	19.01	-3.00	13.86	<=38.45	Pass
			74	19.29	-3.00	14.14	<=38.45	Pass
		36	0	19.10	-3.00	13.95	<=38.45	Pass
			18	19.10	-3.00	13.95	<=38.45	Pass
			39	19.11	-3.00	13.96	<=38.45	Pass
		75	0	19.02	-3.00	13.87	<=38.45	Pass
	841.5	1	0	19.23	-3.00	14.08	<=38.45	Pass
			38	19.00	-3.00	13.85	<=38.45	Pass
			74	19.25	-3.00	14.10	<=38.45	Pass
		36	0	19.29	-3.00	14.14	<=38.45	Pass
			18	19.22	-3.00	14.07	<=38.45	Pass
			39	19.35	-3.00	14.20	<=38.45	Pass
		75	0	19.27	-3.00	14.12	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26c_15MHz

Band: 26c / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	821.5	75	0	20	3.65	-1.100	-0.0013	-2.5 to 2.5	Pass
					3.87	-1.100	-0.0013	-2.5 to 2.5	Pass
					4.45	-1.700	-0.0021	-2.5 to 2.5	Pass
				-30	3.87	-9.500	-0.0116	-2.5 to 2.5	Pass
				-20	3.87	-0.300	-0.0004	-2.5 to 2.5	Pass

				-10	3.87	-1.200	-0.0015	-2.5 to 2.5	Pass
				0	3.87	-0.500	-0.0006	-2.5 to 2.5	Pass
				10	3.87	1.500	0.0018	-2.5 to 2.5	Pass
				30	3.87	-1.900	-0.0023	-2.5 to 2.5	Pass
				40	3.87	-1.200	-0.0015	-2.5 to 2.5	Pass
				50	3.87	0.700	0.0009	-2.5 to 2.5	Pass
	831.5	75	0	20	3.65	-0.800	-0.0010	-2.5 to 2.5	Pass
					3.87	1.100	0.0013	-2.5 to 2.5	Pass
					4.45	0.600	0.0007	-2.5 to 2.5	Pass
				-30	3.87	-0.500	-0.0006	-2.5 to 2.5	Pass
				-20	3.87	-0.400	-0.0005	-2.5 to 2.5	Pass
				-10	3.87	1.700	0.0020	-2.5 to 2.5	Pass
				0	3.87	0.700	0.0008	-2.5 to 2.5	Pass
				10	3.87	-0.200	-0.0002	-2.5 to 2.5	Pass
				30	3.87	-1.100	-0.0013	-2.5 to 2.5	Pass
				40	3.87	-1.100	-0.0013	-2.5 to 2.5	Pass
				50	3.87	0.800	0.0010	-2.5 to 2.5	Pass
				20	3.65	-1.200	-0.0014	-2.5 to 2.5	Pass
					3.87	0.300	0.0004	-2.5 to 2.5	Pass
					4.45	-0.500	-0.0006	-2.5 to 2.5	Pass
	841.5	75	0	-30	3.87	0.900	0.0011	-2.5 to 2.5	Pass
				-20	3.87	-8.200	-0.0097	-2.5 to 2.5	Pass
				-10	3.87	-0.800	-0.0010	-2.5 to 2.5	Pass
				0	3.87	0.500	0.0006	-2.5 to 2.5	Pass
				10	3.87	-1.100	-0.0013	-2.5 to 2.5	Pass
				30	3.87	1.900	0.0023	-2.5 to 2.5	Pass
				40	3.87	0.500	0.0006	-2.5 to 2.5	Pass
				50	3.87	2.400	0.0029	-2.5 to 2.5	Pass
16QAM	821.5	75	0	20	3.65	-11.900	-0.0145	-2.5 to 2.5	Pass
					3.87	-2.500	-0.0030	-2.5 to 2.5	Pass
					4.45	-1.000	-0.0012	-2.5 to 2.5	Pass
				-30	3.87	-1.400	-0.0017	-2.5 to 2.5	Pass
				-20	3.87	-2.200	-0.0027	-2.5 to 2.5	Pass
				-10	3.87	-2.600	-0.0032	-2.5 to 2.5	Pass
				0	3.87	-0.700	-0.0009	-2.5 to 2.5	Pass
				10	3.87	-1.300	-0.0016	-2.5 to 2.5	Pass
				30	3.87	-2.500	-0.0030	-2.5 to 2.5	Pass
				40	3.87	-3.300	-0.0040	-2.5 to 2.5	Pass
				50	3.87	-1.600	-0.0019	-2.5 to 2.5	Pass
	831.5	75	0	20	3.65	-8.700	-0.0105	-2.5 to 2.5	Pass
					3.87	1.400	0.0017	-2.5 to 2.5	Pass
					4.45	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.87	-1.300	-0.0016	-2.5 to 2.5	Pass
				-20	3.87	-0.300	-0.0004	-2.5 to 2.5	Pass
				-10	3.87	-2.100	-0.0025	-2.5 to 2.5	Pass
				0	3.87	-10.800	-0.0130	-2.5 to 2.5	Pass
				10	3.87	-2.100	-0.0025	-2.5 to 2.5	Pass
				30	3.87	-1.400	-0.0017	-2.5 to 2.5	Pass
				40	3.87	-2.100	-0.0025	-2.5 to 2.5	Pass
				50	3.87	-0.300	-0.0004	-2.5 to 2.5	Pass
	841.5	75	0	20	3.65	1.000	0.0012	-2.5 to 2.5	Pass
					3.87	-0.400	-0.0005	-2.5 to 2.5	Pass
					4.45	1.100	0.0013	-2.5 to 2.5	Pass
				-30	3.87	1.600	0.0019	-2.5 to 2.5	Pass
				-20	3.87	-1.200	-0.0014	-2.5 to 2.5	Pass
				-10	3.87	0.700	0.0008	-2.5 to 2.5	Pass
				0	3.87	-7.700	-0.0092	-2.5 to 2.5	Pass

				10	3.87	-0.400	-0.0005	-2.5 to 2.5	Pass
				30	3.87	-0.200	-0.0002	-2.5 to 2.5	Pass
				40	3.87	1.800	0.0021	-2.5 to 2.5	Pass
				50	3.87	1.100	0.0013	-2.5 to 2.5	Pass
64QAM	821.5	75	0	20	3.65	-5.100	-0.0062	-2.5 to 2.5	Pass
					3.87	-10.000	-0.0122	-2.5 to 2.5	Pass
					4.45	17.000	0.0207	-2.5 to 2.5	Pass
				-30	3.87	-9.300	-0.0113	-2.5 to 2.5	Pass
				-20	3.87	13.300	0.0162	-2.5 to 2.5	Pass
				-10	3.87	-17.600	-0.0214	-2.5 to 2.5	Pass
				0	3.87	-9.700	-0.0118	-2.5 to 2.5	Pass
				10	3.87	-15.800	-0.0192	-2.5 to 2.5	Pass
				30	3.87	22.400	0.0273	-2.5 to 2.5	Pass
				40	3.87	-5.400	-0.0066	-2.5 to 2.5	Pass
				50	3.87	1.400	0.0017	-2.5 to 2.5	Pass
	831.5	75	0	20	3.65	11.200	0.0135	-2.5 to 2.5	Pass
					3.87	-3.400	-0.0041	-2.5 to 2.5	Pass
					4.45	-8.900	-0.0107	-2.5 to 2.5	Pass
				-30	3.87	10.000	0.0120	-2.5 to 2.5	Pass
				-20	3.87	-9.700	-0.0117	-2.5 to 2.5	Pass
				-10	3.87	3.900	0.0047	-2.5 to 2.5	Pass
				0	3.87	4.500	0.0054	-2.5 to 2.5	Pass
				10	3.87	-20.900	-0.0251	-2.5 to 2.5	Pass
				30	3.87	-10.400	-0.0125	-2.5 to 2.5	Pass
				40	3.87	-2.500	-0.0030	-2.5 to 2.5	Pass
				50	3.87	3.300	0.0040	-2.5 to 2.5	Pass
	841.5	75	0	20	3.65	0.200	0.0002	-2.5 to 2.5	Pass
					3.87	-8.100	-0.0096	-2.5 to 2.5	Pass
					4.45	4.400	0.0052	-2.5 to 2.5	Pass
				-30	3.87	6.100	0.0072	-2.5 to 2.5	Pass
				-20	3.87	2.600	0.0031	-2.5 to 2.5	Pass
				-10	3.87	-22.600	-0.0269	-2.5 to 2.5	Pass
				0	3.87	-19.800	-0.0235	-2.5 to 2.5	Pass
				10	3.87	-11.500	-0.0137	-2.5 to 2.5	Pass
				30	3.87	14.600	0.0173	-2.5 to 2.5	Pass
				40	3.87	-10.400	-0.0124	-2.5 to 2.5	Pass
				50	3.87	25.300	0.0301	-2.5 to 2.5	Pass
256QAM	821.5	75	0	20	3.65	-1.800	-0.0022	-2.5 to 2.5	Pass
					3.87	-0.500	-0.0006	-2.5 to 2.5	Pass
					4.45	-0.300	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	-1.400	-0.0017	-2.5 to 2.5	Pass
				-20	3.87	-1.000	-0.0012	-2.5 to 2.5	Pass
				-10	3.87	-10.600	-0.0129	-2.5 to 2.5	Pass
				0	3.87	-10.900	-0.0133	-2.5 to 2.5	Pass
				10	3.87	0.400	0.0005	-2.5 to 2.5	Pass
				30	3.87	-1.600	-0.0019	-2.5 to 2.5	Pass
				40	3.87	-1.400	-0.0017	-2.5 to 2.5	Pass
				50	3.87	0.800	0.0010	-2.5 to 2.5	Pass
	831.5	75	0	20	3.65	-1.700	-0.0020	-2.5 to 2.5	Pass
					3.87	0.700	0.0008	-2.5 to 2.5	Pass
					4.45	-0.200	-0.0002	-2.5 to 2.5	Pass
				-30	3.87	-2.900	-0.0035	-2.5 to 2.5	Pass
				-20	3.87	-1.300	-0.0016	-2.5 to 2.5	Pass
				-10	3.87	0.200	0.0002	-2.5 to 2.5	Pass
				0	3.87	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.87	-0.700	-0.0008	-2.5 to 2.5	Pass
				30	3.87	-1.300	-0.0016	-2.5 to 2.5	Pass

	841.5	75	0	40	3.87	0.200	0.0002	-2.5 to 2.5	Pass
				50	3.87	-1.100	-0.0013	-2.5 to 2.5	Pass
				20	3.65	2.600	0.0031	-2.5 to 2.5	Pass
					3.87	0.600	0.0007	-2.5 to 2.5	Pass
					4.45	2.300	0.0027	-2.5 to 2.5	Pass
				-30	3.87	1.300	0.0015	-2.5 to 2.5	Pass
				-20	3.87	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.87	0.200	0.0002	-2.5 to 2.5	Pass
				0	3.87	0.400	0.0005	-2.5 to 2.5	Pass
				10	3.87	-1.100	-0.0013	-2.5 to 2.5	Pass
				30	3.87	1.400	0.0017	-2.5 to 2.5	Pass
				40	3.87	0.100	0.0001	-2.5 to 2.5	Pass
				50	3.87	1.800	0.0021	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26c_OBW

Band: 26c / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
15	QPSK	821.5	75	0	13.590	/	Pass
		831.5	75	0	13.619	/	Pass
		841.5	75	0	13.606	/	Pass
	16QAM	821.5	75	0	13.617	/	Pass
		831.5	75	0	13.628	/	Pass
		841.5	75	0	13.576	/	Pass
	64QAM	821.5	75	0	13.563	/	Pass
		831.5	75	0	13.654	/	Pass
		841.5	75	0	13.594	/	Pass
	256QAM	821.5	75	0	1.743	/	Pass
		831.5	75	0	1.989	/	Pass
		841.5	75	0	13.551	/	Pass


3.1.2 Band26c_XDB

Band: 26c / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
15	QPSK	821.5	75	0	15.098	/	Pass
		831.5	75	0	15.136	/	Pass
		841.5	75	0	15.056	/	Pass
	16QAM	821.5	75	0	15.027	/	Pass
		831.5	75	0	15.157	/	Pass
		841.5	75	0	15.225	/	Pass
	64QAM	821.5	75	0	15.027	/	Pass
		831.5	75	0	15.133	/	Pass
		841.5	75	0	15.097	/	Pass
	256QAM	821.5	75	0	2.253	/	Pass
		831.5	75	0	2.755	/	Pass


		841.5	75	0	15.081	/	Pass
--	--	-------	----	---	--------	---	------

3.2 Test Graph


3.2.1 Band26c_OBW




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV




Band26c 15MHz 16QAM MCH 831.5MHz RB 75 0 NTN




Band26c 15MHz 16QAM HCH 841.5MHz RB 75 0 NTN




Band26c_15MHz_64QAM_LCH_821.5MHz_RB_75_0_NTNV




Band26c_15MHz_64QAM_MCH_831.5MHz_RB_75_0_NTNV




Band26c_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_256QAM_LCH_821.5MHz_RB_75_0_NTNV




Band26c_15MHz_256QAM_MCH_831.5MHz_RB_75_0_NTNV




Band26c_15MHz_256QAM_HCH_841.5MHz_RB_75_0_NTNV




3.2.2 Band26c_XDB




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV




Band26c 15MHz 16QAM MCH 831.5MHz RB 75 0 NTNV




Band26c 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV




Band26c_15MHz_64QAM_LCH_821.5MHz_RB_75_0_NTNV




Band26c_15MHz_64QAM_MCH_831.5MHz_RB_75_0_NTNV




Band26c_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_256QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_256QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_256QAM_HCH_841.5MHz_RB_75_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B26c_15MHz


Band: 26c / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	75	0	5.32	<=13	Pass
	831.5	75	0	5.52	<=13	Pass
	841.5	75	0	5.50	<=13	Pass
16QAM	821.5	75	0	6.16	<=13	Pass
	831.5	75	0	6.34	<=13	Pass
	841.5	75	0	6.30	<=13	Pass
64QAM	821.5	75	0	6.17	<=13	Pass
	831.5	75	0	6.33	<=13	Pass
	841.5	75	0	6.30	<=13	Pass
256QAM	821.5	75	0	6.75	<=13	Pass
	831.5	75	0	6.81	<=13	Pass
	841.5	75	0	6.79	<=13	Pass

4.2 Test Graph


4.2.1 B26c_15MHz




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV




Band26c 15MHz 16QAM MCH 831.5MHz RB 75 0 NTN




Band26c 15MHz 16QAM HCH 841.5MHz RB 75 0 NTN




Band26c_15MHz_64QAM_LCH_821.5MHz_RB_75_0_NTNV




Band26c_15MHz_64QAM_MCH_831.5MHz_RB_75_0_NTNV




Band26c_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_256QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_256QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_256QAM_HCH_841.5MHz_RB_75_0_NTNV



5. Spurious Emission


5.1 Test Result

5.1.1 B26c_15MHz


Band: 26c / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B26c_15MHz




Band26c_15MHz_QPSK_LCH_821.5MHz_RB_1_0_NTNV




Band26c_15MHz_QPSK_LCH_821.5MHz_RB_1_0_NTNV



Band26c_15MHz_QPSK_LCH_821.5MHz_RB_1_0_NTNV




Band26c_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.440	-38.61	-13	Pass
813	813.963	0.151	CHP	2	813.940	-35.02	-13	Pass
813.963	814	0.151	CHP	3	813.970	-34.20	-20	Pass
814	829	0.151	CHP	/	/	/	/	/


Band26c 15MHz QPSK MCH 831.5MHz RB 1 0 NTNV




Band26c 15MHz QPSK MCH 831.5MHz RB 1 0 NTNV




Band26c 15MHz QPSK MCH 831.5MHz RB 1 0 NTNV




Band26c 15MHz QPSK MCH 831.5MHz RB 1 0 NTNV




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV



Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV



Band26c 15MHz QPSK HCH 841.5MHz RB 1 74 NTN



Band26c 15MHz QPSK HCH 841.5MHz RB 75 0 NTN

