

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2498.5	1	0	24.96	-1.10	23.86	<=33.01	Pass
			13	24.85	-1.10	23.75	<=33.01	Pass
			24	24.96	-1.10	23.86	<=33.01	Pass
		12	0	25.03	-1.10	23.93	<=33.01	Pass
			6	25.09	-1.10	23.99	<=33.01	Pass
			13	25.07	-1.10	23.97	<=33.01	Pass
		25	0	25.06	-1.10	23.96	<=33.01	Pass
	2593	1	0	24.91	-1.10	23.81	<=33.01	Pass
			13	25.17	-1.10	24.07	<=33.01	Pass
			24	24.96	-1.10	23.86	<=33.01	Pass
		12	0	24.84	-1.10	23.74	<=33.01	Pass
			6	24.85	-1.10	23.75	<=33.01	Pass
			13	24.91	-1.10	23.81	<=33.01	Pass
		25	0	24.83	-1.10	23.73	<=33.01	Pass
	2687.5	1	0	25.50	-1.10	24.40	<=33.01	Pass
			13	25.39	-1.10	24.29	<=33.01	Pass
			24	25.50	-1.10	24.40	<=33.01	Pass
		12	0	24.47	-1.10	23.37	<=33.01	Pass
			6	24.53	-1.10	23.43	<=33.01	Pass
			13	24.55	-1.10	23.45	<=33.01	Pass
		25	0	24.47	-1.10	23.37	<=33.01	Pass
16QAM	2498.5	1	0	24.96	-1.10	23.86	<=33.01	Pass
			13	25.27	-1.10	24.17	<=33.01	Pass
			24	24.84	-1.10	23.74	<=33.01	Pass
		12	0	25.14	-1.10	24.04	<=33.01	Pass
			6	25.18	-1.10	24.08	<=33.01	Pass
			13	25.20	-1.10	24.10	<=33.01	Pass
		25	0	25.11	-1.10	24.01	<=33.01	Pass
	2593	1	0	25.12	-1.10	24.02	<=33.01	Pass
			13	25.45	-1.10	24.35	<=33.01	Pass
			24	25.13	-1.10	24.03	<=33.01	Pass
		12	0	24.96	-1.10	23.86	<=33.01	Pass
			6	24.94	-1.10	23.84	<=33.01	Pass
			13	25.04	-1.10	23.94	<=33.01	Pass
		25	0	24.38	-1.10	23.28	<=33.01	Pass
	2687.5	1	0	24.37	-1.10	23.27	<=33.01	Pass
			13	24.52	-1.10	23.42	<=33.01	Pass
			24	24.48	-1.10	23.38	<=33.01	Pass
		12	0	23.47	-1.10	22.37	<=33.01	Pass
			6	23.58	-1.10	22.48	<=33.01	Pass
			13	23.05	-1.10	21.95	<=33.01	Pass
		25	0	23.49	-1.10	22.39	<=33.01	Pass
64QAM	2498.5	1	0	25.03	-1.10	23.93	<=33.01	Pass
			13	25.17	-1.10	24.07	<=33.01	Pass
			24	24.97	-1.10	23.87	<=33.01	Pass
		12	0	25.11	-1.10	24.01	<=33.01	Pass

		25	6	25.23	-1.10	24.13	<=33.01	Pass	
			13	25.09	-1.10	23.99	<=33.01	Pass	
			0	25.09	-1.10	23.99	<=33.01	Pass	
	2593	1	0	25.09	-1.10	23.99	<=33.01	Pass	
			13	25.11	-1.10	24.01	<=33.01	Pass	
			24	25.29	-1.10	24.19	<=33.01	Pass	
		12	0	24.46	-1.10	23.36	<=33.01	Pass	
			6	24.31	-1.10	23.21	<=33.01	Pass	
			13	24.92	-1.10	23.82	<=33.01	Pass	
		25	0	24.64	-1.10	23.54	<=33.01	Pass	
		2687.5	1	0	24.38	-1.10	23.28	<=33.01	Pass
				13	24.49	-1.10	23.39	<=33.01	Pass
	24			24.39	-1.10	23.29	<=33.01	Pass	
	12		0	23.39	-1.10	22.29	<=33.01	Pass	
			6	23.43	-1.10	22.33	<=33.01	Pass	
			13	23.45	-1.10	22.35	<=33.01	Pass	
	25		0	23.47	-1.10	22.37	<=33.01	Pass	

256QAM	2498.5	1	0	21.95	-1.10	20.85	<=33.01	Pass
			13	22.14	-1.10	21.04	<=33.01	Pass
			24	21.85	-1.10	20.75	<=33.01	Pass
		12	0	22.04	-1.10	20.94	<=33.01	Pass
			6	22.10	-1.10	21.00	<=33.01	Pass
			13	22.06	-1.10	20.96	<=33.01	Pass
		25	0	22.06	-1.10	20.96	<=33.01	Pass
	2593	1	0	21.94	-1.10	20.84	<=33.01	Pass
			13	21.97	-1.10	20.87	<=33.01	Pass
			24	21.79	-1.10	20.69	<=33.01	Pass
		12	0	21.86	-1.10	20.76	<=33.01	Pass
			6	21.88	-1.10	20.78	<=33.01	Pass
			13	21.96	-1.10	20.86	<=33.01	Pass
		25	0	21.81	-1.10	20.71	<=33.01	Pass
	2687.5	1	0	20.56	-1.10	19.46	<=33.01	Pass
			13	20.52	-1.10	19.42	<=33.01	Pass
			24	20.66	-1.10	19.56	<=33.01	Pass
		12	0	20.49	-1.10	19.39	<=33.01	Pass
			6	20.56	-1.10	19.46	<=33.01	Pass
			13	20.59	-1.10	19.49	<=33.01	Pass
		25	0	20.46	-1.10	19.36	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2501	1	0	25.00	-1.10	23.90	<=33.01	Pass
			25	25.21	-1.10	24.11	<=33.01	Pass
			49	25.02	-1.10	23.92	<=33.01	Pass
		25	0	25.19	-1.10	24.09	<=33.01	Pass
			13	25.19	-1.10	24.09	<=33.01	Pass
			25	25.18	-1.10	24.08	<=33.01	Pass
		50	0	25.16	-1.10	24.06	<=33.01	Pass
	2593	1	0	24.97	-1.10	23.87	<=33.01	Pass
			25	25.41	-1.10	24.31	<=33.01	Pass
			49	25.21	-1.10	24.11	<=33.01	Pass

		25	0	24.82	-1.10	23.72	<=33.01	Pass
			13	24.87	-1.10	23.77	<=33.01	Pass
			25	24.89	-1.10	23.79	<=33.01	Pass
		50	0	24.85	-1.10	23.75	<=33.01	Pass
	2685	1	0	25.26	-1.10	24.16	<=33.01	Pass
			25	25.52	-1.10	24.42	<=33.01	Pass
			49	25.53	-1.10	24.43	<=33.01	Pass
		25	0	24.44	-1.10	23.34	<=33.01	Pass
			13	24.57	-1.10	23.47	<=33.01	Pass
			25	24.52	-1.10	23.42	<=33.01	Pass
		50	0	24.53	-1.10	23.43	<=33.01	Pass
16QAM	2501	1	0	24.64	-1.10	23.54	<=33.01	Pass
			25	25.09	-1.10	23.99	<=33.01	Pass
			49	25.06	-1.10	23.96	<=33.01	Pass
		25	0	25.20	-1.10	24.10	<=33.01	Pass
			13	25.22	-1.10	24.12	<=33.01	Pass
			25	25.26	-1.10	24.16	<=33.01	Pass
		50	0	25.21	-1.10	24.11	<=33.01	Pass
	2593	1	0	24.85	-1.10	23.75	<=33.01	Pass
			25	25.12	-1.10	24.02	<=33.01	Pass
			49	25.02	-1.10	23.92	<=33.01	Pass
		25	0	24.86	-1.10	23.76	<=33.01	Pass
			13	24.83	-1.10	23.73	<=33.01	Pass
			25	24.88	-1.10	23.78	<=33.01	Pass
		50	0	24.86	-1.10	23.76	<=33.01	Pass
	2685	1	0	24.40	-1.10	23.30	<=33.01	Pass
			25	24.60	-1.10	23.50	<=33.01	Pass
			49	24.38	-1.10	23.28	<=33.01	Pass
		25	0	23.46	-1.10	22.36	<=33.01	Pass
			13	23.55	-1.10	22.45	<=33.01	Pass
			25	23.15	-1.10	22.05	<=33.01	Pass
		50	0	23.51	-1.10	22.41	<=33.01	Pass
64QAM	2501	1	0	25.04	-1.10	23.94	<=33.01	Pass
			25	25.33	-1.10	24.23	<=33.01	Pass
			49	24.83	-1.10	23.73	<=33.01	Pass
		25	0	25.18	-1.10	24.08	<=33.01	Pass
			13	25.24	-1.10	24.14	<=33.01	Pass
			25	25.18	-1.10	24.08	<=33.01	Pass
		50	0	25.20	-1.10	24.10	<=33.01	Pass
	2593	1	0	24.94	-1.10	23.84	<=33.01	Pass
			25	25.16	-1.10	24.06	<=33.01	Pass
			49	25.44	-1.10	24.34	<=33.01	Pass
		25	0	24.86	-1.10	23.76	<=33.01	Pass
			13	24.91	-1.10	23.81	<=33.01	Pass
			25	24.77	-1.10	23.67	<=33.01	Pass
		50	0	24.85	-1.10	23.75	<=33.01	Pass
	2685	1	0	24.42	-1.10	23.32	<=33.01	Pass
			25	24.24	-1.10	23.14	<=33.01	Pass
			49	24.36	-1.10	23.26	<=33.01	Pass
		25	0	23.47	-1.10	22.37	<=33.01	Pass
			13	23.43	-1.10	22.33	<=33.01	Pass
			25	23.43	-1.10	22.33	<=33.01	Pass
		50	0	23.31	-1.10	22.21	<=33.01	Pass
256QAM	2501	1	0	21.97	-1.10	20.87	<=33.01	Pass
			25	22.23	-1.10	21.13	<=33.01	Pass
			49	22.23	-1.10	21.13	<=33.01	Pass
		25	0	22.14	-1.10	21.04	<=33.01	Pass

		50	13	22.21	-1.10	21.11	<=33.01	Pass
			25	22.18	-1.10	21.08	<=33.01	Pass
			0	22.14	-1.10	21.04	<=33.01	Pass
	2593	1	0	21.89	-1.10	20.79	<=33.01	Pass
			25	21.98	-1.10	20.88	<=33.01	Pass
			49	21.89	-1.10	20.79	<=33.01	Pass
		25	0	21.85	-1.10	20.75	<=33.01	Pass
			13	21.90	-1.10	20.80	<=33.01	Pass
			25	21.85	-1.10	20.75	<=33.01	Pass
		50	0	21.83	-1.10	20.73	<=33.01	Pass
	2685	1	0	20.43	-1.10	19.33	<=33.01	Pass
			25	20.54	-1.10	19.44	<=33.01	Pass
			49	20.62	-1.10	19.52	<=33.01	Pass
		25	0	20.46	-1.10	19.36	<=33.01	Pass
			13	20.55	-1.10	19.45	<=33.01	Pass
			25	20.57	-1.10	19.47	<=33.01	Pass
	50	0	20.56	-1.10	19.46	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2503.5	1	0	25.73	-1.10	24.63	<=33.01	Pass
			38	25.28	-1.10	24.18	<=33.01	Pass
			74	25.33	-1.10	24.23	<=33.01	Pass
		36	0	24.95	-1.10	23.85	<=33.01	Pass
			18	25.04	-1.10	23.94	<=33.01	Pass
			39	25.05	-1.10	23.95	<=33.01	Pass
		75	0	25.03	-1.10	23.93	<=33.01	Pass
	2593	1	0	25.60	-1.10	24.50	<=33.01	Pass
			38	25.54	-1.10	24.44	<=33.01	Pass
			74	25.61	-1.10	24.51	<=33.01	Pass
		36	0	24.72	-1.10	23.62	<=33.01	Pass
			18	24.96	-1.10	23.86	<=33.01	Pass
			39	25.21	-1.10	24.11	<=33.01	Pass
		75	0	25.45	-1.10	24.35	<=33.01	Pass
	2682.5	1	0	25.04	-1.10	23.94	<=33.01	Pass
			38	25.20	-1.10	24.10	<=33.01	Pass
			74	25.28	-1.10	24.18	<=33.01	Pass
		36	0	24.26	-1.10	23.16	<=33.01	Pass
			18	24.28	-1.10	23.18	<=33.01	Pass
			39	24.35	-1.10	23.25	<=33.01	Pass
		75	0	24.36	-1.10	23.26	<=33.01	Pass
16QAM	2503.5	1	0	25.21	-1.10	24.11	<=33.01	Pass
			38	24.96	-1.10	23.86	<=33.01	Pass
			74	25.39	-1.10	24.29	<=33.01	Pass
		36	0	24.93	-1.10	23.83	<=33.01	Pass
			18	25.11	-1.10	24.01	<=33.01	Pass
			39	25.06	-1.10	23.96	<=33.01	Pass
		75	0	25.07	-1.10	23.97	<=33.01	Pass
	2593	1	0	25.01	-1.10	23.91	<=33.01	Pass
			38	24.93	-1.10	23.83	<=33.01	Pass
			74	25.31	-1.10	24.21	<=33.01	Pass

		36	0	24.38	-1.10	23.28	<=33.01	Pass
			18	24.50	-1.10	23.40	<=33.01	Pass
			39	24.75	-1.10	23.65	<=33.01	Pass
		75	0	24.35	-1.10	23.25	<=33.01	Pass
	2682.5	1	0	24.43	-1.10	23.33	<=33.01	Pass
			38	24.15	-1.10	23.05	<=33.01	Pass
			74	24.31	-1.10	23.21	<=33.01	Pass
		36	0	23.33	-1.10	22.23	<=33.01	Pass
			18	23.29	-1.10	22.19	<=33.01	Pass
			39	23.43	-1.10	22.33	<=33.01	Pass
		75	0	23.38	-1.10	22.28	<=33.01	Pass
64QAM		2503.5	1	0	25.10	-1.10	24.00	<=33.01
	38			24.96	-1.10	23.86	<=33.01	Pass
	74			25.39	-1.10	24.29	<=33.01	Pass
	36		0	24.97	-1.10	23.87	<=33.01	Pass
			18	25.08	-1.10	23.98	<=33.01	Pass
			39	25.12	-1.10	24.02	<=33.01	Pass
	75		0	25.06	-1.10	23.96	<=33.01	Pass
	2593	1	0	25.34	-1.10	24.24	<=33.01	Pass
			38	25.16	-1.10	24.06	<=33.01	Pass
			74	25.14	-1.10	24.04	<=33.01	Pass
		36	0	24.36	-1.10	23.26	<=33.01	Pass
			18	24.35	-1.10	23.25	<=33.01	Pass
			39	24.44	-1.10	23.34	<=33.01	Pass
		75	0	24.38	-1.10	23.28	<=33.01	Pass
	2682.5	1	0	23.74	-1.10	22.64	<=33.01	Pass
			38	24.03	-1.10	22.93	<=33.01	Pass
			74	23.91	-1.10	22.81	<=33.01	Pass
		36	0	23.28	-1.10	22.18	<=33.01	Pass
			18	23.30	-1.10	22.20	<=33.01	Pass
			39	23.37	-1.10	22.27	<=33.01	Pass
		75	0	23.38	-1.10	22.28	<=33.01	Pass
256QAM	2503.5	1	0	21.96	-1.10	20.86	<=33.01	Pass
			38	22.03	-1.10	20.93	<=33.01	Pass
			74	22.19	-1.10	21.09	<=33.01	Pass
		36	0	21.88	-1.10	20.78	<=33.01	Pass
			18	22.04	-1.10	20.94	<=33.01	Pass
			39	22.10	-1.10	21.00	<=33.01	Pass
		75	0	22.03	-1.10	20.93	<=33.01	Pass
	2593	1	0	21.56	-1.10	20.46	<=33.01	Pass
			38	21.85	-1.10	20.75	<=33.01	Pass
			74	21.87	-1.10	20.77	<=33.01	Pass
		36	0	21.71	-1.10	20.61	<=33.01	Pass
			18	21.68	-1.10	20.58	<=33.01	Pass
			39	21.71	-1.10	20.61	<=33.01	Pass
		75	0	21.72	-1.10	20.62	<=33.01	Pass
	2682.5	1	0	20.13	-1.10	19.03	<=33.01	Pass
			38	20.40	-1.10	19.30	<=33.01	Pass
			74	20.41	-1.10	19.31	<=33.01	Pass
		36	0	20.27	-1.10	19.17	<=33.01	Pass
			18	20.28	-1.10	19.18	<=33.01	Pass
			39	20.29	-1.10	19.19	<=33.01	Pass
		75	0	20.34	-1.10	19.24	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2506	1	0	24.79	-1.10	23.69	<=33.01	Pass
			50	24.99	-1.10	23.89	<=33.01	Pass
			99	24.86	-1.10	23.76	<=33.01	Pass
		50	0	24.97	-1.10	23.87	<=33.01	Pass
			25	25.07	-1.10	23.97	<=33.01	Pass
			50	25.10	-1.10	24.00	<=33.01	Pass
		100	0	25.04	-1.10	23.94	<=33.01	Pass
	2593	1	0	24.83	-1.10	23.73	<=33.01	Pass
			50	25.43	-1.10	24.33	<=33.01	Pass
			99	25.44	-1.10	24.34	<=33.01	Pass
		50	0	24.94	-1.10	23.84	<=33.01	Pass
			25	24.71	-1.10	23.61	<=33.01	Pass
			50	25.05	-1.10	23.95	<=33.01	Pass
		100	0	25.59	-1.10	24.49	<=33.01	Pass
	2680	1	0	25.05	-1.10	23.95	<=33.01	Pass
			50	25.06	-1.10	23.96	<=33.01	Pass
			99	25.30	-1.10	24.20	<=33.01	Pass
		50	0	24.28	-1.10	23.18	<=33.01	Pass
			25	24.27	-1.10	23.17	<=33.01	Pass
			50	24.38	-1.10	23.28	<=33.01	Pass
		100	0	24.25	-1.10	23.15	<=33.01	Pass
16QAM	2506	1	0	24.49	-1.10	23.39	<=33.01	Pass
			50	25.04	-1.10	23.94	<=33.01	Pass
			99	25.14	-1.10	24.04	<=33.01	Pass
		50	0	25.01	-1.10	23.91	<=33.01	Pass
			25	25.10	-1.10	24.00	<=33.01	Pass
			50	25.16	-1.10	24.06	<=33.01	Pass
		100	0	25.10	-1.10	24.00	<=33.01	Pass
	2593	1	0	24.98	-1.10	23.88	<=33.01	Pass
			50	25.09	-1.10	23.99	<=33.01	Pass
			99	24.98	-1.10	23.88	<=33.01	Pass
		50	0	24.56	-1.10	23.46	<=33.01	Pass
			25	24.59	-1.10	23.49	<=33.01	Pass
			50	24.60	-1.10	23.50	<=33.01	Pass
		100	0	24.61	-1.10	23.51	<=33.01	Pass
	2680	1	0	24.23	-1.10	23.13	<=33.01	Pass
			50	24.30	-1.10	23.20	<=33.01	Pass
			99	24.57	-1.10	23.47	<=33.01	Pass
		50	0	23.37	-1.10	22.27	<=33.01	Pass
			25	23.29	-1.10	22.19	<=33.01	Pass
			50	23.36	-1.10	22.26	<=33.01	Pass
		100	0	23.29	-1.10	22.19	<=33.01	Pass
64QAM	2506	1	0	24.66	-1.10	23.56	<=33.01	Pass
			50	24.98	-1.10	23.88	<=33.01	Pass
			99	25.33	-1.10	24.23	<=33.01	Pass
		50	0	24.97	-1.10	23.87	<=33.01	Pass
			25	25.08	-1.10	23.98	<=33.01	Pass
			50	25.14	-1.10	24.04	<=33.01	Pass
		100	0	25.06	-1.10	23.96	<=33.01	Pass
	2593	1	0	24.92	-1.10	23.82	<=33.01	Pass
			50	25.00	-1.10	23.90	<=33.01	Pass

		50	99	24.99	-1.10	23.89	<=33.01	Pass		
			0	24.74	-1.10	23.64	<=33.01	Pass		
			25	24.38	-1.10	23.28	<=33.01	Pass		
			50	24.47	-1.10	23.37	<=33.01	Pass		
		100	0	24.40	-1.10	23.30	<=33.01	Pass		
	2680	1	0	24.20	-1.10	23.10	<=33.01	Pass		
			50	24.39	-1.10	23.29	<=33.01	Pass		
			99	24.21	-1.10	23.11	<=33.01	Pass		
		50	0	23.28	-1.10	22.18	<=33.01	Pass		
			25	23.33	-1.10	22.23	<=33.01	Pass		
			50	23.40	-1.10	22.30	<=33.01	Pass		
		100	0	23.29	-1.10	22.19	<=33.01	Pass		
		256QAM	2506	1	0	21.67	-1.10	20.57	<=33.01	Pass
					50	22.01	-1.10	20.91	<=33.01	Pass
	99				22.08	-1.10	20.98	<=33.01	Pass	
	50			0	21.97	-1.10	20.87	<=33.01	Pass	
25				22.11	-1.10	21.01	<=33.01	Pass		
50				22.11	-1.10	21.01	<=33.01	Pass		
100	0		22.11	-1.10	21.01	<=33.01	Pass			
2593	1		0	21.88	-1.10	20.78	<=33.01	Pass		
			50	21.74	-1.10	20.64	<=33.01	Pass		
			99	21.68	-1.10	20.58	<=33.01	Pass		
	50		0	21.73	-1.10	20.63	<=33.01	Pass		
			25	21.66	-1.10	20.56	<=33.01	Pass		
			50	21.75	-1.10	20.65	<=33.01	Pass		
100	0		21.65	-1.10	20.55	<=33.01	Pass			
2680	1		0	20.33	-1.10	19.23	<=33.01	Pass		
		50	20.41	-1.10	19.31	<=33.01	Pass			
		99	20.24	-1.10	19.14	<=33.01	Pass			
	50	0	20.30	-1.10	19.20	<=33.01	Pass			
		25	20.32	-1.10	19.22	<=33.01	Pass			
		50	20.33	-1.10	19.23	<=33.01	Pass			
100	0	20.29	-1.10	19.19	<=33.01	Pass				
Note1: EIRP=Conducted Power+Antenna Gain										

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2498.5	25	0	20	3.65	0.100	0.0000	-2.5 to 2.5	Pass
					3.87	0.600	0.0002	-2.5 to 2.5	Pass
					4.45	0.500	0.0002	-2.5 to 2.5	Pass
				-30	3.87	-4.600	-0.0018	-2.5 to 2.5	Pass
				-20	3.87	0.500	0.0002	-2.5 to 2.5	Pass
				-10	3.87	-3.600	-0.0014	-2.5 to 2.5	Pass
				0	3.87	-2.700	-0.0011	-2.5 to 2.5	Pass
				10	3.87	-3.000	-0.0012	-2.5 to 2.5	Pass
				30	3.87	-1.600	-0.0006	-2.5 to 2.5	Pass
				40	3.87	0.400	0.0002	-2.5 to 2.5	Pass

	2593	25	0	50	3.87	-3.800	-0.0015	-2.5 to 2.5	Pass
				20	3.65	-0.800	-0.0003	-2.5 to 2.5	Pass
					3.87	-2.400	-0.0009	-2.5 to 2.5	Pass
					4.45	-2.900	-0.0011	-2.5 to 2.5	Pass
				-30	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				-20	3.87	2.400	0.0009	-2.5 to 2.5	Pass
				-10	3.87	-4.700	-0.0018	-2.5 to 2.5	Pass
				0	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				10	3.87	-3.800	-0.0015	-2.5 to 2.5	Pass
				30	3.87	-1.600	-0.0006	-2.5 to 2.5	Pass
	2687.5	25	0	40	3.87	1.900	0.0007	-2.5 to 2.5	Pass
				50	3.87	2.400	0.0009	-2.5 to 2.5	Pass
				20	3.65	0.200	0.0001	-2.5 to 2.5	Pass
					3.87	0.200	0.0001	-2.5 to 2.5	Pass
					4.45	1.400	0.0005	-2.5 to 2.5	Pass
				-30	3.87	4.800	0.0018	-2.5 to 2.5	Pass
				-20	3.87	1.200	0.0004	-2.5 to 2.5	Pass
				-10	3.87	-1.500	-0.0006	-2.5 to 2.5	Pass
				0	3.87	2.900	0.0011	-2.5 to 2.5	Pass
				10	3.87	0.900	0.0003	-2.5 to 2.5	Pass
16QAM	2498.5	25	0	30	3.87	2.000	0.0007	-2.5 to 2.5	Pass
				40	3.87	2.600	0.0010	-2.5 to 2.5	Pass
				50	3.87	2.300	0.0009	-2.5 to 2.5	Pass
				20	3.65	-2.900	-0.0012	-2.5 to 2.5	Pass
					3.87	-4.000	-0.0016	-2.5 to 2.5	Pass
					4.45	2.100	0.0008	-2.5 to 2.5	Pass
				-30	3.87	-5.600	-0.0022	-2.5 to 2.5	Pass
				-20	3.87	-2.100	-0.0008	-2.5 to 2.5	Pass
				-10	3.87	-2.300	-0.0009	-2.5 to 2.5	Pass
				0	3.87	-3.100	-0.0012	-2.5 to 2.5	Pass
	2593	25	0	10	3.87	-2.000	-0.0008	-2.5 to 2.5	Pass
				30	3.87	0.800	0.0003	-2.5 to 2.5	Pass
				40	3.87	-4.000	-0.0016	-2.5 to 2.5	Pass
				50	3.87	-1.900	-0.0008	-2.5 to 2.5	Pass
				20	3.65	-3.900	-0.0015	-2.5 to 2.5	Pass
					3.87	-1.700	-0.0007	-2.5 to 2.5	Pass
					4.45	-2.600	-0.0010	-2.5 to 2.5	Pass
				-30	3.87	-5.200	-0.0020	-2.5 to 2.5	Pass
				-20	3.87	-1.100	-0.0004	-2.5 to 2.5	Pass
				-10	3.87	-3.400	-0.0013	-2.5 to 2.5	Pass
	2687.5	25	0	0	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				10	3.87	-0.900	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-4.100	-0.0016	-2.5 to 2.5	Pass
				40	3.87	-3.100	-0.0012	-2.5 to 2.5	Pass
				50	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				20	3.65	-1.000	-0.0004	-2.5 to 2.5	Pass
					3.87	4.500	0.0017	-2.5 to 2.5	Pass
					4.45	0.800	0.0003	-2.5 to 2.5	Pass
				-30	3.87	3.900	0.0015	-2.5 to 2.5	Pass
				-20	3.87	3.800	0.0014	-2.5 to 2.5	Pass
64QAM	2498.5	25	0	-10	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				0	3.87	2.200	0.0008	-2.5 to 2.5	Pass
				10	3.87	1.200	0.0004	-2.5 to 2.5	Pass
				30	3.87	0.900	0.0003	-2.5 to 2.5	Pass
				40	3.87	4.300	0.0016	-2.5 to 2.5	Pass
				50	3.87	4.200	0.0016	-2.5 to 2.5	Pass
64QAM	2498.5	25	0	20	3.65	-12.000	-0.0048	-2.5 to 2.5	Pass

					3.87	9.000	0.0036	-2.5 to 2.5	Pass
					4.45	-1.000	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	0.400	0.0002	-2.5 to 2.5	Pass
				-20	3.87	9.400	0.0038	-2.5 to 2.5	Pass
				-10	3.87	-16.100	-0.0064	-2.5 to 2.5	Pass
				0	3.87	-48.500	-0.0194	-2.5 to 2.5	Pass
				10	3.87	-30.700	-0.0123	-2.5 to 2.5	Pass
				30	3.87	-26.700	-0.0107	-2.5 to 2.5	Pass
				40	3.87	-10.600	-0.0042	-2.5 to 2.5	Pass
				50	3.87	-27.400	-0.0110	-2.5 to 2.5	Pass
	2593	25	0	20	3.65	-50.400	-0.0194	-2.5 to 2.5	Pass
					3.87	13.700	0.0053	-2.5 to 2.5	Pass
					4.45	-74.100	-0.0286	-2.5 to 2.5	Pass
				-30	3.87	66.400	0.0256	-2.5 to 2.5	Pass
				-20	3.87	7.500	0.0029	-2.5 to 2.5	Pass
				-10	3.87	-23.300	-0.0090	-2.5 to 2.5	Pass
				0	3.87	-14.500	-0.0056	-2.5 to 2.5	Pass
				10	3.87	-18.200	-0.0070	-2.5 to 2.5	Pass
				30	3.87	-36.400	-0.0140	-2.5 to 2.5	Pass
				40	3.87	-43.500	-0.0168	-2.5 to 2.5	Pass
				50	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
	2687.5	25	0	20	3.65	38.300	0.0143	-2.5 to 2.5	Pass
					3.87	22.700	0.0084	-2.5 to 2.5	Pass
					4.45	14.200	0.0053	-2.5 to 2.5	Pass
				-30	3.87	-5.500	-0.0020	-2.5 to 2.5	Pass
				-20	3.87	15.700	0.0058	-2.5 to 2.5	Pass
				-10	3.87	-42.100	-0.0157	-2.5 to 2.5	Pass
				0	3.87	-17.300	-0.0064	-2.5 to 2.5	Pass
				10	3.87	19.400	0.0072	-2.5 to 2.5	Pass
				30	3.87	26.300	0.0098	-2.5 to 2.5	Pass
				40	3.87	-39.900	-0.0148	-2.5 to 2.5	Pass
				50	3.87	-68.400	-0.0255	-2.5 to 2.5	Pass
256QAM	2498.5	25	0	20	3.65	-2.600	-0.0010	-2.5 to 2.5	Pass
					3.87	4.400	0.0018	-2.5 to 2.5	Pass
					4.45	-1.200	-0.0005	-2.5 to 2.5	Pass
				-30	3.87	-0.700	-0.0003	-2.5 to 2.5	Pass
				-20	3.87	-4.100	-0.0016	-2.5 to 2.5	Pass
				-10	3.87	-1.900	-0.0008	-2.5 to 2.5	Pass
				0	3.87	-0.400	-0.0002	-2.5 to 2.5	Pass
				10	3.87	-2.500	-0.0010	-2.5 to 2.5	Pass
				30	3.87	-2.000	-0.0008	-2.5 to 2.5	Pass
				40	3.87	1.500	0.0006	-2.5 to 2.5	Pass
				50	3.87	1.200	0.0005	-2.5 to 2.5	Pass
	2593	25	0	20	3.65	-2.600	-0.0010	-2.5 to 2.5	Pass
					3.87	-2.200	-0.0008	-2.5 to 2.5	Pass
					4.45	-3.000	-0.0012	-2.5 to 2.5	Pass
				-30	3.87	-2.400	-0.0009	-2.5 to 2.5	Pass
				-20	3.87	-5.100	-0.0020	-2.5 to 2.5	Pass
				-10	3.87	-2.300	-0.0009	-2.5 to 2.5	Pass
				0	3.87	-3.500	-0.0013	-2.5 to 2.5	Pass
				10	3.87	2.700	0.0010	-2.5 to 2.5	Pass
				30	3.87	-2.200	-0.0008	-2.5 to 2.5	Pass
				40	3.87	-5.600	-0.0022	-2.5 to 2.5	Pass
				50	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
	2687.5	25	0	20	3.65	2.300	0.0009	-2.5 to 2.5	Pass
					3.87	0.200	0.0001	-2.5 to 2.5	Pass
					4.45	2.200	0.0008	-2.5 to 2.5	Pass

				-30	3.87	2.700	0.0010	-2.5 to 2.5	Pass
				-20	3.87	4.400	0.0016	-2.5 to 2.5	Pass
				-10	3.87	1.400	0.0005	-2.5 to 2.5	Pass
				0	3.87	5.700	0.0021	-2.5 to 2.5	Pass
				10	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				30	3.87	5.000	0.0019	-2.5 to 2.5	Pass
				40	3.87	5.700	0.0021	-2.5 to 2.5	Pass
				50	3.87	5.400	0.0020	-2.5 to 2.5	Pass

2.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2501	50	0	20	3.65	-2.500	-0.0010	-2.5 to 2.5	Pass
					3.87	-4.400	-0.0018	-2.5 to 2.5	Pass
					4.45	-0.900	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	-1.500	-0.0006	-2.5 to 2.5	Pass
				-20	3.87	-2.600	-0.0010	-2.5 to 2.5	Pass
				-10	3.87	1.800	0.0007	-2.5 to 2.5	Pass
				0	3.87	-2.600	-0.0010	-2.5 to 2.5	Pass
				10	3.87	-2.600	-0.0010	-2.5 to 2.5	Pass
				30	3.87	2.000	0.0008	-2.5 to 2.5	Pass
				40	3.87	0.900	0.0004	-2.5 to 2.5	Pass
				50	3.87	-2.000	-0.0008	-2.5 to 2.5	Pass
	2593	50	0	20	3.65	-0.200	-0.0001	-2.5 to 2.5	Pass
					3.87	-0.700	-0.0003	-2.5 to 2.5	Pass
					4.45	-4.800	-0.0019	-2.5 to 2.5	Pass
				-30	3.87	-1.900	-0.0007	-2.5 to 2.5	Pass
				-20	3.87	-4.400	-0.0017	-2.5 to 2.5	Pass
				-10	3.87	-0.500	-0.0002	-2.5 to 2.5	Pass
				0	3.87	-0.900	-0.0003	-2.5 to 2.5	Pass
				10	3.87	-3.300	-0.0013	-2.5 to 2.5	Pass
				30	3.87	-1.200	-0.0005	-2.5 to 2.5	Pass
				40	3.87	1.700	0.0007	-2.5 to 2.5	Pass
				50	3.87	0.000	0.0000	-2.5 to 2.5	Pass
	2685	50	0	20	3.65	-0.900	-0.0003	-2.5 to 2.5	Pass
					3.87	-0.100	0.0000	-2.5 to 2.5	Pass
					4.45	1.100	0.0004	-2.5 to 2.5	Pass
				-30	3.87	-2.400	-0.0009	-2.5 to 2.5	Pass
				-20	3.87	1.200	0.0004	-2.5 to 2.5	Pass
				-10	3.87	0.900	0.0003	-2.5 to 2.5	Pass
				0	3.87	0.400	0.0001	-2.5 to 2.5	Pass
				10	3.87	3.000	0.0011	-2.5 to 2.5	Pass
				30	3.87	-1.000	-0.0004	-2.5 to 2.5	Pass
				40	3.87	0.600	0.0002	-2.5 to 2.5	Pass
				50	3.87	2.300	0.0009	-2.5 to 2.5	Pass
16QAM	2501	50	0	20	3.65	2.100	0.0008	-2.5 to 2.5	Pass
					3.87	-7.800	-0.0031	-2.5 to 2.5	Pass
					4.45	6.600	0.0026	-2.5 to 2.5	Pass
				-30	3.87	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.87	-1.700	-0.0007	-2.5 to 2.5	Pass
				-10	3.87	-3.900	-0.0016	-2.5 to 2.5	Pass
				0	3.87	-0.900	-0.0004	-2.5 to 2.5	Pass
				10	3.87	0.000	0.0000	-2.5 to 2.5	Pass

				30	3.87	-5.600	-0.0022	-2.5 to 2.5	Pass
				40	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				50	3.87	1.300	0.0005	-2.5 to 2.5	Pass
	2593	50	0	20	3.65	-2.300	-0.0009	-2.5 to 2.5	Pass
					3.87	-1.200	-0.0005	-2.5 to 2.5	Pass
					4.45	1.800	0.0007	-2.5 to 2.5	Pass
				-30	3.87	-1.000	-0.0004	-2.5 to 2.5	Pass
				-20	3.87	-0.700	-0.0003	-2.5 to 2.5	Pass
				-10	3.87	-3.400	-0.0013	-2.5 to 2.5	Pass
				0	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.87	-3.000	-0.0012	-2.5 to 2.5	Pass
				30	3.87	-4.800	-0.0019	-2.5 to 2.5	Pass
				40	3.87	-2.700	-0.0010	-2.5 to 2.5	Pass
				50	3.87	1.400	0.0005	-2.5 to 2.5	Pass
	2685	50	0	20	3.65	5.300	0.0020	-2.5 to 2.5	Pass
					3.87	-0.800	-0.0003	-2.5 to 2.5	Pass
					4.45	0.900	0.0003	-2.5 to 2.5	Pass
				-30	3.87	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.87	1.800	0.0007	-2.5 to 2.5	Pass
				-10	3.87	-4.900	-0.0018	-2.5 to 2.5	Pass
				0	3.87	5.500	0.0020	-2.5 to 2.5	Pass
				10	3.87	1.000	0.0004	-2.5 to 2.5	Pass
				30	3.87	-3.900	-0.0015	-2.5 to 2.5	Pass
				40	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				50	3.87	-1.000	-0.0004	-2.5 to 2.5	Pass
64QAM	2501	50	0	20	3.65	13.700	0.0055	-2.5 to 2.5	Pass
					3.87	-12.400	-0.0050	-2.5 to 2.5	Pass
					4.45	17.500	0.0070	-2.5 to 2.5	Pass
				-30	3.87	-34.500	-0.0138	-2.5 to 2.5	Pass
				-20	3.87	11.000	0.0044	-2.5 to 2.5	Pass
				-10	3.87	-4.500	-0.0018	-2.5 to 2.5	Pass
				0	3.87	5.000	0.0020	-2.5 to 2.5	Pass
				10	3.87	-1.500	-0.0006	-2.5 to 2.5	Pass
				30	3.87	-21.900	-0.0088	-2.5 to 2.5	Pass
				40	3.87	-10.200	-0.0041	-2.5 to 2.5	Pass
				50	3.87	-9.600	-0.0038	-2.5 to 2.5	Pass
	2593	50	0	20	3.65	-14.500	-0.0056	-2.5 to 2.5	Pass
					3.87	-15.400	-0.0059	-2.5 to 2.5	Pass
					4.45	-19.700	-0.0076	-2.5 to 2.5	Pass
				-30	3.87	21.200	0.0082	-2.5 to 2.5	Pass
				-20	3.87	18.300	0.0071	-2.5 to 2.5	Pass
				-10	3.87	0.500	0.0002	-2.5 to 2.5	Pass
				0	3.87	12.800	0.0049	-2.5 to 2.5	Pass
				10	3.87	-16.900	-0.0065	-2.5 to 2.5	Pass
				30	3.87	4.600	0.0018	-2.5 to 2.5	Pass
				40	3.87	23.400	0.0090	-2.5 to 2.5	Pass
				50	3.87	46.200	0.0178	-2.5 to 2.5	Pass
	2685	50	0	20	3.65	-10.600	-0.0039	-2.5 to 2.5	Pass
					3.87	-12.000	-0.0045	-2.5 to 2.5	Pass
					4.45	-2.200	-0.0008	-2.5 to 2.5	Pass
				-30	3.87	16.500	0.0061	-2.5 to 2.5	Pass
				-20	3.87	20.300	0.0076	-2.5 to 2.5	Pass
				-10	3.87	11.800	0.0044	-2.5 to 2.5	Pass
				0	3.87	9.000	0.0034	-2.5 to 2.5	Pass
				10	3.87	28.900	0.0108	-2.5 to 2.5	Pass
				30	3.87	-14.600	-0.0054	-2.5 to 2.5	Pass
				40	3.87	6.100	0.0023	-2.5 to 2.5	Pass

				50	3.87	-17.500	-0.0065	-2.5 to 2.5	Pass
256QAM	2501	50	0	20	3.65	-1.000	-0.0004	-2.5 to 2.5	Pass
					3.87	-2.000	-0.0008	-2.5 to 2.5	Pass
					4.45	-3.400	-0.0014	-2.5 to 2.5	Pass
				-30	3.87	1.000	0.0004	-2.5 to 2.5	Pass
				-20	3.87	-1.600	-0.0006	-2.5 to 2.5	Pass
				-10	3.87	-2.000	-0.0008	-2.5 to 2.5	Pass
				0	3.87	1.000	0.0004	-2.5 to 2.5	Pass
				10	3.87	-4.000	-0.0016	-2.5 to 2.5	Pass
				30	3.87	-8.100	-0.0032	-2.5 to 2.5	Pass
				40	3.87	-5.600	-0.0022	-2.5 to 2.5	Pass
	2593	50	0	50	3.87	-1.400	-0.0006	-2.5 to 2.5	Pass
				20	3.65	1.400	0.0005	-2.5 to 2.5	Pass
					3.87	-4.700	-0.0018	-2.5 to 2.5	Pass
					4.45	0.700	0.0003	-2.5 to 2.5	Pass
				-30	3.87	-3.300	-0.0013	-2.5 to 2.5	Pass
				-20	3.87	-2.200	-0.0008	-2.5 to 2.5	Pass
				-10	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				0	3.87	-1.200	-0.0005	-2.5 to 2.5	Pass
				10	3.87	1.300	0.0005	-2.5 to 2.5	Pass
				30	3.87	-1.200	-0.0005	-2.5 to 2.5	Pass
	2685	50	0	40	3.87	-1.700	-0.0007	-2.5 to 2.5	Pass
				50	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				20	3.65	3.800	0.0014	-2.5 to 2.5	Pass
					3.87	-0.100	0.0000	-2.5 to 2.5	Pass
					4.45	4.000	0.0015	-2.5 to 2.5	Pass
				-30	3.87	1.200	0.0004	-2.5 to 2.5	Pass
				-20	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				-10	3.87	1.200	0.0004	-2.5 to 2.5	Pass
				0	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				10	3.87	2.300	0.0009	-2.5 to 2.5	Pass
				30	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				40	3.87	1.100	0.0004	-2.5 to 2.5	Pass
				50	3.87	-4.800	-0.0018	-2.5 to 2.5	Pass

2.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2503.5	75	0	20	3.65	-2.600	-0.0010	-2.5 to 2.5	Pass
					3.87	-2.000	-0.0008	-2.5 to 2.5	Pass
					4.45	-2.800	-0.0011	-2.5 to 2.5	Pass
				-30	3.87	-3.000	-0.0012	-2.5 to 2.5	Pass
				-20	3.87	-1.100	-0.0004	-2.5 to 2.5	Pass
				-10	3.87	-1.300	-0.0005	-2.5 to 2.5	Pass
				0	3.87	3.400	0.0014	-2.5 to 2.5	Pass
				10	3.87	3.000	0.0012	-2.5 to 2.5	Pass
				30	3.87	1.400	0.0006	-2.5 to 2.5	Pass
				40	3.87	-4.100	-0.0016	-2.5 to 2.5	Pass
				50	3.87	-2.300	-0.0009	-2.5 to 2.5	Pass
	2593	75	0	20	3.65	-3.700	-0.0014	-2.5 to 2.5	Pass
					3.87	-1.300	-0.0005	-2.5 to 2.5	Pass
					4.45	-1.900	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	1.700	0.0007	-2.5 to 2.5	Pass

				-20	3.87	-2.000	-0.0008	-2.5 to 2.5	Pass
				-10	3.87	-2.900	-0.0011	-2.5 to 2.5	Pass
				0	3.87	-1.300	-0.0005	-2.5 to 2.5	Pass
				10	3.87	2.800	0.0011	-2.5 to 2.5	Pass
				30	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				40	3.87	0.900	0.0003	-2.5 to 2.5	Pass
				50	3.87	1.700	0.0007	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.65	1.300	0.0005	-2.5 to 2.5	Pass
					3.87	-5.300	-0.0020	-2.5 to 2.5	Pass
					4.45	-2.700	-0.0010	-2.5 to 2.5	Pass
				-30	3.87	-2.000	-0.0007	-2.5 to 2.5	Pass
				-20	3.87	-2.000	-0.0007	-2.5 to 2.5	Pass
				-10	3.87	-4.300	-0.0016	-2.5 to 2.5	Pass
				0	3.87	-0.900	-0.0003	-2.5 to 2.5	Pass
				10	3.87	-0.800	-0.0003	-2.5 to 2.5	Pass
				30	3.87	-2.700	-0.0010	-2.5 to 2.5	Pass
				40	3.87	1.500	0.0006	-2.5 to 2.5	Pass
				50	3.87	-1.700	-0.0006	-2.5 to 2.5	Pass
16QAM	2503.5	75	0	20	3.65	0.000	0.0000	-2.5 to 2.5	Pass
					3.87	-3.700	-0.0015	-2.5 to 2.5	Pass
					4.45	-1.400	-0.0006	-2.5 to 2.5	Pass
				-30	3.87	2.100	0.0008	-2.5 to 2.5	Pass
				-20	3.87	1.300	0.0005	-2.5 to 2.5	Pass
				-10	3.87	1.900	0.0008	-2.5 to 2.5	Pass
				0	3.87	1.400	0.0006	-2.5 to 2.5	Pass
				10	3.87	-1.200	-0.0005	-2.5 to 2.5	Pass
				30	3.87	1.100	0.0004	-2.5 to 2.5	Pass
				40	3.87	-4.000	-0.0016	-2.5 to 2.5	Pass
				50	3.87	-2.300	-0.0009	-2.5 to 2.5	Pass
	2593	75	0	20	3.65	1.200	0.0005	-2.5 to 2.5	Pass
					3.87	-4.000	-0.0015	-2.5 to 2.5	Pass
					4.45	-6.900	-0.0027	-2.5 to 2.5	Pass
				-30	3.87	-1.100	-0.0004	-2.5 to 2.5	Pass
				-20	3.87	-3.300	-0.0013	-2.5 to 2.5	Pass
				-10	3.87	-3.700	-0.0014	-2.5 to 2.5	Pass
				0	3.87	-0.500	-0.0002	-2.5 to 2.5	Pass
				10	3.87	-2.300	-0.0009	-2.5 to 2.5	Pass
				30	3.87	-4.100	-0.0016	-2.5 to 2.5	Pass
				40	3.87	-2.800	-0.0011	-2.5 to 2.5	Pass
				50	3.87	-3.500	-0.0013	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.65	-2.500	-0.0009	-2.5 to 2.5	Pass
					3.87	-2.700	-0.0010	-2.5 to 2.5	Pass
					4.45	-1.900	-0.0007	-2.5 to 2.5	Pass
				-30	3.87	-1.800	-0.0007	-2.5 to 2.5	Pass
				-20	3.87	-3.100	-0.0012	-2.5 to 2.5	Pass
				-10	3.87	-2.100	-0.0008	-2.5 to 2.5	Pass
				0	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				10	3.87	0.300	0.0001	-2.5 to 2.5	Pass
				30	3.87	-2.600	-0.0010	-2.5 to 2.5	Pass
				40	3.87	-0.900	-0.0003	-2.5 to 2.5	Pass
				50	3.87	1.500	0.0006	-2.5 to 2.5	Pass
64QAM	2503.5	75	0	20	3.65	23.000	0.0092	-2.5 to 2.5	Pass
					3.87	23.400	0.0093	-2.5 to 2.5	Pass
					4.45	14.000	0.0056	-2.5 to 2.5	Pass
				-30	3.87	9.400	0.0038	-2.5 to 2.5	Pass
				-20	3.87	28.600	0.0114	-2.5 to 2.5	Pass
				-10	3.87	5.200	0.0021	-2.5 to 2.5	Pass

				0	3.87	33.400	0.0133	-2.5 to 2.5	Pass
				10	3.87	-3.700	-0.0015	-2.5 to 2.5	Pass
				30	3.87	18.200	0.0073	-2.5 to 2.5	Pass
				40	3.87	-10.400	-0.0042	-2.5 to 2.5	Pass
				50	3.87	4.400	0.0018	-2.5 to 2.5	Pass
	2593	75	0	20	3.65	4.100	0.0016	-2.5 to 2.5	Pass
					3.87	-15.100	-0.0058	-2.5 to 2.5	Pass
					4.45	4.800	0.0019	-2.5 to 2.5	Pass
				-30	3.87	9.100	0.0035	-2.5 to 2.5	Pass
				-20	3.87	7.700	0.0030	-2.5 to 2.5	Pass
				-10	3.87	1.800	0.0007	-2.5 to 2.5	Pass
				0	3.87	-4.400	-0.0017	-2.5 to 2.5	Pass
				10	3.87	-20.300	-0.0078	-2.5 to 2.5	Pass
				30	3.87	-13.700	-0.0053	-2.5 to 2.5	Pass
				40	3.87	-5.300	-0.0020	-2.5 to 2.5	Pass
				50	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.65	-26.100	-0.0097	-2.5 to 2.5	Pass
					3.87	-14.100	-0.0053	-2.5 to 2.5	Pass
					4.45	3.000	0.0011	-2.5 to 2.5	Pass
				-30	3.87	11.000	0.0041	-2.5 to 2.5	Pass
				-20	3.87	-11.100	-0.0041	-2.5 to 2.5	Pass
				-10	3.87	-15.000	-0.0056	-2.5 to 2.5	Pass
				0	3.87	-3.400	-0.0013	-2.5 to 2.5	Pass
				10	3.87	8.200	0.0031	-2.5 to 2.5	Pass
				30	3.87	9.500	0.0035	-2.5 to 2.5	Pass
				40	3.87	-6.200	-0.0023	-2.5 to 2.5	Pass
				50	3.87	-7.600	-0.0028	-2.5 to 2.5	Pass
256QAM	2503.5	75	0	20	3.65	-0.700	-0.0003	-2.5 to 2.5	Pass
					3.87	-0.800	-0.0003	-2.5 to 2.5	Pass
					4.45	-2.600	-0.0010	-2.5 to 2.5	Pass
				-30	3.87	-3.900	-0.0016	-2.5 to 2.5	Pass
				-20	3.87	0.700	0.0003	-2.5 to 2.5	Pass
				-10	3.87	-1.700	-0.0007	-2.5 to 2.5	Pass
				0	3.87	-2.200	-0.0009	-2.5 to 2.5	Pass
				10	3.87	1.100	0.0004	-2.5 to 2.5	Pass
				30	3.87	-1.900	-0.0008	-2.5 to 2.5	Pass
				40	3.87	1.800	0.0007	-2.5 to 2.5	Pass
				50	3.87	-2.500	-0.0010	-2.5 to 2.5	Pass
	2593	75	0	20	3.65	-1.100	-0.0004	-2.5 to 2.5	Pass
					3.87	-0.900	-0.0003	-2.5 to 2.5	Pass
					4.45	0.700	0.0003	-2.5 to 2.5	Pass
				-30	3.87	-2.600	-0.0010	-2.5 to 2.5	Pass
				-20	3.87	-4.900	-0.0019	-2.5 to 2.5	Pass
				-10	3.87	-0.400	-0.0002	-2.5 to 2.5	Pass
				0	3.87	-1.200	-0.0005	-2.5 to 2.5	Pass
				10	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				30	3.87	-0.900	-0.0003	-2.5 to 2.5	Pass
				40	3.87	2.000	0.0008	-2.5 to 2.5	Pass
				50	3.87	-1.100	-0.0004	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.65	-2.300	-0.0009	-2.5 to 2.5	Pass
					3.87	0.600	0.0002	-2.5 to 2.5	Pass
					4.45	1.100	0.0004	-2.5 to 2.5	Pass
				-30	3.87	0.600	0.0002	-2.5 to 2.5	Pass
				-20	3.87	0.800	0.0003	-2.5 to 2.5	Pass
				-10	3.87	0.200	0.0001	-2.5 to 2.5	Pass
				0	3.87	2.100	0.0008	-2.5 to 2.5	Pass
				10	3.87	0.200	0.0001	-2.5 to 2.5	Pass

				30	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				40	3.87	-0.400	-0.0001	-2.5 to 2.5	Pass
				50	3.87	2.500	0.0009	-2.5 to 2.5	Pass

2.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2506	100	0	20	3.65	-0.600	-0.0002	-2.5 to 2.5	Pass
					3.87	-2.400	-0.0010	-2.5 to 2.5	Pass
					4.45	-2.900	-0.0012	-2.5 to 2.5	Pass
				-30	3.87	-3.400	-0.0014	-2.5 to 2.5	Pass
				-20	3.87	-3.100	-0.0012	-2.5 to 2.5	Pass
				-10	3.87	-3.100	-0.0012	-2.5 to 2.5	Pass
				0	3.87	-1.600	-0.0006	-2.5 to 2.5	Pass
				10	3.87	-2.600	-0.0010	-2.5 to 2.5	Pass
				30	3.87	-4.300	-0.0017	-2.5 to 2.5	Pass
				40	3.87	-3.500	-0.0014	-2.5 to 2.5	Pass
				50	3.87	-3.900	-0.0016	-2.5 to 2.5	Pass
	2593	100	0	20	3.65	-0.600	-0.0002	-2.5 to 2.5	Pass
					3.87	-1.600	-0.0006	-2.5 to 2.5	Pass
					4.45	2.100	0.0008	-2.5 to 2.5	Pass
				-30	3.87	3.000	0.0012	-2.5 to 2.5	Pass
				-20	3.87	1.700	0.0007	-2.5 to 2.5	Pass
				-10	3.87	-0.400	-0.0002	-2.5 to 2.5	Pass
				0	3.87	1.200	0.0005	-2.5 to 2.5	Pass
				10	3.87	-4.300	-0.0017	-2.5 to 2.5	Pass
				30	3.87	-2.100	-0.0008	-2.5 to 2.5	Pass
				40	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				50	3.87	-3.000	-0.0012	-2.5 to 2.5	Pass
	2680	100	0	20	3.65	0.700	0.0003	-2.5 to 2.5	Pass
					3.87	-4.600	-0.0017	-2.5 to 2.5	Pass
					4.45	-4.300	-0.0016	-2.5 to 2.5	Pass
				-30	3.87	-1.700	-0.0006	-2.5 to 2.5	Pass
				-20	3.87	1.500	0.0006	-2.5 to 2.5	Pass
				-10	3.87	-5.100	-0.0019	-2.5 to 2.5	Pass
				0	3.87	-3.000	-0.0011	-2.5 to 2.5	Pass
				10	3.87	-1.400	-0.0005	-2.5 to 2.5	Pass
				30	3.87	1.300	0.0005	-2.5 to 2.5	Pass
				40	3.87	-1.400	-0.0005	-2.5 to 2.5	Pass
				50	3.87	-3.000	-0.0011	-2.5 to 2.5	Pass
16QAM	2506	100	0	20	3.65	2.200	0.0009	-2.5 to 2.5	Pass
					3.87	-2.800	-0.0011	-2.5 to 2.5	Pass
					4.45	1.700	0.0007	-2.5 to 2.5	Pass
				-30	3.87	-2.900	-0.0012	-2.5 to 2.5	Pass
				-20	3.87	-4.300	-0.0017	-2.5 to 2.5	Pass
				-10	3.87	0.800	0.0003	-2.5 to 2.5	Pass
				0	3.87	0.800	0.0003	-2.5 to 2.5	Pass
				10	3.87	-6.400	-0.0026	-2.5 to 2.5	Pass
				30	3.87	-3.200	-0.0013	-2.5 to 2.5	Pass
				40	3.87	-3.800	-0.0015	-2.5 to 2.5	Pass
				50	3.87	-7.500	-0.0030	-2.5 to 2.5	Pass
	2593	100	0	20	3.65	-1.500	-0.0006	-2.5 to 2.5	Pass
					3.87	-7.100	-0.0027	-2.5 to 2.5	Pass

					4.45	-1.100	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	-2.400	-0.0009	-2.5 to 2.5	Pass
				-20	3.87	-4.600	-0.0018	-2.5 to 2.5	Pass
				-10	3.87	-4.300	-0.0017	-2.5 to 2.5	Pass
				0	3.87	-2.700	-0.0010	-2.5 to 2.5	Pass
				10	3.87	1.000	0.0004	-2.5 to 2.5	Pass
				30	3.87	-1.600	-0.0006	-2.5 to 2.5	Pass
				40	3.87	2.600	0.0010	-2.5 to 2.5	Pass
				50	3.87	1.300	0.0005	-2.5 to 2.5	Pass
	2680	100	0	20	3.65	-2.900	-0.0011	-2.5 to 2.5	Pass
					3.87	-1.800	-0.0007	-2.5 to 2.5	Pass
					4.45	-5.300	-0.0020	-2.5 to 2.5	Pass
				-30	3.87	-2.300	-0.0009	-2.5 to 2.5	Pass
				-20	3.87	-0.700	-0.0003	-2.5 to 2.5	Pass
				-10	3.87	-0.100	0.0000	-2.5 to 2.5	Pass
				0	3.87	-1.500	-0.0006	-2.5 to 2.5	Pass
				10	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				30	3.87	-3.300	-0.0012	-2.5 to 2.5	Pass
				40	3.87	-4.600	-0.0017	-2.5 to 2.5	Pass
				50	3.87	-4.900	-0.0018	-2.5 to 2.5	Pass
64QAM	2506	100	0	20	3.65	4.200	0.0017	-2.5 to 2.5	Pass
					3.87	2.800	0.0011	-2.5 to 2.5	Pass
					4.45	11.000	0.0044	-2.5 to 2.5	Pass
				-30	3.87	13.800	0.0055	-2.5 to 2.5	Pass
				-20	3.87	-11.100	-0.0044	-2.5 to 2.5	Pass
				-10	3.87	-2.400	-0.0010	-2.5 to 2.5	Pass
				0	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				10	3.87	-12.000	-0.0048	-2.5 to 2.5	Pass
				30	3.87	6.600	0.0026	-2.5 to 2.5	Pass
				40	3.87	9.000	0.0036	-2.5 to 2.5	Pass
				50	3.87	-13.100	-0.0052	-2.5 to 2.5	Pass
	2593	100	0	20	3.65	-16.700	-0.0064	-2.5 to 2.5	Pass
					3.87	2.100	0.0008	-2.5 to 2.5	Pass
					4.45	1.200	0.0005	-2.5 to 2.5	Pass
				-30	3.87	13.300	0.0051	-2.5 to 2.5	Pass
				-20	3.87	-11.200	-0.0043	-2.5 to 2.5	Pass
				-10	3.87	-7.900	-0.0030	-2.5 to 2.5	Pass
				0	3.87	-11.100	-0.0043	-2.5 to 2.5	Pass
				10	3.87	6.600	0.0025	-2.5 to 2.5	Pass
				30	3.87	-5.200	-0.0020	-2.5 to 2.5	Pass
				40	3.87	5.800	0.0022	-2.5 to 2.5	Pass
				50	3.87	-3.700	-0.0014	-2.5 to 2.5	Pass
	2680	100	0	20	3.65	-9.800	-0.0037	-2.5 to 2.5	Pass
					3.87	0.800	0.0003	-2.5 to 2.5	Pass
					4.45	10.000	0.0037	-2.5 to 2.5	Pass
				-30	3.87	2.600	0.0010	-2.5 to 2.5	Pass
				-20	3.87	-7.800	-0.0029	-2.5 to 2.5	Pass
				-10	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				0	3.87	-5.400	-0.0020	-2.5 to 2.5	Pass
				10	3.87	-8.300	-0.0031	-2.5 to 2.5	Pass
				30	3.87	-12.800	-0.0048	-2.5 to 2.5	Pass
				40	3.87	3.100	0.0012	-2.5 to 2.5	Pass
				50	3.87	13.700	0.0051	-2.5 to 2.5	Pass
256QAM	2506	100	0	20	3.65	1.000	0.0004	-2.5 to 2.5	Pass
					3.87	-2.700	-0.0011	-2.5 to 2.5	Pass
					4.45	-1.900	-0.0008	-2.5 to 2.5	Pass
				-30	3.87	-2.700	-0.0011	-2.5 to 2.5	Pass

				-20	3.87	1.300	0.0005	-2.5 to 2.5	Pass
				-10	3.87	-0.700	-0.0003	-2.5 to 2.5	Pass
				0	3.87	-3.200	-0.0013	-2.5 to 2.5	Pass
				10	3.87	2.500	0.0010	-2.5 to 2.5	Pass
				30	3.87	-1.500	-0.0006	-2.5 to 2.5	Pass
				40	3.87	1.500	0.0006	-2.5 to 2.5	Pass
				50	3.87	-4.300	-0.0017	-2.5 to 2.5	Pass
	2593	100	0	20	3.65	-3.200	-0.0012	-2.5 to 2.5	Pass
					3.87	-1.700	-0.0007	-2.5 to 2.5	Pass
					4.45	-3.700	-0.0014	-2.5 to 2.5	Pass
				-30	3.87	1.400	0.0005	-2.5 to 2.5	Pass
				-20	3.87	3.500	0.0013	-2.5 to 2.5	Pass
				-10	3.87	1.500	0.0006	-2.5 to 2.5	Pass
				0	3.87	-0.500	-0.0002	-2.5 to 2.5	Pass
				10	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				30	3.87	-0.600	-0.0002	-2.5 to 2.5	Pass
				40	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				50	3.87	-4.600	-0.0018	-2.5 to 2.5	Pass
	2680	100	0	20	3.65	-3.900	-0.0015	-2.5 to 2.5	Pass
					3.87	1.500	0.0006	-2.5 to 2.5	Pass
					4.45	1.600	0.0006	-2.5 to 2.5	Pass
				-30	3.87	-5.300	-0.0020	-2.5 to 2.5	Pass
				-20	3.87	-0.200	-0.0001	-2.5 to 2.5	Pass
				-10	3.87	-4.500	-0.0017	-2.5 to 2.5	Pass
				0	3.87	-1.000	-0.0004	-2.5 to 2.5	Pass
				10	3.87	3.000	0.0011	-2.5 to 2.5	Pass
				30	3.87	-1.000	-0.0004	-2.5 to 2.5	Pass
				40	3.87	-0.800	-0.0003	-2.5 to 2.5	Pass
				50	3.87	-3.900	-0.0015	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band41_OBW

Band: 41 / NTVN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	4.568	/	Pass
		2593	25	0	4.549	/	Pass
		2687.5	25	0	4.547	/	Pass
	16QAM	2498.5	25	0	4.568	/	Pass
		2593	25	0	4.564	/	Pass
		2687.5	25	0	4.547	/	Pass
	64QAM	2498.5	25	0	4.542	/	Pass
		2593	25	0	4.578	/	Pass
		2687.5	25	0	4.548	/	Pass
	256QAM	2498.5	25	0	4.559	/	Pass
		2593	25	0	4.552	/	Pass
		2687.5	25	0	4.539	/	Pass
10	QPSK	2501	50	0	9.052	/	Pass
		2593	50	0	9.095	/	Pass
		2685	50	0	9.100	/	Pass

	16QAM	2501	50	0	9.059	/	Pass
		2593	50	0	9.091	/	Pass
		2685	50	0	9.098	/	Pass
	64QAM	2501	50	0	9.074	/	Pass
		2593	50	0	9.093	/	Pass
		2685	50	0	9.080	/	Pass
	256QAM	2501	50	0	9.071	/	Pass
		2593	50	0	9.062	/	Pass
		2685	50	0	9.061	/	Pass
15	QPSK	2503.5	75	0	13.606	/	Pass
		2593	75	0	13.600	/	Pass
		2682.5	75	0	13.591	/	Pass
	16QAM	2503.5	75	0	13.621	/	Pass
		2593	75	0	13.614	/	Pass
		2682.5	75	0	13.622	/	Pass
	64QAM	2503.5	75	0	13.590	/	Pass
		2593	75	0	13.636	/	Pass
		2682.5	75	0	13.577	/	Pass
20	QPSK	2503.5	75	0	13.570	/	Pass
		2593	75	0	13.614	/	Pass
		2682.5	75	0	13.606	/	Pass
	16QAM	2506	100	0	18.160	/	Pass
		2593	100	0	18.112	/	Pass
		2680	100	0	18.095	/	Pass
	64QAM	2506	100	0	18.124	/	Pass
		2593	100	0	18.127	/	Pass
		2680	100	0	18.121	/	Pass
	QPSK	2506	100	0	18.112	/	Pass
		2593	100	0	18.118	/	Pass
		2680	100	0	18.148	/	Pass
	16QAM	2506	100	0	18.106	/	Pass
		2593	100	0	18.077	/	Pass
		2680	100	0	18.100	/	Pass
	64QAM	2506	100	0	18.112	/	Pass
		2593	100	0	18.118	/	Pass
		2680	100	0	18.148	/	Pass


3.1.2 Band41_XDB

Band: 41 / NTVN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	5.232	/	Pass
		2593	25	0	5.191	/	Pass
		2687.5	25	0	5.230	/	Pass
	16QAM	2498.5	25	0	5.174	/	Pass
		2593	25	0	5.201	/	Pass
		2687.5	25	0	5.252	/	Pass
	64QAM	2498.5	25	0	5.222	/	Pass
		2593	25	0	5.177	/	Pass
		2687.5	25	0	5.266	/	Pass
10	QPSK	2498.5	25	0	5.186	/	Pass
		2593	25	0	5.248	/	Pass
		2687.5	25	0	5.152	/	Pass
	16QAM	2501	50	0	9.958	/	Pass
		2593	50	0	10.208	/	Pass
		2685	50	0	10.139	/	Pass
	64QAM	2501	50	0	10.065	/	Pass
		2593	50	0	10.065	/	Pass
		2685	50	0	10.065	/	Pass


	64QAM	2593	50	0	10.325	/	Pass
		2685	50	0	10.328	/	Pass
		2501	50	0	10.139	/	Pass
		2593	50	0	10.222	/	Pass
		2685	50	0	10.144	/	Pass
	256QAM	2501	50	0	10.143	/	Pass
		2593	50	0	10.140	/	Pass
		2685	50	0	10.272	/	Pass
15	QPSK	2503.5	75	0	15.130	/	Pass
		2593	75	0	15.056	/	Pass
		2682.5	75	0	15.221	/	Pass
	16QAM	2503.5	75	0	15.012	/	Pass
		2593	75	0	14.970	/	Pass
		2682.5	75	0	14.962	/	Pass
	64QAM	2503.5	75	0	14.926	/	Pass
		2593	75	0	15.148	/	Pass
		2682.5	75	0	14.981	/	Pass
	256QAM	2503.5	75	0	15.023	/	Pass
		2593	75	0	15.103	/	Pass
		2682.5	75	0	15.063	/	Pass
20	QPSK	2506	100	0	20.204	/	Pass
		2593	100	0	19.832	/	Pass
		2680	100	0	20.083	/	Pass
	16QAM	2506	100	0	20.093	/	Pass
		2593	100	0	19.678	/	Pass
		2680	100	0	19.983	/	Pass
	64QAM	2506	100	0	21.037	/	Pass
		2593	100	0	20.025	/	Pass
		2680	100	0	20.275	/	Pass
	256QAM	2506	100	0	19.873	/	Pass
		2593	100	0	19.905	/	Pass
		2680	100	0	19.891	/	Pass

3.2 Test Graph


3.2.1 Band41_OBW




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_64QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_64QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_64QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_256QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_256QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_256QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_64QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_64QAM_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_64QAM_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_256QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_256QAM_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_256QAM_HCH_2685MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_64QAM_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_64QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_64QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_256QAM_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_256QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_256QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_64QAM_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_64QAM_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_64QAM_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_256QAM_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_256QAM_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_256QAM_HCH_2680MHz_RB_100_0_NTNV




3.2.2 Band41_XDB




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_64QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_64QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_64QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_256QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_256QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_256QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV



Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV



Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV



Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV

