


Dimensions are a GUIDE ONLY



Dimensions are a GUIDE ONLY



5

DÉCLARATION DE CONFORMITÉ DE L'ÉMETTEUR

Les émetteurs sont conformes à toutes les exigences légales des États-Unis et du Canada à la date de fabrication. POUR SE CONFORMER AUX RÈGLES D'INNOVATION, SCIENCE ET DÉVELOPPEMENT ÉCONOMIQUE CANADA PARTIE 15 ET OU RSS 210 DE FAC.

Conformité à la norme FCC testée pour un usage DOMESTIQUE ou de BUREAU. L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :
1. L'appareil ne doit pas produire de brouillage.
2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

REMARQUE : Cet équipement a été testé et déclaré conforme aux limitations applicables à un appareil numérique de Classe B, conformément aux dispositions de la partie 15 des règles de la FCC. Ces limitations visent à assurer une protection suffisante contre les interférences dans une installation résidentielle. Cet équipement dégage, utilise et peut émettre des ondes radio. Si il n'est pas installé et utilisé conformément aux instructions, les interférences peuvent perturber les communications radio. Il n'y a toutefois aucune garantie que des interférences ne se produiront pas dans une installation donnée. Si cet équipement vient à causer des interférences avec la réception de la radio ou de la télévision, ce qui peut être déterminé en l'éteignant et en le rallumant, l'utilisateur est invité à y remédier en prenant une ou plusieurs des mesures suivantes :
* réorienter ou déplacer l'antenne de réception ;
* éloigner l'équipement du récepteur ;
* brancher l'équipement dans une prise de courant d'un circuit électrique différent. Le cas échéant, consultez votre revendeur ou un technicien radio/TV expérimenté.

Avertissement: Toute modification non expressément approuvée par la partie responsable de la conformité pourrait annuler l'autorité de l'utilisateur à utiliser l'équipement.

(CLAM SHELL) 75mm W

(CLAM SHELL) 185mm H

(INSERT) 160mm H

(REMOTE) 15mm H

(INSERT) 65mm W

6

automatic TECHNOLOGY

Genuine
PREMIUM REMOTE CONTROL

Compatible with: EasyRoller, Hiro, Classic, Advance and Elite Openers

SCAN: for installation guide
PTX-10VIAM order code: #87481
Made in China for Automatic Technology America

WARNING! Keep Remote Controls away from children. Chemical Burn Hazard! Keep batteries away from children. The battery compartment MUST be completely secure. If battery is swallowed **SEEK IMMEDIATE MEDICAL ATTENTION** as DEATH can occur in as little as 2 hours.

AVERTISSEMENT! Les émetteurs doivent rester hors de portée des enfants. Risque de brûlure chimique! Gardez les piles hors de portée des enfants. Le compartiment à piles DOIT être complètement sécurisé. Si la batterie est avalée, **CONSULTEZ IMMÉDIATEMENT UN MÉDECIN** car la MORT peut survenir en aussi peu que deux heures.

C2032 BATTERY INCLUDED
WWW.ATA-AMERICA.COM (800) 934 9892

This product is subject to patent protection and may only be reproduced or used in America. This product must not be exported from and sold outside America. ATA company warranty agent(s) select only agents in America. Standard warranty and guarantees that may apply in other countries are not included.

FOLD INWARD FIRST

FOLD LINE

FOLD LINE

FOLD INWARD SECOND

1

automatic TECHNOLOGY

PREMIUM REMOTE CONTROL

2

CODING A REMOTE CONTROL

STEP ONE
Use an existing remote

Start door and stop door

Use a pen and press the centre for 5sec
Courtesy light flashes rapidly

STEP TWO
Within 10secs press new remote

HOLD for 3 sec
RELEASE
HOLD for 3 sec
RELEASE
Light stops flashing rapidly

Wait 10sec and test

3

CHANGING THE BATTERY

STEP THREE
Test the Battery

To test battery is working, press and hold remote

Light Status	Battery Status
Solid	OK
Flashing	Requires replacement
No light	Requires replacement

STEP FOUR

Use a screwdriver to remove screws

Use screwdriver to pry open the plastic case to expose circuit board

Use a pen to remove battery and replace

Dispose of battery safely

WARNING! The battery shall be disposed of properly, including keeping it away from children. Even used batteries may cause injury.
AVERTISSEMENT! La batterie doit être mise au rebut de manière appropriée, notamment en la gardant hors de portée des enfants. Même les piles usées peuvent provoquer des blessures.

Refer to Operator Instruction Manual for detailed instructions & warnings

4

TRANSMITTER COMPLIANCE STATEMENT

Transmitters comply with all United States and Canadian legal requirements as of the date of manufacture. To comply with FCC Part 15 and or RSS 210 INNOVATION, SCIENCE AND ECONOMIC DEVELOPMENT Canada rules

Tested to Comply with FCC Standard FOR HOME OR OFFICE USE. This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:


1. This device may not cause interference.
2. This device must accept any interference including interference that may cause undesired operation of the device.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

* Reorient or relocate the receiving antenna
* Increase the separation between the equipment and receiver
* Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult your local dealer or an experienced radio/TV technician for help.

WARNING: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

SECURE & RELIABLE



140

334.79


140.99

13.11

141.59

A-A

B-B



288

FOLD INWARD FIRST

5

DÉCLARATION DE CONFORMITÉ DE L'ÉMETTEUR

Les émetteurs sont conformes à toutes les exigences législatives des États-Unis et du Canada à la suite de l'innovation POST SE CONFORME AUX RÈGLES D'INNOVATION SCIENCE ET DÉVELOPPEMENT ÉCONOMIQUE CANADA PARTIE 15 ET DU RSS 210 DE l'IC.

Conformité à la norme FCC: Ce produit est conforme aux exigences de la norme FCC pour un usage DOMESTIQUE ou de BUREAU. L'utilisation est soumise aux deux conditions suivantes:

- (1) cet appareil ne doit pas causer d'interférences;
- (2) cet appareil doit accepter toute interférence préexistante, y compris celles qui sont susceptibles de perturber un fonctionnement.

REMARQUE: Cet équipement a été testé et déclaré conforme aux limitations applicables à un appareil numérique de Classe B, conformément aux dispositions de la partie 15 des règles de la FCC. Ces limitations visent à assurer une protection suffisante contre les interférences dans une installation résidentielle. Cet équipement émettra, utilisera et peut recevoir des ondes radio. Si vous ne voulez pas installer cet équipement, les interférences peuvent perturber les communications radio. Il n'y a toutefois aucune garantie que des interférences ne se produiront pas dans une installation donnée. Si cet équipement vient à causer des interférences avec la réception de la radio ou de la télévision, ce qui peut être déterminé en éteignant et en rallumant l'appareil, vous devez y remédier en prenant une ou plusieurs des mesures suivantes:

- * Réorienter ou déplacer l'antenne de réception;
- * Désactiver l'équipement du récepteur;
- * Brancher l'équipement dans une prise de courant d'un circuit électrique différent. Le cas échéant, consultez votre fournisseur ou un technicien radio/TV expérimenté.

AVERTISSEMENT: Toute modification non expressément approuvée par la partie responsable de la conformité pourrait annuler l'autorité de l'utilisateur à utiliser l'équipement.

FOLD LINE

6

automatic TECHNOLOGY

Genuine

WALL CONTROL

Compatible with: ShredMaster openers



SCAN for installation guide

WTS-101184 order code: 484452

Made in China for Automatic Technology America



WARNING: Keep Remote Control away from children. Children Run Hazard Keep Remote away from children.

ATTENTION: Éloignez la télécommande des enfants. Les enfants peuvent courir le risque de blessures.

AVERTISSEMENT: Les enfants doivent rester loin du poste des enfants.

Risque de blessure d'un enfant. Les enfants ne doivent pas jouer avec la télécommande. Gardez la télécommande à l'écart des enfants. Consultez immédiatement un médecin.

9 325904 813093

C2032 BATTERY INCLUDED

WWW.ATA-AMERICA.COM

(800) 934-9892

SHEDMASTER

FOLD LINE

1

automatic TECHNOLOGY

WALL CONTROL

SECURE & RELIABLE



SHEDMASTER

FOLD INWARD SECOND

2

IMPORTANT WARNING / AVERTISSEMENT

- LOCATE THE WALL MOUNTED REMOTE CONTROL: WITHIN SIGHT OF DOOR.
- AT MINIMUM HEIGHT OF 5 FEET ABOVE FLOORS, LANDINGS, STEPS OR OTHER ADJACENT WALKING SURFACE SO SMALL CHILDREN ARE NOT ABLE TO REACH IT, AND
- AWAY FROM MOVING PARTS OF THE DOOR.

PLACEZ LA TÉLÉCOMMANDE MURALE:

- EN VUE DE LA PORTE.
- À UNE HAUTEUR D'AU MOINS 1,50M (5 PIEDS) AU-DESSUS DU SOL, DU PERRON, DES MARCHES, ETC. AFIN QUE LES PETITS ENFANTS NE PUISSENT PAS L'ATTEINDRE.
- ET À DISTANCE DES ÉLÉMENTS MOBILES DE LA PORTE.

INSTALL THE WALL SWITCH

STEP ONE



Remove the mounting hardware from inside cover

INSTALL THE WALL SWITCH

STEP THREE



Pre-drill holes, using 6mm drill bits

Mount at least 1.5m off the ground, and make sure the door is visible from this location.

3

CODING A WALL CONTROL

STEP FOUR

Take pre-coded transmitter



Start door and stop door



Use a pen and press the centre for 3sec

Opener will beep

STEP FIVE

Within 10secs press wall button



HOLD for 3 sec

RELEASE

HOLD for 3 sec

RELEASE

Wait 10sec and test

Opener will beep

CHANGING THE BATTERY

STEP SIX



Use pen to lift lid off and to release board from pin



Use pen to push and release battery

Replace battery and remount to wall.

Dispose of battery safely as per operator manual.

WARNING: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

AVERTISSEMENT: Toute modification non expressément approuvée par la partie responsable de la conformité pourrait annuler l'autorité de l'utilisateur à utiliser l'équipement.

4

TRANSMITTER COMPLIANCE STATEMENT

Transmitters comply with all United States and Canadian legal requirements as of the date of manufacture. To comply with FCC Part 15 and RSS 210 INNOVATION, SCIENCE AND ECONOMIC DEVELOPMENT Canada rules.

Revised to Comply with FCC Standards FOR HOME OR OFFICE USE. Operation is subject to the following two conditions:

- This device may not cause harmful interference, and
- This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- * Reorient or relocate the receiving antenna.
- * Increase the separation between the equipment and receiver.
- * Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult your local dealer or an experienced radio/TV technician for help.

WARNING: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

AVERTISSEMENT: Toute modification non expressément approuvée par la partie responsable de la conformité pourrait annuler l'autorité de l'utilisateur à utiliser l'équipement.

SHEDMASTER