

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.54	0.79	15.33	30.00	1.0000	Complies
157	5785	14.81	0.79	15.60	30.00	1.0000	Complies
165	5825	14.43	0.79	15.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.56	0.79	15.35	30.00	1.0000	Complies
157	5785	14.48	0.79	15.27	30.00	1.0000	Complies
165	5825	14.49	0.79	15.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.35	30.00	1.0000	Complies
157	5785	18.45	30.00	1.0000	Complies
165	5825	18.26	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.91	1.43	16.34	30.00	1.0000	Complies
159	5795	15.91	1.43	17.34	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.12	1.43	15.55	30.00	1.0000	Complies
159	5795	14.96	1.43	16.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.97	30.00	1.0000	Complies
159	5795	19.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.33	2.61	18.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.53	2.61	18.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.57	30.00	1.0000	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.33	0.79	14.12	27.00	0.5012	Complies
40	5200	13.07	0.79	13.86	27.00	0.5012	Complies
48	5240	12.62	0.79	13.41	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.49	0.79	14.28	27.00	0.5012	Complies
40	5200	13.45	0.79	14.24	27.00	0.5012	Complies
48	5240	12.74	0.79	13.53	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.21	27.00	0.5012	Complies
40	5200	17.07	27.00	0.5012	Complies
48	5240	16.48	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.22	1.42	15.64	27.00	0.5012	Complies
46	5230	15.23	1.42	16.65	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.96	1.42	15.38	27.00	0.5012	Complies
46	5230	14.02	1.42	15.44	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.52	27.00	0.5012	Complies
46	5230	19.10	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.42	0.79	14.21	27.00	0.5012	Complies
40	5200	13.13	0.79	13.92	27.00	0.5012	Complies
48	5240	12.65	0.79	13.44	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.52	0.79	14.31	27.00	0.5012	Complies
40	5200	13.45	0.79	14.24	27.00	0.5012	Complies
48	5240	12.72	0.79	13.51	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.27	27.00	0.5012	Complies
40	5200	17.09	27.00	0.5012	Complies
48	5240	16.49	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.29	1.43	15.72	27.00	0.5012	Complies
46	5230	15.21	1.43	16.64	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.07	1.43	15.50	27.00	0.5012	Complies
46	5230	14.29	1.43	15.72	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.62	27.00	0.5012	Complies
46	5230	19.21	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.19	2.61	14.80	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.72	2.61	15.33	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.09	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.26	0.79	15.05	27.00	0.5012	Complies
157	5785	14.55	0.79	15.34	27.00	0.5012	Complies
165	5825	14.13	0.79	14.92	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.28	0.79	15.07	27.00	0.5012	Complies
157	5785	14.29	0.79	15.08	27.00	0.5012	Complies
165	5825	14.19	0.79	14.98	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.07	27.00	0.5012	Complies
157	5785	18.22	27.00	0.5012	Complies
165	5825	17.96	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.61	1.42	16.03	27.00	0.5012	Complies
159	5795	15.62	1.42	17.04	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.88	1.42	15.30	27.00	0.5012	Complies
159	5795	14.55	1.42	15.97	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.69	27.00	0.5012	Complies
159	5795	19.55	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.31	0.79	15.10	27.00	0.5012	Complies
157	5785	14.55	0.79	15.34	27.00	0.5012	Complies
165	5825	14.19	0.79	14.98	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.28	0.79	15.07	27.00	0.5012	Complies
157	5785	14.26	0.79	15.05	27.00	0.5012	Complies
165	5825	14.25	0.79	15.04	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.10	27.00	0.5012	Complies
157	5785	18.21	27.00	0.5012	Complies
165	5825	18.02	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.65	1.43	16.08	27.00	0.5012	Complies
159	5795	15.64	1.43	17.07	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.85	1.43	15.28	27.00	0.5012	Complies
159	5795	14.69	1.43	16.12	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.71	27.00	0.5012	Complies
159	5795	19.63	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.05	2.61	18.66	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.26	2.61	17.87	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.30	27.00	0.5012	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.31	0.74	11.05	17.00	Complies
40	5200	10.13	0.74	10.87	17.00	Complies
48	5240	10.17	0.74	10.91	17.00	Complies

CH36




Date: 9.SEP.2021 16:11:09

CH40



Date: 9.SEP.2021 16:13:38

CH48



Date: 9.SEP.2021 16:14:18

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.75	0.79	11.54	13.99	Complies
40	5200	10.76	0.79	11.55	13.99	Complies
48	5240	10.71	0.79	11.50	13.99	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.33	0.79	10.12	13.99	Complies
40	5200	9.13	0.79	9.92	13.99	Complies
48	5240	9.38	0.79	10.17	13.99	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.90	13.99	Complies
40	5200	13.82	13.99	Complies
48	5240	13.90	13.99	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.18	1.43	9.61	13.99	Complies
46	5230	8.51	1.43	9.94	13.99	Complies




Date: 9.SEP.2021 16:28:36




Date: 9.SEP.2021 16:29:31

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.23	1.43	7.66	13.99	Complies
46	5230	6.92	1.43	8.35	13.99	Complies



Date: 9.SEP.2021 16:46:40




Date: 9.SEP.2021 16:47:28

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.75	13.99	Complies
46	5230	12.23	13.99	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.78	2.61	7.39	13.99	Complies



Date: 9.SEP.2021 16:33:04

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.15	2.61	5.76	13.99	Complies



Date: 9.SEP.2021 16:50:16


Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.66	13.99	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.59	0.74	9.33	30.00	Complies
157	5785	8.62	0.74	9.36	30.00	Complies
165	5825	8.07	0.74	8.81	30.00	Complies

CH149




Date: 9.SEP.2021 16:18:18

CH157



Date: 9.SEP.2021 16:18:46


CH165



Date: 9.SEP.2021 16:19:13


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.47	0.79	9.26	26.99	Complies
157	5785	8.01	0.79	8.80	26.99	Complies
165	5825	8.15	0.79	8.94	26.99	Complies



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.56	0.79	8.35	26.99	Complies
157	5785	6.79	0.79	7.58	26.99	Complies
165	5825	6.79	0.79	7.58	26.99	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.84	26.99	Complies
157	5785	11.24	26.99	Complies
165	5825	11.32	26.99	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.79	1.43	6.22	26.99	Complies
159	5795	4.08	1.43	5.51	26.99	Complies




Date: 9.SEP.2021 16:31:22




Date: 9.SEP.2021 16:31:53

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.22	1.43	6.65	26.99	Complies
159	5795	5.12	1.43	6.55	26.99	Complies



Date: 9.SEP.2021 16:40:49




Date: 9.SEP.2021 16:49:18

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.45	26.99	Complies
159	5795	9.07	26.99	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.66	2.61	3.27	26.99	Complies



Date: 9.SEP.2021 16:34:15

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.33	2.61	3.94	26.99	Complies



Date: 9.SEP.2021 16:50:50

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.63	26.99	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
13.8	5179.9684
12.0	5179.9700
10.2	5179.9728
Maximum Deviation (MHz)	0.0316
Maximum Deviation (ppm)	6.1004

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9736
10	5179.9732
20	5179.9728
30	5179.9724
40	5179.9720
Maximum Deviation (MHz)	0.0284
Maximum Deviation (ppm)	5.4826

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
13.8	5744.9712
12.0	5744.9696
10.2	5744.9688
Maximum Deviation (MHz)	0.0312
Maximum Deviation (ppm)	5.4308

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9688
10	5744.9684
20	5744.9684
30	5744.9684
40	5744.9680
Maximum Deviation (MHz)	0.0320
Maximum Deviation (ppm)	5.5701

End of Test Report