



Compliance Testing, LLC
Previously Flom Test Lab
EMI, EMC, RF Testing Experts Since 1963

toll-free: (866) 311-3268
fax: (480) 926-3598
<http://www.ComplianceTesting.com>
info@ComplianceTesting.com

FCC CFR47 Part 1.1310 Test Report

Prepared for: Xtreme Power Systems

Model: DivBee

Description: Zigbee Transceiver (2.4 GHz)

on

Date of Issue: July 7, 2011

On the behalf of the applicant:

Xtreme Power Systems
2440 Kiowa Blvd. N.
Suite 102
Lake Havasu City, Arizona 86403

Attention of:

Jim Drew, CEO
Ph: (928) 230-1413
E-Mail: jd@xtremepowersystems.net

Prepared by
Compliance Testing, LLC
3356 N San Marcos Pl, Suite-107
Chandler, AZ 85225-7176
(866) 311-3268 phone / (480) 926-3598 fax
www.compliancetesting.com
Project No: p1150005

John Erhard
Project Test Engineer

This report may not be reproduced, except in full, without written permission from Compliance Testing
All results of this test report relate only to the item(s) there were tested



Test Report Revision History

Revision	Date	Revised By	Reason for Revision
1.0	July 7, 2011	John Erhard	Original Document
2.0	August 8, 2011	Amanda Reed	Modify customer phone number



Compliance Testing, LLC
Previously Flom Test Lab

ILAC / A2LA

Compliance Testing, LLC, has been accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer joint ISO-ILAC-IAF Communiqué dated January 2009)

The tests results contained within this test report all fall within our scope of accreditation, unless noted in the table below.

Please refer to <http://www.compliancetesting.com/labscope.html> for current scope of accreditation.

Testing Certificate Number: **2152.01**



FCC OATS Reg, #933597

IC Reg. #2044A-1

Non-accredited tests contained in this report:
N/A



Name of Test: Environmental Assessment

Specification: FCC:47 CFR 1.1310

Measurement Guide: ANSI/IEEE C95.1 1992

Name of Test: R.F. Radiation Exposure

FCC Rules: 1.1307, 1.1310, 1.1311, 2.1091

Limits Uncontrolled Exposure	0.3-1.234 MHz:	Limit [mW/cm ²] = 100
47 CFR 1.1310	1.34-30 MHz:	Limit [mW/cm ²] = (180/f ²)
Table 1, (B)	30-300 MHz:	Limit [mW/cm ²] = 0.2
	300-1500 MHz:	Limit [mW/cm ²] = f/1500
	1500-100,000 MHz	Limit [mW/cm ²] = 1.0

Test Frequencies, MHz 2440

Power, Conducted, W (P) 0.1039

Antenna Gain Isotropic 2.15 dBi

Antenna Gain Numeric (G) 1.62

Antenna Type dipole

Distance (R) 20 cm

Power Density Calculations	Formula =	$S = PG / 4R^2$
	Power Density (S) =	0.033
	Limit =	1.0

END OF TEST REPORT