

ShenZhen Solam Digital Technology Co.,Ltd.
2nd Floor, A Building, Ruida Science and Technology Park, Zhongxing Road,
Bantian Street, Longgang District, Shenzhen China

Mar. 23, 2010

Responses to inquiry for the FM TRANSMITTER (FCC ID:
X84SL528E)

1) How does this device operate?


The device is operated as 106.7MHz ,
107.1M,107.5MHz,107.9MHZ FM transmitter and powered by
12VDC with the plug in or 2 AAA 1.5V batteries.

It transmit the audio signal from a external audio source such as
MP3 player by a FM transmitter tuned on 106.7MHz and the
audio signal can be received by a common FM Broadcasting
Radio which is tuned to the same
transmitted frequency of the FM transmitter and regenerate the
transmitted
signal through the FM Broadcasting Radio.

2) Provide information on the device and its antenna.

The antenna is a dipole antenna .

(please see the attached picture)



3) How is it installed?

It is very easy to install. It is powered by 12VDC . Plug the unit into
cigarette lighter in you car.

4) What test procedure was used?

ANCI C63.4:2009

**ShenZhen Solam Digital Technology Co.,Ltd.
2nd Floor, A Building, Ruida Science and Technology Park, Zhongxing Road,
Bantian Street, Longgang District, Shenzhen China
TEL : 86 755-28443319 FAX: 86 755-28443363**

5) If tested in a car, how was it configured?

Not tested in a car, it was tested in a semi-anechoic chamber.

6) Was the tuning range properly verified? The test lab should indicate in the report that the tuning controls were manually adjusted to verify maximum tuning range.

106.7MHz , 107.1MHz , 107.5MHz , 107.9MHz

7) Was the bandwidth properly tested with maximum audio input? The test lab should describe the audio input signal (use a typical audio file from a typical device) -

DO NOT use 1kHz tone from signal generator as specified under ETSI EN 301 357-1) The maximum output Level of the typical device, mp3 player is used.

8) Does the device operate in a vehicle? Please state that this was verified.
It was not test in a vehicle.

9) Provide the test report

Provided